

Test Method:	FCC Part 15 Subpart C, Spurious Case Radiated Emissions, Paragraph 15.209(a)						
Customer:	Symbol Technologies			Job No.	R-8504-1		
Test Sample:	916.5MHz Pulsed RF Transmitter			FCC ID.	H9PLS4071ITA		
Model No.:	LS4071			Serial No.	N/A		
Operating Mode:	Continuously Transmitting a 916.5MHz Signal						
Technician:	P. Lananna			Date:	May 2, 2000		
Notes:	Test Distance: 3 Meters Temp: 13 C Humidity: 37% Detector: Quasi-Peak Below 1 GHz, Peak above 1 GHz						
Test Freq.	Antenna Position	EUT Orientation	Meter Readings	Correction Factor	Corrected Reading	Converted Reading	LIMIT
MHz	(V/H) / Meters	Degrees	dBuV	dB	dBuV/m	uV/m	uV/m
30.00							100
88.00							100
88.00							150
216.00							150
216.00							200
810.5	V/1.3	180	39	5.7	44.7	171.8	
819.5	V/1.3	180	38	5.9	43.9	156.7	
828.0	V/1.0	180	38	6.0	42.0	125.9	
960.00							200
960.00							500
9200.0							500
	The EUT was scanned from 30 MHz to 9.2GHz						
	The emissions observed from the EUT do not exceed the specified limits. Emissions not recorded were more than 10dB under the specified limit						



Retlif Testing Laboratories

Retlif Job Number R-8504-1