

## RF EXPOSURE REPORT (FOR BLUETOOTH)

**REPORT NO.:** SA981021L04-2 **MODEL NO.:** MC75A0

ACCORDING: FCC Guidelines for Human Exposure IEEE C95.1

APPLICANT:	Symbol Technologies, Inc.
	Cymbol reonnologics, mo.

- ADDRESS: One Symbol Plaza, Holtsville, NY 11742-1300 USA
- **ISSUED BY:** Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
- LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang, Taipei Hsien 244, Taiwan, R.O.C.
- **TEST LOCATION:** No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW	
Low	2.402	24.58	
High	2.480	24.30	

Maximum measured transmitter power:

Pout (dBr	Pout (mW)	
<b>Conducted Power</b>	4.0	2.5
EIRP Power	2.5	1.8

\*Note: The antenna is Chip antenna with -1.5dBi gain

Threshold for no SAR evaluation is 24.58mW Transmitter power is 2.5mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold