



# RF EXPOSURE REPORT (FOR BLUETOOTH)

**REPORT NO.:** SA981105L04-2

**MODEL NO.:** MC75A6

**ACCORDING:** FCC Guidelines for Human Exposure  
IEEE C95.1

**APPLICANT:** Symbol Technologies, Inc.

**ADDRESS:** One Motorola Plaza, Holtsville, NY-11742-1300,  
U.S.A.

**ISSUED BY:** Bureau Veritas Consumer Products Services (H.K.)  
Ltd., Taoyuan Branch

**LAB ADDRESS:** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,  
Taipei Hsien 244, Taiwan, R.O.C.

**TEST LOCATION:** No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei Shan  
Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)	
Conducted Power	3.6	2.3
EIRP Power	2.1	1.6

**\*Note:** The antenna is Chip antenna with -1.5dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 2.3mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold