


Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: H9FERT4600/CHEWV19
 Test Method: FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz
 Nuts: Carrier Frequency Tested: 2.412 GHz
 Lead Tested: Hot Detector Function: Peak
 Date: February 4, 2000 Tech: N. Dragana Sheet: 1 of 5



Retif Testing Laboratories
 Report No. R-8392-1

ATTEN 10dB
 RL 85.0dBW 10dB/



R-8392-1 PPT4600
 Cond Emis. Lead-

Hot


START 450kHz STOP 30.00MHz
 *RBW 10kHz *VBW 30kHz *SWP 20.0sec

Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: H5E97T460000EINWV9
 Test Method: FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz
 Notes: Carrier Frequency Tested: 2.412 GHz
 Lead Tested: Neutral Decoder Function: Peak
 Date: February 4, 2000 Test: N Diagnostics Sheet 2 of 6



Retliff Testing Laboratories
 Report No. R-8392-1

ATTEN 10dB
 RL 58.0dBV 10dB/




START 450kHz STOP 30.00MHz
 *RBW 10kHz *VBW 30kHz *SWP 20.0sec

Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: H9PPT4600S01W EW9
 Test Method: FCC 15.207 (a) Conducted Emissions 450 MHz to 30 MHz
 Noise: Carrier Frequency Tested: 2.437 GHz
 Lead Tested: Hot Decoupler Function: Peak
 Date: February 4, 2000 Tech: N. Dragovic Sheet: 3 of 6



Retif Testing Laboratories
 Report No. R-8392-1

ATTEN 10dB
 RL 85.0dB_V 10dB/




START 450kHz STOP 30.00MHz
 *RBW 10kHz *VBW 30kHz *SWP 20.0sec

Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: H919PPT4600S01HWVW9
 Test Method: FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz
 Notes: Carrier Frequency Tested: 2.437 GHz
 Lead Tested: Neutral Detector Function: Peak
 Date: February 4, 2000 Tech: N Dragota Sheet: 4 of 6



Retif Testing Laboratories
 Report No. R-8392-1

ATTEN 10dB
 RL 85.0dB/V 10dB/



START 450kHz STOP 30.00MHz
 *RBW 10kHz *VBW 30kHz *SWP 20.0sec

Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT14600 FCC ID: H5PPPT4600SCHWEW19
 Test Method: FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz
 Noise: Carrier Frequency Tested: 2.482 GHz
 Lead Tested: Hot Detector Function: Peak




Retif Testing Laboratories
 Report No. R-8392-1

Date: February 4, 2000
 Tech: N. Dragolis
 Sheet: 5 of 6

ATTEN 10dB

RL 85.0dBm 10dB/

R-8392-1 PPT4600
Cond Emis. Lead- Hot




START 450kHz STOP 30.00MHz
 *RBW 10kHz *VBW 30kHz *SWP 20.0sec

Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: H191PPT4600/SOHWV9
 Test Method: FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz
 Notes: Carrier Frequency Tested: 2.482 GHz
 Lead Tested: Neutral Detector Function: Peak



Retif Testing Laboratories
 Report No. R-8392-1

ATTEN 10dB
 RL 85.0dBV 10dB/



R-8392-1 PPT4600
 Cond Emis. Lead- NEUTRAL

START 450kHz STOP 30.00MHz
 *RBW 10kHz *VBW 30kHz *SWP 20.0sec