



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 17_5M_QPSK(1,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
		MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	31.35	-47.00	-47.34	-13.00	-34.00	0.34	Peak
2		117.75	-49.31	-38.53	-13.00	-36.31	-10.78	Peak
3		162.03	-49.81	-43.26	-13.00	-36.81	-6.55	Peak
4		335.00	-63.37	-57.25	-13.00	-50.37	-6.12	Peak
5		365.10	-64.80	-58.90	-13.00	-51.80	-5.90	Peak
6		616.40	-63.76	-63.71	-13.00	-50.76	-0.05	Peak
7		1415.60	-58.10	-44.51	-13.00	-45.10	-13.59	Peak
8		2123.40	-55.58	-43.76	-13.00	-42.58	-11.82	Peak
9		2831.20	-56.11	-46.37	-13.00	-43.11	-9.74	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 17_5M_QPSK(25,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	76.44	-58.71	-48.78	-13.00	-45.71	-9.93	Peak
2	138.81	-60.13	-54.20	-13.00	-47.13	-5.93	Peak
3 pp	180.93	-51.83	-46.05	-13.00	-38.83	-5.78	Peak
4	362.30	-62.80	-56.89	-13.00	-49.80	-5.91	Peak
5	598.90	-64.94	-64.54	-13.00	-51.94	-0.40	Peak
6	665.40	-63.61	-64.43	-13.00	-50.61	0.82	Peak
7	1420.00	-59.95	-46.36	-13.00	-46.95	-13.59	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 17_5M_QPSK(25,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	126.93	-50.11	-41.08	-13.00	-37.11	-9.03	Peak
2	160.68	-49.75	-43.22	-13.00	-36.75	-6.53	Peak
3	182.01	-56.66	-50.76	-13.00	-43.66	-5.90	Peak
4	323.80	-63.02	-56.82	-13.00	-50.02	-6.20	Peak
5	361.60	-65.15	-59.23	-13.00	-52.15	-5.92	Peak
6	622.00	-64.12	-64.15	-13.00	-51.12	0.03	Peak
7	1420.00	-62.94	-49.35	-13.00	-49.94	-13.59	Peak



A D T


CHANNEL BANDWIDTH: 5MHz / 16QAM



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 17_5M_16QAM(1,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1 pp	43.23	-50.33	-49.07	-13.00	-37.33	-1.26	Peak
2	180.66	-52.05	-46.38	-13.00	-39.05	-5.67	Peak
3	253.02	-56.24	-50.52	-13.00	-43.24	-5.72	Peak
4	360.90	-63.30	-57.37	-13.00	-50.30	-5.93	Peak
5	624.80	-64.36	-64.45	-13.00	-51.36	0.09	Peak
6	663.30	-62.76	-63.55	-13.00	-49.76	0.79	Peak
7	1415.60	-51.16	-37.57	-13.00	-38.16	-13.59	Peak
8	2123.40	-56.63	-44.81	-13.00	-43.63	-11.82	Peak
9	2831.20	-52.54	-42.80	-13.00	-39.54	-9.74	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 17_5M_16QAM(1,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	31.62	-46.77	-46.38	-13.00	-33.77	-0.39 Peak
2		112.35	-48.63	-37.96	-13.00	-35.63	-10.67 Peak
3		160.95	-53.10	-46.57	-13.00	-40.10	-6.53 Peak
4		332.20	-63.01	-56.87	-13.00	-50.01	-6.14 Peak
5		362.30	-65.74	-59.83	-13.00	-52.74	-5.91 Peak
6		602.40	-63.62	-63.30	-13.00	-50.62	-0.32 Peak
7		1415.60	-56.55	-42.96	-13.00	-43.55	-13.59 Peak
8		2123.40	-57.08	-45.26	-13.00	-44.08	-11.82 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 17_5M_16QAM(25,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	43.50	-50.51	-49.25	-13.00	-37.51	-1.26 Peak
2		187.41	-52.36	-45.89	-13.00	-39.36	-6.47 Peak
3		253.29	-56.31	-50.59	-13.00	-43.31	-5.72 Peak
4		365.10	-62.44	-56.54	-13.00	-49.44	-5.90 Peak
5		594.00	-64.28	-63.74	-13.00	-51.28	-0.54 Peak
6		673.10	-63.00	-63.96	-13.00	-50.00	0.96 Peak
7		1420.00	-59.54	-45.95	-13.00	-46.54	-13.59 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 17_5M_16QAM(25,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	31.08	-46.83	-47.17	-13.00	-33.83	0.34 Peak
2		112.35	-48.62	-37.95	-13.00	-35.62	-10.67 Peak
3		160.41	-52.87	-46.36	-13.00	-39.87	-6.51 Peak
4		326.60	-63.10	-56.92	-13.00	-50.10	-6.18 Peak
5		575.80	-65.07	-64.05	-13.00	-52.07	-1.02 Peak
6		668.20	-63.37	-64.24	-13.00	-50.37	0.87 Peak
7		1420.00	-60.61	-47.02	-13.00	-47.61	-13.59 Peak



A D T

LTE BAND 17


CHANNEL BANDWIDTH: 10MHz / QPSK



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 17_10M_QPSK(1,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1


		Read	Limit	Over			
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	75.90	-57.77	-47.92	-13.00	-44.77	-9.85	Peak
2	140.16	-59.59	-53.86	-13.00	-46.59	-5.73	Peak
3	180.12	-52.34	-46.67	-13.00	-39.34	-5.67	Peak
4	370.70	-63.60	-57.74	-13.00	-50.60	-5.86	Peak
5	582.10	-63.88	-63.02	-13.00	-50.88	-0.86	Peak
6	666.10	-63.65	-64.49	-13.00	-50.65	0.84	Peak
7	1411.20	-52.06	-38.47	-13.00	-39.06	-13.59	Peak
8	2116.80	-57.54	-45.72	-13.00	-44.54	-11.82	Peak
9 pp	2822.40	-49.93	-40.20	-13.00	-36.93	-9.73	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 17_10M_QPSK(1,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	111.81	-49.16	-38.51	-13.00	-36.16	-10.65 Peak
2		153.39	-49.31	-42.90	-13.00	-36.31	-6.41 Peak
3		180.66	-56.22	-50.55	-13.00	-43.22	-5.67 Peak
4		330.10	-63.45	-57.29	-13.00	-50.45	-6.16 Peak
5		361.60	-65.17	-59.25	-13.00	-52.17	-5.92 Peak
6		619.20	-64.04	-64.02	-13.00	-51.04	-0.02 Peak
7		1411.20	-55.95	-42.36	-13.00	-42.95	-13.59 Peak
8		2116.80	-54.62	-42.80	-13.00	-41.62	-11.82 Peak
9		2822.40	-51.99	-42.26	-13.00	-38.99	-9.73 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 17_10M_QPSK(50,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	75.90	-56.99	-47.14	-13.00	-43.99	-9.85	Peak
2	141.51	-58.95	-53.15	-13.00	-45.95	-5.80	Peak
3 pp	180.93	-52.36	-46.58	-13.00	-39.36	-5.78	Peak
4	345.50	-63.46	-57.42	-13.00	-50.46	-6.04	Peak
5	372.10	-63.06	-57.22	-13.00	-50.06	-5.84	Peak
6	591.20	-65.11	-64.52	-13.00	-52.11	-0.59	Peak
7	1420.00	-60.30	-46.71	-13.00	-47.30	-13.59	Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 17_10M_QPSK(50,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	106.68	-49.79	-39.24	-13.00	-36.79	-10.55	Peak
2	151.23	-49.55	-43.17	-13.00	-36.55	-6.38	Peak
3	180.66	-56.10	-50.43	-13.00	-43.10	-5.67	Peak
4	332.20	-63.25	-57.11	-13.00	-50.25	-6.14	Peak
5	361.60	-65.88	-59.96	-13.00	-52.88	-5.92	Peak
6	572.30	-64.86	-63.74	-13.00	-51.86	-1.12	Peak
7	1420.00	-61.83	-48.24	-13.00	-48.83	-13.59	Peak



A D T


CHANNEL BANDWIDTH: 10MHz / 16QAM



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 17 10M_16QAM(1,0) Link
Tested by: Gavin Wu
Plane : Y
: Earphone 1


	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1 pp	35.13	-53.56	-50.99	-13.00	-40.56	-2.57 Peak
2	44.04	-55.11	-53.85	-13.00	-42.11	-1.26 Peak
3	64.29	-54.09	-46.69	-13.00	-41.09	-7.40 Peak
4	342.00	-61.81	-55.75	-13.00	-48.81	-6.06 Peak
5	360.20	-59.41	-53.48	-13.00	-46.41	-5.93 Peak
6	701.10	-63.59	-65.05	-13.00	-50.59	1.46 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 17 10M_16QAM(1,0) Link
Tested by: Gavin Wu
Plane : Y
: Earphone 1

		Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1	pp	33.78	-39.51	-37.67	-13.00	-26.51 -1.84 Peak
2		42.15	-41.72	-40.39	-13.00	-28.72 -1.33 Peak
3		65.37	-51.17	-43.45	-13.00	-38.17 -7.72 Peak
4		355.30	-63.04	-57.07	-13.00	-50.04 -5.97 Peak
5		577.90	-65.71	-64.75	-13.00	-52.71 -0.96 Peak
6		663.30	-64.73	-65.52	-13.00	-51.73 0.79 Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 17_10M_16QAM(50,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.50	-53.13	-51.87	-13.00	-40.13	-1.26	Peak
2 pp	180.39	-51.90	-46.23	-13.00	-38.90	-5.67	Peak
3	256.53	-56.38	-50.60	-13.00	-43.38	-5.78	Peak
4	369.30	-63.69	-57.83	-13.00	-50.69	-5.86	Peak
5	602.40	-64.36	-64.04	-13.00	-51.36	-0.32	Peak
6	659.10	-63.78	-64.50	-13.00	-50.78	0.72	Peak
7	1420.00	-60.41	-46.82	-13.00	-47.41	-13.59	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 17_10M_16QAM(50,0) Link
Tested by: Anson Lin
Plane : Y
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	31.08	-47.19	-47.53	-13.00	-34.19	0.34 Peak
2		122.34	-48.95	-38.63	-13.00	-35.95	-10.32 Peak
3		160.95	-50.69	-44.16	-13.00	-37.69	-6.53 Peak
4		330.10	-62.71	-56.55	-13.00	-49.71	-6.16 Peak
5		619.90	-64.63	-64.63	-13.00	-51.63	0.00 Peak
6		679.40	-63.67	-64.74	-13.00	-50.67	1.07 Peak
7		1420.00	-61.27	-47.68	-13.00	-48.27	-13.59 Peak

LTE BAND 4

CHANNEL BANDWIDTH: 1.4MHz / QPSK




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_1.4M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.50	-50.60	-49.34	-13.00	-37.60	-1.26	Peak
2	76.17	-53.40	-43.47	-13.00	-40.40	-9.93	Peak
3	180.39	-52.04	-46.37	-13.00	-39.04	-5.67	Peak
4	300.00	-61.69	-55.31	-13.00	-48.69	-6.38	Peak
5	360.20	-62.62	-56.69	-13.00	-49.62	-5.93	Peak
6	593.30	-65.05	-64.51	-13.00	-52.05	-0.54	Peak
7 pp	3463.90	-47.84	-38.82	-13.00	-34.84	-9.02	Peak
8	5195.85	-49.82	-46.76	-13.00	-36.82	-3.06	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_1.4M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	30.81	-41.39	-41.73	-13.00	-28.39	0.34	Peak
2	42.96	-47.96	-46.63	-13.00	-34.96	-1.33	Peak
3	76.17	-52.21	-42.28	-13.00	-39.21	-9.93	Peak
4	303.50	-62.16	-55.81	-13.00	-49.16	-6.35	Peak
5	333.60	-62.69	-56.56	-13.00	-49.69	-6.13	Peak
6	527.50	-67.43	-65.08	-13.00	-54.43	-2.35	Peak
7	3463.90	-43.85	-34.83	-13.00	-30.85	-9.02	Peak
8	5195.85	-45.82	-42.76	-13.00	-32.82	-3.06	Peak
9 pp	12123.65	-37.77	-46.18	-13.00	-24.77	8.41	Peak
10	13855.60	-39.97	-47.84	-13.00	-26.97	7.87	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_1.4M_QPSK(6,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
			dBm	dBm/m	dB	dB/m
1	43.23	-50.43	-49.17	-13.00	-37.43	-1.26 Peak
2	76.17	-53.67	-43.74	-13.00	-40.67	-9.93 Peak
3	180.66	-51.21	-45.54	-13.00	-38.21	-5.67 Peak
4	300.00	-61.48	-55.10	-13.00	-48.48	-6.38 Peak
5	370.00	-62.33	-56.47	-13.00	-49.33	-5.86 Peak
6	689.20	-63.07	-64.33	-13.00	-50.07	1.26 Peak
7 pp	3465.00	-48.82	-39.80	-13.00	-35.82	-9.02 Peak
8	5197.50	-50.96	-47.90	-13.00	-37.96	-3.06 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_1.4M_QPSK(6,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	30.54	-40.87	-41.21	-13.00	-27.87	0.34 Peak
2		42.96	-46.61	-45.28	-13.00	-33.61	-1.33 Peak
3		160.14	-50.54	-44.03	-13.00	-37.54	-6.51 Peak
4		302.80	-61.89	-55.53	-13.00	-48.89	-6.36 Peak
5		363.00	-64.19	-58.28	-13.00	-51.19	-5.91 Peak
6		652.10	-62.93	-63.51	-13.00	-49.93	0.58 Peak
7		3465.00	-43.95	-34.93	-13.00	-30.95	-9.02 Peak
8		5197.50	-47.47	-44.41	-13.00	-34.47	-3.06 Peak



A D T


CHANNEL BANDWIDTH: 1.4MHz / 16QAM



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 15



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_1.4M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1	43.50	-51.31	-50.05	-13.00	-38.31	-1.26 Peak
2	76.44	-52.85	-42.92	-13.00	-39.85	-9.93 Peak
3	180.39	-51.13	-45.46	-13.00	-38.13	-5.67 Peak
4	301.40	-62.28	-55.91	-13.00	-49.28	-6.37 Peak
5	360.20	-61.85	-55.92	-13.00	-48.85	-5.93 Peak
6	625.50	-64.51	-64.61	-13.00	-51.51	0.10 Peak
7	3463.90	-49.17	-40.15	-13.00	-36.17	-9.02 Peak
8	5195.85	-46.49	-43.43	-13.00	-33.49	-3.06 Peak
9	12123.65	-39.12	-47.53	-13.00	-26.12	8.41 Peak
10 pp	15587.55	-36.21	-44.80	-13.00	-23.21	8.59 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 16



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_1.4M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	31.08	-40.37	-40.71	-13.00	-27.37	0.34	Peak
2	42.69	-46.47	-45.14	-13.00	-33.47	-1.33	Peak
3	75.90	-51.84	-41.99	-13.00	-38.84	-9.85	Peak
4	335.00	-61.80	-55.68	-13.00	-48.80	-6.12	Peak
5	379.10	-65.65	-59.86	-13.00	-52.65	-5.79	Peak
6	577.20	-65.81	-64.82	-13.00	-52.81	-0.99	Peak
7	3463.90	-46.02	-37.00	-13.00	-33.02	-9.02	Peak
8	5195.85	-40.75	-37.69	-13.00	-27.75	-3.06	Peak
9	13855.60	-41.32	-49.19	-13.00	-28.32	7.87	Peak
10 pp	15587.55	-36.87	-45.46	-13.00	-23.87	8.59	Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_1.4M_16QAM(6,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	43.50	-50.62	-49.36	-13.00	-37.62	-1.26 Peak
2		76.71	-53.43	-43.50	-13.00	-40.43	-9.93 Peak
3		181.20	-50.92	-45.14	-13.00	-37.92	-5.78 Peak
4		300.00	-62.22	-55.84	-13.00	-49.22	-6.38 Peak
5		368.60	-61.47	-55.60	-13.00	-48.47	-5.87 Peak
6		584.90	-64.92	-64.14	-13.00	-51.92	-0.78 Peak
7		3465.00	-53.99	-44.97	-13.00	-40.99	-9.02 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_1.4M_16QAM(6,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	30.54	-40.96	-41.30	-13.00	-27.96	0.34 Peak
2		42.96	-47.26	-45.93	-13.00	-34.26	-1.33 Peak
3		125.58	-50.48	-41.19	-13.00	-37.48	-9.29 Peak
4		335.70	-61.29	-55.18	-13.00	-48.29	-6.11 Peak
5		464.50	-68.42	-64.42	-13.00	-55.42	-4.00 Peak
6		586.30	-64.91	-64.19	-13.00	-51.91	-0.72 Peak
7		3465.00	-51.44	-42.42	-13.00	-38.44	-9.02 Peak

LTE BAND 4

CHANNEL BANDWIDTH: 3MHz / QPSK




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_3M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.50	-50.28	-49.02	-13.00	-37.28	-1.26	Peak
2	75.90	-53.91	-44.06	-13.00	-40.91	-9.85	Peak
3	179.85	-52.13	-46.27	-13.00	-39.13	-5.86	Peak
4	300.70	-61.75	-55.38	-13.00	-48.75	-6.37	Peak
5	371.40	-62.75	-56.90	-13.00	-49.75	-5.85	Peak
6	679.40	-63.17	-64.24	-13.00	-50.17	1.07	Peak
7 pp	3462.80	-47.52	-38.50	-13.00	-34.52	-9.02	Peak
8	5194.20	-49.01	-45.95	-13.00	-36.01	-3.06	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_3M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
			dBm	dBm/m	dB	dB/m
1 pp	30.27	-41.76	-42.83	-13.00	-28.76	1.07 Peak
2	42.42	-46.19	-44.86	-13.00	-33.19	-1.33 Peak
3	124.77	-50.74	-41.19	-13.00	-37.74	-9.55 Peak
4	307.00	-61.16	-54.84	-13.00	-48.16	-6.32 Peak
5	333.60	-62.46	-56.33	-13.00	-49.46	-6.13 Peak
6	556.90	-64.82	-63.27	-13.00	-51.82	-1.55 Peak
7	3462.80	-43.51	-34.49	-13.00	-30.51	-9.02 Peak
8	5194.20	-45.09	-42.03	-13.00	-32.09	-3.06 Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_3M_QPSK(15,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
			dBm	dBm/m	dB	dB/m
1	43.77	-50.44	-49.18	-13.00	-37.44	-1.26 Peak
2	75.90	-54.00	-44.15	-13.00	-41.00	-9.85 Peak
3	180.93	-52.36	-46.58	-13.00	-39.36	-5.78 Peak
4	301.40	-61.92	-55.55	-13.00	-48.92	-6.37 Peak
5	369.30	-62.53	-56.67	-13.00	-49.53	-5.86 Peak
6	691.30	-63.29	-64.58	-13.00	-50.29	1.29 Peak
7 pp	3465.00	-49.90	-40.88	-13.00	-36.90	-9.02 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_3M_QPSK(15,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1 pp	30.00	-42.23	-43.30	-13.00	-29.23	1.07	Peak
2	44.31	-48.02	-46.83	-13.00	-35.02	-1.19	Peak
3	118.29	-50.92	-40.12	-13.00	-37.92	-10.80	Peak
4	300.00	-62.33	-55.95	-13.00	-49.33	-6.38	Peak
5	346.20	-64.01	-57.97	-13.00	-51.01	-6.04	Peak
6	606.60	-64.85	-64.60	-13.00	-51.85	-0.25	Peak
7	3465.00	-45.47	-36.45	-13.00	-32.47	-9.02	Peak



A D T


CHANNEL BANDWIDTH: 3MHz / 16QAM



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_3M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.50	-50.68	-49.42	-13.00	-37.68	-1.26	Peak
2	76.98	-53.21	-43.28	-13.00	-40.21	-9.93	Peak
3	180.66	-50.97	-45.30	-13.00	-37.97	-5.67	Peak
4	300.00	-62.02	-55.64	-13.00	-49.02	-6.38	Peak
5	362.30	-61.96	-56.05	-13.00	-48.96	-5.91	Peak
6	587.00	-65.41	-64.69	-13.00	-52.41	-0.72	Peak
7	3462.80	-49.34	-40.32	-13.00	-36.34	-9.02	Peak
8 pp	5194.20	-45.84	-42.78	-13.00	-32.84	-3.06	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_3M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	31.08	-40.56	-40.90	-13.00	-27.56	0.34	Peak
2	42.42	-46.82	-45.49	-13.00	-33.82	-1.33	Peak
3	125.31	-50.62	-41.07	-13.00	-37.62	-9.55	Peak
4	304.20	-62.05	-55.71	-13.00	-49.05	-6.34	Peak
5	364.40	-63.91	-58.01	-13.00	-50.91	-5.90	Peak
6	635.30	-63.79	-64.07	-13.00	-50.79	0.28	Peak
7	3462.80	-44.93	-35.91	-13.00	-31.93	-9.02	Peak
8	5194.20	-43.01	-39.95	-13.00	-30.01	-3.06	Peak
9	12119.80	-39.40	-47.81	-13.00	-26.40	8.41	Peak
10	13851.20	-39.18	-47.05	-13.00	-26.18	7.87	Peak
11 pp	15580.00	-37.28	-45.87	-13.00	-24.28	8.59	Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_3M_16QAM(15,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	43.50	-50.53	-49.27	-13.00	-37.53	-1.26 Peak
2		76.44	-53.89	-43.96	-13.00	-40.89	-9.93 Peak
3		180.12	-51.30	-45.63	-13.00	-38.30	-5.67 Peak
4		300.00	-62.23	-55.85	-13.00	-49.23	-6.38 Peak
5		369.30	-62.17	-56.31	-13.00	-49.17	-5.86 Peak
6		592.60	-64.72	-64.16	-13.00	-51.72	-0.56 Peak
7		3465.00	-50.66	-41.64	-13.00	-37.66	-9.02 Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_3M_16QAM(15,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	30.81	-40.27	-40.61	-13.00	-27.27	0.34 Peak
2		43.50	-45.86	-44.60	-13.00	-32.86	-1.26 Peak
3		76.71	-52.18	-42.25	-13.00	-39.18	-9.93 Peak
4		339.20	-61.86	-55.77	-13.00	-48.86	-6.09 Peak
5		371.40	-64.52	-58.67	-13.00	-51.52	-5.85 Peak
6		647.90	-64.18	-64.69	-13.00	-51.18	0.51 Peak
7		3465.00	-47.02	-38.00	-13.00	-34.02	-9.02 Peak
8		5197.20	-48.16	-45.10	-13.00	-35.16	-3.06 Peak

LTE BAND 4

CHANNEL BANDWIDTH: 5MHz / QPSK




Bureau Veritas Consumer Products Services Ltd.,Taoyuan Branch

A D T

Data: 13

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_5M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.50	-50.26	-49.00	-13.00	-37.26	-1.26	Peak
2	75.63	-54.04	-44.19	-13.00	-41.04	-9.85	Peak
3	180.93	-52.46	-46.68	-13.00	-39.46	-5.78	Peak
4	302.80	-62.27	-55.91	-13.00	-49.27	-6.36	Peak
5	367.90	-62.83	-56.95	-13.00	-49.83	-5.88	Peak
6	568.10	-65.67	-64.44	-13.00	-52.67	-1.23	Peak
7 pp	3460.60	-47.84	-38.82	-13.00	-34.84	-9.02	Peak
8	5190.90	-48.67	-45.61	-13.00	-35.67	-3.06	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_5M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

		Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1	pp	30.00	-42.24	-43.31	-13.00	-29.24 1.07 Peak
2		42.15	-47.23	-45.90	-13.00	-34.23 -1.33 Peak
3		118.29	-50.64	-39.84	-13.00	-37.64 -10.80 Peak
4		300.00	-62.39	-56.01	-13.00	-49.39 -6.38 Peak
5		361.60	-65.11	-59.19	-13.00	-52.11 -5.92 Peak
6		629.00	-64.15	-64.32	-13.00	-51.15 0.17 Peak
7		3460.60	-43.69	-34.67	-13.00	-30.69 -9.02 Peak
8		5190.90	-45.83	-42.77	-13.00	-32.83 -3.06 Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_5M_QPSK(25,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.50	-50.73	-49.47	-13.00	-37.73	-1.26	Peak
2	181.20	-52.34	-46.56	-13.00	-39.34	-5.78	Peak
3	248.70	-55.52	-49.75	-13.00	-42.52	-5.77	Peak
4	363.00	-62.32	-56.41	-13.00	-49.32	-5.91	Peak
5	414.80	-67.13	-61.88	-13.00	-54.13	-5.25	Peak
6	622.70	-64.55	-64.60	-13.00	-51.55	0.05	Peak
7 pp	3465.00	-50.38	-41.36	-13.00	-37.38	-9.02	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-29



Site : 966 Chamber 5

Condition: PART27 3m VERTICAL

Remark : LTE Band 4_5M_QPSK(25,0) Link

Tested by: Toby Tian

Plane : Z

: Earphone 1

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	75.90	-52.55	-42.70	-13.00	-39.55	-9.85	Peak
2	118.02	-50.81	-40.01	-13.00	-37.81	-10.80	Peak
3	162.03	-50.88	-44.33	-13.00	-37.88	-6.55	Peak
4	319.60	-62.74	-56.51	-13.00	-49.74	-6.23	Peak
5	709.50	-62.91	-64.43	-13.00	-49.91	1.52	Peak
6	790.70	-62.18	-64.24	-13.00	-49.18	2.06	Peak
7 pp	3465.00	-47.58	-38.56	-13.00	-34.58	-9.02	Peak



A D T


CHANNEL BANDWIDTH: 5MHz / 16QAM



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4 5M_16QAM(1,0) Link
Tested by: Gavin Wu
Plane : Z
: Earphone 1


	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1 pp	35.13	-53.86	-51.29	-13.00	-40.86	-2.57 Peak
2	44.85	-58.78	-57.59	-13.00	-45.78	-1.19 Peak
3	66.18	-57.12	-49.08	-13.00	-44.12	-8.04 Peak
4	337.80	-62.70	-56.60	-13.00	-49.70	-6.10 Peak
5	348.30	-61.46	-55.44	-13.00	-48.46	-6.02 Peak
6	365.10	-60.83	-54.93	-13.00	-47.83	-5.90 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4 5M_16QAM(1,0) Link
Tested by: Gavin Wu
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	34.59	-40.43	-37.86	-13.00	-27.43	-2.57 Peak
2		42.96	-46.32	-44.99	-13.00	-33.32	-1.33 Peak
3		61.32	-50.84	-44.42	-13.00	-37.84	-6.42 Peak
4		519.10	-68.60	-66.02	-13.00	-55.60	-2.58 Peak
5		568.80	-67.77	-66.54	-13.00	-54.77	-1.23 Peak
6		683.60	-64.52	-65.67	-13.00	-51.52	1.15 Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_5M_16QAM(25,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	43.23	-49.75	-48.49	-13.00	-36.75	-1.26 Peak
2		75.90	-53.99	-44.14	-13.00	-40.99	-9.85 Peak
3		180.93	-51.18	-45.40	-13.00	-38.18	-5.78 Peak
4		300.00	-62.17	-55.79	-13.00	-49.17	-6.38 Peak
5		370.00	-63.07	-57.21	-13.00	-50.07	-5.86 Peak
6		654.90	-63.81	-64.44	-13.00	-50.81	0.63 Peak
7		3465.00	-52.22	-43.20	-13.00	-39.22	-9.02 Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_5M_16QAM(25,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	30.54	-41.63	-41.97	-13.00	-28.63	0.34 Peak
2		42.96	-47.11	-45.78	-13.00	-34.11	-1.33 Peak
3		75.63	-52.20	-42.35	-13.00	-39.20	-9.85 Peak
4		300.70	-62.31	-55.94	-13.00	-49.31	-6.37 Peak
5		335.70	-62.50	-56.39	-13.00	-49.50	-6.11 Peak
6		566.00	-65.87	-64.59	-13.00	-52.87	-1.28 Peak
7		3465.00	-48.47	-39.45	-13.00	-35.47	-9.02 Peak

LTE BAND 4

CHANNEL BANDWIDTH: 10MHz / QPSK




Bureau Veritas Consumer Products Services Ltd.,Taoyuan Branch

A D T

Data: 13

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_10M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.23	-50.30	-49.04	-13.00	-37.30	-1.26	Peak
2	188.22	-52.68	-46.10	-13.00	-39.68	-6.58	Peak
3	251.13	-55.85	-50.16	-13.00	-42.85	-5.69	Peak
4	369.30	-62.99	-57.13	-13.00	-49.99	-5.86	Peak
5	640.20	-63.75	-64.12	-13.00	-50.75	0.37	Peak
6	737.50	-62.59	-64.29	-13.00	-49.59	1.70	Peak
7 pp	3456.20	-47.58	-38.49	-13.00	-34.58	-9.09	Peak
8	5184.30	-49.93	-46.78	-13.00	-36.93	-3.15	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_10M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read Level	Limit	Over	
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1	30.81	-45.98	-46.32	-13.00	-32.98	0.34 Peak
2	117.75	-50.96	-40.18	-13.00	-37.96	-10.78 Peak
3	162.03	-51.31	-44.76	-13.00	-38.31	-6.55 Peak
4	334.30	-62.73	-56.61	-13.00	-49.73	-6.12 Peak
5	642.30	-63.37	-63.77	-13.00	-50.37	0.40 Peak
6	775.30	-62.66	-64.62	-13.00	-49.66	1.96 Peak
7 pp	3456.20	-43.97	-34.88	-13.00	-30.97	-9.09 Peak
8	5184.30	-45.41	-42.26	-13.00	-32.41	-3.15 Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_10M_QPSK(50,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
			dBm	dBm/m	dB	dB/m
1 pp	43.50	-50.56	-49.30	-13.00	-37.56	-1.26 Peak
2	187.14	-52.71	-46.24	-13.00	-39.71	-6.47 Peak
3	253.29	-55.15	-49.43	-13.00	-42.15	-5.72 Peak
4	371.40	-63.27	-57.42	-13.00	-50.27	-5.85 Peak
5	617.10	-64.83	-64.78	-13.00	-51.83	-0.05 Peak
6	748.00	-62.70	-64.47	-13.00	-49.70	1.77 Peak
7	3465.00	-50.82	-41.80	-13.00	-37.82	-9.02 Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_10M_QPSK(50,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
			dBm	dBm/m	dB	dB/m
1 pp	43.50	-47.93	-46.67	-13.00	-34.93	-1.26 Peak
2	113.43	-50.80	-40.11	-13.00	-37.80	-10.69 Peak
3	153.93	-51.51	-45.09	-13.00	-38.51	-6.42 Peak
4	325.20	-63.00	-56.81	-13.00	-50.00	-6.19 Peak
5	626.90	-63.57	-63.69	-13.00	-50.57	0.12 Peak
6	687.10	-62.65	-63.86	-13.00	-49.65	1.21 Peak
7	3465.00	-48.85	-39.83	-13.00	-35.85	-9.02 Peak



A D T


CHANNEL BANDWIDTH: 10MHz / 16QAM



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_10M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over	
	Freq	Level	Level	Line	Limit	Factor Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1	43.50	-50.58	-49.32	-13.00	-37.58	-1.26 Peak
2	75.90	-53.25	-43.40	-13.00	-40.25	-9.85 Peak
3	180.12	-51.41	-45.74	-13.00	-38.41	-5.67 Peak
4	300.00	-62.30	-55.92	-13.00	-49.30	-6.38 Peak
5	370.70	-63.35	-57.49	-13.00	-50.35	-5.86 Peak
6	559.70	-66.73	-65.26	-13.00	-53.73	-1.47 Peak
7	3456.20	-47.07	-37.98	-13.00	-34.07	-9.09 Peak
8	5184.30	-49.44	-46.29	-13.00	-36.44	-3.15 Peak
9	pp 12096.70	-36.71	-45.05	-13.00	-23.71	8.34 Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_10M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	30.27	-42.27	-43.34	-13.00	-29.27	1.07	Peak
2	43.50	-47.70	-46.44	-13.00	-34.70	-1.26	Peak
3	123.96	-51.19	-41.38	-13.00	-38.19	-9.81	Peak
4	301.40	-61.63	-55.26	-13.00	-48.63	-6.37	Peak
5	338.50	-61.96	-55.87	-13.00	-48.96	-6.09	Peak
6	527.50	-66.61	-64.26	-13.00	-53.61	-2.35	Peak
7	3456.20	-44.58	-35.49	-13.00	-31.58	-9.09	Peak
8	5184.30	-43.09	-39.94	-13.00	-30.09	-3.15	Peak
9	pp 12096.70	-37.96	-46.30	-13.00	-24.96	8.34	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_10M_16QAM(50,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

		Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1	pp	43.23	-50.54	-49.28	-13.00	-37.54 -1.26 Peak
2		76.44	-53.74	-43.81	-13.00	-40.74 -9.93 Peak
3		181.47	-52.47	-46.69	-13.00	-39.47 -5.78 Peak
4		300.00	-62.21	-55.83	-13.00	-49.21 -6.38 Peak
5		353.20	-62.65	-56.67	-13.00	-49.65 -5.98 Peak
6		659.10	-64.21	-64.93	-13.00	-51.21 0.72 Peak
7		3465.00	-52.86	-43.84	-13.00	-39.86 -9.02 Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-29



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_10M_16QAM(50,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

		Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1	pp	30.81	-41.39	-41.73	-13.00	-28.39 0.34 Peak
2		42.96	-46.80	-45.47	-13.00	-33.80 -1.33 Peak
3		75.90	-52.29	-42.44	-13.00	-39.29 -9.85 Peak
4		324.50	-62.07	-55.88	-13.00	-49.07 -6.19 Peak
5		361.60	-64.87	-58.95	-13.00	-51.87 -5.92 Peak
6		554.10	-66.00	-64.37	-13.00	-53.00 -1.63 Peak
7		3465.00	-49.18	-40.16	-13.00	-36.18 -9.02 Peak



A D T

LTE BAND 4


CHANNEL BANDWIDTH: 15MHz / QPSK



Bureau Veritas Consumer Products Services Ltd.,Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_15M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.50	-50.37	-49.11	-13.00	-37.37	-1.26	Peak
2	188.22	-52.60	-46.02	-13.00	-39.60	-6.58	Peak
3	249.24	-55.44	-49.72	-13.00	-42.44	-5.72	Peak
4	367.90	-63.12	-57.24	-13.00	-50.12	-5.88	Peak
5	559.70	-65.95	-64.48	-13.00	-52.95	-1.47	Peak
6	697.60	-62.44	-63.84	-13.00	-49.44	1.40	Peak
7 pp	3451.80	-46.61	-37.52	-13.00	-33.61	-9.09	Peak
8	5177.70	-49.01	-45.86	-13.00	-36.01	-3.15	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-28



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_15M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	44.04	-50.33	-49.07	-13.00	-37.33	-1.26	Peak
2	112.62	-50.08	-39.41	-13.00	-37.08	-10.67	Peak
3	162.03	-52.05	-45.50	-13.00	-39.05	-6.55	Peak
4	337.80	-63.20	-57.10	-13.00	-50.20	-6.10	Peak
5	582.10	-63.48	-62.62	-13.00	-50.48	-0.86	Peak
6	736.10	-62.99	-64.68	-13.00	-49.99	1.69	Peak
7 pp	3451.80	-43.57	-34.48	-13.00	-30.57	-9.09	Peak
8	5177.70	-48.49	-45.34	-13.00	-35.49	-3.15	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13

Date: 2014-11-28



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_15M_QPSK(75,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.23	-50.42	-49.16	-13.00	-37.42	-1.26	Peak
2	187.41	-52.69	-46.22	-13.00	-39.69	-6.47	Peak
3	250.05	-54.74	-49.06	-13.00	-41.74	-5.68	Peak
4	346.20	-63.50	-57.46	-13.00	-50.50	-6.04	Peak
5	368.60	-62.10	-56.23	-13.00	-49.10	-5.87	Peak
6	656.30	-63.06	-63.72	-13.00	-50.06	0.66	Peak
7 pp	3465.00	-50.13	-41.11	-13.00	-37.13	-9.02	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-28



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_15M_QPSK(75,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
			dBm	dBm/m	dB	dB/m
1 pp	30.00	-45.77	-46.84	-13.00	-32.77	1.07 Peak
2	117.21	-49.55	-38.77	-13.00	-36.55	-10.78 Peak
3	153.66	-52.48	-46.07	-13.00	-39.48	-6.41 Peak
4	332.20	-62.79	-56.65	-13.00	-49.79	-6.14 Peak
5	362.30	-65.97	-60.06	-13.00	-52.97	-5.91 Peak
6	648.60	-64.03	-64.55	-13.00	-51.03	0.52 Peak
7	3465.00	-49.90	-40.88	-13.00	-36.90	-9.02 Peak



A D T


CHANNEL BANDWIDTH: 15MHz / 16QAM



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_15M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


	Freq	Level	Read	Limit	Over	
	MHz	dBm/m	Level	Line	Limit	Factor Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m
1	42.96	-50.42	-49.09	-13.00	-37.42	-1.33 Peak
2	75.36	-53.49	-43.64	-13.00	-40.49	-9.85 Peak
3	180.66	-51.08	-45.41	-13.00	-38.08	-5.67 Peak
4	300.70	-62.14	-55.77	-13.00	-49.14	-6.37 Peak
5	367.20	-62.92	-57.04	-13.00	-49.92	-5.88 Peak
6	644.40	-63.46	-63.90	-13.00	-50.46	0.44 Peak
7 pp	3451.80	-47.03	-37.94	-13.00	-34.03	-9.09 Peak
8	5177.70	-48.19	-45.04	-13.00	-35.19	-3.15 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_15M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	30.54	-41.68	-42.02	-13.00	-28.68	0.34	Peak
2	42.69	-46.83	-45.50	-13.00	-33.83	-1.33	Peak
3	153.66	-50.46	-44.05	-13.00	-37.46	-6.41	Peak
4	316.10	-61.89	-55.63	-13.00	-48.89	-6.26	Peak
5	363.00	-64.23	-58.32	-13.00	-51.23	-5.91	Peak
6	587.00	-65.41	-64.69	-13.00	-52.41	-0.72	Peak
7	3451.80	-44.28	-35.19	-13.00	-31.28	-9.09	Peak
8	5177.70	-44.15	-41.00	-13.00	-31.15	-3.15	Peak
9	12081.30	-36.91	-45.25	-13.00	-23.91	8.34	Peak
10	13807.20	-41.26	-49.23	-13.00	-28.26	7.97	Peak
11	pp 15533.10	-35.98	-44.65	-13.00	-22.98	8.67	Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_15M_16QAM(75,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	43.77	-50.66	-49.40	-13.00	-37.66	-1.26 Peak
2		76.71	-53.35	-43.42	-13.00	-40.35	-9.93 Peak
3		180.93	-50.98	-45.20	-13.00	-37.98	-5.78 Peak
4		300.00	-61.66	-55.28	-13.00	-48.66	-6.38 Peak
5		355.30	-62.22	-56.25	-13.00	-49.22	-5.97 Peak
6		564.60	-65.07	-63.74	-13.00	-52.07	-1.33 Peak
7		3465.00	-53.82	-44.80	-13.00	-40.82	-9.02 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_15M_16QAM(75,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	30.00	-41.94	-43.01	-13.00	-28.94	1.07 Peak
2		42.69	-47.70	-46.37	-13.00	-34.70	-1.33 Peak
3		76.17	-52.40	-42.47	-13.00	-39.40	-9.93 Peak
4		300.00	-62.23	-55.85	-13.00	-49.23	-6.38 Peak
5		340.60	-63.50	-57.42	-13.00	-50.50	-6.08 Peak
6		538.00	-66.68	-64.63	-13.00	-53.68	-2.05 Peak
7		3465.00	-50.02	-41.00	-13.00	-37.02	-9.02 Peak

LTE BAND 4

CHANNEL BANDWIDTH: 20MHz / QPSK




Bureau Veritas Consumer Products Services Ltd.,Taoyuan Branch

A D T

Data: 13

Date: 2014-11-28



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_20M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.23	-50.07	-48.81	-13.00	-37.07	-1.26	Peak
2	180.93	-52.59	-46.81	-13.00	-39.59	-5.78	Peak
3	249.51	-55.88	-50.16	-13.00	-42.88	-5.72	Peak
4	363.00	-62.74	-56.83	-13.00	-49.74	-5.91	Peak
5	595.40	-65.48	-65.00	-13.00	-52.48	-0.48	Peak
6	728.40	-62.89	-64.53	-13.00	-49.89	1.64	Peak
7 pp	3447.40	-45.16	-36.07	-13.00	-32.16	-9.09	Peak
8	5171.10	-48.46	-45.31	-13.00	-35.46	-3.15	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-11-28



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_20M_QPSK(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	42.69	-47.67	-46.34	-13.00	-34.67	-1.33	Peak
2	116.67	-49.04	-38.28	-13.00	-36.04	-10.76	Peak
3	161.76	-52.47	-45.92	-13.00	-39.47	-6.55	Peak
4	329.40	-63.20	-57.04	-13.00	-50.20	-6.16	Peak
5	533.80	-66.31	-64.12	-13.00	-53.31	-2.19	Peak
6	707.40	-63.39	-64.89	-13.00	-50.39	1.50	Peak
7 pp	3447.40	-43.58	-34.49	-13.00	-30.58	-9.09	Peak
8	5171.10	-46.52	-43.37	-13.00	-33.52	-3.15	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4 20M_QPSK(100,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1 pp	42.69	-50.90	-49.57	-13.00	-37.90	-1.33	Peak
2	186.87	-52.76	-46.29	-13.00	-39.76	-6.47	Peak
3	252.75	-56.06	-50.34	-13.00	-43.06	-5.72	Peak
4	369.30	-63.45	-57.59	-13.00	-50.45	-5.86	Peak
5	638.10	-63.81	-64.14	-13.00	-50.81	0.33	Peak
6	699.70	-63.35	-64.78	-13.00	-50.35	1.43	Peak
7	3465.00	-52.49	-43.47	-13.00	-39.49	-9.02	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4 20M_QPSK(100,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1 pp	31.89	-47.36	-46.97	-13.00	-34.36	-0.39	Peak
2	112.62	-49.05	-38.38	-13.00	-36.05	-10.67	Peak
3	152.85	-52.76	-46.35	-13.00	-39.76	-6.41	Peak
4	332.90	-63.56	-57.42	-13.00	-50.56	-6.14	Peak
5	363.00	-65.16	-59.25	-13.00	-52.16	-5.91	Peak
6	622.70	-64.32	-64.37	-13.00	-51.32	0.05	Peak
7	3465.00	-50.46	-41.44	-13.00	-37.46	-9.02	Peak

CHANNEL BANDWIDTH: 20MHz / 16QAM




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13

Date: 2014-11-30



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_20M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.23	-49.89	-48.63	-13.00	-36.89	-1.26	Peak
2	76.17	-53.81	-43.88	-13.00	-40.81	-9.93	Peak
3	179.58	-51.89	-46.03	-13.00	-38.89	-5.86	Peak
4	300.00	-62.37	-55.99	-13.00	-49.37	-6.38	Peak
5	371.40	-63.23	-57.38	-13.00	-50.23	-5.85	Peak
6	593.30	-65.22	-64.68	-13.00	-52.22	-0.54	Peak
7	3447.40	-48.22	-39.13	-13.00	-35.22	-9.09	Peak
8 pp	5171.10	-41.25	-38.10	-13.00	-28.25	-3.15	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_20M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	30.00	-41.79	-42.86	-13.00	-28.79	1.07	Peak
2	42.15	-47.60	-46.27	-13.00	-34.60	-1.33	Peak
3	76.44	-52.42	-42.49	-13.00	-39.42	-9.93	Peak
4	302.80	-61.98	-55.62	-13.00	-48.98	-6.36	Peak
5	338.50	-63.08	-56.99	-13.00	-50.08	-6.09	Peak
6	555.50	-65.99	-64.42	-13.00	-52.99	-1.57	Peak
7	3447.40	-42.74	-33.65	-13.00	-29.74	-9.09	Peak
8	5171.10	-41.47	-38.32	-13.00	-28.47	-3.15	Peak
9	12065.90	-37.33	-45.63	-13.00	-24.33	8.30	Peak
10	13789.60	-39.71	-47.73	-13.00	-26.71	8.02	Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_20M_16QAM(100,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1


			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	43.23	-50.07	-48.81	-13.00	-37.07	-1.26 Peak
2		76.17	-53.41	-43.48	-13.00	-40.41	-9.93 Peak
3		180.93	-52.35	-46.57	-13.00	-39.35	-5.78 Peak
4		303.50	-62.39	-56.04	-13.00	-49.39	-6.35 Peak
5		362.30	-62.11	-56.20	-13.00	-49.11	-5.91 Peak
6		626.90	-64.26	-64.38	-13.00	-51.26	0.12 Peak
7		3465.00	-53.40	-44.38	-13.00	-40.40	-9.02 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_20M_16QAM(100,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 1

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1 pp	30.27	-42.04	-43.11	-13.00	-29.04	1.07	Peak
2	43.23	-47.56	-46.30	-13.00	-34.56	-1.26	Peak
3	75.63	-52.37	-42.52	-13.00	-39.37	-9.85	Peak
4	326.60	-61.80	-55.62	-13.00	-48.80	-6.18	Peak
5	365.80	-65.23	-59.34	-13.00	-52.23	-5.89	Peak
6	679.40	-64.10	-65.17	-13.00	-51.10	1.07	Peak
7	3465.00	-51.94	-42.92	-13.00	-38.94	-9.02	Peak



A D T

MODE B

LTE BAND 4


CHANNEL BANDWIDTH: 5MHz / 16QAM



Bureau Veritas Consumer Products Services Ltd.,Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5

Condition: PART22/24 3m HORIZONTAL

Remark : LTE Band 4_5M_16QAM(1,0) Link

Tested by: Toby Tian

Plane : Z

: Earphone 2

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	43.23	-50.61	-49.35	-13.00	-37.61	-1.26	Peak
2	76.44	-53.04	-43.11	-13.00	-40.04	-9.93	Peak
3	182.01	-51.10	-45.20	-13.00	-38.10	-5.90	Peak
4	344.80	-61.45	-55.41	-13.00	-48.45	-6.04	Peak
5	419.00	-66.35	-61.20	-13.00	-53.35	-5.15	Peak
6	650.00	-63.70	-64.24	-13.00	-50.70	0.54	Peak
7	3460.60	-45.30	-36.28	-13.00	-32.30	-9.02	Peak
8	5190.90	-49.50	-46.44	-13.00	-36.50	-3.06	Peak
9 pp	12112.10	-34.65	-43.03	-13.00	-21.65	8.38	Peak



A D T




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14

Date: 2014-12-07



Site : 966 Chamber 5
Condition: PART22/24 3m VERTICAL
Remark : LTE Band 4_5M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: Earphone 2

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	30.81	-40.34	-40.68	-13.00	-27.34	0.34	Peak
2	43.50	-46.25	-44.99	-13.00	-33.25	-1.26	Peak
3	160.68	-50.47	-43.94	-13.00	-37.47	-6.53	Peak
4	329.40	-61.62	-55.46	-13.00	-48.62	-6.16	Peak
5	374.90	-65.35	-59.53	-13.00	-52.35	-5.82	Peak
6	624.80	-64.36	-64.45	-13.00	-51.36	0.09	Peak
7	3460.60	-42.62	-33.60	-13.00	-29.62	-9.02	Peak
8	12112.10	-37.67	-46.05	-13.00	-24.67	8.38	Peak



A D T

MODE C

LTE BAND 4


CHANNEL BANDWIDTH: 5MHz / 16QAM



Bureau Veritas Consumer Products Services Ltd.,Taoyuan Branch

A D T

Data: 13



Site : 966 Chamber 5
Condition: PART27 3m HORIZONTAL
Remark : LTE Band 4_5M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z

: USB Cable with NB

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	31.35	-48.45	-48.79	-13.00	-35.45	0.34	Peak
2	43.50	-50.85	-49.59	-13.00	-37.85	-1.26	Peak
3	186.60	-56.15	-49.80	-13.00	-43.15	-6.35	Peak
4	376.30	-60.87	-55.06	-13.00	-47.87	-5.81	Peak
5	598.20	-56.24	-55.84	-13.00	-43.24	-0.40	Peak
6	680.80	-52.50	-53.60	-13.00	-39.50	1.10	Peak
7	3460.60	-48.59	-39.57	-13.00	-35.59	-9.02	Peak
8	pp 12112.10	-38.01	-46.39	-13.00	-25.01	8.38	Peak




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 14



Site : 966 Chamber 5
Condition: PART27 3m VERTICAL
Remark : LTE Band 4_5M_16QAM(1,0) Link
Tested by: Toby Tian
Plane : Z
: USB Cable with NB

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1	pp	31.35	-35.38	-35.72	-13.00	-22.38	0.34 Peak
2		82.11	-48.97	-38.64	-13.00	-35.97	-10.33 Peak
3		117.48	-45.66	-34.88	-13.00	-32.66	-10.78 Peak
4		301.40	-61.51	-55.14	-13.00	-48.51	-6.37 Peak
5		384.70	-60.51	-54.76	-13.00	-47.51	-5.75 Peak
6		596.80	-55.65	-55.19	-13.00	-42.65	-0.46 Peak
7		3460.60	-45.04	-36.02	-13.00	-32.04	-9.02 Peak
8		12112.10	-38.27	-46.65	-13.00	-25.27	8.38 Peak

5 INFORMATION ON THE TESTING LABORATORIES

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Linko EMC/RF Lab:

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab:

Tel: 886-3-5935343

Fax: 886-3-5935342

Hwa Ya EMC/RF/Safety Lab:

Tel: 886-3-3183232

Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.

6 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No modifications were made to the EUT by the lab during the test.

---END---