


DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 303MHz (Guardian Fix Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 149.9kHz Max allowed BW = (0.25% BW = 757.5kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 10:35:07

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 303MHz (Guardian Fix Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 235.76kHz Max Allowed BW = (0.25% BW = 757.5kHz)


99% BANDWIDTH



Date: 28.FEB.2020 10:35:58

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 310MHz (Secure Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 153.8kHz Max allowed BW = (0.25% BW = 775kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 11:36:29

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 310MHz (Secure Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 257.74kHz Max Allowed BW = (0.25% BW = 775kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:37:39

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 310MHz (Rolling Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 153.8kHz Max allowed BW = (0.25% BW = 775kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 11:41:49

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 310MHz (Rolling Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 237.76kHz Max Allowed BW = (0.25% BW = 775kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:42:50

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 310MHz (E Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 151.8kHz Max allowed BW = (0.25% BW = 775kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 11:38:42

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 310MHz (E Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 235.76kHz Max Allowed BW = (0.25% BW = 775kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:39:51

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 315MHz (D Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 145.9kHz Max allowed BW = (0.25% BW = 787.5kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 11:44:40

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 315MHz (D Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 235.76kHz Max Allowed BW = (0.25% BW = 787.5kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:45:38

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 315MHz (IntelliCode)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 147.9kHz Max allowed BW = (0.25% BW = 787.5kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 11:46:45

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 315MHz (IntelliCode)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 235.76kHz Max Allowed BW = (0.25% BW = 787.5kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:47:32

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 315MHz (E Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 151.8kHz Max allowed BW = (0.25% BW = 787.5kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 11:48:47

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 315MHz (E Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 235.76kHz Max Allowed BW = (0.25% BW = 787.5kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:49:15

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 318MHz (Mega Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 151.8kHz Max allowed BW = (0.25% BW = 795kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 11:08:23

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 318MHz (Mega Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 235.76kHz Max Allowed BW = (0.25% BW = 795kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:09:02

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 372.5MHz (Rolling Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 151.8kHz Max allowed BW = (0.25% BW = 931.25kHz)


20DB BANDWIDTH



Date: 28 FEB.2020 11:10:56

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 372.5MHz (Rolling Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 229.77kHz Max Allowed BW = (0.25% BW = 931.25kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:11:22

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 390MHz (D Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 149.9kHz Max allowed BW = (0.25% BW = 975kHz)


20DB BANDWIDTH



Date: 28 FEB.2020 11:13:14

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 390MHz (D Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 237.76kHz Max Allowed BW = (0.25% BW = 975kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:14:52

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 390MHz (IntelliCode)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 149.9kHz Max allowed BW = (0.25% BW = 975kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 11:19:31

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 390MHz (IntelliCode)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 251.74kHz Max Allowed BW = (0.25% BW = 975kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:21:37

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 390MHz (A Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 147.9kHz Max allowed BW = (0.25% BW = 975kHz)


20DB BANDWIDTH



Date: 28 FEB 2020 11:16:23

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 390MHz (A Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 267.73kHz Max Allowed BW = (0.25% BW = 975kHz)


99% BANDWIDTH



Date: 28.FEB.2020 11:18:20

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx – 390MHz (E Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	20dB BW = 151.8kHz Max allowed BW = (0.25% BW = 975kHz)


20DB BANDWIDTH



Date: 28.FEB.2020 11:22:50

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	Universal Garage Door Remote
MODEL NO.	001D7922-1
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx – 390MHz (E Code)
DATE TESTED	February 28, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 357.64kHz Max Allowed BW = (0.25% BW = 975kHz)

99% BANDWIDTH



Date: 28.FEB.2020 11:24:32