## AftMaster.

Model:	VFOH50	11	
Serial No.:		1420T0001	
Input:	120Vac, 6A, 1PH		
H.P.:	0.5	FT.LB./Sec: 160	
Freq:	60 Hz	MFG Date: 04/01/20	
Contains FCC ID: HBW9526-12		Contains IC: 2666A-9526	
Contains IFE	TEL approved	module: 001D9526-12	

RCPCH0019-2220

TAIWAN

LISTED

COMMERCIAL

DOOR OPERATOR

41B6

www.LiftMaster.com

This device complies with part 15 of the FCC rules and Industry Care and 15 canse - exempt RSS standard(\$ 200 cm) subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This Class A digital apparatus complies with Canadian ICES-003. This device must be installed in a way where a minimum 8" (20 cm) distance is maintained between users/bystanders and device.

May be patent protected. See www.LiftMaster.com/patents.

132-3202-000

## Lift Master

Country of Origin:

IFT#:

Model:	VFOH50	21
Serial No.:		1420T0002
Input:	240/230Va	c, 3A, 1/3PH
H.P.:	0.5	FT.LB./Sec: 160
Freq:	60 Hz	MFG Date: 04/01/20
Contains FCC ID: HBW9526-12		Contains IC: 2666A- 9526
Contains IFE	TEL approved	module: 001D9526-12
IFT#:	R	CPCH0019-2220
Country of Or	igin:	TAIWAN



41B6 www.LiftMaster.com

This device complies with part 15 of the FCC rules and Industry Canada (IC) license - exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This Class A digital apparatus complies with Canadian ICES-003. This device must be installed in a way where a minimum 8" (20 cm) distance is maintained between users/bystanders and device.

May be patent protected. See www.LiftMaster.com/patents.

132-3202-000

## **LiftMaster**

Model:	VFOH5045			
Serial No.:		1420T0003		
Input:	460/575Vac, 1.5A, 3PH			
H.P.:	0.5	FT.LB./Sec:	160	
Freq:	60 Hz	MFG Date:	04/01/20	
Contains FCC ID: HBW9526-12		Contains IC: 2666A-9526		
Contains IFETEL approved module:			001D9526-12	
IFT#:	R	CPCH0019-2220		
Country of Origin:		TAIWAN		

CUL US
LISTED
COMMERCIAL

DOOR OPERATOR 4186

www.LiftMaster.com

This device complies with part 15 of the FCC rules and Industry Canada (IC) license - exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This Class A digital apparatus complies with Canadian ICES-003. This device must be installed in a way where a minimum 8" (20 cm) distance is maintained between users/bystanders and device.

May be patent protected. See www.LiftMaster.com/patents.

132-3202-000