



315 CTC Boulevard Louisville, Colorado 80027 USA

phone: 800.782.2709 | fax: 303.939.8977 | www.inovonics.com


Test Report: Addendum Model EN1501-XL

Revision	Description	Author	Issue Date
A	Add Occupied BW Low and High Channel	HB	19-Dec-11
B	Merged Addendums, Changed 20db to 26db in Headers	HB	23-Jan 12

26 dB Occupied Bandwidth Low Channel

Test Method	15.247	Section	2
UUT Model No.	EN1501-XL	Test Date	19-Dec-11
UUT Serial Number(s)		Normal Temp	25.93 C
UUT Description	Security transmitter	Normal Humidity	31.63%
UUT MFGR:	Inovonics Wireless		
Tested By:	HB	Test Result	Pass


Plot shows the 26 dB occupied bandwidth of a single channel to demonstrate compliance with 15.247(a)(1)(i) and RSS-210, A8.1(c).



26 dB Occupied Bandwidth Middle Channel

Test Method	15.247	Section	2
UUT Model No.	EN1501-XL	Test Date	19-Dec-11
UUT Serial Number(s)		Normal Temp	25.93 C
UUT Description	Security transmitter	Normal Humidity	31.63%
UUT MFRG:	Inovonics Wireless		
Tested By:	HB	Test Result	Pass


Plot shows the 26 dB occupied bandwidth of a single channel to demonstrate compliance with 15.247(a)(1)(i) and RSS-210, A8.1(c).



26 dB Occupied Bandwidth High Channel


Test Method	15.247	Section	2
UUT Model No.	EN1501-XL	Test Date	6-Jan-12
UUT Serial Number(s)		Normal Temp	25.93 C
UUT Description	Security transmitter	Normal Humidity	31.63%
UUT MFGR:	Inovonics Wireless		
Tested By:	HB	Test Result	Pass

Plot shows the 26 dB occupied bandwidth of a single channel to demonstrate compliance with 15.247(a)(1)(i) and RSS-210, A8.1(c).




26 dB Occupied Bandwidth Peak Power (No Modulation)

Test Method	15.247	Section	2
UUT Model No.	EN1501-XL	Test Date	12-Jan-12
UUT Serial Number(s)		Normal Temp	25.93 C
UUT Description	Security transmitter	Normal Humidity	31.63%
UUT MFGR:	Inovonics Wireless		
Tested By:	HB	Test Result	Pass



26 dB Occupied Bandwidth Peak Power (No Modulation)

Test Method	15.247	Section	2
UUT Model No.	EN1501-XL	Test Date	12-Jan-12
UUT Serial Number(s)		Normal Temp	25.93 C
UUT Description	Security transmitter	Normal Humidity	31.63%
UUT MFGR:	Inovonics Wireless		
Tested By:	HB	Test Result	Pass



Note: Peak Power is independent of Resolution bandwidth, no correction factor is necessary.



315 CTC Boulevard Louisville, Colorado 80027 USA

phone: 800.782.2709 | fax: 303.939.8977 | www.inovonics.com

Test Instrument Declarations

Test Method	15.247	Section	Addendum
UUT Model No.	EN1501-XL		
UUT Serial Number(s)			
UUT Description	Security transmitter		
UUT MFGR:	Inovonics Wireless		

Testing Instrument

Description	Signal Analyzer		
Make	Agilent	Calibration date	27-Sep-10
Model #	N9020A	Calibration due date	27-Sep-12
Serial #	MY46471353		