



Profile: 2350171R	Page No.: 10
Engineer: Yuliu	
Site: AC5	Time: 2023/05/24 - 01:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Charge Base	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2440MHz by LE_1Mbps	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	48.356	62.652	-25.644	74.000	-14.297	PK
2		7320.000	44.308	54.041	-29.692	74.000	-9.733	PK
3		9760.000	47.677	53.228	-26.323	74.000	-5.550	PK

Profile: 2350171R	Page No.: 11
Engineer: Yuliu	
Site: AC5	Time: 2023/05/24 - 01:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charge Base	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2480MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4959.740	51.434	65.590	-2.566	54.000	-14.156	AV
2		4961.000	55.302	69.435	-18.698	74.000	-14.133	PK
3		7440.000	44.047	53.409	-29.953	74.000	-9.362	PK
4		9920.000	48.807	53.719	-25.193	74.000	-4.912	PK

Profile: 2350171R	Page No.: 12
Engineer: Yuliu	
Site: AC5	Time: 2023/05/24 - 01:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Charge Base	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2480MHz by LE_1Mbps	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4961.000	52.923	67.056	-21.077	74.000	-14.133	PK
2		7443.000	46.709	56.130	-27.291	74.000	-9.421	PK
3		9920.000	47.606	52.518	-26.394	74.000	-4.912	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. This limit applies for using average detector, if the test result on peak is lower than average limit, then average measurement needn't be performed.

The worst case of Radiated Emission below 1GHz :

Profile: 2350171R	Page No.: 199
Engineer: Yuliu	
Site: AC3	Time: 2023/05/29 - 22:13
Limit: FCC_Part 15.209_RE (3m)	Margin: 0
Probe: AC3_3M(30-1000M)-0050-2933	Polarity: Horizontal
EUT: Charge Base	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		40.791	18.870	-0.979	-21.130	40.000	19.849	QP
2		90.625	22.835	6.582	-20.665	43.500	16.253	QP
3		151.008	17.168	-0.237	-26.332	43.500	17.405	QP
4		259.769	22.897	1.782	-23.103	46.000	21.115	QP
5		492.811	28.117	2.731	-17.883	46.000	25.385	QP
6	*	875.719	32.280	3.109	-13.720	46.000	29.171	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Profile: 2350171R	Page No.: 200
Engineer: Yuliu	
Site: AC3	Time: 2023/05/29 - 22:16
Limit: FCC_Part 15.209_RE (3m)	Margin: 0
Probe: AC3_3M(30-1000M)-0050-2933	Polarity: Vertical
EUT: Charge Base	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	39.094	23.114	1.965	-16.886	40.000	21.149	QP
2		91.231	20.297	3.901	-23.203	43.500	16.396	QP
3		152.705	19.556	2.175	-23.944	43.500	17.381	QP
4		257.829	23.475	2.486	-22.525	46.000	20.989	QP
5		408.785	25.747	1.586	-20.253	46.000	24.161	QP
6		646.556	26.038	-1.426	-19.962	46.000	27.464	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Appendix I: AC Power Line Conducted Emission

Profile: 2350171R	Page No.: 7
Engineer: Yuliu	
Site: TR1	Time: 2023/05/28 - 15:19
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101190(0.009-30MHz)	Polarity: Neutral
EUT: Charge Base	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Probe (dB)	Cable (dB)	Amp (dB)	Type
1	*	0.158	46.862	37.292	-18.706	65.568	9.542	0.028	0.000	QP
2		0.158	30.265	20.695	-25.303	55.568	9.542	0.028	0.000	AV
3		0.194	39.979	30.402	-23.885	63.864	9.549	0.028	0.000	QP
4		0.194	26.450	16.873	-27.413	53.864	9.549	0.028	0.000	AV
5		0.230	36.741	27.159	-25.708	62.450	9.553	0.030	0.000	QP
6		0.230	25.388	15.806	-27.062	52.450	9.553	0.030	0.000	AV
7		0.246	36.538	26.952	-25.353	61.891	9.555	0.031	0.000	QP
8		0.246	20.548	10.962	-31.344	51.891	9.555	0.031	0.000	AV
9		0.394	35.554	25.943	-22.425	57.979	9.570	0.041	0.000	QP
10		0.394	28.444	18.833	-19.535	47.979	9.570	0.041	0.000	AV
11		7.506	23.574	13.650	-36.426	60.000	9.744	0.180	0.000	QP
12		7.506	17.688	7.764	-32.312	50.000	9.744	0.180	0.000	AV

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

Profile: 2350171R	Page No.: 8
Engineer: Yuliu	
Site: TR1	Time: 2023/05/28 - 15:21
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101190(0.009-30MHz)	Polarity: Line
EUT: Charge Base	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Probe (dB)	Cable (dB)	Amp (dB)	Type
1		0.154	48.902	39.324	-16.879	65.781	9.550	0.028	0.000	QP
2		0.154	34.196	24.617	-21.586	55.781	9.550	0.028	0.000	AV
3		0.210	43.450	33.864	-19.755	63.205	9.560	0.027	0.000	QP
4		0.210	31.659	22.072	-21.546	53.205	9.560	0.027	0.000	AV
5		0.226	43.790	34.200	-18.805	62.595	9.561	0.029	0.000	QP
6		0.226	33.354	23.763	-19.242	52.595	9.561	0.029	0.000	AV
7		0.246	41.424	31.830	-20.467	61.891	9.563	0.031	0.000	QP
8		0.246	29.687	20.093	-22.204	51.891	9.563	0.031	0.000	AV
9		0.394	40.886	31.272	-17.093	57.979	9.573	0.041	0.000	QP
10	*	0.394	35.482	25.869	-12.497	47.979	9.573	0.041	0.000	AV
11		0.550	32.173	22.544	-23.827	56.000	9.582	0.046	0.000	QP
12		0.550	22.819	13.191	-23.181	46.000	9.582	0.046	0.000	AV

Note:

1. " * ", means this data is the worst emission level.

2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

The End