




3DH5_Ant1_2441_9000~11000




3DH5_Ant1_2441_11000~13000




3DH5_Ant1_2441_13000~15000




3DH5_Ant1_2441_15000~17000




3DH5_Ant1_2441_17000~19000




3DH5_Ant1_2441_19000~21000




3DH5_Ant1_2441_21000~23000




3DH5_Ant1_2441_23000~25000




3DH5_Ant1_2480_30~1000




3DH5_Ant1_2480_1000~3000




3DH5_Ant1_2480_3000~5000




3DH5_Ant1_2480_5000~7000




3DH5_Ant1_2480_7000~9000




3DH5_Ant1_2480_9000~11000




3DH5_Ant1_2480_11000~13000




3DH5_Ant1_2480_13000~15000




3DH5_Ant1_2480_15000~17000




3DH5_Ant1_2480_17000~19000



3DH5_Ant1_2480_19000~21000



3DH5_Ant1_2480_21000~23000




3DH5_Ant1_2480_23000~25000




Appendix I: Duty Cycle

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.90	3.75	77.33	1.12
		2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
		2441	2.89	3.75	77.07	1.13
		2480	2.90	3.75	77.33	1.12
3DH5	Ant1	2402	2.90	3.75	77.33	1.12
		2441	2.90	3.75	77.33	1.12
		2480	2.89	3.75	77.07	1.13


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441




3DH5_Ant1_2480




Appendix J: Emissions in Restricted Band

Profile: 23C0249R	Page No.: 19
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 1:Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	43.682	55.570	-30.318	74.000	-11.888	PK
2		7206.000	48.168	54.334	-25.832	74.000	-6.166	PK
3	*	9608.000	50.886	54.109	-23.114	74.000	-3.222	PK

Profile: 23C0249R	Page No.: 20
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 1:Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	43.528	55.416	-30.472	74.000	-11.888	PK
2		7206.000	48.454	54.620	-25.546	74.000	-6.166	PK
3	*	9608.000	49.967	53.190	-24.033	74.000	-3.222	PK

Profile: 23C0249R	Page No.: 21
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 1:Transmit at 2441MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	44.734	55.426	-29.266	74.000	-10.693	PK
2		7323.000	48.490	55.348	-25.510	74.000	-6.858	PK
3	*	9764.000	50.921	53.831	-23.079	74.000	-2.910	PK

Profile: 23C0249R	Page No.: 22
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 1:Transmit at 2441MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	44.684	55.376	-29.316	74.000	-10.693	PK
2		7323.000	47.484	54.342	-26.516	74.000	-6.858	PK
3	*	9764.000	50.806	53.716	-23.194	74.000	-2.910	PK

Profile: 23C0249R	Page No.: 23
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 1:Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	44.913	55.619	-29.087	74.000	-10.707	PK
2		7440.000	46.949	53.728	-27.051	74.000	-6.779	PK
3	*	9920.000	50.979	52.801	-23.021	74.000	-1.821	PK

Profile: 23C0249R	Page No.: 24
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 1:Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	44.126	54.832	-29.874	74.000	-10.707	PK
2		7440.000	46.807	53.586	-27.193	74.000	-6.779	PK
3	*	9920.000	52.145	53.967	-21.855	74.000	-1.821	PK

Profile: 23C0249R	Page No.: 25
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 2:Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4808.000	54.366	66.232	-19.634	74.000	-11.866	PK
2		7206.000	48.820	54.986	-25.180	74.000	-6.166	PK
3		9608.000	50.881	54.104	-23.119	74.000	-3.222	PK

Profile: 23C0249R	Page No.: 26
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 2:Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4808.000	50.884	62.750	-23.116	74.000	-11.866	PK
2		7206.000	49.404	55.570	-24.596	74.000	-6.166	PK
3		9608.000	50.463	53.686	-23.537	74.000	-3.222	PK

Profile: 23C0249R	Page No.: 27
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 2:Transmit at 2441MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	56.945	67.372	-17.055	74.000	-10.427	PK
2		7323.000	48.288	55.146	-25.712	74.000	-6.858	PK
3		9764.000	51.820	54.730	-22.180	74.000	-2.910	PK

Profile: 23C0249R	Page No.: 28
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 2:Transmit at 2441MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	53.750	64.177	-20.250	74.000	-10.427	PK
2		7323.000	49.609	56.467	-24.391	74.000	-6.858	PK
3		9764.000	51.865	54.775	-22.135	74.000	-2.910	PK

Profile: 23C0249R	Page No.: 29
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 2:Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4961.000	59.713	70.384	-14.287	74.000	-10.671	PK
2		7440.000	49.184	55.963	-24.816	74.000	-6.779	PK
3		9920.000	52.310	54.132	-21.690	74.000	-1.821	PK

Profile: 23C0249R	Page No.: 30
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 2:Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4961.000	56.182	66.853	-17.818	74.000	-10.671	PK
2		7440.000	50.046	56.825	-23.954	74.000	-6.779	PK
3		9920.000	52.509	54.331	-21.491	74.000	-1.821	PK

Profile: 23C0249R	Page No.: 31
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 3:Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4808.000	53.695	65.561	-20.305	74.000	-11.866	PK
2		7206.000	47.867	54.033	-26.133	74.000	-6.166	PK
3		9608.000	50.541	53.764	-23.459	74.000	-3.222	PK

Profile: 23C0249R	Page No.: 32
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 3:Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4808.000	50.867	62.733	-23.133	74.000	-11.866	PK
2		7206.000	49.792	55.958	-24.208	74.000	-6.166	PK
3		9608.000	50.552	53.775	-23.448	74.000	-3.222	PK

Profile: 23C0249R	Page No.: 33
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 3:Transmit at 2441MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	57.039	67.466	-16.961	74.000	-10.427	PK
2		7323.000	48.304	55.162	-25.696	74.000	-6.858	PK
3		9764.000	51.604	54.514	-22.396	74.000	-2.910	PK

Profile: 23C0249R	Page No.: 34
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 3:Transmit at 2441MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	54.186	64.613	-19.814	74.000	-10.427	PK
2		7323.000	49.716	56.574	-24.284	74.000	-6.858	PK
3		9764.000	51.007	53.917	-22.993	74.000	-2.910	PK

Profile: 23C0249R	Page No.: 35
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 3:Transmit at 2480MHz by 3DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4961.000	59.056	69.727	-14.944	74.000	-10.671	PK
2		7440.000	48.460	55.239	-25.540	74.000	-6.779	PK
3		9920.000	52.388	54.210	-21.612	74.000	-1.821	PK

Profile: 23C0249R	Page No.: 36
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/12/13 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 3:Transmit at 2480MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4961.000	54.897	65.568	-19.103	74.000	-10.671	PK
2		7440.000	50.266	57.045	-23.734	74.000	-6.779	PK
3		9920.000	52.954	54.776	-21.046	74.000	-1.821	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. According to FCC15.35(c), a duty cycle correction factor is applied here. For HFSS mode, maximum duty cycle will be 1.27%, which is 37.9dB. Hence this margin could cover the highest spurious above.


The worst case of Radiated Emission below 1GHz :

Profile: 23C0249R	Page No.: 55
Engineer: Pengchengyang	
Site: AC2	Time: 2023/12/20 - 08:50
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: Charger Cradle	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		53.522	16.960	3.015	-23.040	40.000	13.945	QP
2		128.455	21.836	2.729	-21.664	43.500	19.107	QP
3		190.292	18.951	2.717	-24.549	43.500	16.233	QP
4		340.642	23.458	1.781	-22.542	46.000	21.678	QP
5		469.289	27.348	2.337	-18.652	46.000	25.011	QP
6	*	768.291	32.244	3.433	-13.756	46.000	28.811	QP

Profile: 23C0249R	Page No.: 56
Engineer: Pengchengyang	
Site: AC2	Time: 2023/12/20 - 08:51
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: Charger Cradle	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		47.460	18.970	3.077	-21.030	40.000	15.893	QP
2		111.965	20.367	1.244	-23.133	43.500	19.123	QP
3		171.135	17.366	0.647	-26.134	43.500	16.719	QP
4		297.478	22.822	2.039	-23.178	46.000	20.783	QP
5		450.011	26.855	2.220	-19.145	46.000	24.635	QP
6	*	808.425	31.346	1.946	-14.654	46.000	29.400	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Appendix K: AC Power Line Conducted Emission

Profile: 23C0249R	Page No.: 3
Engineer: Pengchengyang	
Site: TR1	Time: 2023/12/19 - 14:22
Limit: FCC_Part 15.207	Margin: 0
Probe: NNLK 8129_(0.009-30MHz)	Polarity: Line
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.481	24.325	24.250	-32.001	56.326	0.075	QP
2	*	0.481	19.387	19.312	-26.939	46.326	0.075	AV
3		0.834	10.573	10.481	-45.427	56.000	0.092	QP
4		0.834	4.772	4.680	-41.228	46.000	0.092	AV
5		1.302	4.708	4.600	-51.292	56.000	0.108	QP
6		1.302	-0.818	-0.925	-46.818	46.000	0.108	AV
7		1.905	1.126	1.003	-54.874	56.000	0.123	QP
8		1.905	-5.190	-5.313	-51.190	46.000	0.123	AV
9		6.875	15.719	15.514	-44.281	60.000	0.205	QP
10		6.875	6.480	6.275	-43.520	50.000	0.205	AV
11		26.007	12.871	12.484	-47.129	60.000	0.387	QP
12		26.007	4.329	3.942	-45.671	50.000	0.387	AV

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Profile: 23C0249R	Page No.: 4
Engineer: Pengchengyang	
Site: TR1	Time: 2023/12/19 - 14:22
Limit: FCC_Part 15.207	Margin: 0
Probe: NNLK 8129_(0.009-30MHz)	Polarity: Neutral
EUT: Charger Cradle	Power: 120 Vac / 60Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.483	22.682	22.567	-33.605	56.287	0.115	QP
2	*	0.483	18.374	18.259	-27.913	46.287	0.115	AV
3		0.830	7.481	7.344	-48.519	56.000	0.136	QP
4		0.830	1.612	1.476	-44.388	46.000	0.136	AV
5		1.190	4.524	4.365	-51.476	56.000	0.159	QP
6		1.190	0.470	0.311	-45.530	46.000	0.159	AV
7		2.477	3.490	3.274	-52.510	56.000	0.216	QP
8		2.477	-0.713	-0.929	-46.713	46.000	0.216	AV
9		7.220	12.659	12.283	-47.341	60.000	0.375	QP
10		7.220	4.367	3.992	-45.633	50.000	0.375	AV
11		25.321	14.439	13.580	-45.561	60.000	0.859	QP
12		25.321	1.108	0.249	-48.892	50.000	0.859	AV

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End