





Conducted Spurious Emission

LTE Band 71 / 5MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 2.MAR.2022 17:21:22

Date: 2.MAR.2022 17:23:49

Highest Channel / QPSK





Date: 2.MAR.2022 17:28:15




LTE Band 71 / 10MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK








LTE Band 71 / 15MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK








LTE Band 71 / 20MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK





Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0047	PASS
40	Normal Voltage	0.0154	
30	Normal Voltage	0.0106	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0001	
0	Normal Voltage	0.0007	
-10	Normal Voltage	0.0046	
-20	Normal Voltage	0.0073	
-30	Normal Voltage	0.0120	
20	Maximum Voltage	0.0093	
20	Normal Voltage	0.0110	
20	Battery End Point	0.0022	

Note:

- 1. Normal Voltage =4 V. ; Battery End Point (BEP) =3.8 V. ; Maximum Voltage =4.4 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

LTE Band 2

LTE Band 2 / 20MHz / QPSK										
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
Lowest	3702	-58.80	-13	-45.80	-49.91	-68.44	2.77	12.40	H	
	5553	-48.28	-13	-35.28	-44.37	-58.21	3.46	13.39	H	
	7404	-49.81	-13	-36.81	-52.41	-57.01	3.98	11.18	H	
	9255	-55.51	-13	-42.51	-60.16	-61.83	4.47	10.79	H	
	11102	-53.05	-13	-40.05	-58.12	-59.12	4.94	11.01	H	
										H
	3702	-54.85	-13	-41.85	-46.37	-64.49	2.77	12.40	V	
	5553	-52.64	-13	-39.64	-48.8	-62.57	3.46	13.39	V	
	7404	-46.87	-13	-33.87	-49.95	-54.07	3.98	11.18	V	
	9255	-48.10	-13	-35.10	-52.17	-54.42	4.47	10.79	V	
	11102	-47.20	-13	-34.20	-52.11	-53.27	4.94	11.01	V	
										V
Middle	3742	-59.45	-13	-46.45	-50.78	-69.16	2.78	12.48	H	
	5613	-50.65	-13	-37.65	-46.7	-60.52	3.48	13.35	H	
	7484	-51.70	-13	-38.70	-54.47	-58.87	4.00	11.17	H	
	9355	-54.95	-13	-41.95	-59.84	-61.26	4.50	10.81	H	
	11225.5	-56.22	-13	-43.22	-61.4	-62.59	4.95	11.33	H	
										H
	3742	-56.89	-13	-43.89	-48.62	-66.60	2.78	12.48	V	
	5613	-52.10	-13	-39.10	-48.37	-61.97	3.48	13.35	V	
	7484	-48.38	-13	-35.38	-51.52	-55.55	4.00	11.17	V	
	9355	-46.25	-13	-33.25	-50.3	-52.56	4.50	10.81	V	
	11225.5	-52.87	-13	-39.87	-58.06	-59.24	4.95	11.33	V	
										V



Highest	3782	-62.03	-13	-49.03	-53.57	-71.68	2.79	12.44	H
	5673	-52.71	-13	-39.71	-49.18	-62.67	3.49	13.45	H
	7564	-54.49	-13	-41.49	-57.02	-61.72	4.02	11.26	H
	9455	-54.56	-13	-41.56	-59.87	-61.06	4.52	11.02	H
	11349	-57.03	-13	-44.03	-62.32	-63.42	4.96	11.35	H
									H
									H
	3782	-58.45	-13	-45.45	-50.38	-68.10	2.79	12.44	V
	5673	-50.96	-13	-37.96	-47.66	-60.92	3.49	13.45	V
	7564	-50.18	-13	-37.18	-53.19	-57.41	4.02	11.26	V
	9455	-50.17	-13	-37.17	-54.4	-56.67	4.52	11.02	V
	11349	-52.62	-13	-39.62	-58.09	-59.01	4.96	11.35	V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25

LTE Band 25 / 20MHz / QPSK										
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
Lowest	3702	-55.13	-13	-42.13	-46.24	-64.77	2.77	12.40	H	
	5553	-45.60	-13	-32.60	-41.69	-55.53	3.46	13.39	H	
	7404	-54.66	-13	-41.66	-57.26	-61.86	3.98	11.18	H	
	9258	-54.93	-13	-41.93	-59.59	-61.24	4.47	10.78	H	
	11102	-45.89	-13	-32.89	-50.96	-51.96	4.94	11.01	H	
										H
										H
	3702	-51.47	-13	-38.47	-42.99	-61.11	2.77	12.40	V	
	5553	-47.50	-13	-34.50	-43.66	-57.43	3.46	13.39	V	
	7404	-53.27	-13	-40.27	-56.35	-60.47	3.98	11.18	V	
	9258	-53.08	-13	-40.08	-57.15	-59.39	4.47	10.78	V	
	11102	-48.17	-13	-35.17	-53.08	-54.24	4.94	11.01	V	
										V
										V
Middle	3742	-56.96	-13	-43.96	-48.29	-66.67	2.78	12.48	H	
	5613	-48.02	-13	-35.02	-44.07	-57.89	3.48	13.35	H	
	7484	-56.82	-13	-43.82	-59.59	-63.99	4.00	11.17	H	
	9356	-52.87	-13	-39.87	-57.76	-59.19	4.50	10.81	H	
	11225.5	-49.84	-13	-36.84	-55.02	-56.21	4.95	11.33	H	
										H
										H
	3742	-54.11	-13	-41.11	-45.84	-63.82	2.78	12.48	V	
	5613	-48.26	-13	-35.26	-44.53	-58.13	3.48	13.35	V	
	7484	-53.79	-13	-40.79	-56.93	-60.96	4.00	11.17	V	
	9356	-51.29	-13	-38.29	-55.34	-57.61	4.50	10.81	V	
	11225.5	-52.42	-13	-39.42	-57.61	-58.79	4.95	11.33	V	
										V
										V



Highest	3792	-55.24	-13	-42.24	-46.84	-64.87	2.79	12.42	H
	5688	-50.32	-13	-37.32	-46.89	-60.25	3.50	13.42	H
	7584	-57.47	-13	-44.47	-59.92	-64.78	4.03	11.34	H
	9482	-53.10	-13	-40.10	-58.57	-59.70	4.53	11.13	H
	11377.5	-52.82	-13	-39.82	-58.13	-59.18	4.97	11.32	H
									H
									H
	3792	-53.67	-13	-40.67	-45.65	-63.30	2.79	12.42	V
	5688	-51.13	-13	-38.13	-47.93	-61.06	3.50	13.42	V
	7584	-52.96	-13	-39.96	-55.93	-60.27	4.03	11.34	V
	9482	-50.28	-13	-37.28	-54.61	-56.88	4.53	11.13	V
	11377.5	-52.74	-13	-39.74	-58.27	-59.10	4.97	11.32	V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4

LTE Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-59.00	-13	-46.00	-48.46	-69.89	1.23	12.12	H
	5135	-38.88	-13	-25.88	-34.29	-49.78	1.97	12.86	H
	6843	-55.89	-13	-42.89	-56.09	-64.85	2.34	11.30	H
	8558	-56.92	-13	-43.92	-60.61	-65.47	2.43	10.99	H
									H
									H
									H
	3420	-56.05	-13	-43.05	-45.88	-66.94	1.23	12.12	V
	5135	-39.89	-13	-26.89	-35.86	-50.79	1.97	12.86	V
	6843	-58.31	-13	-45.31	-58.88	-67.27	2.34	11.30	V
	8558	-55.94	-13	-42.94	-59.71	-64.49	2.43	10.99	V
									V
									V
									V
Middle	3448	-57.61	-13	-44.61	-47.32	-67.51	2.70	12.60	H
	5170	-42.15	-13	-29.15	-37.69	-51.44	3.33	12.62	H
	6892	-56.17	-13	-43.17	-56.57	-64.36	3.88	12.06	H
	8621	-55.55	-13	-42.55	-59.33	-62.74	4.33	11.52	H
									H
									H
									H
	3448	-55.75	-13	-42.75	-45.83	-65.65	2.70	12.60	V
	5170	-42.06	-13	-29.06	-38.12	-51.35	3.33	12.62	V
	6892	-56.75	-13	-43.75	-57.36	-64.94	3.88	12.06	V
	8621	-53.60	-13	-40.60	-57.4	-60.79	4.33	11.52	V
									V
									V
									V



Highest	3469	-63.39	-13	-50.39	-53.29	-74.38	1.24	12.23	H
	5205	-50.63	-13	-37.63	-46.27	-61.60	1.97	12.95	H
	6941	-57.55	-13	-44.55	-58.14	-66.80	2.36	11.61	H
	8677	-56.92	-13	-43.92	-60.88	-65.44	2.44	10.96	H
									H
									H
									H
	3469	-61.05	-13	-48.05	-51.32	-72.04	1.24	12.23	V
	5205	-44.62	-13	-31.62	-40.74	-55.59	1.97	12.95	V
	6941	-57.05	-13	-44.05	-57.69	-66.30	2.36	11.61	V
	8677	-54.30	-13	-41.30	-58.06	-62.82	2.44	10.96	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66

LTE Band 66 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-61.51	-13	-48.51	-51	-71.43	2.68	12.60	H
	5133	-46.90	-13	-33.90	-42.31	-56.01	3.32	12.43	H
	6844	-56.88	-13	-43.88	-57.09	-65.42	3.86	12.40	H
									H
									H
									H
									H
	3422	-54.73	-13	-41.73	-44.59	-64.65	2.68	12.60	V
	5133	-48.03	-13	-35.03	-43.99	-57.14	3.32	12.43	V
	6844	-54.60	-13	-41.60	-55.17	-63.14	3.86	12.40	V
									V
									V
									V
									V
Middle	3472	-61.20	-13	-48.20	-51.12	-71.01	2.71	12.51	H
	5208	-45.68	-13	-32.68	-41.31	-55.20	3.34	12.86	H
	6944	-54.63	-13	-41.63	-55.23	-62.74	3.89	12.00	H
									H
									H
									H
									H
	3472	-57.73	-13	-44.73	-48.02	-67.54	2.71	12.51	V
	5208	-44.77	-13	-31.77	-40.88	-54.29	3.34	12.86	V
	6944	-51.59	-13	-38.59	-52.23	-59.70	3.89	12.00	V
									V
									V
									V
									V
								V	



Highest	3522	-55.76	-13	-42.76	-46.01	-65.35	2.73	12.31	H
	5283	-47.96	-13	-34.96	-43.56	-57.92	3.37	13.33	H
	7044	-55.57	-13	-42.57	-56.52	-63.29	3.92	11.64	H
									H
									H
									H
									H
	3522	-57.18	-13	-44.18	-47.82	-66.77	2.73	12.31	V
	5283	-53.93	-13	-40.93	-49.88	-63.89	3.37	13.33	V
	7044	-50.65	-13	-37.65	-51.58	-58.37	3.92	11.64	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5

LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-57.27	-13	-44.27	-63.87	-62.57	1.83	9.28	H
	2472	-55.70	-13	-42.70	-66.37	-61.93	2.25	10.63	H
	3296	-59.47	-13	-46.47	-72.08	-66.98	2.62	12.28	H
	4120	-55.36	-13	-42.36	-69.86	-63.01	2.90	12.70	H
	4944	-46.39	-13	-33.39	-63.1	-53.69	3.25	12.70	H
	5768	-52.63	-13	-39.63	-71.36	-60.40	3.51	13.44	H
	6592	-56.01	-13	-43.01	-76.92	-62.30	3.78	12.22	H
	7424	-44.90	-13	-31.90	-68.33	-49.87	3.99	11.10	H
	8248	-52.40	-13	-39.40	-76.24	-57.70	4.24	11.69	H
	1648	-58.93	-13	-45.93	-65.99	-64.23	1.83	9.28	V
	2472	-47.41	-13	-34.41	-58.31	-53.64	2.25	10.63	V
	3296	-59.26	-13	-46.26	-72.28	-66.77	2.62	12.28	V
	4120	-55.20	-13	-42.20	-70.23	-62.85	2.90	12.70	V
	4944	-47.97	-13	-34.97	-65.31	-55.27	3.25	12.70	V
	5768	-50.28	-13	-37.28	-69.25	-58.05	3.51	13.44	V
	6592	-53.61	-13	-40.61	-75.19	-59.90	3.78	12.22	V
	7424	-42.17	-13	-29.17	-66.05	-47.14	3.99	11.10	V
	8248	-45.82	-13	-32.82	-70.35	-51.12	4.24	11.69	V



Middle	1664	-54.26	-13	-41.26	-60.95	-59.65	1.84	9.38	H
	2496	-53.85	-13	-40.85	-64.7	-60.22	2.26	10.78	H
	3328	-57.86	-13	-44.86	-70.37	-65.60	2.64	12.52	H
	4160	-55.94	-13	-42.94	-70.53	-63.57	2.92	12.70	H
	4992	-45.53	-13	-32.53	-62.31	-52.73	3.27	12.62	H
	5824	-52.75	-13	-39.75	-71.62	-60.43	3.53	13.36	H
	6656	-55.70	-13	-42.70	-76.83	-62.14	3.80	12.39	H
	7488	-47.33	-13	-34.33	-70.79	-52.36	4.00	11.18	H
	8320	-53.96	-13	-40.96	-77.88	-59.65	4.26	12.10	H
	1664	-53.58	-13	-40.58	-60.74	-58.97	1.84	9.38	V
	2496	-48.17	-13	-35.17	-59.09	-54.54	2.26	10.78	V
	3328	-58.23	-13	-45.23	-71.14	-65.97	2.64	12.52	V
	4160	-55.59	-13	-42.59	-70.74	-63.22	2.92	12.70	V
	4992	-48.30	-13	-35.30	-65.75	-55.50	3.27	12.62	V
	5824	-51.57	-13	-38.57	-70.72	-59.25	3.53	13.36	V
	6656	-54.47	-13	-41.47	-76.25	-60.91	3.80	12.39	V
	7488	-44.16	-13	-31.16	-67.99	-49.19	4.00	11.18	V
	8320	-50.75	-13	-37.75	-75.1	-56.44	4.26	12.10	V



Highest	1680	-55.55	-13	-42.55	-62.35	-61.03	1.85	9.48	H
	2520	-54.24	-13	-41.24	-65.03	-60.62	2.27	10.80	H
	3360	-57.69	-13	-44.69	-70.11	-65.57	2.65	12.68	H
	4200	-54.41	-13	-41.41	-69.11	-62.02	2.94	12.70	H
	5040	-46.30	-13	-33.30	-63.25	-53.31	3.28	12.44	H
	5880	-52.21	-13	-39.21	-70.97	-59.72	3.54	13.20	H
	6720	-54.09	-13	-41.09	-75.45	-60.54	3.82	12.42	H
	7560	-46.68	-13	-33.68	-69.87	-51.75	4.02	11.24	H
	8392	-51.74	-13	-38.74	-75.77	-57.42	4.27	12.10	H
	1680	-56.33	-13	-43.33	-63.6	-61.81	1.85	9.48	V
	2520	-47.87	-13	-34.87	-58.83	-54.25	2.27	10.80	V
	3360	-60.18	-13	-47.18	-72.99	-68.06	2.65	12.68	V
	4200	-54.09	-13	-41.09	-69.38	-61.70	2.94	12.70	V
	5040	-47.35	-13	-34.35	-64.94	-54.36	3.28	12.44	V
	5880	-51.29	-13	-38.29	-70.39	-58.80	3.54	13.20	V
	6720	-53.47	-13	-40.47	-75.42	-59.92	3.82	12.42	V
	7560	-42.92	-13	-29.92	-66.58	-47.99	4.02	11.24	V
	8400	-47.51	-13	-34.51	-71.69	-53.18	4.28	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26

LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-58.17	-13	-45.17	-64.77	-63.47	1.83	9.28	H
	2472	-56.29	-13	-43.29	-66.96	-62.52	2.25	10.63	H
	3296	-59.33	-13	-46.33	-71.94	-66.84	2.62	12.28	H
	4128	-55.19	-13	-42.19	-69.7	-62.83	2.91	12.70	H
	4952	-46.98	-13	-33.98	-63.7	-54.27	3.25	12.70	H
	5776	-52.80	-13	-39.80	-71.57	-60.59	3.52	13.45	H
	6600	-55.25	-13	-42.25	-76.18	-61.52	3.78	12.20	H
	7424	-46.69	-13	-33.69	-70.12	-51.66	3.99	11.10	H
	8248	-52.35	-13	-39.35	-76.19	-57.65	4.24	11.69	H
	1648	-58.11	-13	-45.11	-65.17	-63.41	1.83	9.28	V
	2472	-52.61	-13	-39.61	-63.51	-58.84	2.25	10.63	V
	3296	-58.46	-13	-45.46	-71.48	-65.97	2.62	12.28	V
	4128	-56.41	-13	-43.41	-71.46	-64.05	2.91	12.70	V
	4952	-49.07	-13	-36.07	-66.43	-56.36	3.25	12.70	V
	5776	-49.33	-13	-36.33	-68.34	-57.12	3.52	13.45	V
	6600	-53.10	-13	-40.10	-74.74	-59.37	3.78	12.20	V
	7424	-42.07	-13	-29.07	-65.95	-47.04	3.99	11.10	V
	8248	-48.33	-13	-35.33	-72.86	-53.63	4.24	11.69	V



Middle	1656	-58.72	-13	-45.72	-65.37	-64.07	1.84	9.34	H
	2488	-56.58	-13	-43.58	-67.36	-62.90	2.25	10.73	H
	3320	-61.08	-13	-48.08	-73.61	-68.76	2.63	12.46	H
	4152	-58.31	-13	-45.31	-72.88	-65.94	2.92	12.70	H
	4976	-47.13	-13	-34.13	-63.89	-54.37	3.26	12.65	H
	5808	-55.95	-13	-42.95	-74.85	-63.73	3.52	13.45	H
	6638	-56.95	-13	-43.95	-78.01	-63.36	3.79	12.35	H
	7472	-49.57	-13	-36.57	-73.02	-54.57	3.99	11.14	H
	8298	-53.73	-13	-40.73	-77.63	-59.41	4.25	12.08	H
	1656	-59.69	-13	-46.69	-66.8	-65.04	1.84	9.34	V
	2488	-54.71	-13	-41.71	-65.61	-61.03	2.25	10.73	V
	3320	-60.04	-13	-47.04	-72.97	-67.72	2.63	12.46	V
	4152	-58.77	-13	-45.77	-73.89	-66.40	2.92	12.70	V
	4976	-49.24	-13	-36.24	-66.66	-56.48	3.26	12.65	V
	5808	-53.79	-13	-40.79	-72.94	-61.57	3.52	13.45	V
	6640	-55.72	-13	-42.72	-77.46	-62.14	3.79	12.36	V
	7472	-46.09	-13	-33.09	-69.93	-51.09	3.99	11.14	V
	8296	-51.03	-13	-38.03	-75.45	-56.70	4.25	12.07	V



Highest	1672	-57.30	-13	-44.30	-64.04	-62.74	1.85	9.43	H
	2504	-56.80	-13	-43.80	-67.65	-63.19	2.26	10.80	H
	3336	-58.67	-13	-45.67	-71.16	-66.47	2.64	12.59	H
	4176	-55.66	-13	-42.66	-70.29	-63.28	2.93	12.70	H
	5008	-45.97	-13	-32.97	-62.79	-53.12	3.27	12.57	H
	5840	-55.17	-13	-42.17	-74.01	-62.75	3.53	13.26	H
	6680	-55.69	-13	-42.69	-76.9	-62.07	3.81	12.34	H
	7512	-49.42	-13	-36.42	-72.83	-54.47	4.00	11.20	H
	8348	-53.17	-13	-40.17	-77.14	-58.86	4.26	12.10	H
	1672	-56.28	-13	-43.28	-63.49	-61.72	1.85	9.43	V
	2504	-56.22	-13	-43.22	-67.14	-62.61	2.26	10.80	V
	3336	-58.10	-13	-45.10	-70.98	-65.90	2.64	12.59	V
	4176	-55.51	-13	-42.51	-70.72	-63.13	2.93	12.70	V
	5008	-47.50	-13	-34.50	-64.99	-54.65	3.27	12.57	V
	5840	-52.30	-13	-39.30	-71.43	-59.88	3.53	13.26	V
	6680	-55.25	-13	-42.25	-77.09	-61.63	3.81	12.34	V
	7512	-44.66	-13	-31.66	-68.44	-49.71	4.00	11.20	V
	8344	-51.94	-13	-38.94	-76.24	-57.63	4.26	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7

LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5002	-46.77	-25	-21.77	-41.75	-56.09	3.27	12.59	H
	7503	-50.32	-25	-25.32	-53.11	-57.52	4.00	11.20	H
	10004	-43.61	-25	-18.61	-47.63	-50.15	4.67	11.21	H
	12501	-42.53	-25	-17.53	-46.13	-51.07	5.26	13.80	H
	15003	-50.26	-25	-25.26	-55.54	-56.62	5.86	12.22	H
	17505	-44.80	-25	-19.80	-62.45	-51.52	6.33	13.06	H
									H
	5002	-45.41	-25	-20.41	-41.06	-54.73	3.27	12.59	V
	7503	-48.78	-25	-23.78	-51.92	-55.98	4.00	11.20	V
	10004	-43.76	-25	-18.76	-47.54	-50.30	4.67	11.21	V
	12501	-43.44	-25	-18.44	-47.46	-51.98	5.26	13.80	V
	15003	-48.77	-25	-23.77	-55.91	-55.13	5.86	12.22	V
	17505	-47.32	-25	-22.32	-64.28	-54.04	6.33	13.06	V
									V
Middle	5052	-47.40	-25	-22.40	-42.55	-56.51	3.29	12.40	H
	7578	-52.58	-25	-27.58	-55.05	-59.86	4.03	11.31	H
	10104	-46.59	-25	-21.59	-50.79	-53.28	4.70	11.40	H
	12627	-43.89	-25	-18.89	-48.45	-52.32	5.29	13.73	H
	15156	-49.90	-25	-24.90	-55.31	-57.39	5.90	13.39	H
	17685	-50.51	-25	-25.51	-68.58	-55.69	6.34	11.52	H
									H
	5052	-44.38	-25	-19.38	-40.16	-53.49	3.29	12.40	V
	7578	-51.16	-25	-26.16	-54.13	-58.44	4.03	11.31	V
	10104	-42.66	-25	-17.66	-46.44	-49.35	4.70	11.40	V
	12627	-43.86	-25	-18.86	-48.34	-52.29	5.29	13.73	V
	15156	-47.81	-25	-22.81	-54.66	-55.30	5.90	13.39	V
	17685	-49.10	-25	-24.10	-67.59	-54.28	6.34	11.52	V
									V



Highest	5102	-45.54	-25	-20.54	-40.85	-54.54	3.31	12.31	H
	7653	-50.22	-25	-25.22	-52.67	-57.67	4.06	11.51	H
	10204	-43.49	-25	-18.49	-47.87	-50.05	4.73	11.29	H
	12753	-45.68	-25	-20.68	-51.19	-54.00	5.33	13.64	H
	15309	-49.49	-25	-24.49	-55.02	-58.09	5.93	14.54	H
	17856	-51.09	-25	-26.09	-69.55	-53.60	6.36	8.87	H
									H
	5102	-44.96	-25	-19.96	-40.85	-53.96	3.31	12.31	V
	7653	-49.80	-25	-24.80	-52.78	-57.25	4.06	11.51	V
	10204	-42.94	-25	-17.94	-46.73	-49.50	4.73	11.29	V
	12753	-44.78	-25	-19.78	-49.71	-53.10	5.33	13.64	V
	15309	-49.91	-25	-24.91	-56.46	-58.51	5.93	14.54	V
	17856	-48.32	-25	-23.32	-68.26	-50.83	6.36	8.87	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7C

LTE Band 7C / 20MHz + 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5040	-52.78	-25	-27.78	-69.96	-61.94	3.28	12.44	H
	7560	-53.52	-25	-28.52	-77.02	-60.74	4.02	11.24	H
	10080	-48.48	-25	-23.48	-75.24	-55.15	4.69	11.36	H
									H
									H
									H
									H
	5040	-55.20	-25	-30.20	-73.02	-64.36	3.28	12.44	V
	7560	-53.21	-25	-28.21	-77.18	-60.43	4.02	11.24	V
	10080	-48.65	-25	-23.65	-75.04	-55.32	4.69	11.36	V
									V
									V
									V
									V
Middle	5070	-52.06	-25	-27.06	-69.36	-61.12	3.30	12.36	H
	7605	-53.48	-25	-28.48	-76.79	-60.85	4.04	11.41	H
	10140	-48.25	-25	-23.25	-75.17	-54.90	4.71	11.36	H
									H
									H
									H
									H
	5070	-52.24	-25	-27.24	-70.15	-61.30	3.30	12.36	V
	7605	-52.67	-25	-27.67	-76.53	-60.04	4.04	11.41	V
	10140	-49.11	-25	-24.11	-75.54	-55.76	4.71	11.36	V
									V
									V
									V
									V
								V	



Highest	5100	-53.95	-25	-28.95	-71.36	-62.94	3.31	12.30	H
	7650	-53.07	-25	-28.07	-76.42	-60.52	4.05	11.50	H
	10200	-48.28	-25	-23.28	-75.34	-54.85	4.73	11.30	H
									H
									H
									H
									H
	5100	-55.26	-25	-30.26	-73.25	-64.25	3.31	12.30	V
	7650	-52.03	-25	-27.03	-75.92	-59.48	4.05	11.50	V
	10200	-48.66	-25	-23.66	-75.13	-55.23	4.73	11.30	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 38

LTE Band 38 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5142	-46.11	-25	-21.11	-41.55	-55.26	3.32	12.47	H
	7713	-50.93	-25	-25.93	-53.48	-58.53	4.08	11.68	H
	10284	-45.61	-25	-20.61	-50.13	-51.99	4.76	11.13	H
	12852	-41.34	-25	-16.34	-47.59	-49.49	5.35	13.50	H
	15426	-49.18	-25	-24.18	-54.81	-58.25	5.96	15.03	H
									H
									H
	5142	-43.25	-25	-18.25	-39.24	-52.40	3.32	12.47	V
	7713	-48.45	-25	-23.45	-51.51	-56.05	4.08	11.68	V
	10284	-45.50	-25	-20.50	-49.28	-51.88	4.76	11.13	V
	12852	-43.37	-25	-18.37	-48.64	-51.52	5.35	13.50	V
	15426	-48.79	-25	-23.79	-55.12	-57.86	5.96	15.03	V
									V
									V
Middle	5172	-47.10	-25	-22.10	-42.64	-56.40	3.33	12.63	H
	7758	-51.75	-25	-26.75	-54.36	-59.51	4.09	11.85	H
	10344	-49.58	-25	-24.58	-54.22	-55.69	4.77	10.88	H
	12933	-41.55	-25	-16.55	-48.43	-49.71	5.37	13.53	H
	15516	-50.28	-25	-25.28	-56.05	-59.84	5.98	15.54	H
									H
									H
	5172	-44.08	-25	-19.08	-40.14	-53.38	3.33	12.63	V
	7758	-51.06	-25	-26.06	-54.18	-58.82	4.09	11.85	V
	10344	-47.52	-25	-22.52	-51.31	-53.63	4.77	10.88	V
	12933	-44.41	-25	-19.41	-49.98	-52.57	5.37	13.53	V
	15516	-47.91	-25	-22.91	-54.15	-57.47	5.98	15.54	V
									V
									V



Highest	5202	-46.68	-25	-21.68	-42.32	-56.15	3.34	12.82	H
	7803	-50.51	-25	-25.51	-53.2	-57.99	4.11	11.59	H
	10404	-46.96	-25	-21.96	-51.71	-52.78	4.79	10.61	H
	13005	-44.91	-25	-19.91	-52.28	-53.13	5.39	13.61	H
	15606	-49.07	-25	-24.07	-55.21	-59.39	5.99	16.31	H
									H
									H
	5202	-44.56	-25	-19.56	-40.69	-54.03	3.34	12.82	V
	7803	-47.21	-25	-22.21	-50.38	-54.69	4.11	11.59	V
	10404	-44.01	-25	-19.01	-47.8	-49.83	4.79	10.61	V
	13005	-45.89	-25	-20.89	-51.7	-54.11	5.39	13.61	V
	15606	-49.36	-25	-24.36	-55.89	-59.68	5.99	16.31	V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41

LTE Band 41 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-54.67	-25	-29.67	-49.64	-64.02	3.27	12.62	H
	7488	-51.94	-25	-26.94	-54.72	-59.12	4.00	11.18	H
	9990	-46.63	-25	-21.63	-50.68	-53.14	4.67	11.18	H
	12483	-48.56	-25	-23.56	-52.22	-57.07	5.26	13.77	H
									H
									H
	4992	-46.80	-25	-21.80	-42.44	-56.15	3.27	12.62	V
	7488	-53.92	-25	-28.92	-57.07	-61.10	4.00	11.18	V
	9990	-45.65	-25	-20.65	-49.45	-52.16	4.67	11.18	V
	12483	-49.15	-25	-24.15	-53.2	-57.66	5.26	13.77	V
									V
									V
Middle	5166	-53.54	-25	-28.54	-49.07	-62.81	3.33	12.60	H
	7752	-54.44	-25	-29.44	-57.05	-62.24	4.09	11.89	H
	10332	-56.53	-25	-31.53	-61.15	-62.70	4.77	10.94	H
	12924	-49.16	-25	-24.16	-55.96	-57.31	5.37	13.52	H
	15507	-56.81	-25	-31.81	-62.54	-66.29	5.98	15.46	H
									H
									H
	5166	-50.93	-25	-25.93	-46.98	-60.20	3.33	12.60	V
	7752	-57.65	-25	-32.65	-60.76	-65.45	4.09	11.89	V
	10332	-55.81	-25	-30.81	-59.6	-61.98	4.77	10.94	V
	12924	-45.59	-25	-20.59	-51.13	-53.74	5.37	13.52	V
	15507	-54.76	-25	-29.76	-60.98	-64.24	5.98	15.46	V
								V	
								V	



Highest	5340	-57.56	-25	-32.56	-53.13	-67.65	3.39	13.48	H
	8010	-50.31	-25	-25.31	-53.79	-56.97	4.18	10.84	H
	10683	-48.45	-25	-23.45	-53.39	-54.66	4.86	11.07	H
	13356	-51.74	-25	-26.74	-58.98	-59.59	5.44	13.29	H
									H
									H
									H
	5340	-51.21	-25	-26.21	-47.04	-61.30	3.39	13.48	V
	8010	-52.45	-25	-27.45	-56.05	-59.11	4.18	10.84	V
	10683	-50.74	-25	-25.74	-54.85	-56.95	4.86	11.07	V
	13356	-51.50	-25	-26.50	-57.34	-59.35	5.44	13.29	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line



LTE Band 12

LTE Band 12 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399	-64.43	-13.00	-51.43	-71.01	-67.49	1.69	6.89	H
	2099	-61.84	-13.00	-48.84	-70.53	-67.12	2.08	9.51	H
	2798	-62.93	-13.00	-49.93	-74.57	-69.58	2.39	11.19	H
	3496	-60.78	-13.00	-47.78	-74.00	-68.33	2.72	12.42	H
	4200	-54.97	-13.00	-41.97	-69.67	-62.58	2.94	12.70	H
	4896	-51.04	-13.00	-38.04	-67.67	-58.35	3.23	12.69	H
	5592	-57.38	-13.00	-44.38	-75.13	-65.07	3.47	13.32	H
	6296	-55.18	-13.00	-42.18	-75.18	-62.45	3.68	13.09	H
	6992	-48.33	-13.00	-35.33	-70.64	-54.19	3.91	11.92	H
	1399	-65.76	-13.00	-52.76	-72.53	-68.82	1.69	6.89	V
	2099	-63.41	-13.00	-50.41	-72.57	-68.69	2.08	9.51	V
	2798	-61.99	-13.00	-48.99	-73.89	-68.64	2.39	11.19	V
	3496	-61.16	-13.00	-48.16	-74.75	-68.71	2.72	12.42	V
	4200	-53.36	-13.00	-40.36	-68.65	-60.97	2.94	12.70	V
	4896	-48.26	-13.00	-35.26	-65.49	-55.57	3.23	12.69	V
	5592	-54.81	-13.00	-41.81	-72.76	-62.50	3.47	13.32	V
	6296	-53.09	-13.00	-40.09	-73.07	-60.36	3.68	13.09	V
	6992	-45.19	-13.00	-32.19	-67.39	-51.05	3.91	11.92	V



Middle	1406	-65.36	-13.00	-52.36	-71.98	-68.47	1.69	6.95	H
	2109	-60.64	-13.00	-47.64	-69.44	-65.82	2.08	9.41	H
	2812	-63.16	-13.00	-50.16	-74.81	-69.81	2.40	11.20	H
	3512	-60.57	-13.00	-47.57	-73.88	-68.05	2.72	12.35	H
	4216	-57.89	-13.00	-44.89	-72.61	-65.49	2.95	12.70	H
	4920	-53.49	-13.00	-40.49	-70.16	-60.80	3.24	12.70	H
	5624	-58.25	-13.00	-45.25	-76.11	-66.02	3.48	13.40	H
	6328	-55.87	-13.00	-42.87	-75.98	-63.02	3.69	12.99	H
	7032	-49.59	-13.00	-36.59	-71.97	-55.23	3.92	11.71	H
	1406	-65.55	-13.00	-52.55	-72.33	-68.66	1.69	6.95	V
	2109	-63.33	-13.00	-50.33	-72.62	-68.51	2.08	9.41	V
	2812	-62.96	-13.00	-49.96	-74.90	-69.61	2.40	11.20	V
	3512	-61.54	-13.00	-48.54	-75.23	-69.02	2.72	12.35	V
	4216	-56.02	-13.00	-43.02	-71.34	-63.62	2.95	12.70	V
	4920	-50.59	-13.00	-37.59	-67.88	-57.90	3.24	12.70	V
	5624	-55.30	-13.00	-42.30	-73.38	-63.07	3.48	13.40	V
	6328	-54.44	-13.00	-41.44	-74.59	-61.59	3.69	12.99	V
	7032	-46.98	-13.00	-33.98	-69.31	-52.62	3.92	11.71	V



Highest	1413	-50.14	-13.00	-37.14	-69.82	-53.30	1.69	7.00	H
	2120	-50.42	-13.00	-37.42	-72.35	-55.48	2.09	9.30	H
	2826	-50.07	-13.00	-37.07	-74.72	-56.72	2.40	11.20	H
	3536	-46.81	-13.00	-33.81	-73.20	-54.19	2.73	12.26	H
	4240	-38.80	-13.00	-25.80	-66.57	-46.39	2.96	12.70	H
	4944	-36.21	-13.00	-23.21	-65.92	-43.51	3.25	12.70	H
	5656	-44.98	-13.00	-31.98	-76.04	-52.83	3.49	13.49	H
	6360	-41.71	-13.00	-28.71	-74.96	-48.72	3.70	12.86	H
	7064	-35.83	-13.00	-22.83	-71.26	-41.30	3.92	11.54	H
	1413	-51.67	-13.00	-38.67	-71.48	-54.83	1.69	7.00	V
	2120	-50.77	-13.00	-37.77	-73.21	-55.83	2.09	9.30	V
	2826	-49.67	-13.00	-36.67	-74.63	-56.32	2.40	11.20	V
	3744	-47.72	-13.00	-34.72	-75.20	-55.28	2.78	12.49	V
	4240	-38.14	-13.00	-25.14	-66.51	-45.73	2.96	12.70	V
	4944	-35.29	-13.00	-22.29	-65.63	-42.59	3.25	12.70	V
	5656	-40.46	-13.00	-27.46	-71.74	-48.31	3.49	13.49	V
	6360	-38.26	-13.00	-25.26	-71.59	-45.27	3.70	12.86	V
	7064	-33.02	-13.00	-20.02	-68.48	-38.49	3.92	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13

LTE Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1552	-60.51	-13	-47.51	-67.31	-65.19	1.78	8.61	H
	2328	-55.54	-13	-42.54	-65.54	-60.88	2.18	9.67	H
	3109	-62.86	-13	-49.86	-75.17	-69.50	2.53	11.32	H
	3888	-55.44	-13	-42.44	-69.68	-62.85	2.81	12.38	H
	4664	-47.84	-13	-34.84	-63.81	-55.03	3.16	12.50	H
	5440	-53.60	-13	-40.60	-71.49	-61.22	3.43	13.20	H
	6216	-55.15	-13	-42.15	-74.88	-62.42	3.65	13.07	H
	6992	-50.07	-13	-37.07	-72.38	-55.93	3.91	11.92	H
	7776	-51.36	-13	-38.36	-74.49	-56.85	4.10	11.74	H
	1552	-61.51	-13	-48.51	-68.39	-66.19	1.78	8.61	V
	2328	-57.01	-13	-44.01	-67.72	-62.35	2.18	9.67	V
	3104	-62.34	-13	-49.34	-75.18	-68.97	2.53	11.31	V
	3888	-58.44	-13	-45.44	-73.08	-65.85	2.81	12.38	V
	4664	-43.39	-13	-30.39	-59.82	-50.58	3.16	12.50	V
	5440	-52.02	-13	-39.02	-69.97	-59.64	3.43	13.20	V
	6216	-51.05	-13	-38.05	-70.60	-58.32	3.65	13.07	V
	6992	-46.67	-13	-33.67	-68.87	-52.53	3.91	11.92	V
	7776	-49.66	-13	-36.66	-73.29	-55.15	4.10	11.74	V



Middle	1560	-62.04	-42.15	-19.89	-68.76	-66.77	1.78	8.66	H
	2336	-50.94	-13	-37.94	-60.95	-56.32	2.18	9.72	H
	3119	-63.67	-13	-50.67	-76.04	-70.32	2.54	11.34	H
	3896	-56.35	-13	-43.35	-70.58	-63.78	2.82	12.39	H
	4680	-49.09	-13	-36.09	-65.12	-56.28	3.16	12.50	H
	5456	-54.34	-13	-41.34	-72.33	-61.94	3.43	13.19	H
	6240	-56.32	-13	-43.32	-76.12	-63.53	3.66	13.02	H
	7016	-50.71	-13	-37.71	-73.07	-56.45	3.91	11.80	H
	7798	-53.00	-13	-40.00	-76.15	-58.35	4.11	11.61	H
	1560	-61.07	-42.15	-18.92	-67.93	-65.80	1.78	8.66	V
	2336	-52.59	-13	-39.59	-63.31	-57.97	2.18	9.72	V
	3119	-62.64	-13	-49.64	-75.55	-69.29	2.54	11.34	V
	3896	-58.04	-13	-45.04	-72.68	-65.47	2.82	12.39	V
	4680	-45.97	-13	-32.97	-62.46	-53.16	3.16	12.50	V
	5456	-53.31	-13	-40.31	-71.31	-60.91	3.43	13.19	V
	6240	-54.13	-13	-41.13	-73.81	-61.34	3.66	13.02	V
	7016	-48.40	-13	-35.40	-70.66	-54.14	3.91	11.80	V
	7800	-51.15	-13	-38.15	-74.79	-56.49	4.11	11.60	V



Highest	1560	-55.22	-42.15	-13.07	-61.94	-59.95	1.78	8.66	H
	2344	-47.89	-13	-34.89	-57.91	-53.32	2.19	9.76	H
	3129	-61.45	-13	-48.45	-73.89	-68.12	2.54	11.36	H
	3912	-57.61	-13	-44.61	-71.84	-65.07	2.82	12.42	H
	4696	-50.94	-13	-37.94	-67.04	-58.12	3.17	12.50	H
	5472	-55.60	-13	-42.60	-73.69	-63.17	3.44	13.16	H
	6258	-55.61	-13	-42.61	-75.49	-62.81	3.66	13.02	H
	7040	-50.14	-13	-37.14	-72.53	-55.73	3.92	11.66	H
	7823	-51.52	-13	-38.52	-74.74	-56.81	4.12	11.55	H
	1560	-59.03	-42.15	-16.88	-65.89	-63.76	1.78	8.66	V
	2344	-52.11	-13	-39.11	-62.85	-57.54	2.19	9.76	V
	3129	-61.19	-13	-48.19	-74.15	-67.86	2.54	11.36	V
	3912	-56.18	-13	-43.18	-70.83	-63.64	2.82	12.42	V
	4696	-46.84	-13	-33.84	-63.41	-54.02	3.17	12.50	V
	5472	-51.87	-13	-38.87	-69.93	-59.44	3.44	13.16	V
	6256	-51.39	-13	-38.39	-71.16	-58.59	3.66	13.01	V
	7040	-47.84	-13	-34.84	-70.20	-53.43	3.92	11.66	V
	7824	-49.37	-13	-36.37	-73.03	-54.66	4.12	11.55	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 71

LTE Band 71 / 20MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-64.98	-13	-51.98	-71.6	-69.80	1.64	6.46	H
	1992	-62.61	-13	-49.61	-70.21	-70.48	2.03	9.90	H
	2656	-64.65	-13	-51.65	-75.44	-73.12	2.33	10.80	H
	3320	-63.67	-13	-50.67	-76.2	-73.50	2.63	12.46	H
	3984	-60.43	-13	-47.43	-74.62	-70.23	2.84	12.64	H
	4648	-47.48	-13	-34.48	-63.4	-56.84	3.15	12.51	H
	5312	-58.40	-13	-45.40	-76	-68.44	3.38	13.42	H
	5976	-59.09	-13	-46.09	-77.66	-68.83	3.56	13.30	H
	6640	-50.75	-13	-37.75	-71.82	-59.32	3.79	12.36	H
	1328	-63.22	-13	-50.22	-69.83	-68.04	1.64	6.46	V
	1992	-61.74	-13	-48.74	-69.6	-69.61	2.03	9.90	V
	2656	-63.87	-13	-50.87	-75.22	-72.34	2.33	10.80	V
	3320	-63.09	-13	-50.09	-76.02	-72.92	2.63	12.46	V
	3984	-61.03	-13	-48.03	-75.65	-70.83	2.84	12.64	V
	4648	-52.83	-13	-39.83	-69.2	-62.19	3.15	12.51	V
	5312	-56.92	-13	-43.92	-74.83	-66.96	3.38	13.42	V
	5976	-58.85	-13	-45.85	-77.89	-68.59	3.56	13.30	V
	6640	-50.47	-13	-37.47	-72.21	-59.04	3.79	12.36	V



Middle	1352	-65.77	-13	-52.77	-72.39	-70.63	1.66	6.52	H
	2024	-58.59	-13	-45.59	-66.46	-66.45	2.04	9.90	H
	2696	-63.89	-13	-50.89	-74.92	-72.34	2.35	10.80	H
	3370	-63.54	-13	-50.54	-75.92	-73.54	2.66	12.66	H
	4044	-60.96	-13	-47.96	-75.26	-70.80	2.86	12.70	H
	4720	-50.05	-13	-37.05	-66.23	-59.38	3.17	12.50	H
	5392	-59.27	-13	-46.27	-76.92	-69.11	3.41	13.25	H
	6066	-58.55	-13	-45.55	-77.45	-68.19	3.59	13.23	H
	6744	-50.30	-13	-37.30	-71.74	-59.04	3.83	12.56	H
	1348	-65.73	-13	-52.73	-72.4	-70.57	1.65	6.50	V
	2024	-59.20	-13	-46.20	-67.38	-67.06	2.04	9.90	V
	2696	-63.22	-13	-50.22	-74.72	-71.67	2.35	10.80	V
	3370	-63.09	-13	-50.09	-75.85	-73.09	2.66	12.66	V
	4044	-60.99	-13	-47.99	-75.76	-70.83	2.86	12.70	V
	4720	-54.73	-13	-41.73	-71.4	-64.06	3.17	12.50	V
	5392	-57.91	-13	-44.91	-75.73	-67.75	3.41	13.25	V
	6066	-58.26	-13	-45.26	-77.44	-67.90	3.59	13.23	V
	6744	-50.89	-13	-37.89	-72.9	-59.63	3.83	12.56	V



Highest	1360	-64.87	-13	-51.87	-71.48	-69.79	1.66	6.58	H
	2040	-62.17	-13	-49.17	-70.22	-70.02	2.05	9.90	H
	2716	-63.97	-13	-50.97	-75.12	-72.48	2.36	10.86	H
	3395	-64.41	-13	-51.41	-76.72	-74.35	2.67	12.61	H
	4072	-58.95	-13	-45.95	-73.32	-68.77	2.88	12.70	H
	4752	-47.56	-13	-34.56	-63.85	-56.88	3.19	12.51	H
	5432	-58.56	-13	-45.56	-76.41	-68.33	3.43	13.20	H
	6111	-57.69	-13	-44.69	-76.84	-67.34	3.61	13.26	H
	6792	-49.47	-13	-36.47	-71.09	-58.06	3.84	12.43	H
	1358	-65.50	-13	-52.50	-72.18	-70.40	1.66	6.56	V
	2040	-60.12	-13	-47.12	-68.51	-67.97	2.05	9.90	V
	2716	-63.56	-13	-50.56	-75.14	-72.07	2.36	10.86	V
	3395	-64.03	-13	-51.03	-76.72	-73.97	2.67	12.61	V
	4072	-60.36	-13	-47.36	-75.22	-70.18	2.88	12.70	V
	4752	-52.44	-13	-39.44	-69.23	-61.76	3.19	12.51	V
	5432	-57.14	-13	-44.14	-75.07	-66.91	3.43	13.20	V
	6112	-56.30	-13	-43.30	-75.57	-65.94	3.61	13.25	V
	6792	-49.91	-13	-36.91	-72.04	-58.50	3.84	12.43	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.