





11AX20MIMO_Ant9_6535






Date: 22.NOV.2022 07:06:12

11AX20MIMO_Ant10_6535




Date: 22.NOV.2022 07:07:28








11AX40MIMO_Ant9_5965



Date: 22.NOV.2022 07:15:27


11AX40MIMO_Ant10_5965



Date: 22.NOV.2022 07:16:40




11AX40MIMO_Ant9_6165




Date: 22.NOV.2022 07:18:19

11AX40MIMO_Ant10_6165




Date: 22.NOV.2022 07:19:28






11AX40MIMO_Ant9_6565






Date: 22.NOV.2022 07:26:03

11AX40MIMO_Ant10_6565




Date: 22.NOV.2022 07:27:16








11AX80MIMO_Ant9_5985




Date: 22.NOV.2022 07:34:29

11AX80MIMO_Ant10_5985




Date: 22.NOV.2022 07:35:41






11AX80MIMO_Ant9_6385




11AX80MIMO_Ant10_6385






11AX80MIMO_Ant9_6625






Date: 22.NOV.2022 07:43:58

11AX80MIMO_Ant10_6625




Date: 22.NOV.2022 07:45:11








11AX160MIMO_Ant9_6025




Date: 22.NOV.2022 07:52:26

11AX160MIMO_Ant10_6025




Date: 22.NOV.2022 07:53:38








11AX160MIMO_Ant9_6665



Date: 22.NOV.2022 08:00:38

11AX160MIMO_Ant10_6665



Date: 22.NOV.2022 08:01:51



Partial RU

Indoor Client

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant9	5955	26Tone	RU0	-7.5	-1.00	-8.50	≤-1.00	PASS
			52Tone	RU37	-7.58	-1.00	-8.58	≤-1.00	PASS
			106Tone	RU53	-7.39	-1.00	-8.39	≤-1.00	PASS
	Ant10	5955	26Tone	RU0	-8.02	-0.80	-8.82	≤-1.00	PASS
			52Tone	RU37	-8.01	-0.80	-8.81	≤-1.00	PASS
			106Tone	RU53	-7.73	-0.80	-8.53	≤-1.00	PASS
	total	5955	26Tone	RU0	-4.74	2.11	-2.63	≤-1.00	PASS
			52Tone	RU37	-4.78	2.11	-2.67	≤-1.00	PASS
			106Tone	RU53	-4.55	2.11	-2.44	≤-1.00	PASS
	Ant9	6175	26Tone	RU0	-7.41	-1.00	-8.41	≤-1.00	PASS
			52Tone	RU37	-7.4	-1.00	-8.40	≤-1.00	PASS
			106Tone	RU53	-7.3	-1.00	-8.30	≤-1.00	PASS
	Ant10	6175	26Tone	RU0	-8.01	-0.80	-8.81	≤-1.00	PASS
			52Tone	RU37	-7.91	-0.80	-8.71	≤-1.00	PASS
			106Tone	RU53	-7.95	-0.80	-8.75	≤-1.00	PASS
	total	6175	26Tone	RU0	-4.69	2.11	-2.58	≤-1.00	PASS
			52Tone	RU37	-4.64	2.11	-2.53	≤-1.00	PASS
			106Tone	RU53	-4.60	2.11	-2.49	≤-1.00	PASS
	Ant9	6415	26Tone	RU8	-7.25	-1.00	-8.25	≤-1.00	PASS
			52Tone	RU40	-7.38	-1.00	-8.38	≤-1.00	PASS
			106Tone	RU54	-7.15	-1.00	-8.15	≤-1.00	PASS
	Ant10	6415	26Tone	RU8	-7.76	-0.80	-8.56	≤-1.00	PASS
			52Tone	RU40	-7.73	-0.80	-8.53	≤-1.00	PASS
			106Tone	RU54	-7.72	-0.80	-8.52	≤-1.00	PASS
	total	6415	26Tone	RU8	-4.49	2.11	-2.38	≤-1.00	PASS
			52Tone	RU40	-4.54	2.11	-2.43	≤-1.00	PASS
			106Tone	RU54	-4.42	2.11	-2.31	≤-1.00	PASS
	Ant9	6435	26Tone	RU0	-6.64	-1.80	-8.44	≤-1.00	PASS
			52Tone	RU37	-6.76	-1.80	-8.56	≤-1.00	PASS
			106Tone	RU53	-6.69	-1.80	-8.49	≤-1.00	PASS
	Ant10	6435	26Tone	RU0	-7.23	-1.50	-8.73	≤-1.00	PASS
			52Tone	RU37	-7.33	-1.50	-8.83	≤-1.00	PASS
			106Tone	RU53	-7.3	-1.50	-8.80	≤-1.00	PASS
	total	6435	26Tone	RU0	-3.91	1.36	-2.55	≤-1.00	PASS
			52Tone	RU37	-4.03	1.36	-2.67	≤-1.00	PASS
			106Tone	RU53	-3.97	1.36	-2.61	≤-1.00	PASS



Ant9	6475	26Tone	RU0	-6.02	-1.80	-7.82	≤-1.00	PASS
		52Tone	RU37	-5.99	-1.80	-7.79	≤-1.00	PASS
		106Tone	RU53	-6.43	-1.80	-8.23	≤-1.00	PASS
Ant10	6475	26Tone	RU0	-7.31	-1.50	-8.81	≤-1.00	PASS
		52Tone	RU37	-7.22	-1.50	-8.72	≤-1.00	PASS
		106Tone	RU53	-7.77	-1.50	-9.27	≤-1.00	PASS
total	6475	26Tone	RU0	-3.61	1.36	-2.25	≤-1.00	PASS
		52Tone	RU37	-3.55	1.36	-2.19	≤-1.00	PASS
		106Tone	RU53	-4.04	1.36	-2.68	≤-1.00	PASS
Ant9	6515	26Tone	RU8	-6.32	-1.80	-8.12	≤-1.00	PASS
		52Tone	RU40	-6.42	-1.80	-8.22	≤-1.00	PASS
		106Tone	RU54	-6.56	-1.80	-8.36	≤-1.00	PASS
Ant10	6515	26Tone	RU8	-7.24	-1.50	-8.74	≤-1.00	PASS
		52Tone	RU40	-7.15	-1.50	-8.65	≤-1.00	PASS
		106Tone	RU54	-7.63	-1.50	-9.13	≤-1.00	PASS
total	6515	26Tone	RU8	-3.75	1.36	-2.39	≤-1.00	PASS
		52Tone	RU40	-3.76	1.36	-2.40	≤-1.00	PASS
		106Tone	RU54	-4.05	1.36	-2.69	≤-1.00	PASS
Ant9	6535	26Tone	RU0	-6.72	-1.20	-7.92	≤-1.00	PASS
		52Tone	RU37	-6.74	-1.20	-7.94	≤-1.00	PASS
		106Tone	RU53	-7.34	-1.20	-8.54	≤-1.00	PASS
Ant10	6535	26Tone	RU0	-7.92	-1.30	-9.22	≤-1.00	PASS
		52Tone	RU37	-7.99	-1.30	-9.29	≤-1.00	PASS
		106Tone	RU53	-7.48	-1.30	-8.78	≤-1.00	PASS
total	6535	26Tone	RU0	-4.27	1.76	-2.51	≤-1.00	PASS
		52Tone	RU37	-4.31	1.76	-2.55	≤-1.00	PASS
		106Tone	RU53	-4.40	1.76	-2.64	≤-1.00	PASS
Ant9	6695	26Tone	RU0	-6.6	-1.20	-7.80	≤-1.00	PASS
		52Tone	RU37	-6.58	-1.20	-7.78	≤-1.00	PASS
		106Tone	RU53	-6.49	-1.20	-7.69	≤-1.00	PASS
Ant10	6695	26Tone	RU0	-7.97	-1.30	-9.27	≤-1.00	PASS
		52Tone	RU37	-7.9	-1.30	-9.20	≤-1.00	PASS
		106Tone	RU53	-7.9	-1.30	-9.20	≤-1.00	PASS
total	6695	26Tone	RU0	-4.22	1.76	-2.46	≤-1.00	PASS
		52Tone	RU37	-4.18	1.76	-2.42	≤-1.00	PASS
		106Tone	RU53	-4.13	1.76	-2.37	≤-1.00	PASS
Ant9	6855	26Tone	RU8	-6.23	-1.20	-7.43	≤-1.00	PASS
		52Tone	RU40	-6.3	-1.20	-7.50	≤-1.00	PASS
		106Tone	RU54	-6.24	-1.20	-7.44	≤-1.00	PASS
Ant10	6855	26Tone	RU8	-8.78	-1.30	-10.08	≤-1.00	PASS
		52Tone	RU40	-8.71	-1.30	-10.01	≤-1.00	PASS
		106Tone	RU54	-8.66	-1.30	-9.96	≤-1.00	PASS
total	6855	26Tone	RU8	-4.31	1.76	-2.55	≤-1.00	PASS
		52Tone	RU40	-4.33	1.76	-2.57	≤-1.00	PASS
		106Tone	RU54	-4.27	1.76	-2.51	≤-1.00	PASS
Ant9	6875	26Tone	RU8	-6.37	-1.20	-7.57	≤-1.00	PASS





			52Tone	RU40	-6.52	-1.20	-7.72	≤-1.00	PASS
			106Tone	RU54	-6.45	-1.20	-7.65	≤-1.00	PASS
	Ant10	6875	26Tone	RU8	-8.67	-1.30	-9.97	≤-1.00	PASS
			52Tone	RU40	-8.6	-1.30	-9.90	≤-1.00	PASS
			106Tone	RU54	-8.54	-1.30	-9.84	≤-1.00	PASS
	total	6875	26Tone	RU8	-4.36	1.76	-2.60	≤-1.00	PASS
			52Tone	RU40	-4.43	1.76	-2.67	≤-1.00	PASS
			106Tone	RU54	-4.36	1.76	-2.60	≤-1.00	PASS
	Ant9	6895	26Tone	RU0	-4.76	-2.70	-7.46	≤-1.00	PASS
			52Tone	RU37	-4.57	-2.70	-7.27	≤-1.00	PASS
			106Tone	RU53	-5.72	-2.70	-8.42	≤-1.00	PASS
	Ant10	6895	26Tone	RU0	-7.39	-2.60	-9.99	≤-1.00	PASS
			52Tone	RU37	-7.35	-2.60	-9.95	≤-1.00	PASS
			106Tone	RU53	-8.31	-2.60	-10.91	≤-1.00	PASS
	total	6895	26Tone	RU0	-2.87	0.36	-2.51	≤-1.00	PASS
			52Tone	RU37	-2.73	0.36	-2.37	≤-1.00	PASS
			106Tone	RU53	-3.81	0.36	-3.45	≤-1.00	PASS
	Ant9	6995	26Tone	RU0	-4.85	-2.70	-7.55	≤-1.00	PASS
			52Tone	RU37	-4.93	-2.70	-7.63	≤-1.00	PASS
			106Tone	RU53	-4.84	-2.70	-7.54	≤-1.00	PASS
	Ant10	6995	26Tone	RU0	-7.36	-2.60	-9.96	≤-1.00	PASS
			52Tone	RU37	-7.44	-2.60	-10.04	≤-1.00	PASS
			106Tone	RU53	-7.43	-2.60	-10.03	≤-1.00	PASS
	total	6995	26Tone	RU0	-2.92	0.36	-2.56	≤-1.00	PASS
			52Tone	RU37	-3.00	0.36	-2.64	≤-1.00	PASS
			106Tone	RU53	-2.93	0.36	-2.57	≤-1.00	PASS
	Ant9	7095	26Tone	RU8	-5.64	-2.70	-8.34	≤-1.00	PASS
			52Tone	RU40	-5.68	-2.70	-8.38	≤-1.00	PASS
			106Tone	RU54	-6.02	-2.70	-8.72	≤-1.00	PASS
	Ant10	7095	26Tone	RU8	-7.02	-2.60	-9.62	≤-1.00	PASS
52Tone			RU40	-7.49	-2.60	-10.09	≤-1.00	PASS	
106Tone			RU54	-7.93	-2.60	-10.53	≤-1.00	PASS	
total	7095	26Tone	RU8	-3.27	0.36	-2.91	≤-1.00	PASS	
		52Tone	RU40	-3.48	0.36	-3.12	≤-1.00	PASS	
		106Tone	RU54	-3.86	0.36	-3.50	≤-1.00	PASS	

Note: The Duty Cycle Factor is compensated in the graph.




Test Graphs






11AX20MIMO_Ant9_5955_106Tone_RU53





Date: 24.SEP.2022 17:20:15

11AX20MIMO_Ant10_5955_26Tone_RU0




Date: 24.SEP.2022 17:14:26






11AX20MIMO_Ant9_6175_26Tone_RU0



Date: 24.SEP.2022 17:23:56


11AX20MIMO_Ant9_6175_52Tone_RU37



Date: 24.SEP.2022 17:26:08




11AX20MIMO_Ant9_6175_106Tone_RU53



Date: 24.SEP.2022 17:29:15

11AX20MIMO_Ant10_6175_26Tone_RU0



Date: 24.SEP.2022 17:24:30