



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																					
ANT	802.11ax HE40 Full H03 5965MHz																																																																																					
9+10	Vertical	Fundamental																																																																																				
<p>Peak</p>	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : WIFI 6E PEAK 3m 3117.5M 00218652- VERTICAL Project : RSM 1000.000KHz VSW 3.000.000KHz SRT:Auto FR272913 Mode : 26 Plane : X Full-directivity : X IMEI : #75 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/Vm</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.68</td> <td>66.43</td> <td>88.30</td> <td>-21.87</td> <td>52.77</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>108</td> <td>53 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm/Vm	dBm/Vm	dB	dBm	dB	dB	cm	deg			1	5924.68	66.43	88.30	-21.87	52.77	35.13	10.52	31.99	108	53 Peak	VERTICAL	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : WIFI 6E PEAK 3m 3117.5M 00218652- VERTICAL Project : RSM 1000.000KHz VSW 3.000.000KHz SRT:Auto FR272913 Mode : 26 Plane : X Full-directivity : X IMEI : #75 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/Vm</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>81.48</td> <td>88.30</td> <td>-6.86</td> <td>72.16</td> <td>32.86</td> <td>9.27</td> <td>32.64</td> <td>108</td> <td>53 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5977.00</td> <td>105.00</td> <td>88.30</td> <td>17.70</td> <td>92.14</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>108</td> <td>53 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm/Vm	dBm/Vm	dB	dBm	dB	dB	cm	deg			1	2476.00	81.48	88.30	-6.86	72.16	32.86	9.27	32.64	108	53 Peak	VERTICAL	2	5977.00	105.00	88.30	17.70	92.14	35.33	10.56	32.03	108	53 Peak	VERTICAL
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
	MHz	dBm/Vm	dBm/Vm	dB	dBm	dB	dB	cm	deg																																																																													
1	5924.68	66.43	88.30	-21.87	52.77	35.13	10.52	31.99	108	53 Peak	VERTICAL																																																																											
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
	MHz	dBm/Vm	dBm/Vm	dB	dBm	dB	dB	cm	deg																																																																													
1	2476.00	81.48	88.30	-6.86	72.16	32.86	9.27	32.64	108	53 Peak	VERTICAL																																																																											
2	5977.00	105.00	88.30	17.70	92.14	35.33	10.56	32.03	108	53 Peak	VERTICAL																																																																											
<p>Avg.</p>	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : WIFI 6E (AVG) 3m 3117.5M 00218652- VERTICAL Project : RSM 1000.000KHz VSW 3.000.000KHz SRT:Auto FR272913 Mode : 26 Plane : X Full-directivity : X IMEI : #75 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/Vm</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>54.83</td> <td>68.30</td> <td>-13.47</td> <td>41.17</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>108</td> <td>53 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm/Vm	dBm/Vm	dB	dBm	dB	dB	cm	deg			1	5924.96	54.83	68.30	-13.47	41.17	35.13	10.52	31.99	108	53 Average	VERTICAL	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : WIFI 6E (AVG) 3m 3117.5M 00218652- VERTICAL Project : RSM 1000.000KHz VSW 3.000.000KHz SRT:Auto FR272913 Mode : 26 Plane : X Full-directivity : X IMEI : #75 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/Vm</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>75.38</td> <td>68.30</td> <td>7.08</td> <td>65.89</td> <td>32.86</td> <td>9.27</td> <td>32.64</td> <td>108</td> <td>53 Average</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5948.00</td> <td>97.95</td> <td>68.30</td> <td>29.65</td> <td>80.10</td> <td>35.22</td> <td>14.66</td> <td>32.03</td> <td>108</td> <td>53 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm/Vm	dBm/Vm	dB	dBm	dB	dB	cm	deg			1	2476.00	75.38	68.30	7.08	65.89	32.86	9.27	32.64	108	53 Average	VERTICAL	2	5948.00	97.95	68.30	29.65	80.10	35.22	14.66	32.03	108	53 Average	VERTICAL
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
	MHz	dBm/Vm	dBm/Vm	dB	dBm	dB	dB	cm	deg																																																																													
1	5924.96	54.83	68.30	-13.47	41.17	35.13	10.52	31.99	108	53 Average	VERTICAL																																																																											
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
	MHz	dBm/Vm	dBm/Vm	dB	dBm	dB	dB	cm	deg																																																																													
1	2476.00	75.38	68.30	7.08	65.89	32.86	9.27	32.64	108	53 Average	VERTICAL																																																																											
2	5948.00	97.95	68.30	29.65	80.10	35.22	14.66	32.03	108	53 Average	VERTICAL																																																																											



2.4GHz 2400~2483.5MHz
BLE (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	BLE CH00 2402MHz																																																																	
9+10	Horizontal	Fundamental																																																																
Peak	<p>Site : 030906-K5 Condition : ECU SMT 15C 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : FR272913 Plane : Z Full-directivity : F IME1 : #70</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Lim</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2384.88</td> <td>53.23</td> <td>74.00</td> <td>-20.77</td> <td>47.30</td> <td>32.23</td> <td>6.58</td> <td>32.88</td> <td>166</td> <td>126 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Lim	Level	Factor	Loss	dB	dB	dB	1	2384.88	53.23	74.00	-20.77	47.30	32.23	6.58	32.88	166	126 Peak	HORIZONTAL	<p>Site : 030906-K5 Condition : FCC PART 15C 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : FR272913 Plane : Z Full-directivity : F IME1 : #70</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Lim</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>103.29</td> <td>74.00</td> <td>29.29</td> <td>97.22</td> <td>32.30</td> <td>6.61</td> <td>32.84</td> <td>166</td> <td>126 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Lim	Level	Factor	Loss	dB	dB	dB	1	2402.00	103.29	74.00	29.29	97.22	32.30	6.61	32.84	166	126 Peak	HORIZONTAL
IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
IME1	Freq	Level	Lim	Level	Factor	Loss	dB	dB	dB																																																									
1	2384.88	53.23	74.00	-20.77	47.30	32.23	6.58	32.88	166	126 Peak	HORIZONTAL																																																							
IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
IME1	Freq	Level	Lim	Level	Factor	Loss	dB	dB	dB																																																									
1	2402.00	103.29	74.00	29.29	97.22	32.30	6.61	32.84	166	126 Peak	HORIZONTAL																																																							
Avg.	<p>Site : 030906-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000.000MHz VSW:3.100MHz SMT:Auto Mode : FR272913 Plane : Z Full-directivity : F IME1 : #70</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Lim</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2348.22</td> <td>44.56</td> <td>54.00</td> <td>-9.44</td> <td>38.85</td> <td>32.10</td> <td>6.53</td> <td>32.92</td> <td>166</td> <td>126 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Lim	Level	Factor	Loss	dB	dB	dB	1	2348.22	44.56	54.00	-9.44	38.85	32.10	6.53	32.92	166	126 Average	HORIZONTAL	<p>Site : 030906-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000.000MHz VSW:3.100MHz SMT:Auto Mode : FR272913 Plane : Z Full-directivity : F IME1 : #70</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Lim</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>101.21</td> <td>54.00</td> <td>47.21</td> <td>95.14</td> <td>32.30</td> <td>6.61</td> <td>32.84</td> <td>166</td> <td>126 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Lim	Level	Factor	Loss	dB	dB	dB	1	2402.00	101.21	54.00	47.21	95.14	32.30	6.61	32.84	166	126 Average	HORIZONTAL
IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
IME1	Freq	Level	Lim	Level	Factor	Loss	dB	dB	dB																																																									
1	2348.22	44.56	54.00	-9.44	38.85	32.10	6.53	32.92	166	126 Average	HORIZONTAL																																																							
IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
IME1	Freq	Level	Lim	Level	Factor	Loss	dB	dB	dB																																																									
1	2402.00	101.21	54.00	47.21	95.14	32.30	6.61	32.84	166	126 Average	HORIZONTAL																																																							



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																									
ANT	BLE CH00 2402MHz																																																																									
9+10	Vertical	Fundamental																																																																								
<p>Peak</p>	<p>Site : 030906-K5 Condition : FCC PART 15C 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : (FR)272913 Band : 24 Plane : E Full-directivity : #70 IMEI : #70</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB%</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.17</td> <td>53.57</td> <td>74.00</td> <td>-20.43</td> <td>47.54</td> <td>32.30</td> <td>6.61</td> <td>32.88</td> <td>400</td> <td>71 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV	dB%	dB	dB	dB	dB	deg		1	2389.17	53.57	74.00	-20.43	47.54	32.30	6.61	32.88	400	71 Peak	VERTICAL	<p>Site : 030906-K5 Condition : FCC PART 15C 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : (FR)272913 Band : 24 Plane : E Full-directivity : #70 IMEI : #70</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB%</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.17</td> <td>74.00</td> <td>25.17</td> <td>93.10</td> <td>32.30</td> <td>6.61</td> <td>32.84</td> <td>400</td> <td>71 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV	dB%	dB	dB	dB	dB	deg		1	2402.00	99.17	74.00	25.17	93.10	32.30	6.61	32.84	400	71 Peak	VERTICAL
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dB	dBuV	dB%	dB	dB	dB	dB	deg																																																																
1	2389.17	53.57	74.00	-20.43	47.54	32.30	6.61	32.88	400	71 Peak	VERTICAL																																																															
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dB	dBuV	dB%	dB	dB	dB	dB	deg																																																																
1	2402.00	99.17	74.00	25.17	93.10	32.30	6.61	32.84	400	71 Peak	VERTICAL																																																															
<p>Avg</p>	<p>Site : 030906-K5 Condition : FCC PART 15C 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : (FR)272913 Band : 24 Plane : E Full-directivity : #70 IMEI : #70</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB%</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.17</td> <td>74.00</td> <td>25.17</td> <td>93.10</td> <td>32.30</td> <td>6.61</td> <td>32.84</td> <td>400</td> <td>71 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV	dB%	dB	dB	dB	dB	deg		1	2402.00	99.17	74.00	25.17	93.10	32.30	6.61	32.84	400	71 Peak	VERTICAL	<p>Site : 030906-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : (FR)272913 Band : 24 Plane : E Full-directivity : #70 IMEI : #70</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB%</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>97.24</td> <td>54.00</td> <td>43.24</td> <td>91.17</td> <td>32.30</td> <td>6.61</td> <td>32.84</td> <td>400</td> <td>71 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV	dB%	dB	dB	dB	dB	deg		1	2402.00	97.24	54.00	43.24	91.17	32.30	6.61	32.84	400	71 Average	VERTICAL
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dB	dBuV	dB%	dB	dB	dB	dB	deg																																																																
1	2402.00	99.17	74.00	25.17	93.10	32.30	6.61	32.84	400	71 Peak	VERTICAL																																																															
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dB	dBuV	dB%	dB	dB	dB	dB	deg																																																																
1	2402.00	97.24	54.00	43.24	91.17	32.30	6.61	32.84	400	71 Average	VERTICAL																																																															



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																								
ANT	802.11ax HE40 Full CH03 5965MHz																																								
9+10	Horizontal	Vertical																																							
Peak Avg.																																									
	<p>Site : 03D06-KS Condition : WiFi HE PEAK @ 3117.0M 0018602- HORIZONTAL Project : FR272913 Mode : 27 Plane : X Full-directivity : X IMEI : 875 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Lim</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11928.00</td> <td>44.83</td> <td>74.00</td> <td>-29.17</td> <td>51.67</td> <td>38.73</td> <td>15.22</td> <td>60.79</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Lim	Limit	Level Factor	Loss Factor	A/Poa	T/Poa	Remark	Pol/Phas	11928.00	44.83	74.00	-29.17	51.67	38.73	15.22	60.79	0 Peak	HORIZONTAL	<p>Site : 03D06-KS Condition : WiFi HE PEAK @ 3117.0M 0018602- VERTICAL Project : FR272913 Mode : 27 Plane : X Full-directivity : X IMEI : 875 Powersetting : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Lim</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11928.00</td> <td>44.49</td> <td>74.00</td> <td>-29.51</td> <td>51.33</td> <td>38.73</td> <td>15.22</td> <td>60.79</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Lim	Limit	Level Factor	Loss Factor	A/Poa	T/Poa	Remark	Pol/Phas	11928.00	44.49	74.00	-29.51	51.33	38.73	15.22	60.79	0 Peak
Freq	Level	Lim	Limit	Level Factor	Loss Factor	A/Poa	T/Poa	Remark	Pol/Phas																																
11928.00	44.83	74.00	-29.17	51.67	38.73	15.22	60.79	0 Peak	HORIZONTAL																																
Freq	Level	Lim	Limit	Level Factor	Loss Factor	A/Poa	T/Poa	Remark	Pol/Phas																																
11928.00	44.49	74.00	-29.51	51.33	38.73	15.22	60.79	0 Peak	VERTICAL																																



2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
ANT	BLE CH00 2402MHz																																																																	
9+10	Horizontal	Vertical																																																																
Peak Avg.	<p>Site : 030906-KS Condition : ECU SMT 15C @ 3117 SW 00218650- HORIZONTAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : 27 Plane : E Plane : Full-directivity IME1 : #70</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4800.00</td> <td>45.88</td> <td>74.00</td> <td>-28.12</td> <td>63.36</td> <td>34.30</td> <td>9.45</td> <td>61.23</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	on	deg	1	4800.00	45.88	74.00	-28.12	63.36	34.30	9.45	61.23	300	0 Peak	HORIZONTAL	<p>Site : 030906-KS Condition : FCC PART 15C @ 3117 SW 00218650- VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : 27 Plane : E Plane : Full-directivity IME1 : #70</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4800.00</td> <td>45.30</td> <td>74.00</td> <td>-28.70</td> <td>62.78</td> <td>34.30</td> <td>9.45</td> <td>61.23</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	on	deg	1	4800.00	45.30	74.00	-28.70	62.78	34.30	9.45	61.23	100	0 Peak	VERTICAL
IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	on	deg																																																									
1	4800.00	45.88	74.00	-28.12	63.36	34.30	9.45	61.23	300	0 Peak	HORIZONTAL																																																							
IME1	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	on	deg																																																									
1	4800.00	45.30	74.00	-28.70	62.78	34.30	9.45	61.23	100	0 Peak	VERTICAL																																																							



WIFI 6G 802.11ax HE40 Full + WIFI 2.4G 11g CH11
2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11g CH11 2462MHz																																																																	
9+10	Horizontal	Fundamental																																																																
Peak	<p>Site : 032065-KS Condition : FCC PART 15C 3m 3117.5N 00218652- HORIZONTAL Project : RRM-1000_000KHz_VBW_3000_000KHz_SMT_Auto Mode : 26 Plane : X IME1 : Full-directivity Powersetting : #75 #19</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>IME1</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.10</td> <td>61.29</td> <td>74.00</td> <td>-12.71</td> <td>54.77</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>100</td> <td>195 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	1	2484.10	61.29	74.00	-12.71	54.77	32.43	6.73	32.64	100	195 Peak	HORIZONTAL	<p>Site : 032065-KS Condition : FCC PART 15C 3m 3117.5N 00218652- HORIZONTAL Project : RRM-1000_000KHz_VBW_3000_000KHz_SMT_Auto Mode : 26 Plane : X IME1 : Full-directivity Powersetting : #76 #19</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>IME1</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2456.00</td> <td>112.58</td> <td>74.00</td> <td>38.58</td> <td>106.22</td> <td>32.37</td> <td>6.70</td> <td>32.71</td> <td>100</td> <td>195 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	1	2456.00	112.58	74.00	38.58	106.22	32.37	6.70	32.71	100	195 Peak	HORIZONTAL
IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
1	2484.10	61.29	74.00	-12.71	54.77	32.43	6.73	32.64	100	195 Peak	HORIZONTAL																																																							
IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
1	2456.00	112.58	74.00	38.58	106.22	32.37	6.70	32.71	100	195 Peak	HORIZONTAL																																																							
Avg.	<p>Site : 032065-KS Condition : FCC PART 15C (AVG) 3m 3117.5N 00218652- HORIZONTAL Project : RRM-1000_000KHz_VBW_0_010KHz_SMT_Auto Mode : 26 Plane : X IME1 : Full-directivity Powersetting : #75 #19</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>IME1</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>49.72</td> <td>54.00</td> <td>-4.28</td> <td>43.20</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>100</td> <td>195 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	1	2483.56	49.72	54.00	-4.28	43.20	32.43	6.73	32.64	100	195 Average	HORIZONTAL	<p>Site : 032065-KS Condition : FCC PART 15C (AVG) 3m 3117.5N 00218652- HORIZONTAL Project : RRM-1000_000KHz_VBW_0_010KHz_SMT_Auto Mode : 26 Plane : X IME1 : Full-directivity Powersetting : #76 #19</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>IME1</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2456.00</td> <td>105.55</td> <td>54.00</td> <td>51.55</td> <td>99.19</td> <td>32.37</td> <td>6.70</td> <td>32.71</td> <td>100</td> <td>195 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	1	2456.00	105.55	54.00	51.55	99.19	32.37	6.70	32.71	100	195 Average	HORIZONTAL
IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
1	2483.56	49.72	54.00	-4.28	43.20	32.43	6.73	32.64	100	195 Average	HORIZONTAL																																																							
IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
IME1	Powersetting	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
1	2456.00	105.55	54.00	51.55	99.19	32.37	6.70	32.71	100	195 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11g CH11 2462MHz																																																																			
9+10	Vertical	Fundamental																																																																		
<p>Peak</p>	<p>Site : 032005-KS Condition : FCC PART 15C 3m 3117 SN 00218652- VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SWT:Auto Mode : (FR)272913 Plane : Z Full-directivity : X IMEI : #75 Powersetting : 19</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.56</td> <td>59.95</td> <td>74.00</td> <td>-14.05</td> <td>53.43</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>100</td> <td>132 Peak</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	2462.56	59.95	74.00	-14.05	53.43	32.43	6.73	32.64	100	132 Peak	<p>Site : 032005-KS Condition : FCC PART 15C 3m 3117 SN 00218652- VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SWT:Auto Mode : (FR)272913 Plane : Z Full-directivity : X IMEI : #75 Powersetting : 19</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>108.75</td> <td>74.00</td> <td>34.75</td> <td>102.39</td> <td>32.37</td> <td>6.70</td> <td>32.71</td> <td>100</td> <td>132 Peak</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	2462.00	108.75	74.00	34.75	102.39	32.37	6.70	32.71	100	132 Peak
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1	2462.56	59.95	74.00	-14.05	53.43	32.43	6.73	32.64	100	132 Peak																																																										
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1	2462.00	108.75	74.00	34.75	102.39	32.37	6.70	32.71	100	132 Peak																																																										
<p>Avg.</p>	<p>Site : 032005-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- VERTICAL Project : RSM 1000 000KHz VSW 0.010000 SWT:Auto Mode : (FR)272913 Plane : Z Full-directivity : X IMEI : #75 Powersetting : 19</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.50</td> <td>47.32</td> <td>54.00</td> <td>-6.68</td> <td>40.80</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>100</td> <td>132 Average</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	2462.50	47.32	54.00	-6.68	40.80	32.43	6.73	32.64	100	132 Average	<p>Site : 032005-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- VERTICAL Project : RSM 1000 000KHz VSW 0.010000 SWT:Auto Mode : (FR)272913 Plane : Z Full-directivity : X IMEI : #75 Powersetting : 19</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>101.32</td> <td>54.00</td> <td>47.32</td> <td>94.96</td> <td>32.37</td> <td>6.70</td> <td>32.71</td> <td>100</td> <td>132 Average</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	2462.00	101.32	54.00	47.32	94.96	32.37	6.70	32.71	100	132 Average
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1	2462.50	47.32	54.00	-6.68	40.80	32.43	6.73	32.64	100	132 Average																																																										
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1	2462.00	101.32	54.00	47.32	94.96	32.37	6.70	32.71	100	132 Average																																																										







U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																											
ANT	802.11ax HE40 Full CH03 5965MHz																																																											
9+10	Horizontal	Fundamental																																																										
Peak	<p>Site : 03D06-KS Condition : WIFI 802.11ax HE40 Full CH03 5965MHz- HORIZONTAL Project : RSM 1000 000000 VBR 3000 000000 SRT.Auto Mode : FR272913 Plane : Z Full-directivity : X IMEI : Powersetting : 17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.66</td> <td>67.86</td> <td>88.30</td> <td>-20.44</td> <td>54.27</td> <td>35.07</td> <td>10.51</td> <td>31.99</td> <td>100</td> <td>192 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	Pol/Phas	1	5918.66	67.86	88.30	-20.44	54.27	35.07	10.51	31.99	100	192 Peak	HORIZONTAL	<p>Site : 03D06-KS Condition : WIFI 802.11ax HE40 Full CH03 5965MHz- HORIZONTAL Project : RSM 1000 000000 VBR 3000 000000 SRT.Auto Mode : FR272913 Plane : Z Full-directivity : X IMEI : Powersetting : 17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3458.00</td> <td>110.70</td> <td>88.30</td> <td>22.40</td> <td>101.19</td> <td>32.99</td> <td>9.23</td> <td>32.71</td> <td>100</td> <td>192 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5977.00</td> <td>107.29</td> <td>88.30</td> <td>18.99</td> <td>93.43</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>100</td> <td>192 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	Pol/Phas	1	3458.00	110.70	88.30	22.40	101.19	32.99	9.23	32.71	100	192 Peak	HORIZONTAL	2	5977.00	107.29	88.30	18.99	93.43	35.33	10.56	32.03	100	192 Peak	HORIZONTAL
	IMEI	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	Pol/Phas																																																	
1	5918.66	67.86	88.30	-20.44	54.27	35.07	10.51	31.99	100	192 Peak	HORIZONTAL																																																	
IMEI	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	Pol/Phas																																																		
1	3458.00	110.70	88.30	22.40	101.19	32.99	9.23	32.71	100	192 Peak	HORIZONTAL																																																	
2	5977.00	107.29	88.30	18.99	93.43	35.33	10.56	32.03	100	192 Peak	HORIZONTAL																																																	
Avg.	<p>Site : 03D06-KS Condition : WIFI 802.11ax HE40 Full CH03 5965MHz- HORIZONTAL Project : RSM 1000 000000 VBR 0.010000 SRT.Auto Mode : FR272913 Plane : Z Full-directivity : X IMEI : Powersetting : 17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>55.02</td> <td>68.30</td> <td>-13.28</td> <td>41.36</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>100</td> <td>192 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	Pol/Phas	1	5924.96	55.02	68.30	-13.28	41.36	35.13	10.52	31.99	100	192 Average	HORIZONTAL	<p>Site : 03D06-KS Condition : WIFI 802.11ax HE40 Full CH03 5965MHz- HORIZONTAL Project : RSM 1000 000000 VBR 0.010000 SRT.Auto Mode : FR272913 Plane : Z Full-directivity : X IMEI : Powersetting : 17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2458.00</td> <td>104.89</td> <td>68.30</td> <td>36.59</td> <td>95.38</td> <td>32.99</td> <td>9.23</td> <td>32.71</td> <td>100</td> <td>192 Average</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>2948.00</td> <td>98.40</td> <td>68.30</td> <td>30.10</td> <td>80.55</td> <td>35.22</td> <td>14.66</td> <td>32.03</td> <td>100</td> <td>192 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	Pol/Phas	1	2458.00	104.89	68.30	36.59	95.38	32.99	9.23	32.71	100	192 Average	HORIZONTAL	2	2948.00	98.40	68.30	30.10	80.55	35.22	14.66	32.03	100	192 Average	HORIZONTAL
	IMEI	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	Pol/Phas																																																	
1	5924.96	55.02	68.30	-13.28	41.36	35.13	10.52	31.99	100	192 Average	HORIZONTAL																																																	
IMEI	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	Pol/Phas																																																		
1	2458.00	104.89	68.30	36.59	95.38	32.99	9.23	32.71	100	192 Average	HORIZONTAL																																																	
2	2948.00	98.40	68.30	30.10	80.55	35.22	14.66	32.03	100	192 Average	HORIZONTAL																																																	



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																					
ANT	802.11ax HE40 Full H03 5965MHz																																																																																					
9+10	Vertical	Fundamental																																																																																				
<p>Peak</p>	 <p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : WIFI 6E PEAK 3m 3117.5M 00218652- VERTICAL Project : RSM 1000.000000 VEM 3000.000000 SRT-Auto Mode : FR272913 Plane : 36 Z : 2 Full-directivity : X IMEI : #75 Powersetting : #17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.26</td> <td>63.10</td> <td>88.30</td> <td>-25.20</td> <td>49.44</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>100</td> <td>54 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg			1	5924.26	63.10	88.30	-25.20	49.44	35.13	10.52	31.99	100	54 Peak	VERTICAL	 <p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : WIFI 6E PEAK 3m 3117.5M 00218652- VERTICAL Project : RSM 1000.000000 VEM 3000.000000 SRT-Auto Mode : FR272913 Plane : 36 Z : 2 Full-directivity : X IMEI : #75 Powersetting : #17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2458.00</td> <td>99.43</td> <td>88.30</td> <td>11.32</td> <td>90.11</td> <td>32.99</td> <td>9.23</td> <td>32.71</td> <td>100</td> <td>54 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5959.00</td> <td>105.87</td> <td>88.30</td> <td>17.57</td> <td>92.06</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>100</td> <td>54 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg			1	2458.00	99.43	88.30	11.32	90.11	32.99	9.23	32.71	100	54 Peak	VERTICAL	2	5959.00	105.87	88.30	17.57	92.06	35.27	10.55	32.01	100	54 Peak	VERTICAL
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																																													
1	5924.26	63.10	88.30	-25.20	49.44	35.13	10.52	31.99	100	54 Peak	VERTICAL																																																																											
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																																													
1	2458.00	99.43	88.30	11.32	90.11	32.99	9.23	32.71	100	54 Peak	VERTICAL																																																																											
2	5959.00	105.87	88.30	17.57	92.06	35.27	10.55	32.01	100	54 Peak	VERTICAL																																																																											
<p>Avg.</p>	 <p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : WIFI 6E (AVG) 3m 3117.5M 00218652- VERTICAL Project : RSM 1000.000000 VEM 3000.000000 SRT-Auto Mode : FR272913 Plane : 36 Z : 2 Full-directivity : X IMEI : #75 Powersetting : #17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>54.08</td> <td>68.30</td> <td>-14.22</td> <td>40.42</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>100</td> <td>54 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg			1	5924.96	54.08	68.30	-14.22	40.42	35.13	10.52	31.99	100	54 Average	VERTICAL	 <p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030806-KS Condition : WIFI 6E (AVG) 3m 3117.5M 00218652- VERTICAL Project : RSM 1000.000000 VEM 3000.000000 SRT-Auto Mode : FR272913 Plane : 36 Z : 2 Full-directivity : X IMEI : #75 Powersetting : #17</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2458.00</td> <td>93.23</td> <td>68.30</td> <td>24.93</td> <td>83.72</td> <td>32.99</td> <td>9.23</td> <td>32.71</td> <td>100</td> <td>54 Average</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5959.00</td> <td>98.06</td> <td>68.30</td> <td>29.76</td> <td>80.19</td> <td>35.22</td> <td>14.06</td> <td>32.01</td> <td>100</td> <td>54 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg			1	2458.00	93.23	68.30	24.93	83.72	32.99	9.23	32.71	100	54 Average	VERTICAL	2	5959.00	98.06	68.30	29.76	80.19	35.22	14.06	32.01	100	54 Average	VERTICAL
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																																													
1	5924.96	54.08	68.30	-14.22	40.42	35.13	10.52	31.99	100	54 Average	VERTICAL																																																																											
IMEI	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																																													
1	2458.00	93.23	68.30	24.93	83.72	32.99	9.23	32.71	100	54 Average	VERTICAL																																																																											
2	5959.00	98.06	68.30	29.76	80.19	35.22	14.06	32.01	100	54 Average	VERTICAL																																																																											



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																											
ANT	802.11g CH11 2462MHz																																																											
9+10	Horizontal	Vertical																																																										
Peak Avg.	<p>Site : 03D06-KS Condition : FCC PART 15C 3m 3117.0M 0018602- HORIZONTAL Project : FR272913 Mode : 36 Plane : X IMEI : Full-directivity Power setting : 19 19 87D</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>43.12</td> <td>74.00</td> <td>-35.88</td> <td>60.57</td> <td>34.10</td> <td>9.58</td> <td>61.13</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>44.02</td> <td>74.00</td> <td>-29.98</td> <td>57.47</td> <td>35.70</td> <td>11.71</td> <td>60.86</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Line	Level	Limit	Level Factor	Loss Factor	A/Poa	T/Pos	Remark	Poi/Phas	1	4920.00	43.12	74.00	-35.88	60.57	34.10	9.58	61.13	0 Peak HORIZONTAL	2	7380.00	44.02	74.00	-29.98	57.47	35.70	11.71	60.86	0 Peak HORIZONTAL	<p>Site : 03D06-KS Condition : FCC PART 15C 3m 3117.0M 0018602- VERTICAL Project : FR272913 Mode : 36 Plane : X IMEI : Full-directivity Power setting : 19 19 87D</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>42.84</td> <td>74.00</td> <td>-31.16</td> <td>60.39</td> <td>34.10</td> <td>9.58</td> <td>61.13</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>44.21</td> <td>74.00</td> <td>-29.79</td> <td>57.66</td> <td>35.70</td> <td>11.71</td> <td>60.86</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Line	Level	Limit	Level Factor	Loss Factor	A/Poa	T/Pos	Remark	Poi/Phas	1	4920.00	42.84	74.00	-31.16	60.39	34.10	9.58	61.13	0 Peak VERTICAL	2	7380.00	44.21	74.00	-29.79	57.66	35.70	11.71	60.86	0 Peak VERTICAL
	Line	Level	Limit	Level Factor	Loss Factor	A/Poa	T/Pos	Remark	Poi/Phas																																																			
1	4920.00	43.12	74.00	-35.88	60.57	34.10	9.58	61.13	0 Peak HORIZONTAL																																																			
2	7380.00	44.02	74.00	-29.98	57.47	35.70	11.71	60.86	0 Peak HORIZONTAL																																																			
Line	Level	Limit	Level Factor	Loss Factor	A/Poa	T/Pos	Remark	Poi/Phas																																																				
1	4920.00	42.84	74.00	-31.16	60.39	34.10	9.58	61.13	0 Peak VERTICAL																																																			
2	7380.00	44.21	74.00	-29.79	57.66	35.70	11.71	60.86	0 Peak VERTICAL																																																			



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																									
ANT	802.11ax HE40 Full CH03 5965MHz																																																									
9+10	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 03D06-KS Condition : WiFi HE PEAK @ 3117.0M 0018650- HORIZONTAL Project : RSM 1000 000KHz VBR 3000 000KHz SRT:Auto Mode : 36 Plane : 2 Polar : Full-directivity IMEI : 875 Power setting : 17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11928.00</td> <td>44.86</td> <td>74.00</td> <td>-29.14</td> <td>52.30</td> <td>38.73</td> <td>15.22</td> <td>61.39</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Limit	Over	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Poi/Phas	Level	Level	Level	Level	Level	Level	Level	Level	1	11928.00	44.86	74.00	-29.14	52.30	38.73	15.22	61.39	300	0 Peak	HORIZONTAL	<p>Site : 03D06-KS Condition : WiFi HE PEAK @ 3117.0M 0018650- VERTICAL Project : RSM 1000 000KHz VBR 3000 000KHz SRT:Auto Mode : 36 Plane : 2 Polar : Full-directivity IMEI : 875 Power setting : 17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11928.00</td> <td>45.12</td> <td>74.00</td> <td>-28.88</td> <td>52.56</td> <td>38.73</td> <td>15.22</td> <td>61.39</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Limit	Over	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Poi/Phas	Level	Level	Level	Level	Level	Level	Level	Level	1	11928.00	45.12	74.00	-28.88	52.56	38.73	15.22	61.39	100	0 Peak	VERTICAL
	Limit	Over	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Poi/Phas																																																		
Level	Level	Level	Level	Level	Level	Level	Level																																																			
1	11928.00	44.86	74.00	-29.14	52.30	38.73	15.22	61.39	300	0 Peak	HORIZONTAL																																															
Limit	Over	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Poi/Phas																																																			
Level	Level	Level	Level	Level	Level	Level	Level																																																			
1	11928.00	45.12	74.00	-28.88	52.56	38.73	15.22	61.39	100	0 Peak	VERTICAL																																															




Appendix E. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
9+10	802.11ax HE20-Full RU	100	-	-	10Hz
9+10	802.11ax HE40-Full RU	99.25	-	-	10Hz
9+10	802.11ax HE80-Full RU	97.74	0.942	1.062	1.1KHz
9+10	802.11ax HE160-Full RU	97.18	0.500	2.000	2.2KHz



802.11ax HE20-Full RU




802.11ax HE40-Full RU





802.11ax HE80-Full RU



802.11ax HE160-Full RU

