

## MAXIMUM PERMISSIBLE EXPOSURE (MPE)

### Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended to comply with Section Part 22, subpart H and Part 24, subpart E of the FCC CFR 47 Rules. And Part 90 subpart S For 47 CFR 1.1310 Radio frequency Radiation Exposure requirement.

### Special Accessories

Not available for this EUT intended for grant.

### Equipment Modifications

Not available for this EUT intended for grant.

### Limitation

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm <sup>2</sup> )	Averaging Time (minute)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	F/1500	30
1500-15000	/	/	1.0	30

F = frequency in MHz

\* = Plane-wave equipment power density

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Frequency Range (MHz)	Electric Field (V/m rms)	Magnetic Field (A/m rms)	Power Density (W/m <sup>2</sup> )	Averaging Time (minutes)
0.003-1	280	2.19	-	6
1-10	280/f	2.19/f	-	6
10-30	28	2.19/f	-	6
30-300	28	0.073	2*	6
300-1500	1.585 f <sup>0.5</sup>	0.0042 f <sup>0.5</sup>	f/150	6
1500-15000	61.4	0.163	10	6
15000-150000	61.4	0.163	10	616000/f <sup>1.2</sup>
150000-300000	0.158 f <sup>0.5</sup>	4.21 x 10 <sup>-4</sup> f <sup>0.5</sup>	6.67 x 10 <sup>-5</sup> f	616000/f <sup>1.2</sup>

Note:  $f$  is frequency in MHz.

\* Power density limit is applicable at frequencies greater than 100 MHz.

Note:

Pre-scanned was done on antenna: GSA.8841.A.105111, and antenna: TG.30.8111 Apex, and antenna GSA.8841.A.105111 results higher emission. Therefore, the completed set of measurement was done on antenna: GSA.8841.A.105111 to presented on this MPE evaluation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## Maximum Permissible Exposure (MPE) Evaluation (Antenna Part No.: GSA.8841.A.10511)

The evaluation and calculation as deduces below presents only worst-case that produces highest value of the result:

### Operation in cellular band (824 – 849 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
GPRS 850	824.2	128	V	25.25	3.45	-2.94	25.77	38.45
			H	17.07	3.45	-2.94	17.58	38.45
	836.6	190	V	25.46	3.46	-2.97	<b>25.95</b>	38.45
			H	16.88	3.46	-2.97	17.36	38.45
	848.8	251	V	25.20	3.47	-3.01	25.66	38.45
			H	18.13	3.47	-3.01	18.59	38.45

$$\text{ERP} = 25.95 \text{ dBm} = 393.55 \text{ mW}$$

$$\text{Power Density} = \text{ERP} * \text{Duty Cycle} / (4 \pi R^2)$$
$$= 393.55 * 0.25 / (4 * \pi * 20^2) = 0.0196 \text{ mW/cm}^2$$

where Duty Cycle is 0.25 for GPRS operation (class 10) and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 836.6 / 1500 = 0.56 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in PCS band (1850 – 1910 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
GPRS 1900	1850.2	512	V	26.92	4.84	-4.49	<b>27.28</b>	33.01
			H	17.93	4.84	-4.49	18.29	33.01
	1880.0	661	V	26.35	4.79	-4.53	26.62	33.01
			H	23.46	4.79	-4.53	23.73	33.01
	1909.8	810	V	26.36	4.74	-4.57	26.54	33.01
			H	20.89	4.74	-4.57	21.07	33.01

$$\text{EIRP} = 27.28 \text{ dBm} = 534.56 \text{ mW}$$

$$\text{Power Density} = \text{EIRP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 534.56 * 0.25 / (4 \pi * 20^2) = 0.0266 \text{ mW/cm}^2$$

where Duty Cycle is 0.25 for GPRS operation (class 10) and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 1.0 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in HSDPA band II (1850 – 1910 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
HSDPA B2	1852.4	9262	V	26.86	4.84	-4.49	27.22	33.01
			H	15.33	4.84	-4.49	15.68	33.01
	1880.0	9400	V	26.86	4.79	-4.53	27.13	33.01
			H	20.93	4.79	-4.53	21.20	33.01
	1907.6	9538	V	27.13	4.75	-4.56	<b>27.32</b>	33.01
			H	18.13	4.75	-4.56	18.31	33.01

$$\text{EIRP} = 27.32 \text{ dBm} = 539.51 \text{ mW}$$

$$\text{Power Density} = \text{EIRP} * \text{Duty Cycle} / (4 \pi R^2)$$
$$= 539.51 * 1 / (4 \pi * 20^2) = 0.1073 \text{ mW/cm}^2$$

where Duty Cycle is 1 for HSUPA band II mode and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 1.0 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in HSDPA band IV (1712.4 – 1752.6 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
HSDPA B4	1712.4	1312	V	27.75	5.09	-4.29	28.55	30.00
			H	16.47	5.09	-4.29	17.26	30.00
	1732.6	1413	V	27.34	5.05	-4.31	28.08	30.00
			H	18.05	5.05	-4.31	18.79	30.00
	1752.6	1513	V	28.35	5.01	-4.37	<b>28.99</b>	30.00
			H	20.50	5.01	-4.37	21.14	30.00

$$\text{EIRP} = 28.99 \text{ dBm} = 792.50 \text{ mW}$$

$$\text{Power Density} = \text{EIRP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 792.50 * 1 / (4 \pi * 20^2) = 0.1577 \text{ mW/cm}^2$$

where Duty Cycle is 1 for HSUPA band IV mode and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 1.0 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in HSDPA band V (826 – 849 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
HSDPA B5	826.4	4132	V	21.11	3.46	-2.95	21.62	38.45
			H	11.55	3.46	-2.94	12.06	38.45
	836.6	4183	V	21.38	3.46	-2.97	<b>21.87</b>	38.45
			H	12.42	3.46	-2.97	12.90	38.45
	846.6	4233	V	21.36	3.47	-3.00	21.82	38.45
			H	13.70	3.47	-3.00	14.17	38.45

$$\text{ERP} = 21.87 \text{ dBm} = 153.82 \text{ mW}$$

$$\text{Power Density} = \text{ERP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 153.82 * 1 / (4 \pi * 20^2) = 0.0196 \text{ mW/cm}^2$$

where Duty Cycle is 1 for HSDPA band V mode and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 836.6 / 1500 = 0.56 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Operation in cellular band (824 – 849 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
CDMA BC0	824.7	1013	V	20.49	3.45	-2.94	21.00	38.45
			H	9.98	3.45	-2.94	10.50	38.45
	836.52	384	V	21.05	3.46	-2.97	<b>21.54</b>	38.45
			H	10.21	3.46	-2.97	10.70	38.45
	848.31	777	V	19.87	3.47	-3.00	20.33	38.45
			H	9.01	3.47	-3.00	9.47	38.45

$$\text{ERP} = 21.54 \text{dBm} = 142.56 \text{ mW}$$

$$\text{Power Density} = \text{ERP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 142.56 * 1 / (4 * \pi * 20^2) = 0.0283 \text{ mW/cm}^2$$

where Duty Cycle is 1 for CDMA BC0 operation and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 836.52 / 1500 = 0.56 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in PCS band (1850 – 1910 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
CDMA BC1	1851.25	25	V	20.92	4.84	-4.49	<b>21.27</b>	33.00
			H	9.55	4.84	-4.49	9.91	33.00
	1880.0	600	V	20.06	4.79	-4.53	20.33	33.00
			H	10.99	4.79	-4.53	11.26	33.00
	1908.75	1175	V	16.74	4.75	-4.56	16.92	33.00
			H	6.89	4.75	-4.56	7.07	33.00

$$\text{EIRP} = 21.27 \text{ dBm} = 133.97 \text{ mW}$$

$$\text{Power Density} = \text{EIRP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 133.97 * 1 / (4 \pi * 20^2) = 0.0267 \text{ mW/cm}^2$$

where Duty Cycle is 1 for CDMA2000 BC1 operation and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 1.0 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in cellular band (817.9 – 823.1 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
CDMA BC10	817.9	476	V	20.60	3.45	-2.92	21.14	50.00
			H	12.12	3.45	-2.92	12.66	50.00
	820.5	580	V	20.84	3.45	-2.93	<b>21.37</b>	50.00
			H	9.30	3.45	-2.92	9.83	50.00
	823.1	684	V	20.66	3.45	-2.93	21.18	50.00
			H	4.03	3.45	-2.93	4.55	50.00

$$\text{ERP} = 21.37 \text{ dBm} = 137.09 \text{ mW}$$

$$\text{Power Density} = \text{ERP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 137.09 * 1 / (4 * \pi * 20^2) = 0.0273 \text{ mW/cm}^2$$

where Duty Cycle is 1 for CDMA2000 BC10 operation and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 820.5 / 1500 = 0.54 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in LTE band (1850.7 – 1909.3 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
<b>BAND 2</b> <b>BW: 1.4M</b> <b>16QAM</b> <b>RB: 1,0</b>	1850.7	18607	V	29.03	4.84	-4.49	<b>29.38</b>	33.01
			H	17.21	4.84	-4.49	17.57	33.01
	1880.0	18900	V	28.79	4.80	-4.52	29.06	33.01
			H	16.88	4.79	-4.53	17.14	33.01
	1909.3	19193	V	26.82	4.75	-4.56	27.00	33.01
			H	11.59	4.75	-4.56	11.78	33.01

$$\text{EIRP} = 29.38 \text{ dBm} = 866.96 \text{ mW}$$

$$\text{Power Density} = \text{EIRP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 866.96 * 1 / (4 \pi * 20^2) = 0.1725 \text{ mW/cm}^2$$

where Duty Cycle is 1 for LTE band 2 1.4MHz /16QAM/RB 1 0 offset operation and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 1.0 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in LTE band (1715.5 – 1747.5 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
<b>BAND 4</b> <b>BW: 15M</b> <b>16QAM</b> <b>RB: 1,74</b>	1717.5	20025	V	26.55	5.06	-4.30	27.30	30.00
			H	13.27	5.06	-4.30	14.03	30.00
	1732.5	20175	V	28.37	5.03	-4.34	29.06	30.00
			H	17.91	5.03	-4.34	18.61	30.00
	1747.5	20325	V	28.84	5.01	-4.37	<b>29.49</b>	30.00
			H	15.86	5.01	-4.37	16.50	30.00

$$\text{EIRP} = 29.49 \text{ dBm} = 889.20 \text{ mW}$$

$$\text{Power Density} = \text{EIRP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 889.20 * 1 / (4 \pi * 20^2) = 0.1769 \text{ mW/cm}^2$$

where Duty Cycle is 1 for LTE band 4 15MHz /16QAM/RB 1 74 offset operation and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 1.0 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in LTE band (824.7 – 848.3 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
<b>BAND 5</b> <b>BW: 1.4M</b> <b>16QAM</b> <b>RB: 1,0</b>	824.7	20407	V	21.59	3.46	-2.94	22.10	38.45
			H	17.56	3.46	-2.94	18.08	38.45
	836.5	20525	V	21.88	3.46	-2.97	<b>22.37</b>	38.45
			H	15.88	3.46	-2.97	16.37	38.45
	848.3	20643	V	18.36	3.47	-3.01	18.82	38.45
			H	16.48	3.47	-3.00	16.95	38.45

$$\text{ERP} = 22.37 \text{ dBm} = 172.58 \text{ mW}$$

$$\text{Power Density} = \text{ERP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 172.58 * 1 / (4 * \pi * 20^2) = 0.0343 \text{ mW/cm}^2$$

where Duty Cycle is 1 for LTE band 5 1.4MHz /16QAM/RB 1 0 offset operation and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 836.5 / 1500 = 0.56 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in LTE band (782 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
BAND 13 BW: 5M 16QAM RB: 1,24	779.5	23205	V	22.13	3.38	-2.78	22.73	34.77
			H	15.08	3.38	-2.78	15.68	34.77
	782.0	23230	V	22.19	3.39	-2.79	22.78	34.77
			H	13.90	3.37	-2.77	14.50	34.77
	784.5	23255	V	23.04	3.40	-2.80	<b>23.64</b>	34.77
			H	13.18	3.39	-2.80	13.77	34.77

$$\text{ERP} = 23.64 \text{ dBm} = 231.21 \text{ mW}$$

$$\text{Power Density} = \text{ERP} * \text{Duty Cycle} / (4 \pi R^2)$$
$$= 231.21 * 1 / (4 \pi * 20^2) = 0.04600 \text{ mW/cm}^2$$

where Duty Cycle is 1 for LTE band 13 10MHz /16QAM/RB 1 49 offset operation and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 784.5 / 1500 = 0.52 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in LTE band (706.5 – 713.5 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
<b>BAND 17</b> <b>BW: 5M</b> <b>16QAM</b> <b>RB: 1,0</b>	706.5	23755	V	20.48	3.37	-2.60	21.25	34.77
			H	16.58	3.37	-2.60	17.35	34.77
	710.0	23790	V	20.60	3.37	-2.60	21.37	34.77
			H	14.39	3.37	-2.60	15.16	34.77
	713.5	23825	V	21.54	3.35	-2.61	<b>22.29</b>	34.77
			H	13.93	3.35	-2.61	14.68	34.77

$$\text{ERP} = 22.29 \text{ dBm} = 169.43 \text{ mW}$$

$$\text{Power Density} = \text{ERP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 169.43 * 1 / (4 \pi * 20^2) = 0.0337 \text{ mW/cm}^2$$

where Duty Cycle is 1 for LTE band 17 5MHz /16QAM/RB 1 0 offset operation and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 713.5 / 1500 = 0.48 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation in LTE band (1850.7 – 1914.3 MHz)

EUT			Measurement					
Operation Band	Fundamental Frequency	CH	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
<b>BAND 25</b> <b>BW: 1.4M</b> <b>16QAM</b> <b>RB: 1,5</b>	1850.7	26047	V	29.12	4.84	-4.49	29.47	33.00
			H	21.33	4.84	-4.49	21.68	33.00
	1882.5	26365	V	29.91	4.79	-4.53	30.18	33.00
			H	19.00	4.79	-4.53	19.26	33.00
	1914.3	26683	V	30.07	4.74	-4.57	<b>30.24</b>	33.00
			H	18.15	4.74	-4.57	18.32	33.00

$$\text{EIRP} = 30.24 \text{ dBm} = 1056.82 \text{ mW}$$

$$\text{Power Density} = \text{EIRP} * \text{Duty Cycle} / (4 \pi R^2)$$

$$= 1056.82 * 1 / (4 * \pi * 20^2) = 0.2102 \text{ mW/cm}^2$$

where Duty Cycle is 1 for LTE band 25 1.4MHz /16QAM/RB 1 5 offset operation and R is 20 cm.

The MPE limit for General Population/Uncontrolled Exposure is shown in the FCC OET Bulletin 65 Supplement C and can be calculated as follows:

$$\text{MPE limit} = 1.0 \text{ mW/cm}^2$$

As we can see the resulted power density is below the MPE limit, this is compliant with the FCC rules on RF exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Collocated MPE analysis:

The modem may transmit simultaneously with other collocated radio transmitters within a host device, provided the following conditions are met:

Each collocated radio transmitter has been certified by FCC/IC for mobile application (that will be met since SQNS module will have its own FCC ID and host device will have its own FCC ID)  
At least 20 cm separation distance between the antennas of the collocated transmitters and the user's body must be maintained at all times (host installation should take care of that)

The output power and antenna gain in a collocated configuration must not exceed the limits and configurations stipulated in the following table 1. The power density calculations for the individual transmitters per wireless technology at an exposure minimum separation distance of 20cm.

### **Exclusion of test condition:**

*Simultaneous transmission MPE test exclusion applies when the sum of the MPE ratios for all simultaneous transmitting antennas incorporated in a host device, based on calculated or measured field strengths or power density, is  $\leq 1.0$ .*

*MPE ratio1 + MPE ratio2 + MPE ratio3  $\leq 1.0$*

*The spreadsheet as FCC deduces, and releases is employed to conduct the measurement:*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Table 1 : Collocated MPE Calculation (Worse-case table)

Technology	Frequency (MHz)	Max Conducted Power (dBm)	Max Gain (dBi)	Duty Cycle	FCC Power Density @20cm (mW/cm^2)	FCC MPE Limit (mW/cm^2)
LTE B13	782.0	23.76	1.65	1.00	0.069	0.521
WCDMA B5	826.4	23.53	1.65	1.00	0.065	0.549
WCDMA B4	1712.4	23.86	4.76	1.00	0.145	1.000
LTE B2	1909.3	23.79	4.76	1.00	0.143	1.000
WLAN (2.4GHz)	2462	19.92	4.25	0.99	0.510	1.000
WLAN (2.4GHz MIMO)	2462	16.42	7.26	0.97	0.045	1.000
WLAN (5GHz)	5500	15.32	5.5	0.97	0.023	1.000
WLAN (5GHz MIMO)	5500	18.64	8.51	0.97	0.100	1.000
BT LE	2402	-1.30	0.5	0.60	0.0001	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

**Scenario 1:**

External Antenna:

Wifi b or g + Bluetooth LE + 2/3/4G (frequency band 700)

WLAN (mW/cm <sup>2</sup> )	WLAN / MPE limit	(WLAN) / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 700 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 700MHz) / MPE limit	(WWAN 700MHz +WLAN+ BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.510	1.00	0.510	0.0001	1.00	0.0001	0.069	0.521	0.132	0.6421	1.000

**Scenario 2:**

External Antenna:

Wifi n\_MIMO 2.4G + Bluetooth LE+ 2/3/4G (frequency band 700)

WLAN (mW/cm <sup>2</sup> )	WLAN MIMO / MPE limit	(WLAN) MIMO / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 700 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 700MHz) / MPE limit	(WWAN 700MHz +WLAN MIMO + BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.045	1.00	0.045	0.0001	1.00	0.0001	0.069	0.521	0.132	0.1771	1.000

**Scenario 3:**

External Antenna:

Wifi a + Bluetooth LE + 2/3/4G (frequency band 700)

WLAN (mW/cm <sup>2</sup> )	WLAN / MPE limit	(WLAN) / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 700 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 700MHz) / MPE limit	(WWAN 700MHz +WLAN MIMO + BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.023	1.00	0.023	0.0001	1.00	0.0001	0.069	0.521	0.132	0.1551	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Scenario 4:**

External Antenna:

Wifi n\_MIMO 5G + Bluetooth LE + 2/3/4G (frequency band 700)

WLAN MIMO (mW/cm^2)	WLAN MIMO / MPE limit	(WLAN) MIMO / MPE limit	BLE (mW/cm^2)	BLE / MPE limit	(BLE) / MPE limit	WWAN 700 MHz (mW/cm^2)	FCC MPE limit (mW/cm^2)	(WWAN 700MHz) / MPE limit	(WWAN 700MHz +WLAN MIMO + BLE)	FCC Limit (mW/cm^2)
0.100	1.00	0.100	0.0001	1.00	0.0001	0.069	0.521	0.132	0.2321	1.000

**Scenario 5:**

External Antenna:

Wifi b or g + Bluetooth LE + 2/3/4G (frequency band 850)

WLAN (mW/cm^2)	WLAN / MPE limit	(WLAN) / MPE limit	BLE (mW/cm^2)	BLE / MPE limit	(BLE) / MPE limit	WWAN 850 MHz (mW/cm^2)	FCC MPE limit (mW/cm^2)	(WWAN 850MHz) / MPE limit	(WWAN 850MHz +WLAN+ BLE)	FCC Limit (mW/cm^2)
0.510	1.00	0.510	0.0001	1.00	0.0001	0.065	0.549	0.118	0.6281	1.000

**Scenario 6:**

External Antenna:

Wifi n\_MIMO 2.4G + Bluetooth LE+ 2/3/4G (frequency band 850)

WLAN MIMO (mW/cm^2)	WLAN MIMO / MPE limit	(WLAN) MIMO / MPE limit	BLE (mW/cm^2)	BLE / MPE limit	(BLE) / MPE limit	WWAN 850 MHz (mW/cm^2)	FCC MPE limit (mW/cm^2)	(WWAN 850MHz) / MPE limit	(WWAN 850MHz +WLAN MIMO + BLE)	FCC Limit (mW/cm^2)
0.045	1.00	0.045	0.0001	1.00	0.0001	0.065	0.549	0.118	0.1631	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Scenario 7:**

External Antenna:

Wifi a + Bluetooth LE+ 2/3/4G (frequency band 850)

WLAN (mW/cm <sup>2</sup> )	WLAN / MPE limit	(WLAN) / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 850 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 850MHz) / MPE limit	(WWAN 850MHz +WLAN+ BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.023	1.00	0.023	0.0001	1.00	0.0001	0.065	0.549	0.118	0.1411	1.000

**Scenario 8:**

External Antenna:

Wifi n\_MIMO 5G + Bluetooth LE+ 2/3/4G (frequency band 850)

WLAN MIMO (mW/cm <sup>2</sup> )	WLAN MIMO / MPE limit	(WLAN) MIMO / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 850 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 850MHz) / MPE limit	(WWAN 850MHz +WLAN MIMO + BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.100	1.00	0.100	0.0001	1.00	0.0001	0.065	0.549	0.118	0.2181	1.000

**Scenario 9:**

External Antenna:

Wifi b or g + Bluetooth LE + 2/3/4G (frequency band 1700)

WLAN (mW/cm <sup>2</sup> )	WLAN / MPE limit	(WLAN) / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 1700 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 1700MHz) / MPE limit	(WWAN 1700MHz +WLAN+ BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.510	1.00	0.510	0.0001	1.00	0.0001	0.145	1.00	0.145	0.6551	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Scenario 10:**

External Antenna:

Wifi n\_MIMO 2.4G + Bluetooth LE+ 2/3/4G (frequency band 1700)

WLAN MIMO (mW/cm^2)	WLAN MIMO / MPE limit	(WLAN) MIMO / MPE limit	BLE (mW/cm^2)	BLE / MPE limit	(BLE) / MPE limit	WWAN 1700 MHz (mW/cm^2)	FCC MPE limit (mW/cm^2)	(WWAN 1700MHz) / MPE limit	(WWAN 1700MHz) +WLAN MIMO + BLE)	FCC Limit (mW/cm^2)
0.045	1.00	0.045	0.0001	1.00	0.0001	0.145	1.00	0.145	0.1901	1.000

**Scenario 11:**

External Antenna:

Wifi a + Bluetooth LE + 2/3/4G (frequency band 1700)

WLAN (mW/cm^2)	WLAN / MPE limit	(WLAN) / MPE limit	BLE (mW/cm^2)	BLE / MPE limit	(BLE) / MPE limit	WWAN 1700 MHz (mW/cm^ 2)	FCC MPE limit (mW/cm^2)	(WWAN 1700MHz) / MPE limit	(WWAN 1700MHz) +WLAN+ BLE)	FCC Limit (mW/cm^2)
0.023	1.00	0.023	0.0001	1.00	0.0001	0.145	1.00	0.145	0.1681	1.000

**Scenario 12:**

External Antenna:

Wifi n\_MIMO 5G + Bluetooth LE + 2/3/4G (frequency band 1700)

WLAN MIMO (mW/cm^2)	WLAN MIMO / MPE limit	(WLAN) MIMO / MPE limit	BLE (mW/cm^2)	BLE / MPE limit	(BLE) / MPE limit	WWAN 1700 MHz (mW/cm^2)	FCC MPE limit (mW/cm^2)	(WWAN 1700MHz) / MPE limit	(WWAN 1700MHz) +WLAN MIMO + BLE)	FCC Limit (mW/cm^2)
0.100	1.00	0.100	0.0001	1.00	0.0001	0.145	1.00	0.145	0.2451	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Scenario 13:**

External Antenna:

Wifi b or g + Bluetooth LE + 2/3/4G (frequency band 1900)

WLAN (mW/cm <sup>2</sup> )	WLAN / MPE limit	(WLAN) / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 1900 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 1900MHz z) / MPE limit	(WWAN 1900MHz +WLAN+ BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.510	1.00	0.510	0.0001	1.00	0.0001	0.143	1.00	0.143	0.6531	1.000

**Scenario 14:**

External Antenna:

Wifi n\_MIMO 2.4G + Bluetooth LE+ 2/3/4G (frequency band 1900)

WLAN MIMO (mW/cm <sup>2</sup> )	WLAN MIMO / MPE limit	(WLAN) MIMO / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 1900 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 1900MHz / MPE limit)	(WWAN 1900MHz +WLAN MIMO + BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.510	1.00	0.510	0.0001	1.00	0.0001	0.143	1.00	0.143	0.6531	1.000

**Scenario 15:**

External Antenna:

Wifi a + Bluetooth LE + 2/3/4G (frequency band 1900)

WLAN (mW/cm <sup>2</sup> )	WLAN / MPE limit	(WLAN) / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 1900 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 1900MHz z) / MPE limit	(WWAN 1900MHz +WLAN+ BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.023	1.00	0.023	0.0001	1.00	0.0001	0.143	1.00	0.143	0.1661	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Scenario 16:

External Antenna:

Wifi n\_MIMO 5G + Bluetooth LE + 2/3/4G (frequency band 1900)

WLAN MIMO (mW/cm <sup>2</sup> )	WLAN MIMO / MPE limit	(WLAN) MIMO / MPE limit	BLE (mW/cm <sup>2</sup> )	BLE / MPE limit	(BLE) / MPE limit	WWAN 1900 MHz (mW/cm <sup>2</sup> )	FCC MPE limit (mW/cm <sup>2</sup> )	(WWAN 1900MHz) / MPE limit	(WWAN 1900MHz) +WLAN MIMO + BLE)	FCC Limit (mW/cm <sup>2</sup> )
0.100	1.00	0.100	0.0001	1.00	0.0001	0.143	1.00	0.143	0.2431	1.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.