


4.6 Conducted Spurious Emissions

4.6.1 Limits of Conducted Spurious Emissions Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB. The limit of emission is equal to -13 dBm.

4.6.2 Test Setup



4.6.3 Test Procedure

- The EUT makes a phone call to the communication simulator. All measurements were done at low, middle and high operational frequency range.
- Measuring frequency range is from 30MHz to 1 GHz and 1 GHz to 10GHz for LTE Band 12/13/17 and from 30MHz to 1 GHz, 1 GHz to 10GHz, and 10 GHz to 26.5GHz for WCDMA/LTE Band 4. 10 dB attenuation pad is connected with spectrum. RBW = 100 kHz and VBW = 300 kHz are used for conducted emission measurement.


4.6.4 Test Results

WCDMA


30MHz ~ 1GHz



1GHz ~ 10GHz



10GHz ~ 26.5GHz




LTE Band 4

30MHz ~ 1GHz



















1GHz ~ 10GHz



















10GHz ~ 26.5GHz





















LTE Band 12
30MHz ~ 1GHz


LTE Band 12

Channel Bandwidth: 1.4 MHz














1GHz ~ 10GHz











LTE Band 13

30MHz ~ 1GHz



1GHz ~ 10GHz




LTE Band 17


LTE Band 17

Channel Bandwidth: 5 MHz


Channel 23755



Channel 23790



Channel 23825






1GHz ~ 10GHz


LTE Band 17

Channel Bandwidth: 5 MHz


Channel 23755




Channel 23790



Channel 23825



Peak Search
Next Peak
Next Pk Right
Next Pk Left
Marker Delta
Mkr→CF
Mkr→Ref Lvl
More 1 of 2



4.7 Radiated Emission Measurement

4.7.1 Limits of Radiated Emission Measurement

- a. The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB. The limit of emission is equal to -13 dBm.
- b. For operations in the 775-788 MHz, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz. The limit of emissions is equal to -40 dBm.

4.7.2 Test Procedure

- a. Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8 m (below or equal 1 GHz) and/or 1.5 m (above 1 GHz) height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1 m to 4 m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- b. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G.
- c. EIRP = Output power level of S.G – TX cable loss + Antenna gain of substitution horn.
- d. E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, E.R.P power = E.I.P.R power - 2.15 dBi.


Note: The resolution bandwidth of spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz.

4.7.3 Deviation from Test Standard


No deviation.

4.7.4 Test Setup

<Radiated Emission below or equal 1 GHz>



<Radiated Emission above 1 GHz>



For the actual test configuration, please refer to the attached file (Test Setup Photo).

4.7.5 Test Results

WCDMA:


Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remark : WCDMA Band 4 Link_L-CH

Tested by: Jisyong Wang


Freq	Level	Read		Limit	Over	Factor	Remark
		MHz	dBm	dBm	dB	dB	
1	3428.80	-54.51	-45.42	-13.00	-41.51	-9.09	Peak
2 pp	5137.20	-48.95	-45.98	-13.00	-35.95	-2.97	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remark : WCDMA Band 4 Link_L-CH

Tested by: Jisyong Wang

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	
1	3424.80	-54.72	-45.63	-13.00	-41.72	-9.09 Peak
2 pp	5137.20	-47.81	-44.84	-13.00	-34.81	-2.97 Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remark : WCDMA Band 4 Link_M-CH

Tested by: Jisyong Wang


Freq	Read Level	Limit Level	Over			Remark
			Line	Limit	Factor	
MHz	dBm	dBm	dBm	dB	dB	
1	43.58	-52.47	-51.00	-13.00	-39.47	-1.47 Peak
2	52.31	-60.56	-55.02	-13.00	-47.56	-5.54 Peak
3	192.96	-71.72	-64.35	-13.00	-58.72	-7.37 Peak
4	521.79	-68.28	-64.43	-13.00	-55.28	-3.85 Peak
5	674.08	-64.84	-64.33	-13.00	-51.84	-0.51 Peak
6	846.74	-63.48	-63.80	-13.00	-50.48	0.32 Peak
7	3465.20	-55.90	-46.99	-13.00	-42.90	-8.91 Peak
8 pp	5197.80	-42.63	-39.77	-13.00	-29.63	-2.86 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remark : WCDMA Band 4 Link_M-CH

Tested by: Jisyong Wang

Freq	Read		Limit	Over	Line	Factor	Remark
	MHz	dBm	dBm	dBm	dB		
1	42.61	-53.76	-52.82	-13.00	-40.76	-0.94	Peak
2	52.31	-60.12	-54.58	-13.00	-47.12	-5.54	Peak
3	159.01	-69.47	-64.35	-13.00	-56.47	-5.12	Peak
4	268.62	-69.68	-63.31	-13.00	-56.68	-6.37	Peak
5	644.98	-65.27	-64.40	-13.00	-52.27	-0.87	Peak
6	885.54	-63.97	-64.46	-13.00	-50.97	0.49	Peak
7	3465.20	-54.76	-45.85	-13.00	-41.76	-8.91	Peak
8 pp	5197.80	-45.73	-42.87	-13.00	-32.73	-2.86	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remark : WCDMA Band 4 Link_H-CH

Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1	3505.20	-54.49	-46.38	-13.00	-41.49	-8.11 Peak
2 pp	5257.80	-47.08	-44.60	-13.00	-34.08	-2.48 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remark : WCDMA Band 4 Link_H-CH

Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	
1	3505.20	-52.00	-43.89	-13.00	-39.00	-8.11 Peak
2 pp	5257.80	-48.11	-45.63	-13.00	-35.11	-2.48 Peak

LTE Band 4
Channel Bandwidth: 20 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : LTE Band 4 QPSK_20M Link_L-CH
 Tested by: Jisyong Wang


Freq	Level	Read	Limit	Over	Remark
		Line	Limit	Factor	
MHz	dBm	dBm	dBm	dB	dB
1 pp	3440.00	-56.36	-47.36	-13.00	-43.36 -9.00 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 4 QPSK_20M Link_L-CH

Tested by: Jisyong Wang

Freq	Level	Read	Limit	Over	Factor	Remark
		MHz	dBm	dBm		
1 pp	3440.00	-55.35	-46.35	-13.00	-42.35	-9.00 Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 4 QPSK_20M Link_M-CH

Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp	3465.00	-56.72	-47.81	-13.00	-43.72	-8.91 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 4 QPSK_20M Link_M-CH

Tested by: Jisyong Wang

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp	3465.00	-56.15	-47.24	-13.00	-43.15	-8.91 Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 4 QPSK_20M Link_H-CH

Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp	43.58	-52.70	-51.23	-13.00	-39.70	-1.47 Peak
2	54.25	-60.39	-54.32	-13.00	-47.39	-6.07 Peak
3	265.71	-70.14	-63.83	-13.00	-57.14	-6.31 Peak
4	563.50	-66.36	-64.08	-13.00	-53.36	-2.28 Peak
5	652.74	-65.58	-64.74	-13.00	-52.58	-0.84 Peak
6	867.11	-63.77	-64.16	-13.00	-50.77	0.39 Peak
7	3490.00	-54.99	-46.48	-13.00	-41.99	-8.51 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART27 VERTICAL


Remak : LTE Band 4 QPSK_20M Link_H-CH

Tested by: Jisyong Wang

Freq	Read Level	Read	Limit	Over	Factor	Remark
		MHz	dBm	dBm	Line	dB
1 pp	42.61	-53.85	-52.91	-13.00	-40.85	-0.94 Peak
2	52.31	-60.70	-55.16	-13.00	-47.70	-5.54 Peak
3	159.01	-70.72	-65.60	-13.00	-57.72	-5.12 Peak
4	560.59	-66.42	-64.01	-13.00	-53.42	-2.41 Peak
5	843.83	-64.61	-64.95	-13.00	-51.61	0.34 Peak
6	971.87	-61.45	-64.04	-13.00	-48.45	2.59 Peak
7	3490.00	-54.96	-46.45	-13.00	-41.96	-8.51 Peak

LTE Band 12
Channel Bandwidth: 10 MHz / QPSK
Low Channel


Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T
Data: 5


Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 12 QPSK_10M Link_L-CH

Tested by: Jisyong Wang


Freq	Level	Read	Limit	Over	Remark
		MHz	dBm	dBm	
1 pp	42.61	-53.80	-52.86	-13.00	-40.80 -0.94 Peak
2	53.28	-60.52	-54.71	-13.00	-47.52 -5.81 Peak
3	166.77	-70.29	-64.97	-13.00	-57.29 -5.32 Peak
4	484.93	-69.20	-64.30	-13.00	-56.20 -4.90 Peak
5	668.26	-64.68	-64.08	-13.00	-51.68 -0.60 Peak
6	931.13	-62.51	-63.85	-13.00	-49.51 1.34 Peak
7	1408.00	-60.82	-46.48	-13.00	-47.82 -14.34 Peak
8	2112.00	-54.04	-41.80	-13.00	-41.04 -12.24 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 12 QPSK_10M Link_L-CH

Tested by: Jisyong Wang

Freq	Read		Limit Line	Over		Remark
	MHz	dBm		dBm	dB	
1	42.61	-54.79	-53.85	-13.00	-41.79	-0.94 Peak
2	52.31	-60.51	-54.97	-13.00	-47.51	-5.54 Peak
3	163.86	-69.43	-64.31	-13.00	-56.43	-5.12 Peak
4	601.33	-65.20	-64.44	-13.00	-52.20	-0.76 Peak
5	868.08	-63.05	-63.44	-13.00	-50.05	0.39 Peak
6	943.74	-63.25	-64.90	-13.00	-50.25	1.65 Peak
7	1408.00	-59.98	-45.64	-13.00	-46.98	-14.34 Peak
8 pp	2112.00	-51.84	-39.60	-13.00	-38.84	-12.24 Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 12 QPSK_10M Link_M-CH

Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1	1415.00	-61.25	-46.91	-13.00	-48.25	-14.34 Peak
2 pp	2122.50	-54.30	-42.06	-13.00	-41.30	-12.24 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 12 QPSK_10M Link_M-CH

Tested by: Jisyong Wang

Freq	Read	Limit	Over	Factor	Remark
	Level	Level	Line		
MHz	dBm	dBm	dBm	dB	
1	1415.00	-60.54	-46.20	-13.00	-47.54 -14.34 Peak
2 pp	2122.50	-52.67	-40.43	-13.00	-39.67 -12.24 Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 12 QPSK_10M Link_H-CH

Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
1	1422.00	-60.43	-46.09	-13.00	-47.43	-14.34 Peak
2 pp	2133.00	-54.78	-42.71	-13.00	-41.78	-12.07 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 12 QPSK_10M Link_H-CH

Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	
1	1422.00	-60.66	-46.32	-13.00	-47.66	-14.34 Peak
2 pp	2133.00	-53.35	-41.28	-13.00	-40.35	-12.07 Peak

LTE Band 13
Channel Bandwidth: 10 MHz / QPSK


Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5

Condition: PART27(B13) HORIZONTAL

Remak : LTE Band 13 QPSK_10M Link _M-CH

Tested by: Jisyong Wang


Freq	Level	Read		Limit	Over	Factor	Remark
		Line	dBm				
MHz	dBm	dBm	dBm	dBm	dB		
1 pp	1564.00	-61.98	-46.96	-40.00	-21.98	-15.02	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27(B13) VERTICAL


Remak : LTE Band 13 QPSK_10M Link _M-CH

Tested by: Jisyong Wang

Freq	Level	Read		Limit	Over	Factor	Remark
		MHz	dBm	dBm	dBm	dB	
1 pp	1564.00	-61.80	-46.78	-40.00	-21.80	-15.02	Peak

LTE Band 17
Channel Bandwidth: 10 MHz / QPSK
Low Channel


Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T
Data: 3


Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 17 QPSK_10M Link_L-CH

Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1	1418.00	-61.50	-47.16	-13.00	-48.50	-14.34 Peak
2 pp	2127.00	-55.60	-43.53	-13.00	-42.60	-12.07 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 17 QPSK_10M Link_L-CH

Tested by: Jisyong Wang

Freq	Read	Limit	Over	Factor	Remark
	Level	Level	Line		
	MHz	dBm	dBm	dB	dB
1	1418.00	-61.55	-47.21	-13.00	-48.55 -14.34 Peak
2 pp	2127.00	-52.92	-40.85	-13.00	-39.92 -12.07 Peak


Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 17 QPSK_10M Link_M-CH

Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1	1420.00	-61.16	-46.82	-13.00	-48.16	-14.34 Peak
2 pp	2130.00	-56.25	-44.18	-13.00	-43.25	-12.07 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 17 QPSK_10M Link_M-CH

Tested by: Jisyong Wang

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	
1	1420.00	-61.17	-46.83	-13.00	-48.17	-14.34 Peak
2 pp	2130.00	-54.90	-42.83	-13.00	-41.90	-12.07 Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5

Condition: PART27 HORIZONTAL

Remak : LTE Band 17 QPSK_10M Link_H-CH

Tested by: Jisyong Wang


	Read Freq	Limit Level	Over Line	Over Limit	Over Factor	Remark
	MHz	dBm	dBm	dBm	dB	
1 pp	43.58	-54.12	-52.65	-13.00	-41.12	-1.47 Peak
2	54.25	-60.54	-54.47	-13.00	-47.54	-6.07 Peak
3	163.86	-69.56	-64.44	-13.00	-56.56	-5.12 Peak
4	589.69	-65.53	-64.33	-13.00	-52.53	-1.20 Peak
5	853.53	-63.76	-64.07	-13.00	-50.76	0.31 Peak
6	963.14	-61.50	-63.78	-13.00	-48.50	2.28 Peak
7	1422.00	-60.03	-45.69	-13.00	-47.03	-14.34 Peak
8	2133.00	-54.19	-42.12	-13.00	-41.19	-12.07 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6



Site : 966 Chamber 5

Condition: PART27 VERTICAL

Remak : LTE Band 17 QPSK_10M Link_H-CH

Tested by: Jisyong Wang

Freq	Read		Limit	Over	Line	Limit Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	42.61	-52.79	-51.85	-13.00	-39.79	-0.94	Peak
2	52.31	-60.90	-55.36	-13.00	-47.90	-5.54	Peak
3	101.78	-71.24	-60.72	-13.00	-58.24	-10.52	Peak
4	164.83	-69.87	-64.68	-13.00	-56.87	-5.19	Peak
5	554.77	-65.89	-63.24	-13.00	-52.89	-2.65	Peak
6	750.71	-62.31	-63.19	-13.00	-49.31	0.88	Peak
7	1422.00	-61.08	-46.74	-13.00	-48.08	-14.34	Peak
8 pp	2133.00	-52.64	-40.57	-13.00	-39.64	-12.07	Peak

5 Pictures of Test Arrangements

Please refer to the attached file (Test Setup Photo).

Appendix – Information on the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are FCC recognized accredited test firms and accredited according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Linko EMC/RF Lab

Tel: 886-2-26052180
Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab

Tel: 886-3-6668565
Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety

Tel: 886-3-3183232
Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com

Web Site: www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.

--- END ---