



802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33896G	50.71	54.00	-3.29	21.50	3	Horizontal	84	2.90	-	29.21	39.72	12.77	30.99
PK	11.33752G	61.45	74.00	-12.55	21.49	3	Horizontal	84	2.90	-	39.96	39.71	12.77	30.99
PK	17.00888G	65.55	68.20	-2.65	23.59	3	Horizontal	158	1.50	-	41.96	39.61	15.54	31.56


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4136G	51.03	54.00	-2.97	10.89	3	Vertical	6	1.50	-	40.14	31.70	9.31	30.12
AV	5.7088G	104.19	Inf	-Inf	11.22	3	Vertical	6	1.50	-	92.97	31.92	9.49	30.19
PK	5.4628G	60.25	68.20	-7.95	10.96	3	Vertical	6	1.50	-	49.29	31.73	9.35	30.12
PK	5.7112G	112.72	Inf	-Inf	11.22	3	Vertical	6	1.50	-	101.50	31.92	9.49	30.19
PK	5.8912G	62.20	68.20	-6.00	11.78	3	Vertical	6	1.50	-	50.42	32.46	9.59	30.27


802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	50.67	54.00	-3.33	10.92	3	Horizontal	329	2.02	-	39.75	31.70	9.34	30.12
AV	5.7112G	91.19	Inf	-Inf	11.22	3	Horizontal	329	2.02	-	79.97	31.92	9.49	30.19
PK	5.4628G	60.52	68.20	-7.68	10.96	3	Horizontal	329	2.02	-	49.56	31.73	9.35	30.12
PK	5.7112G	100.95	Inf	-Inf	11.22	3	Horizontal	329	2.02	-	89.73	31.92	9.49	30.19
PK	5.9032G	62.13	68.20	-6.07	11.83	3	Horizontal	329	2.02	-	50.30	32.50	9.60	30.27

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4264G	52.38	54.00	-1.62	21.79	3	Vertical	258	1.48	-	30.59	39.95	12.81	30.97
PK	11.4176G	64.19	74.00	-9.81	21.78	3	Vertical	258	1.48	-	42.41	39.94	12.81	30.97
PK	17.13272G	65.09	68.20	-3.11	23.65	3	Vertical	170	1.86	-	41.44	39.63	15.61	31.59


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41352G	51.96	54.00	-2.04	21.76	3	Horizontal	37	2.54	-	30.20	39.93	12.80	30.97
PK	11.41768G	63.04	74.00	-10.96	21.78	3	Horizontal	37	2.54	-	41.26	39.94	12.81	30.97
PK	17.13864G	65.81	68.20	-2.39	23.65	3	Horizontal	161	1.50	-	42.16	39.62	15.62	31.59

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.89	54.00	-3.11	10.80	3	Vertical	343	1.50	-	40.09	31.90	9.07	30.17
AV	5.292G	98.77	Inf	-Inf	10.36	3	Vertical	343	1.50	-	88.41	31.32	9.18	30.14
AV	5.35G	52.42	54.00	-1.58	10.42	3	Vertical	343	1.50	-	42.00	31.30	9.25	30.13
PK	5.145G	61.41	74.00	-12.59	10.80	3	Vertical	343	1.50	-	50.61	31.90	9.07	30.17
PK	5.289G	108.86	Inf	-Inf	10.36	3	Vertical	343	1.50	-	98.50	31.32	9.18	30.14
PK	5.372G	61.73	74.00	-12.27	10.62	3	Vertical	343	1.50	-	51.11	31.48	9.27	30.13

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.133G	50.51	54.00	-3.49	10.80	3	Horizontal	229	2.75	-	39.71	31.90	9.07	30.17
AV	5.293G	88.66	Inf	-Inf	10.35	3	Horizontal	229	2.75	-	78.31	31.31	9.18	30.14
AV	5.389G	50.98	54.00	-3.02	10.77	3	Horizontal	229	2.75	-	40.21	31.61	9.29	30.13
PK	5.124G	61.51	74.00	-12.49	10.80	3	Horizontal	229	2.75	-	50.71	31.90	9.07	30.17
PK	5.28G	98.87	Inf	-Inf	10.36	3	Horizontal	229	2.75	-	88.51	31.34	9.17	30.15
PK	5.383G	60.85	74.00	-13.15	10.71	3	Horizontal	229	2.75	-	50.14	31.56	9.28	30.13

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89432G	50.43	54.00	-3.57	20.37	3	Vertical	39	2.17	-	30.06	36.92	14.92	31.47
PK	10.57152G	56.95	68.20	-11.25	21.19	3	Vertical	8	1.71	-	35.76	39.70	12.45	30.96
PK	15.86328G	61.04	74.00	-12.96	20.45	3	Vertical	39	2.17	-	40.59	37.01	14.91	31.47

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90392G	51.00	54.00	-3.00	20.36	3	Horizontal	106	1.50	-	30.64	36.91	14.92	31.47
PK	10.60864G	57.32	74.00	-16.68	21.20	3	Horizontal	92	2.34	-	36.12	39.70	12.47	30.97
PK	15.90088G	60.77	74.00	-13.23	20.35	3	Horizontal	106	1.50	-	40.42	36.90	14.92	31.47

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	52.52	54.00	-1.48	10.95	3	Vertical	11	1.77	-	41.57	31.72	9.35	30.12
AV	5.536G	101.24	Inf	-Inf	11.09	3	Vertical	11	1.77	-	90.15	31.80	9.41	30.12
PK	5.47G	63.76	68.20	-4.44	10.99	3	Vertical	11	1.77	-	52.77	31.74	9.36	30.11
PK	5.523G	109.25	Inf	-Inf	11.08	3	Vertical	11	1.77	-	98.17	31.80	9.40	30.12
PK	5.779G	60.97	68.20	-7.23	11.35	3	Vertical	11	1.77	-	49.62	32.06	9.51	30.22

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.441G	50.68	54.00	-3.32	10.91	3	Horizontal	0	1.94	-	39.77	31.70	9.33	30.12
AV	5.537G	86.71	Inf	-Inf	11.09	3	Horizontal	0	1.94	-	75.62	31.80	9.41	30.12
PK	5.467G	59.41	68.20	-8.79	10.96	3	Horizontal	0	1.94	-	48.45	31.73	9.35	30.12
PK	5.523G	93.75	Inf	-Inf	11.08	3	Horizontal	0	1.94	-	82.67	31.80	9.40	30.12
PK	5.751G	61.04	68.20	-7.16	11.30	3	Horizontal	0	1.94	-	49.74	32.00	9.51	30.21

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0712G	48.08	54.00	-5.92	21.62	3	Vertical	254	1.68	-	26.46	40.02	12.66	31.06
PK	11.05104G	58.17	74.00	-15.83	21.68	3	Vertical	254	1.68	-	36.49	40.10	12.65	31.07
PK	16.56024G	64.06	68.20	-4.14	22.14	3	Vertical	218	1.50	-	41.92	38.36	15.28	31.50

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02608G	47.10	54.00	-6.90	21.77	3	Horizontal	49	2.62	-	25.33	40.20	12.64	31.07
PK	11.02432G	58.13	74.00	-15.87	21.77	3	Horizontal	49	2.62	-	36.36	40.20	12.64	31.07
PK	16.55224G	63.26	68.20	-4.94	22.16	3	Horizontal	162	2.39	-	41.10	38.39	15.27	31.50

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	51.09	54.00	-2.91	10.92	3	Vertical	8	1.80	-	40.17	31.70	9.34	30.12
AV	5.609G	102.56	Inf	-Inf	10.99	3	Vertical	8	1.80	-	91.57	31.68	9.46	30.15
PK	5.464G	60.42	68.20	-7.78	10.96	3	Vertical	8	1.80	-	49.46	31.73	9.35	30.12
PK	5.612G	111.83	Inf	-Inf	10.99	3	Vertical	8	1.80	-	100.84	31.68	9.46	30.15
PK	5.728G	62.93	68.20	-5.27	11.26	3	Vertical	8	1.80	-	51.67	31.96	9.50	30.20

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.363G	50.80	54.00	-3.20	10.53	3	Horizontal	347	1.72	-	40.27	31.40	9.26	30.13
AV	5.613G	91.21	Inf	-Inf	10.97	3	Horizontal	347	1.72	-	80.24	31.67	9.46	30.16
PK	5.47G	61.06	68.20	-7.14	10.99	3	Horizontal	347	1.72	-	50.07	31.74	9.36	30.11
PK	5.613G	100.75	Inf	-Inf	10.97	3	Horizontal	347	1.72	-	89.78	31.67	9.46	30.16
PK	5.832G	61.59	68.20	-6.61	11.54	3	Horizontal	347	1.72	-	50.05	32.23	9.55	30.24

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20848G	52.86	54.00	-1.14	21.20	3	Vertical	256	1.58	-	31.66	39.51	12.72	31.03
PK	11.2368G	62.45	74.00	-11.55	21.25	3	Vertical	256	1.58	-	41.20	39.54	12.73	31.02
PK	16.82808G	64.13	68.20	-4.07	23.41	3	Vertical	360	1.08	-	40.72	39.52	15.43	31.54

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22656G	50.02	54.00	-3.98	21.24	3	Horizontal	53	1.63	-	28.78	39.53	12.73	31.02
PK	11.23824G	60.81	74.00	-13.19	21.25	3	Horizontal	53	1.63	-	39.56	39.54	12.73	31.02
PK	16.8156G	63.97	68.20	-4.23	23.45	3	Horizontal	24	1.40	-	40.52	39.55	15.43	31.53




802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4056G	50.27	54.00	-3.73	10.87	3	Vertical	-0	1.50	-	39.40	31.70	9.30	30.13
AV	5.6864G	105.35	Inf	-Inf	11.13	3	Vertical	-0	1.50	-	94.22	31.82	9.49	30.18
PK	5.468G	59.95	68.20	-8.25	10.97	3	Vertical	-0	1.50	-	48.98	31.74	9.35	30.12
PK	5.6864G	113.29	Inf	-Inf	11.13	3	Vertical	-0	1.50	-	102.16	31.82	9.49	30.18
PK	5.8544G	65.38	68.20	-2.82	11.63	3	Vertical	-0	1.50	-	53.75	32.32	9.56	30.25

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3912G	49.69	54.00	-4.31	10.79	3	Horizontal	331	1.75	-	38.90	31.63	9.29	30.13
AV	5.696G	88.84	Inf	-Inf	11.18	3	Horizontal	331	1.75	-	77.66	31.88	9.49	30.19
PK	5.468G	58.73	68.20	-9.47	10.97	3	Horizontal	331	1.75	-	47.76	31.74	9.35	30.12
PK	5.6936G	99.35	Inf	-Inf	11.16	3	Horizontal	331	1.75	-	88.19	31.86	9.49	30.19
PK	5.9108G	60.72	68.20	-7.48	11.84	3	Horizontal	331	1.75	-	48.88	32.50	9.61	30.27

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39374G	52.56	54.00	-1.44	21.70	3	Vertical	255	1.58	-	30.86	39.88	12.80	30.98
PK	11.38126G	63.38	74.00	-10.62	21.65	3	Vertical	255	1.58	-	41.73	39.84	12.79	30.98
PK	17.06214G	64.66	68.20	-3.54	23.66	3	Vertical	44	1.50	-	41.00	39.66	15.57	31.57

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36914G	49.27	54.00	-4.73	21.62	3	Horizontal	80	1.50	-	27.65	39.81	12.79	30.98
PK	11.38846G	59.01	74.00	-14.99	21.68	3	Horizontal	80	1.50	-	37.33	39.87	12.79	30.98
PK	17.0703G	64.38	68.20	-3.82	23.67	3	Horizontal	345	1.50	-	40.71	39.67	15.58	31.58



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.353G	72.55	74.00	-1.45	3	Vertical	12	1.57	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.358G	72.62	74.00	-1.38	3	Vertical	13	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.40	54.00	-1.60	3	Vertical	16	1.90	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	17.15972G	66.95	68.20	-1.25	3	Vertical	80	2.12	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.73G	66.84	68.20	-1.36	3	Vertical	12	1.45	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.454G	52.80	54.00	-1.20	3	Vertical	10	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1406G	46.47	54.00	-7.53	3	Vertical	11	2.54	-
5260MHz	Pass	AV	5.2588G	105.82	Inf	-Inf	3	Vertical	11	2.54	-
5260MHz	Pass	AV	5.377G	46.25	54.00	-7.75	3	Vertical	11	2.54	-
5260MHz	Pass	PK	5.125G	60.37	74.00	-13.63	3	Vertical	11	2.54	-
5260MHz	Pass	PK	5.263G	118.29	Inf	-Inf	3	Vertical	11	2.54	-
5260MHz	Pass	PK	5.3794G	59.76	74.00	-14.24	3	Vertical	11	2.54	-
5260MHz	Pass	AV	5.1436G	44.85	54.00	-9.15	3	Horizontal	224	1.27	-
5260MHz	Pass	AV	5.2588G	90.91	Inf	-Inf	3	Horizontal	224	1.27	-
5260MHz	Pass	AV	5.3758G	44.61	54.00	-9.39	3	Horizontal	224	1.27	-
5260MHz	Pass	PK	5.1202G	57.67	74.00	-16.33	3	Horizontal	224	1.27	-
5260MHz	Pass	PK	5.2624G	104.05	Inf	-Inf	3	Horizontal	224	1.27	-
5260MHz	Pass	PK	5.3614G	57.74	74.00	-16.26	3	Horizontal	224	1.27	-
5260MHz	Pass	AV	15.7814G	51.10	54.00	-2.90	3	Vertical	308	1.58	-
5260MHz	Pass	PK	10.51812G	59.83	68.20	-8.37	3	Vertical	324	1.32	-
5260MHz	Pass	PK	15.77964G	69.31	74.00	-4.69	3	Vertical	308	1.58	-
5260MHz	Pass	AV	15.77872G	46.74	54.00	-7.26	3	Horizontal	140	1.48	-
5260MHz	Pass	PK	10.52244G	56.12	68.20	-12.08	3	Horizontal	248	1.57	-
5260MHz	Pass	PK	15.77912G	60.95	74.00	-13.05	3	Horizontal	140	1.48	-
5300MHz	Pass	AV	5.3008G	106.01	Inf	-Inf	3	Vertical	9	2.38	-
5300MHz	Pass	AV	5.3508G	47.53	54.00	-6.47	3	Vertical	9	2.38	-
5300MHz	Pass	PK	5.2968G	118.55	Inf	-Inf	3	Vertical	9	2.38	-
5300MHz	Pass	PK	5.358G	66.43	74.00	-7.57	3	Vertical	9	2.38	-
5300MHz	Pass	AV	5.2992G	92.16	Inf	-Inf	3	Horizontal	226	1.29	-
5300MHz	Pass	AV	5.3564G	44.60	54.00	-9.40	3	Horizontal	226	1.29	-
5300MHz	Pass	PK	5.302G	104.46	Inf	-Inf	3	Horizontal	226	1.29	-
5300MHz	Pass	PK	5.3668G	57.40	74.00	-16.60	3	Horizontal	226	1.29	-
5300MHz	Pass	AV	15.90148G	50.44	54.00	-3.56	3	Vertical	214	1.50	-
5300MHz	Pass	PK	10.60104G	58.05	74.00	-15.95	3	Vertical	46	2.81	-
5300MHz	Pass	PK	15.89528G	66.37	74.00	-7.63	3	Vertical	214	1.50	-
5300MHz	Pass	AV	15.90156G	46.79	54.00	-7.21	3	Horizontal	141	1.42	-
5300MHz	Pass	PK	10.60604G	56.96	74.00	-17.04	3	Horizontal	333	1.44	-
5300MHz	Pass	PK	15.89296G	61.41	74.00	-12.59	3	Horizontal	141	1.42	-
5320MHz	Pass	AV	5.3208G	104.79	Inf	-Inf	3	Vertical	12	1.57	-
5320MHz	Pass	AV	5.35G	49.86	54.00	-4.14	3	Vertical	12	1.57	-
5320MHz	Pass	PK	5.3188G	118.02	Inf	-Inf	3	Vertical	12	1.57	-
5320MHz	Pass	PK	5.353G	72.55	74.00	-1.45	3	Vertical	12	1.57	-
5320MHz	Pass	AV	5.3208G	90.52	Inf	-Inf	3	Horizontal	232	1.48	-
5320MHz	Pass	AV	5.3518G	44.70	54.00	-9.30	3	Horizontal	232	1.48	-
5320MHz	Pass	PK	5.3194G	103.60	Inf	-Inf	3	Horizontal	232	1.48	-
5320MHz	Pass	PK	5.3528G	59.23	74.00	-14.77	3	Horizontal	232	1.48	-
5320MHz	Pass	AV	10.64096G	43.63	54.00	-10.37	3	Vertical	326	1.30	-
5320MHz	Pass	AV	15.96084G	47.28	54.00	-6.72	3	Vertical	213	1.39	-
5320MHz	Pass	PK	10.6382G	57.45	74.00	-16.55	3	Vertical	326	1.30	-
5320MHz	Pass	PK	15.96584G	63.30	74.00	-10.70	3	Vertical	213	1.39	-
5320MHz	Pass	AV	10.6402G	44.18	54.00	-9.82	3	Horizontal	257	1.70	-
5320MHz	Pass	AV	15.9582G	45.82	54.00	-8.18	3	Horizontal	140	1.39	-
5320MHz	Pass	PK	10.6398G	58.46	74.00	-15.54	3	Horizontal	257	1.70	-
5320MHz	Pass	PK	15.96G	61.05	74.00	-12.95	3	Horizontal	140	1.39	-
5500MHz	Pass	AV	5.46G	47.68	54.00	-6.32	3	Vertical	16	1.48	-
5500MHz	Pass	AV	5.499G	104.82	Inf	-Inf	3	Vertical	16	1.48	-
5500MHz	Pass	PK	5.4682G	66.85	68.20	-1.35	3	Vertical	16	1.48	-
5500MHz	Pass	PK	5.4974G	117.99	Inf	-Inf	3	Vertical	16	1.48	-
5500MHz	Pass	AV	5.459G	44.75	54.00	-9.25	3	Horizontal	12	2.14	-
5500MHz	Pass	AV	5.5014G	88.91	Inf	-Inf	3	Horizontal	12	2.14	-
5500MHz	Pass	PK	5.4622G	57.42	68.20	-10.78	3	Horizontal	12	2.14	-
5500MHz	Pass	PK	5.5028G	101.62	Inf	-Inf	3	Horizontal	12	2.14	-
5500MHz	Pass	AV	11.00076G	46.03	54.00	-7.97	3	Vertical	274	1.49	-
5500MHz	Pass	PK	10.99648G	60.72	74.00	-13.28	3	Vertical	274	1.49	-
5500MHz	Pass	PK	16.50808G	64.50	68.20	-3.70	3	Vertical	93	1.49	-
5500MHz	Pass	AV	11.00004G	45.54	54.00	-8.46	3	Horizontal	270	1.64	-



RSE TX above 1GHz_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	11.00064G	59.38	74.00	-14.62	3	Horizontal	270	1.64	-
5500MHz	Pass	PK	16.49836G	63.58	68.20	-4.62	3	Horizontal	91	1.39	-
5580MHz	Pass	AV	5.457G	45.72	54.00	-8.28	3	Vertical	9	1.50	-
5580MHz	Pass	AV	5.5812G	105.95	Inf	-Inf	3	Vertical	9	1.50	-
5580MHz	Pass	PK	5.4642G	57.97	68.20	-10.23	3	Vertical	9	1.50	-
5580MHz	Pass	PK	5.5812G	117.81	Inf	-Inf	3	Vertical	9	1.50	-
5580MHz	Pass	PK	5.7294G	58.30	68.20	-9.90	3	Vertical	9	1.50	-
5580MHz	Pass	AV	5.433G	44.74	54.00	-9.26	3	Horizontal	8	1.91	-
5580MHz	Pass	AV	5.5788G	90.26	Inf	-Inf	3	Horizontal	8	1.91	-
5580MHz	Pass	PK	5.4684G	57.01	68.20	-11.19	3	Horizontal	8	1.91	-
5580MHz	Pass	PK	5.583G	102.14	Inf	-Inf	3	Horizontal	8	1.91	-
5580MHz	Pass	PK	5.7264G	56.90	68.20	-11.30	3	Horizontal	8	1.91	-
5580MHz	Pass	AV	11.16008G	50.14	54.00	-3.86	3	Vertical	268	1.58	-
5580MHz	Pass	PK	11.16652G	65.78	74.00	-8.22	3	Vertical	268	1.58	-
5580MHz	Pass	PK	16.7392G	66.55	68.20	-1.65	3	Vertical	94	1.50	-
5580MHz	Pass	AV	11.16092G	49.51	54.00	-4.49	3	Horizontal	52	2.42	-
5580MHz	Pass	PK	11.15376G	65.80	74.00	-8.20	3	Horizontal	52	2.42	-
5580MHz	Pass	PK	16.73528G	65.72	68.20	-2.48	3	Horizontal	90	1.40	-
5700MHz	Pass	AV	5.7008G	102.40	Inf	-Inf	3	Vertical	13	1.56	-
5700MHz	Pass	PK	5.7016G	114.44	Inf	-Inf	3	Vertical	13	1.56	-
5700MHz	Pass	PK	5.7296G	66.45	68.20	-1.75	3	Vertical	13	1.56	-
5700MHz	Pass	AV	5.6984G	86.58	Inf	-Inf	3	Horizontal	19	1.70	-
5700MHz	Pass	PK	5.7012G	99.05	Inf	-Inf	3	Horizontal	19	1.70	-
5700MHz	Pass	PK	5.7496G	58.33	68.20	-9.87	3	Horizontal	19	1.70	-
5700MHz	Pass	AV	11.40032G	47.95	54.00	-6.05	3	Vertical	236	1.50	-
5700MHz	Pass	PK	11.40296G	64.23	74.00	-9.77	3	Vertical	236	1.50	-
5700MHz	Pass	PK	17.09204G	65.80	68.20	-2.40	3	Vertical	129	1.00	-
5700MHz	Pass	AV	11.39568G	44.23	54.00	-9.77	3	Horizontal	84	2.74	-
5700MHz	Pass	PK	11.39404G	59.64	74.00	-14.36	3	Horizontal	84	2.74	-
5700MHz	Pass	PK	17.09924G	66.65	68.20	-1.55	3	Horizontal	126	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	44.73	54.00	-9.27	3	Vertical	11	1.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	101.51	Inf	-Inf	3	Vertical	11	1.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.39	68.20	-10.81	3	Vertical	11	1.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	114.49	Inf	-Inf	3	Vertical	11	1.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	59.04	68.20	-9.16	3	Vertical	11	1.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	44.69	54.00	-9.31	3	Horizontal	326	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	87.44	Inf	-Inf	3	Horizontal	326	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.42	68.20	-9.78	3	Horizontal	326	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	100.29	Inf	-Inf	3	Horizontal	326	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.96G	58.50	68.20	-9.70	3	Horizontal	326	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44028G	46.68	54.00	-7.32	3	Vertical	235	1.59	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43952G	62.30	74.00	-11.70	3	Vertical	235	1.59	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15972G	66.95	68.20	-1.25	3	Vertical	80	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44052G	43.38	54.00	-10.62	3	Horizontal	84	2.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43884G	58.05	74.00	-15.95	3	Horizontal	84	2.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16328G	64.04	68.20	-4.16	3	Horizontal	62	1.49	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2712G	104.79	Inf	-Inf	3	Vertical	22	1.50	-
5270MHz	Pass	AV	5.35G	52.55	54.00	-1.45	3	Vertical	22	1.50	-
5270MHz	Pass	PK	5.2712G	117.26	Inf	-Inf	3	Vertical	22	1.50	-
5270MHz	Pass	PK	5.352G	71.48	74.00	-2.52	3	Vertical	22	1.50	-
5270MHz	Pass	AV	5.2688G	90.55	Inf	-Inf	3	Horizontal	165	1.64	-
5270MHz	Pass	AV	5.3544G	45.79	54.00	-8.21	3	Horizontal	165	1.64	-
5270MHz	Pass	PK	5.2644G	102.42	Inf	-Inf	3	Horizontal	165	1.64	-
5270MHz	Pass	PK	5.3504G	58.13	74.00	-15.87	3	Horizontal	165	1.64	-
5270MHz	Pass	AV	15.808G	50.85	54.00	-3.15	3	Vertical	310	1.54	-
5270MHz	Pass	PK	10.53984G	57.67	68.20	-10.53	3	Vertical	322	1.24	-
5270MHz	Pass	PK	15.81344G	65.55	74.00	-8.45	3	Vertical	310	1.54	-
5270MHz	Pass	AV	15.8132G	47.28	54.00	-6.72	3	Horizontal	140	1.47	-
5270MHz	Pass	PK	10.55456G	56.14	68.20	-12.06	3	Horizontal	332	1.49	-
5270MHz	Pass	PK	15.81256G	60.83	74.00	-13.17	3	Horizontal	140	1.47	-
5310MHz	Pass	AV	5.3092G	100.62	Inf	-Inf	3	Vertical	13	1.50	-



RSE TX above 1GHz_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	5.35G	48.47	54.00	-5.53	3	Vertical	13	1.50	-
5310MHz	Pass	PK	5.314G	113.02	Inf	-Inf	3	Vertical	13	1.50	-
5310MHz	Pass	PK	5.358G	72.62	74.00	-1.38	3	Vertical	13	1.50	-
5310MHz	Pass	AV	5.3112G	87.09	Inf	-Inf	3	Horizontal	230	1.70	-
5310MHz	Pass	AV	5.3508G	45.35	54.00	-8.65	3	Horizontal	230	1.70	-
5310MHz	Pass	PK	5.3116G	100.03	Inf	-Inf	3	Horizontal	230	1.70	-
5310MHz	Pass	PK	5.384G	58.25	74.00	-15.75	3	Horizontal	230	1.70	-
5310MHz	Pass	AV	10.61936G	42.93	54.00	-11.07	3	Vertical	321	1.21	-
5310MHz	Pass	AV	15.9408G	45.87	54.00	-8.13	3	Vertical	308	1.50	-
5310MHz	Pass	PK	10.6192G	55.91	74.00	-18.09	3	Vertical	321	1.21	-
5310MHz	Pass	PK	15.92064G	59.43	74.00	-14.57	3	Vertical	308	1.50	-
5310MHz	Pass	AV	10.6152G	43.18	54.00	-10.82	3	Horizontal	329	1.44	-
5310MHz	Pass	AV	15.92488G	45.52	54.00	-8.48	3	Horizontal	71	1.50	-
5310MHz	Pass	PK	10.62088G	56.18	74.00	-17.82	3	Horizontal	329	1.44	-
5310MHz	Pass	PK	15.93976G	59.64	74.00	-14.36	3	Horizontal	71	1.50	-
5510MHz	Pass	AV	5.4588G	47.64	54.00	-6.36	3	Vertical	5	2.06	-
5510MHz	Pass	AV	5.5088G	101.56	Inf	-Inf	3	Vertical	5	2.06	-
5510MHz	Pass	PK	5.4696G	62.85	68.20	-5.35	3	Vertical	5	2.06	-
5510MHz	Pass	PK	5.5088G	113.69	Inf	-Inf	3	Vertical	5	2.06	-
5510MHz	Pass	AV	5.4576G	45.44	54.00	-8.56	3	Horizontal	227	2.45	-
5510MHz	Pass	AV	5.5088G	86.45	Inf	-Inf	3	Horizontal	227	2.45	-
5510MHz	Pass	PK	5.462G	58.23	68.20	-9.97	3	Horizontal	227	2.45	-
5510MHz	Pass	PK	5.5076G	98.40	Inf	-Inf	3	Horizontal	227	2.45	-
5510MHz	Pass	AV	11.01888G	44.33	54.00	-9.67	3	Vertical	281	1.70	-
5510MHz	Pass	PK	11.02032G	58.50	74.00	-15.50	3	Vertical	281	1.70	-
5510MHz	Pass	PK	16.5232G	61.47	68.20	-6.73	3	Vertical	166	1.50	-
5510MHz	Pass	AV	11.02032G	44.53	54.00	-9.47	3	Horizontal	271	1.70	-
5510MHz	Pass	PK	11.01528G	57.71	74.00	-16.29	3	Horizontal	271	1.70	-
5510MHz	Pass	PK	16.52856G	61.64	68.20	-6.56	3	Horizontal	0	1.82	-
5550MHz	Pass	AV	5.4596G	48.21	54.00	-5.79	3	Vertical	0	2.44	-
5550MHz	Pass	AV	5.5488G	104.26	Inf	-Inf	3	Vertical	0	2.44	-
5550MHz	Pass	PK	5.4696G	66.09	68.20	-2.11	3	Vertical	0	2.44	-
5550MHz	Pass	PK	5.5516G	116.56	Inf	-Inf	3	Vertical	0	2.44	-
5550MHz	Pass	AV	5.4588G	45.39	54.00	-8.61	3	Horizontal	18	2.88	-
5550MHz	Pass	AV	5.5508G	90.72	Inf	-Inf	3	Horizontal	18	2.88	-
5550MHz	Pass	PK	5.4668G	58.05	68.20	-10.15	3	Horizontal	18	2.88	-
5550MHz	Pass	PK	5.5508G	103.90	Inf	-Inf	3	Horizontal	18	2.88	-
5550MHz	Pass	AV	11.0996G	48.78	54.00	-5.22	3	Vertical	271	1.55	-
5550MHz	Pass	PK	11.10056G	64.45	74.00	-9.55	3	Vertical	271	1.55	-
5550MHz	Pass	PK	16.65184G	62.98	68.20	-5.22	3	Vertical	94	1.50	-
5550MHz	Pass	AV	11.10216G	46.77	54.00	-7.23	3	Horizontal	64	2.84	-
5550MHz	Pass	PK	11.09968G	60.39	74.00	-13.61	3	Horizontal	64	2.84	-
5550MHz	Pass	PK	16.64952G	62.12	68.20	-6.08	3	Horizontal	91	1.44	-
5670MHz	Pass	AV	5.6688G	102.26	Inf	-Inf	3	Vertical	12	1.45	-
5670MHz	Pass	PK	5.6712G	115.02	Inf	-Inf	3	Vertical	12	1.45	-
5670MHz	Pass	PK	5.73G	66.84	68.20	-1.36	3	Vertical	12	1.45	-
5670MHz	Pass	AV	5.6712G	84.59	Inf	-Inf	3	Horizontal	141	1.50	-
5670MHz	Pass	PK	5.6706G	97.17	Inf	-Inf	3	Horizontal	141	1.50	-
5670MHz	Pass	PK	5.7948G	58.16	68.20	-10.04	3	Horizontal	141	1.50	-
5670MHz	Pass	AV	11.33992G	48.83	54.00	-5.17	3	Vertical	237	1.00	-
5670MHz	Pass	PK	11.34552G	62.75	74.00	-11.25	3	Vertical	237	1.00	-
5670MHz	Pass	PK	17.00232G	65.49	68.20	-2.71	3	Vertical	46	1.48	-
5670MHz	Pass	AV	11.33832G	46.38	54.00	-7.62	3	Horizontal	32	2.30	-
5670MHz	Pass	PK	11.33888G	61.15	74.00	-12.85	3	Horizontal	32	2.30	-
5670MHz	Pass	PK	17.00232G	65.19	68.20	-3.01	3	Horizontal	127	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4388G	45.89	54.00	-8.11	3	Vertical	12	1.74	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	102.87	Inf	-Inf	3	Vertical	12	1.74	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	56.74	68.20	-11.46	3	Vertical	12	1.74	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	115.66	Inf	-Inf	3	Vertical	12	1.74	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	59.34	68.20	-8.86	3	Vertical	12	1.74	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4136G	45.41	54.00	-8.59	3	Horizontal	328	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	88.96	Inf	-Inf	3	Horizontal	328	1.72	-



RSE TX above 1GHz_Beamforming

Appendix D.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	56.66	68.20	-11.54	3	Horizontal	328	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	100.29	Inf	-Inf	3	Horizontal	328	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9644G	58.97	68.20	-9.23	3	Horizontal	328	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42384G	50.61	54.00	-3.39	3	Vertical	235	1.57	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42152G	65.00	74.00	-9.00	3	Vertical	235	1.57	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13736G	66.56	68.20	-1.64	3	Vertical	46	1.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41792G	46.39	54.00	-7.61	3	Horizontal	86	2.21	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42336G	60.45	74.00	-13.55	3	Horizontal	86	2.21	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1328G	65.80	68.20	-2.40	3	Horizontal	128	1.07	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	47.55	54.00	-6.45	3	Vertical	16	1.90	-
5290MHz	Pass	AV	5.288G	98.46	Inf	-Inf	3	Vertical	16	1.90	-
5290MHz	Pass	AV	5.35G	52.40	54.00	-1.60	3	Vertical	16	1.90	-
5290MHz	Pass	PK	5.15G	60.02	74.00	-13.98	3	Vertical	16	1.90	-
5290MHz	Pass	PK	5.284G	110.77	Inf	-Inf	3	Vertical	16	1.90	-
5290MHz	Pass	PK	5.375G	70.28	74.00	-3.72	3	Vertical	16	1.90	-
5290MHz	Pass	AV	5.134G	46.43	54.00	-7.57	3	Horizontal	233	1.47	-
5290MHz	Pass	AV	5.288G	85.08	Inf	-Inf	3	Horizontal	233	1.47	-
5290MHz	Pass	AV	5.436G	46.51	54.00	-7.49	3	Horizontal	233	1.47	-
5290MHz	Pass	PK	5.148G	57.66	74.00	-16.34	3	Horizontal	233	1.47	-
5290MHz	Pass	PK	5.293G	96.51	Inf	-Inf	3	Horizontal	233	1.47	-
5290MHz	Pass	PK	5.526G	57.77	68.20	-10.43	3	Horizontal	233	1.47	-
5290MHz	Pass	AV	15.8769G	46.54	54.00	-7.46	3	Vertical	216	1.76	-
5290MHz	Pass	PK	10.5686G	55.10	68.20	-13.10	3	Vertical	287	1.50	-
5290MHz	Pass	PK	15.8671G	58.62	74.00	-15.38	3	Vertical	216	1.76	-
5290MHz	Pass	AV	15.8799G	46.40	54.00	-7.60	3	Horizontal	192	1.50	-
5290MHz	Pass	PK	10.5663G	55.62	68.20	-12.58	3	Horizontal	269	2.52	-
5290MHz	Pass	PK	15.8506G	58.27	74.00	-15.73	3	Horizontal	192	1.50	-
5530MHz	Pass	AV	5.454G	52.80	54.00	-1.20	3	Vertical	10	1.50	-
5530MHz	Pass	AV	5.532G	99.52	Inf	-Inf	3	Vertical	10	1.50	-
5530MHz	Pass	PK	5.468G	66.80	68.20	-1.40	3	Vertical	10	1.50	-
5530MHz	Pass	PK	5.533G	112.65	Inf	-Inf	3	Vertical	10	1.50	-
5530MHz	Pass	PK	5.739G	58.87	68.20	-9.33	3	Vertical	10	1.50	-
5530MHz	Pass	AV	5.458G	46.13	54.00	-7.87	3	Horizontal	20	3.00	-
5530MHz	Pass	AV	5.534G	85.31	Inf	-Inf	3	Horizontal	20	3.00	-
5530MHz	Pass	PK	5.465G	57.43	68.20	-10.77	3	Horizontal	20	3.00	-
5530MHz	Pass	PK	5.534G	96.84	Inf	-Inf	3	Horizontal	20	3.00	-
5530MHz	Pass	PK	5.734G	57.75	68.20	-10.45	3	Horizontal	20	3.00	-
5530MHz	Pass	AV	11.06G	45.21	54.00	-8.79	3	Vertical	270	1.50	-
5530MHz	Pass	PK	11.0467G	57.32	74.00	-16.68	3	Vertical	270	1.50	-
5530MHz	Pass	PK	16.577G	60.62	68.20	-7.58	3	Vertical	14	1.63	-
5530MHz	Pass	AV	11.0524G	44.28	54.00	-9.72	3	Horizontal	262	1.11	-
5530MHz	Pass	PK	11.0397G	56.06	74.00	-17.94	3	Horizontal	262	1.11	-
5530MHz	Pass	PK	16.6142G	60.77	68.20	-7.43	3	Horizontal	76	1.21	-
5610MHz	Pass	AV	5.46G	47.75	54.00	-6.25	3	Vertical	11	1.50	-
5610MHz	Pass	AV	5.609G	99.43	Inf	-Inf	3	Vertical	11	1.50	-
5610MHz	Pass	PK	5.465G	60.24	68.20	-7.96	3	Vertical	11	1.50	-
5610MHz	Pass	PK	5.615G	110.49	Inf	-Inf	3	Vertical	11	1.50	-
5610MHz	Pass	PK	5.727G	66.40	68.20	-1.80	3	Vertical	11	1.50	-
5610MHz	Pass	AV	5.445G	46.11	54.00	-7.89	3	Horizontal	356	1.76	-
5610MHz	Pass	AV	5.616G	84.39	Inf	-Inf	3	Horizontal	356	1.76	-
5610MHz	Pass	PK	5.462G	56.64	68.20	-11.56	3	Horizontal	356	1.76	-
5610MHz	Pass	PK	5.617G	97.85	Inf	-Inf	3	Horizontal	356	1.76	-
5610MHz	Pass	PK	5.838G	58.74	68.20	-9.46	3	Horizontal	356	1.76	-
5610MHz	Pass	AV	11.2273G	46.32	54.00	-7.68	3	Vertical	280	1.63	-
5610MHz	Pass	PK	11.2288G	58.48	74.00	-15.52	3	Vertical	280	1.63	-
5610MHz	Pass	PK	16.849G	62.28	68.20	-5.92	3	Vertical	93	1.86	-
5610MHz	Pass	AV	11.2196G	46.55	54.00	-7.45	3	Horizontal	54	2.43	-
5610MHz	Pass	PK	11.2293G	59.38	74.00	-14.62	3	Horizontal	54	2.43	-
5610MHz	Pass	PK	16.8233G	62.37	68.20	-5.83	3	Horizontal	126	1.17	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.454G	47.44	54.00	-6.56	3	Vertical	16	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.691G	101.39	Inf	-Inf	3	Vertical	16	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.469G	59.85	68.20	-8.35	3	Vertical	16	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.692G	112.08	Inf	-Inf	3	Vertical	16	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.853G	66.73	68.20	-1.47	3	Vertical	16	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	45.90	54.00	-8.10	3	Horizontal	328	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	87.17	Inf	-Inf	3	Horizontal	328	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	57.14	68.20	-11.06	3	Horizontal	328	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.691G	98.67	Inf	-Inf	3	Horizontal	328	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.891G	58.37	68.20	-9.83	3	Horizontal	328	1.90	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3802G	52.30	54.00	-1.70	3	Vertical	236	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3944G	63.74	74.00	-10.26	3	Vertical	236	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0883G	66.22	68.20	-1.98	3	Vertical	48	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.375G	48.93	54.00	-5.07	3	Horizontal	86	2.12	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3687G	60.97	74.00	-13.03	3	Horizontal	86	2.12	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0644G	65.98	68.20	-2.22	3	Horizontal	128	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1406G	46.47	54.00	-7.53	6.84	3	Vertical	11	2.54	-	39.63	31.90	9.07	34.13
AV	5.2588G	105.82	Inf	-Inf	6.37	3	Vertical	11	2.54	-	99.45	31.38	9.14	34.15
AV	5.377G	46.25	54.00	-7.75	6.62	3	Vertical	11	2.54	-	39.63	31.52	9.27	34.17
PK	5.125G	60.37	74.00	-13.63	6.85	3	Vertical	11	2.54	-	53.52	31.90	9.07	34.12
PK	5.263G	118.29	Inf	-Inf	6.37	3	Vertical	11	2.54	-	111.92	31.37	9.15	34.15
PK	5.3794G	59.76	74.00	-14.24	6.65	3	Vertical	11	2.54	-	53.11	31.54	9.28	34.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	44.85	54.00	-9.15	6.84	3	Horizontal	224	1.27	-	38.01	31.90	9.07	34.13
AV	5.2588G	90.91	Inf	-Inf	6.37	3	Horizontal	224	1.27	-	84.54	31.38	9.14	34.15
AV	5.3758G	44.61	54.00	-9.39	6.61	3	Horizontal	224	1.27	-	38.00	31.51	9.27	34.17
PK	5.1202G	57.67	74.00	-16.33	6.85	3	Horizontal	224	1.27	-	50.82	31.90	9.07	34.12
PK	5.2624G	104.05	Inf	-Inf	6.38	3	Horizontal	224	1.27	-	97.67	31.38	9.15	34.15
PK	5.3614G	57.74	74.00	-16.26	6.48	3	Horizontal	224	1.27	-	51.26	31.39	9.26	34.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7814G	51.10	54.00	-2.90	17.60	3	Vertical	308	1.58	-	33.50	37.29	14.88	34.57
PK	10.51812G	59.83	68.20	-8.37	17.66	3	Vertical	324	1.32	-	42.17	39.70	12.43	34.47
PK	15.77964G	69.31	74.00	-4.69	17.61	3	Vertical	308	1.58	-	51.70	37.30	14.88	34.57

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77872G	46.74	54.00	-7.26	17.62	3	Horizontal	140	1.48	-	29.12	37.31	14.88	34.57
PK	10.52244G	56.12	68.20	-12.08	17.66	3	Horizontal	248	1.57	-	38.46	39.70	12.43	34.47
PK	15.77912G	60.95	74.00	-13.05	17.61	3	Horizontal	140	1.48	-	43.34	37.30	14.88	34.57

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	106.01	Inf	-Inf	6.34	3	Vertical	9	2.38	-	99.67	31.30	9.19	34.15
AV	5.3508G	47.53	54.00	-6.47	6.40	3	Vertical	9	2.38	-	41.13	31.31	9.25	34.16
PK	5.2968G	118.55	Inf	-Inf	6.35	3	Vertical	9	2.38	-	112.20	31.31	9.19	34.15
PK	5.358G	66.43	74.00	-7.57	6.45	3	Vertical	9	2.38	-	59.98	31.36	9.25	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	92.16	Inf	-Inf	6.34	3	Horizontal	226	1.29	-	85.82	31.30	9.19	34.15
AV	5.3564G	44.60	54.00	-9.40	6.44	3	Horizontal	226	1.29	-	38.16	31.35	9.25	34.16
PK	5.302G	104.46	Inf	-Inf	6.34	3	Horizontal	226	1.29	-	98.12	31.30	9.19	34.15
PK	5.3668G	57.40	74.00	-16.60	6.52	3	Horizontal	226	1.29	-	50.88	31.43	9.26	34.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90148G	50.44	54.00	-3.56	17.19	3	Vertical	214	1.50	-	33.25	36.90	14.92	34.63
PK	10.60104G	58.05	74.00	-15.95	17.76	3	Vertical	46	2.81	-	40.29	39.70	12.46	34.40
PK	15.89528G	66.37	74.00	-7.63	17.20	3	Vertical	214	1.50	-	49.17	36.91	14.92	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90156G	46.79	54.00	-7.21	17.19	3	Horizontal	141	1.42	-	29.60	36.90	14.92	34.63
PK	10.60604G	56.96	74.00	-17.04	17.77	3	Horizontal	333	1.44	-	39.19	39.70	12.46	34.39
PK	15.89296G	61.41	74.00	-12.59	17.21	3	Horizontal	141	1.42	-	44.20	36.92	14.92	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3208G	104.79	Inf	-Inf	6.35	3	Vertical	12	1.57	-	98.44	31.30	9.21	34.16
AV	5.35G	49.86	54.00	-4.14	6.39	3	Vertical	12	1.57	-	43.47	31.30	9.25	34.16
PK	5.3188G	118.02	Inf	-Inf	6.35	3	Vertical	12	1.57	-	111.67	31.30	9.21	34.16
PK	5.353G	72.55	74.00	-1.45	6.41	3	Vertical	12	1.57	-	66.14	31.32	9.25	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3208G	90.52	Inf	-Inf	6.35	3	Horizontal	232	1.48	-	84.17	31.30	9.21	34.16
AV	5.3518G	44.70	54.00	-9.30	6.40	3	Horizontal	232	1.48	-	38.30	31.31	9.25	34.16
PK	5.3194G	103.60	Inf	-Inf	6.35	3	Horizontal	232	1.48	-	97.25	31.30	9.21	34.16
PK	5.3528G	59.23	74.00	-14.77	6.41	3	Horizontal	232	1.48	-	52.82	31.32	9.25	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64096G	43.63	54.00	-10.37	17.82	3	Vertical	326	1.30	-	25.81	39.70	12.48	34.36
AV	15.96084G	47.28	54.00	-6.72	17.29	3	Vertical	213	1.39	-	29.99	37.02	14.94	34.67
PK	10.6382G	57.45	74.00	-16.55	17.81	3	Vertical	326	1.30	-	39.64	39.70	12.48	34.37
PK	15.96584G	63.30	74.00	-10.70	17.30	3	Vertical	213	1.39	-	46.00	37.03	14.94	34.67

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6402G	44.18	54.00	-9.82	17.82	3	Horizontal	257	1.70	-	26.36	39.70	12.48	34.36
AV	15.9582G	45.82	54.00	-8.18	17.29	3	Horizontal	140	1.39	-	28.53	37.02	14.94	34.67
PK	10.6398G	58.46	74.00	-15.54	17.82	3	Horizontal	257	1.70	-	40.64	39.70	12.48	34.36
PK	15.96G	61.05	74.00	-12.95	17.29	3	Horizontal	140	1.39	-	43.76	37.02	14.94	34.67

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.68	54.00	-6.32	6.89	3	Vertical	16	1.48	-	40.79	31.72	9.35	34.18
AV	5.499G	104.82	Inf	-Inf	6.99	3	Vertical	16	1.48	-	97.83	31.80	9.38	34.19
PK	5.4682G	66.85	68.20	-1.35	6.91	3	Vertical	16	1.48	-	59.94	31.74	9.35	34.18
PK	5.4974G	117.99	Inf	-Inf	6.98	3	Vertical	16	1.48	-	111.01	31.79	9.38	34.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	44.75	54.00	-9.25	6.89	3	Horizontal	12	2.14	-	37.86	31.72	9.35	34.18
AV	5.5014G	88.91	Inf	-Inf	6.99	3	Horizontal	12	2.14	-	81.92	31.80	9.38	34.19
PK	5.4622G	57.42	68.20	-10.78	6.89	3	Horizontal	12	2.14	-	50.53	31.72	9.35	34.18
PK	5.5028G	101.62	Inf	-Inf	6.99	3	Horizontal	12	2.14	-	94.63	31.80	9.38	34.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00076G	46.03	54.00	-7.97	18.89	3	Vertical	274	1.49	-	27.14	40.30	12.63	34.04
PK	10.99648G	60.72	74.00	-13.28	18.88	3	Vertical	274	1.49	-	41.84	40.29	12.63	34.04
PK	16.50808G	64.50	68.20	-3.70	19.48	3	Vertical	93	1.49	-	45.02	38.57	15.25	34.34

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00004G	45.54	54.00	-8.46	18.89	3	Horizontal	270	1.64	-	26.65	40.30	12.63	34.04
PK	11.00064G	59.38	74.00	-14.62	18.89	3	Horizontal	270	1.64	-	40.49	40.30	12.63	34.04
PK	16.49836G	63.58	68.20	-4.62	19.47	3	Horizontal	91	1.39	-	44.11	38.59	15.24	34.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	45.72	54.00	-8.28	6.88	3	Vertical	9	1.50	-	38.84	31.71	9.35	34.18
AV	5.5812G	105.95	Inf	-Inf	6.99	3	Vertical	9	1.50	-	98.96	31.74	9.44	34.19
PK	5.4642G	57.97	68.20	-10.23	6.90	3	Vertical	9	1.50	-	51.07	31.73	9.35	34.18
PK	5.5812G	117.81	Inf	-Inf	6.99	3	Vertical	9	1.50	-	110.82	31.74	9.44	34.19
PK	5.7294G	58.30	68.20	-9.90	7.26	3	Vertical	9	1.50	-	51.04	31.96	9.50	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.433G	44.74	54.00	-9.26	6.85	3	Horizontal	8	1.91	-	37.89	31.70	9.33	34.18
AV	5.5788G	90.26	Inf	-Inf	6.99	3	Horizontal	8	1.91	-	83.27	31.74	9.44	34.19
PK	5.4684G	57.01	68.20	-11.19	6.91	3	Horizontal	8	1.91	-	50.10	31.74	9.35	34.18
PK	5.583G	102.14	Inf	-Inf	6.99	3	Horizontal	8	1.91	-	95.15	31.73	9.45	34.19
PK	5.7264G	56.90	68.20	-11.30	7.25	3	Horizontal	8	1.91	-	49.65	31.95	9.50	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16008G	50.14	54.00	-3.86	18.31	3	Vertical	268	1.58	-	31.83	39.66	12.70	34.05
PK	11.16652G	65.78	74.00	-8.22	18.28	3	Vertical	268	1.58	-	47.50	39.63	12.70	34.05
PK	16.7392G	66.55	68.20	-1.65	20.87	3	Vertical	94	1.50	-	45.68	39.36	15.38	33.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16092G	49.51	54.00	-4.49	18.31	3	Horizontal	52	2.42	-	31.20	39.66	12.70	34.05
PK	11.15376G	65.80	74.00	-8.20	18.32	3	Horizontal	52	2.42	-	47.48	39.68	12.69	34.05
PK	16.73528G	65.72	68.20	-2.48	20.84	3	Horizontal	90	1.40	-	44.88	39.34	15.38	33.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	102.40	Inf	-Inf	7.19	3	Vertical	13	1.56	-	95.21	31.90	9.49	34.20
PK	5.7016G	114.44	Inf	-Inf	7.19	3	Vertical	13	1.56	-	107.25	31.90	9.49	34.20
PK	5.7296G	66.45	68.20	-1.75	7.26	3	Vertical	13	1.56	-	59.19	31.96	9.50	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	86.58	Inf	-Inf	7.18	3	Horizontal	19	1.70	-	79.40	31.89	9.49	34.20
PK	5.7012G	99.05	Inf	-Inf	7.19	3	Horizontal	19	1.70	-	91.86	31.90	9.49	34.20
PK	5.7496G	58.33	68.20	-9.87	7.30	3	Horizontal	19	1.70	-	51.03	32.00	9.50	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40032G	47.95	54.00	-6.05	18.64	3	Vertical	236	1.50	-	29.31	39.90	12.80	34.06
PK	11.40296G	64.23	74.00	-9.77	18.65	3	Vertical	236	1.50	-	45.58	39.91	12.80	34.06
PK	17.09204G	65.80	68.20	-2.40	21.97	3	Vertical	129	1.00	-	43.83	39.69	15.59	33.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39568G	44.23	54.00	-9.77	18.63	3	Horizontal	84	2.74	-	25.60	39.89	12.80	34.06
PK	11.39404G	59.64	74.00	-14.36	18.62	3	Horizontal	84	2.74	-	41.02	39.88	12.80	34.06
PK	17.09924G	66.65	68.20	-1.55	21.99	3	Horizontal	126	1.38	-	44.66	39.70	15.59	33.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	44.73	54.00	-9.27	6.85	3	Vertical	11	1.43	-	37.88	31.70	9.33	34.18
AV	5.7188G	101.51	Inf	-Inf	7.24	3	Vertical	11	1.43	-	94.27	31.94	9.50	34.20
PK	5.4644G	57.39	68.20	-10.81	6.90	3	Vertical	11	1.43	-	50.49	31.73	9.35	34.18
PK	5.7176G	114.49	Inf	-Inf	7.24	3	Vertical	11	1.43	-	107.25	31.94	9.50	34.20
PK	5.8736G	59.04	68.20	-9.16	7.76	3	Vertical	11	1.43	-	51.28	32.39	9.58	34.21

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	44.69	54.00	-9.31	6.84	3	Horizontal	326	1.81	-	37.85	31.70	9.32	34.18
AV	5.7188G	87.44	Inf	-Inf	7.24	3	Horizontal	326	1.81	-	80.20	31.94	9.50	34.20
PK	5.4692G	58.42	68.20	-9.78	6.92	3	Horizontal	326	1.81	-	51.50	31.74	9.36	34.18
PK	5.7224G	100.29	Inf	-Inf	7.24	3	Horizontal	326	1.81	-	93.05	31.94	9.50	34.20
PK	5.96G	58.50	68.20	-9.70	7.93	3	Horizontal	326	1.81	-	50.57	32.50	9.65	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44028G	46.68	54.00	-7.32	18.73	3	Vertical	235	1.59	-	27.95	39.98	12.81	34.06
PK	11.43952G	62.30	74.00	-11.70	18.73	3	Vertical	235	1.59	-	43.57	39.98	12.81	34.06
PK	17.15972G	66.95	68.20	-1.25	21.92	3	Vertical	80	2.12	-	45.03	39.58	15.63	33.29

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44052G	43.38	54.00	-10.62	18.74	3	Horizontal	84	2.66	-	24.64	39.98	12.82	34.06
PK	11.43884G	58.05	74.00	-15.95	18.73	3	Horizontal	84	2.66	-	39.32	39.98	12.81	34.06
PK	17.16328G	64.04	68.20	-4.16	21.91	3	Horizontal	62	1.49	-	42.13	39.57	15.63	33.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2712G	104.79	Inf	-Inf	6.37	3	Vertical	22	1.50	-	98.42	31.36	9.16	34.15
AV	5.35G	52.55	54.00	-1.45	6.39	3	Vertical	22	1.50	-	46.16	31.30	9.25	34.16
PK	5.2712G	117.26	Inf	-Inf	6.37	3	Vertical	22	1.50	-	110.89	31.36	9.16	34.15
PK	5.352G	71.48	74.00	-2.52	6.41	3	Vertical	22	1.50	-	65.07	31.32	9.25	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2688G	90.55	Inf	-Inf	6.37	3	Horizontal	165	1.64	-	84.18	31.36	9.16	34.15
AV	5.3544G	45.79	54.00	-8.21	6.43	3	Horizontal	165	1.64	-	39.36	31.34	9.25	34.16
PK	5.2644G	102.42	Inf	-Inf	6.37	3	Horizontal	165	1.64	-	96.05	31.37	9.15	34.15
PK	5.3504G	58.13	74.00	-15.87	6.39	3	Horizontal	165	1.64	-	51.74	31.30	9.25	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.808G	50.85	54.00	-3.15	17.49	3	Vertical	310	1.54	-	33.36	37.18	14.89	34.58
PK	10.53984G	57.67	68.20	-10.53	17.69	3	Vertical	322	1.24	-	39.98	39.70	12.44	34.45
PK	15.81344G	65.55	74.00	-8.45	17.46	3	Vertical	310	1.54	-	48.09	37.16	14.89	34.59

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8132G	47.28	54.00	-6.72	17.46	3	Horizontal	140	1.47	-	29.82	37.16	14.89	34.59
PK	10.55456G	56.14	68.20	-12.06	17.70	3	Horizontal	332	1.49	-	38.44	39.70	12.44	34.44
PK	15.81256G	60.83	74.00	-13.17	17.46	3	Horizontal	140	1.47	-	43.37	37.16	14.89	34.59

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3092G	100.62	Inf	-Inf	6.34	3	Vertical	13	1.50	-	94.28	31.30	9.20	34.16
AV	5.35G	48.47	54.00	-5.53	6.39	3	Vertical	13	1.50	-	42.08	31.30	9.25	34.16
PK	5.314G	113.02	Inf	-Inf	6.35	3	Vertical	13	1.50	-	106.67	31.30	9.21	34.16
PK	5.358G	72.62	74.00	-1.38	6.45	3	Vertical	13	1.50	-	66.17	31.36	9.25	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3112G	87.09	Inf	-Inf	6.34	3	Horizontal	230	1.70	-	80.75	31.30	9.20	34.16
AV	5.3508G	45.35	54.00	-8.65	6.40	3	Horizontal	230	1.70	-	38.95	31.31	9.25	34.16
PK	5.3116G	100.03	Inf	-Inf	6.34	3	Horizontal	230	1.70	-	93.69	31.30	9.20	34.16
PK	5.384G	58.25	74.00	-15.75	6.68	3	Horizontal	230	1.70	-	51.57	31.57	9.28	34.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61936G	42.93	54.00	-11.07	17.79	3	Vertical	321	1.21	-	25.14	39.70	12.47	34.38
AV	15.9408G	45.87	54.00	-8.13	17.25	3	Vertical	308	1.50	-	28.62	36.98	14.93	34.66
PK	10.6192G	55.91	74.00	-18.09	17.79	3	Vertical	321	1.21	-	38.12	39.70	12.47	34.38
PK	15.92064G	59.43	74.00	-14.57	17.22	3	Vertical	308	1.50	-	42.21	36.94	14.93	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6152G	43.18	54.00	-10.82	17.78	3	Horizontal	329	1.44	-	25.40	39.70	12.47	34.39
AV	15.92488G	45.52	54.00	-8.48	17.23	3	Horizontal	71	1.50	-	28.29	36.95	14.93	34.65
PK	10.62088G	56.18	74.00	-17.82	17.79	3	Horizontal	329	1.44	-	38.39	39.70	12.47	34.38
PK	15.93976G	59.64	74.00	-14.36	17.25	3	Horizontal	71	1.50	-	42.39	36.98	14.93	34.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.64	54.00	-6.36	6.89	3	Vertical	5	2.06	-	40.75	31.72	9.35	34.18
AV	5.5088G	101.56	Inf	-Inf	7.00	3	Vertical	5	2.06	-	94.56	31.80	9.39	34.19
PK	5.4696G	62.85	68.20	-5.35	6.92	3	Vertical	5	2.06	-	55.93	31.74	9.36	34.18
PK	5.5088G	113.69	Inf	-Inf	7.00	3	Vertical	5	2.06	-	106.69	31.80	9.39	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	45.44	54.00	-8.56	6.89	3	Horizontal	227	2.45	-	38.55	31.72	9.35	34.18
AV	5.5088G	86.45	Inf	-Inf	7.00	3	Horizontal	227	2.45	-	79.45	31.80	9.39	34.19
PK	5.462G	58.23	68.20	-9.97	6.89	3	Horizontal	227	2.45	-	51.34	31.72	9.35	34.18
PK	5.5076G	98.40	Inf	-Inf	7.00	3	Horizontal	227	2.45	-	91.40	31.80	9.39	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01888G	44.33	54.00	-9.67	18.82	3	Vertical	281	1.70	-	25.51	40.22	12.64	34.04
PK	11.02032G	58.50	74.00	-15.50	18.82	3	Vertical	281	1.70	-	39.68	40.22	12.64	34.04
PK	16.5232G	61.47	68.20	-6.73	19.46	3	Vertical	166	1.50	-	42.01	38.51	15.26	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02032G	44.53	54.00	-9.47	18.82	3	Horizontal	271	1.70	-	25.71	40.22	12.64	34.04
PK	11.01528G	57.71	74.00	-16.29	18.84	3	Horizontal	271	1.70	-	38.87	40.24	12.64	34.04
PK	16.52856G	61.64	68.20	-6.56	19.45	3	Horizontal	0	1.82	-	42.19	38.49	15.26	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.21	54.00	-5.79	6.89	3	Vertical	0	2.44	-	41.32	31.72	9.35	34.18
AV	5.5488G	104.26	Inf	-Inf	7.03	3	Vertical	0	2.44	-	97.23	31.80	9.42	34.19
PK	5.4696G	66.09	68.20	-2.11	6.92	3	Vertical	0	2.44	-	59.17	31.74	9.36	34.18
PK	5.5516G	116.56	Inf	-Inf	7.03	3	Vertical	0	2.44	-	109.53	31.80	9.42	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.39	54.00	-8.61	6.89	3	Horizontal	18	2.88	-	38.50	31.72	9.35	34.18
AV	5.5508G	90.72	Inf	-Inf	7.03	3	Horizontal	18	2.88	-	83.69	31.80	9.42	34.19
PK	5.4668G	58.05	68.20	-10.15	6.90	3	Horizontal	18	2.88	-	51.15	31.73	9.35	34.18
PK	5.5508G	103.90	Inf	-Inf	7.03	3	Horizontal	18	2.88	-	96.87	31.80	9.42	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0996G	48.78	54.00	-5.22	18.53	3	Vertical	271	1.55	-	30.25	39.90	12.67	34.04
PK	11.10056G	64.45	74.00	-9.55	18.53	3	Vertical	271	1.55	-	45.92	39.90	12.67	34.04
PK	16.65184G	62.98	68.20	-5.22	20.00	3	Vertical	94	1.50	-	42.98	38.72	15.33	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10216G	46.77	54.00	-7.23	18.52	3	Horizontal	64	2.84	-	28.25	39.89	12.67	34.04
PK	11.09968G	60.39	74.00	-13.61	18.53	3	Horizontal	64	2.84	-	41.86	39.90	12.67	34.04
PK	16.64952G	62.12	68.20	-6.08	19.98	3	Horizontal	91	1.44	-	42.14	38.70	15.33	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6688G	102.26	Inf	-Inf	6.99	3	Vertical	12	1.45	-	95.27	31.71	9.48	34.20
PK	5.6712G	115.02	Inf	-Inf	7.01	3	Vertical	12	1.45	-	108.01	31.73	9.48	34.20
PK	5.73G	66.84	68.20	-1.36	7.26	3	Vertical	12	1.45	-	59.58	31.96	9.50	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	84.59	Inf	-Inf	7.01	3	Horizontal	141	1.50	-	77.58	31.73	9.48	34.20
PK	5.6706G	97.17	Inf	-Inf	7.00	3	Horizontal	141	1.50	-	90.17	31.72	9.48	34.20
PK	5.7948G	58.16	68.20	-10.04	7.40	3	Horizontal	141	1.50	-	50.76	32.09	9.52	34.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33992G	48.83	54.00	-5.17	18.44	3	Vertical	237	1.00	-	30.39	39.72	12.77	34.05
PK	11.34552G	62.75	74.00	-11.25	18.47	3	Vertical	237	1.00	-	44.28	39.74	12.78	34.05
PK	17.00232G	65.49	68.20	-2.71	21.81	3	Vertical	46	1.48	-	43.68	39.60	15.54	33.33

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33832G	46.38	54.00	-7.62	18.43	3	Horizontal	32	2.30	-	27.95	39.71	12.77	34.05
PK	11.33888G	61.15	74.00	-12.85	18.44	3	Horizontal	32	2.30	-	42.71	39.72	12.77	34.05
PK	17.00232G	65.19	68.20	-3.01	21.81	3	Horizontal	127	1.00	-	43.38	39.60	15.54	33.33

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4388G	45.89	54.00	-8.11	6.85	3	Vertical	12	1.74	-	39.04	31.70	9.33	34.18
AV	5.7088G	102.87	Inf	-Inf	7.21	3	Vertical	12	1.74	-	95.66	31.92	9.49	34.20
PK	5.4628G	56.74	68.20	-11.46	6.90	3	Vertical	12	1.74	-	49.84	31.73	9.35	34.18
PK	5.7088G	115.66	Inf	-Inf	7.21	3	Vertical	12	1.74	-	108.45	31.92	9.49	34.20
PK	5.8504G	59.34	68.20	-8.86	7.65	3	Vertical	12	1.74	-	51.69	32.30	9.56	34.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4136G	45.41	54.00	-8.59	6.84	3	Horizontal	328	1.72	-	38.57	31.70	9.31	34.17
AV	5.7112G	88.96	Inf	-Inf	7.21	3	Horizontal	328	1.72	-	81.75	31.92	9.49	34.20
PK	5.4664G	56.66	68.20	-11.54	6.90	3	Horizontal	328	1.72	-	49.76	31.73	9.35	34.18
PK	5.7088G	100.29	Inf	-Inf	7.21	3	Horizontal	328	1.72	-	93.08	31.92	9.49	34.20
PK	5.9644G	58.97	68.20	-9.23	7.93	3	Horizontal	328	1.72	-	51.04	32.50	9.65	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42384G	50.61	54.00	-3.39	18.70	3	Vertical	235	1.57	-	31.91	39.95	12.81	34.06
PK	11.42152G	65.00	74.00	-9.00	18.69	3	Vertical	235	1.57	-	46.31	39.94	12.81	34.06
PK	17.13736G	66.56	68.20	-1.64	21.96	3	Vertical	46	1.70	-	44.60	39.63	15.62	33.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41792G	46.39	54.00	-7.61	18.69	3	Horizontal	86	2.21	-	27.70	39.94	12.81	34.06
PK	11.42336G	60.45	74.00	-13.55	18.70	3	Horizontal	86	2.21	-	41.75	39.95	12.81	34.06
PK	17.1328G	65.80	68.20	-2.40	21.94	3	Horizontal	128	1.07	-	43.86	39.63	15.61	33.30

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.55	6.84	54.00	-6.45	3	Vertical	16	1.90	-	40.71	31.90	9.07	34.13
AV	5.288G	98.46	6.35	Inf	-Inf	3	Vertical	16	1.90	-	92.11	31.32	9.18	34.15
AV	5.35G	52.40	6.39	54.00	-1.60	3	Vertical	16	1.90	-	46.01	31.30	9.25	34.16
PK	5.15G	60.02	6.84	74.00	-13.98	3	Vertical	16	1.90	-	53.18	31.90	9.07	34.13
PK	5.284G	110.77	6.35	Inf	-Inf	3	Vertical	16	1.90	-	104.42	31.33	9.17	34.15
PK	5.375G	70.28	6.60	74.00	-3.72	3	Vertical	16	1.90	-	63.68	31.50	9.27	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	46.43	6.85	54.00	-7.57	3	Horizontal	233	1.47	-	39.58	31.90	9.07	34.12
AV	5.288G	85.08	6.35	Inf	-Inf	3	Horizontal	233	1.47	-	78.73	31.32	9.18	34.15
AV	5.436G	46.51	6.85	54.00	-7.49	3	Horizontal	233	1.47	-	39.66	31.70	9.33	34.18
PK	5.148G	57.66	6.84	74.00	-16.34	3	Horizontal	233	1.47	-	50.82	31.90	9.07	34.13
PK	5.293G	96.51	6.34	Inf	-Inf	3	Horizontal	233	1.47	-	90.17	31.31	9.18	34.15
PK	5.526G	57.77	7.01	68.20	-10.43	3	Horizontal	233	1.47	-	50.76	31.80	9.40	34.19

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8769G	46.54	17.26	54.00	-7.46	3	Vertical	216	1.76	-	29.28	36.97	14.91	34.62
PK	10.5686G	55.10	17.72	68.20	-13.10	3	Vertical	287	1.50	-	37.38	39.70	12.45	34.43
PK	15.8671G	58.62	17.29	74.00	-15.38	3	Vertical	216	1.76	-	41.33	37.00	14.91	34.62

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8799G	46.40	17.25	54.00	-7.60	3	Horizontal	192	1.50	-	29.15	36.96	14.91	34.62
PK	10.5663G	55.62	17.72	68.20	-12.58	3	Horizontal	269	2.52	-	37.90	39.70	12.45	34.43
PK	15.8506G	58.27	17.34	74.00	-15.73	3	Horizontal	192	1.50	-	40.93	37.05	14.90	34.61

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	52.80	6.87	54.00	-1.20	3	Vertical	10	1.50	-	45.93	31.71	9.34	34.18
AV	5.532G	99.52	7.02	Inf	-Inf	3	Vertical	10	1.50	-	92.50	31.80	9.41	34.19
PK	5.468G	66.80	6.91	68.20	-1.40	3	Vertical	10	1.50	-	59.89	31.74	9.35	34.18
PK	5.533G	112.65	7.02	Inf	-Inf	3	Vertical	10	1.50	-	105.63	31.80	9.41	34.19
PK	5.739G	58.87	7.28	68.20	-9.33	3	Vertical	10	1.50	-	51.59	31.98	9.50	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	46.13	6.89	54.00	-7.87	3	Horizontal	20	3.00	-	39.24	31.72	9.35	34.18
AV	5.534G	85.31	7.02	Inf	-Inf	3	Horizontal	20	3.00	-	78.29	31.80	9.41	34.19
PK	5.465G	57.43	6.90	68.20	-10.77	3	Horizontal	20	3.00	-	50.53	31.73	9.35	34.18
PK	5.534G	96.84	7.02	Inf	-Inf	3	Horizontal	20	3.00	-	89.82	31.80	9.41	34.19
PK	5.734G	57.75	7.27	68.20	-10.45	3	Horizontal	20	3.00	-	50.48	31.97	9.50	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	45.21	18.68	54.00	-8.79	3	Vertical	270	1.50	-	26.53	40.06	12.66	34.04
PK	11.0467G	57.32	18.72	74.00	-16.68	3	Vertical	270	1.50	-	38.60	40.11	12.65	34.04
PK	16.577G	60.62	19.38	68.20	-7.58	3	Vertical	14	1.63	-	41.24	38.29	15.29	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0524G	44.28	18.70	54.00	-9.72	3	Horizontal	262	1.11	-	25.58	40.09	12.65	34.04
PK	11.0397G	56.06	18.75	74.00	-17.94	3	Horizontal	262	1.11	-	37.31	40.14	12.65	34.04
PK	16.6142G	60.77	19.53	68.20	-7.43	3	Horizontal	76	1.21	-	41.24	38.34	15.31	34.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.75	6.89	54.00	-6.25	3	Vertical	11	1.50	-	40.86	31.72	9.35	34.18
AV	5.609G	99.43	6.94	Inf	-Inf	3	Vertical	11	1.50	-	92.49	31.68	9.46	34.20
PK	5.465G	60.24	6.90	68.20	-7.96	3	Vertical	11	1.50	-	53.34	31.73	9.35	34.18
PK	5.615G	110.49	6.93	Inf	-Inf	3	Vertical	11	1.50	-	103.56	31.67	9.46	34.20
PK	5.727G	66.40	7.25	68.20	-1.80	3	Vertical	11	1.50	-	59.15	31.95	9.50	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	46.11	6.86	54.00	-7.89	3	Horizontal	356	1.76	-	39.25	31.70	9.34	34.18
AV	5.616G	84.39	6.93	Inf	-Inf	3	Horizontal	356	1.76	-	77.46	31.67	9.46	34.20
PK	5.462G	56.64	6.89	68.20	-11.56	3	Horizontal	356	1.76	-	49.75	31.72	9.35	34.18
PK	5.617G	97.85	6.94	Inf	-Inf	3	Horizontal	356	1.76	-	90.91	31.67	9.47	34.20
PK	5.838G	58.74	7.59	68.20	-9.46	3	Horizontal	356	1.76	-	51.15	32.25	9.55	34.21

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2273G	46.32	18.21	54.00	-7.68	3	Vertical	280	1.63	-	28.11	39.53	12.73	34.05
PK	11.2288G	58.48	18.21	74.00	-15.52	3	Vertical	280	1.63	-	40.27	39.53	12.73	34.05
PK	16.849G	62.28	21.26	68.20	-5.92	3	Vertical	93	1.86	-	41.02	39.45	15.45	33.64

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2196G	46.55	18.19	54.00	-7.45	3	Horizontal	54	2.43	-	28.36	39.52	12.72	34.05
PK	11.2293G	59.38	18.21	74.00	-14.62	3	Horizontal	54	2.43	-	41.17	39.53	12.73	34.05
PK	16.8233G	62.37	21.27	68.20	-5.83	3	Horizontal	126	1.17	-	41.10	39.53	15.43	33.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.44	6.87	54.00	-6.56	3	Vertical	16	1.50	-	40.57	31.71	9.34	34.18
AV	5.691G	101.39	7.14	Inf	-Inf	3	Vertical	16	1.50	-	94.25	31.85	9.49	34.20
PK	5.469G	59.85	6.92	68.20	-8.35	3	Vertical	16	1.50	-	52.93	31.74	9.36	34.18
PK	5.692G	112.08	7.14	Inf	-Inf	3	Vertical	16	1.50	-	104.94	31.85	9.49	34.20
PK	5.853G	66.73	7.66	68.20	-1.47	3	Vertical	16	1.50	-	59.07	32.31	9.56	34.21

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	45.90	6.89	54.00	-8.10	3	Horizontal	328	1.90	-	39.01	31.72	9.35	34.18
AV	5.692G	87.17	7.14	Inf	-Inf	3	Horizontal	328	1.90	-	80.03	31.85	9.49	34.20
PK	5.46G	57.14	6.89	68.20	-11.06	3	Horizontal	328	1.90	-	50.25	31.72	9.35	34.18
PK	5.691G	98.67	7.14	Inf	-Inf	3	Horizontal	328	1.90	-	91.53	31.85	9.49	34.20
PK	5.891G	58.37	7.84	68.20	-9.83	3	Horizontal	328	1.90	-	50.53	32.46	9.59	34.21



802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3802G	52.30	18.57	54.00	-1.70	3	Vertical	236	1.00	-	33.73	39.84	12.79	34.06
PK	11.3944G	63.74	18.62	74.00	-10.26	3	Vertical	236	1.00	-	45.12	39.88	12.80	34.06
PK	17.0883G	66.22	21.97	68.20	-1.98	3	Vertical	48	1.50	-	44.25	39.69	15.59	33.31

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.375G	48.93	18.57	54.00	-5.07	3	Horizontal	86	2.12	-	30.36	39.83	12.79	34.05
PK	11.3687G	60.97	18.54	74.00	-13.03	3	Horizontal	86	2.12	-	42.43	39.81	12.78	34.05
PK	17.0644G	65.98	21.92	68.20	-2.22	3	Horizontal	128	1.50	-	44.06	39.66	15.57	33.31