



Non-beamforming mode

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	42.306M	22.812M	22M8D1D	28.248M	16.458M
802.11be EHT20_Nss1,(MCS0)_4TX	38.94M	20.49M	20M5D1D	28.314M	18.906M
802.11be EHT40_Nss1,(MCS0)_4TX	70.884M	38.665M	38M7D1D	39.072M	37.631M
802.11be EHT80_Nss1,(MCS0)_4TX	92.4M	77.094M	77M1D1D	80.256M	76.717M
802.11be EHT160_Nss1,(MCS0)_4TX	80.24M	77.41M	77M4D1D	80.08M	77.314M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	22.572M	16.415M	16M4D1D	18.414M	16.339M
802.11be EHT20_Nss1,(MCS0)_4TX	20.13M	18.882M	18M9D1D	19.734M	18.811M
802.11be EHT40_Nss1,(MCS0)_4TX	39.336M	37.501M	37M5D1D	39.072M	37.437M
802.11be EHT80_Nss1,(MCS0)_4TX	80.256M	77.14M	77M1D1D	80.256M	76.982M
802.11be EHT160_Nss1,(MCS0)_4TX	80.4M	77.666M	77M7D1D	80.08M	77.37M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	21.318M	16.42M	16M4D1D	13.86M	13.126M
802.11be EHT20_Nss1,(MCS0)_4TX	20.13M	18.865M	18M9D1D	14.79M	14.36M
802.11be EHT40_Nss1,(MCS0)_4TX	39.336M	37.659M	37M7D1D	34.545M	33.326M
802.11be EHT80_Nss1,(MCS0)_4TX	80.784M	77.081M	77M1D1D	74.625M	72.748M
802.11be EHT160_Nss1,(MCS0)_4TX	163.68M	155.668M	156MD1D	162.624M	155.539M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	16.302M	24.437M	24M4D1D	3.14M	3.341M
802.11be EHT20_Nss1,(MCS0)_4TX	18.744M	24.385M	24M4D1D	4.26M	4.534M
802.11be EHT40_Nss1,(MCS0)_4TX	36.432M	38.724M	38M7D1D	3.92M	4.09M
802.11be EHT80_Nss1,(MCS0)_4TX	74.976M	77.333M	77M3D1D	3.92M	4.106M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Minimum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX										
5180MHz	Pass	Inf	28.248M	16.462M	30.36M	16.633M	32.076M	16.631M	29.898M	16.458M
5200MHz	Pass	Inf	42.306M	21.08M	42.042M	22.812M	39.534M	22.169M	37.554M	19.017M
5240MHz	Pass	Inf	37.422M	18.026M	38.61M	19.201M	35.772M	17.103M	28.314M	16.605M
5260MHz	Pass	Inf	18.414M	16.339M	18.612M	16.345M	18.546M	16.34M	18.414M	16.343M
5300MHz	Pass	Inf	20.988M	16.364M	20.13M	16.386M	22.572M	16.415M	20.328M	16.376M
5320MHz	Pass	Inf	18.744M	16.39M	20.328M	16.376M	19.668M	16.407M	19.536M	16.385M
5500MHz	Pass	Inf	19.272M	16.408M	18.81M	16.364M	19.47M	16.376M	19.602M	16.41M
5580MHz	Pass	Inf	18.348M	16.327M	18.612M	16.352M	20.724M	16.342M	19.074M	16.343M
5700MHz	Pass	Inf	18.546M	16.377M	20.196M	16.324M	21.318M	16.42M	18.546M	16.38M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	13.995M	13.142M	14.685M	13.161M	13.86M	13.126M	13.905M	13.159M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	3.384M	3.14M	3.346M	3.14M	3.341M	3.16M	3.347M
5745MHz	Pass	500k	16.302M	19.918M	16.302M	20.815M	16.236M	24.437M	16.302M	23.561M
5785MHz	Pass	500k	16.236M	22.609M	15.972M	22.769M	15.51M	23.118M	16.302M	23.657M
5825MHz	Pass	500k	16.302M	16.714M	16.302M	17.915M	16.038M	19.412M	16.302M	21.318M
802.11be EHT20_Nss1,(MCS0)_4TX										
5180MHz	Pass	Inf	29.766M	18.924M	32.274M	18.987M	31.152M	18.973M	28.314M	18.906M
5200MHz	Pass	Inf	32.802M	19.099M	38.874M	19.679M	37.554M	19.175M	29.436M	19.026M
5240MHz	Pass	Inf	38.94M	19.843M	38.148M	20.49M	36.828M	19.11M	35.838M	18.996M
5260MHz	Pass	Inf	19.8M	18.829M	19.8M	18.836M	19.734M	18.811M	19.734M	18.82M
5300MHz	Pass	Inf	19.8M	18.873M	19.8M	18.882M	20.13M	18.871M	19.866M	18.859M
5320MHz	Pass	Inf	19.866M	18.868M	20.13M	18.87M	19.8M	18.861M	19.8M	18.877M
5500MHz	Pass	Inf	20.13M	18.856M	20.13M	18.862M	19.998M	18.862M	19.866M	18.841M
5580MHz	Pass	Inf	19.8M	18.826M	19.8M	18.839M	19.866M	18.83M	19.8M	18.833M
5700MHz	Pass	Inf	19.8M	18.839M	19.998M	18.865M	19.932M	18.826M	19.8M	18.849M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	14.82M	14.377M	14.835M	14.36M	14.79M	14.382M	14.82M	14.378M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.26M	4.536M	4.46M	4.535M	4.5M	4.534M	4.48M	4.541M
5745MHz	Pass	500k	18.546M	19.74M	18.15M	19.441M	18.744M	23.061M	18.282M	22.733M
5785MHz	Pass	500k	17.952M	23.385M	17.622M	23.003M	17.622M	23.821M	17.886M	24.385M
5825MHz	Pass	500k	18.546M	18.968M	18.612M	19.186M	18.546M	20.013M	18.348M	21.754M
802.11be EHT40_Nss1,(MCS0)_4TX										
5190MHz	Pass	Inf	39.468M	37.666M	39.072M	37.728M	39.072M	37.631M	39.072M	37.632M
5230MHz	Pass	Inf	65.604M	38.298M	70.884M	38.665M	65.076M	38.051M	59.928M	37.905M
5270MHz	Pass	Inf	39.204M	37.437M	39.336M	37.447M	39.204M	37.475M	39.072M	37.464M
5310MHz	Pass	Inf	39.204M	37.458M	39.336M	37.445M	39.072M	37.501M	39.204M	37.453M
5510MHz	Pass	Inf	39.204M	37.567M	39.072M	37.534M	39.336M	37.582M	39.072M	37.596M
5590MHz	Pass	Inf	39.204M	37.578M	39.336M	37.659M	39.204M	37.646M	39.336M	37.627M
5670MHz	Pass	Inf	39.204M	37.524M	38.94M	37.545M	39.204M	37.585M	39.072M	37.556M



Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	34.58M	33.618M	34.545M	33.326M	34.58M	33.623M	34.65M	33.527M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.98M	4.09M	3.92M	4.092M	3.98M	4.095M	3.98M	4.097M
5755MHz	Pass	500k	34.584M	37.852M	36.432M	37.77M	30.228M	37.995M	32.208M	37.941M
5795MHz	Pass	500k	34.32M	38.212M	33.396M	38.334M	30.36M	38.649M	30.096M	38.724M
802.11be EHT80_Nss1,(MCS0)_4TX										
5210MHz	Pass	Inf	92.4M	77.094M	80.784M	76.809M	80.784M	76.871M	80.256M	76.717M
5290MHz	Pass	Inf	80.256M	77.059M	80.256M	76.982M	80.256M	77.034M	80.256M	77.14M
5530MHz	Pass	Inf	80.52M	77.062M	80.784M	77.027M	80.256M	77.081M	80.256M	77.02M
5610MHz	Pass	Inf	80.256M	77.012M	80.256M	76.959M	80.256M	77.042M	80.256M	77.021M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	74.625M	72.791M	74.625M	72.803M	74.625M	72.806M	74.625M	72.748M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.94M	4.106M	3.98M	4.158M	3.92M	4.182M	3.96M	4.26M
5775MHz	Pass	500k	68.904M	77.333M	73.92M	77.228M	69.96M	77.145M	74.976M	77.241M
802.11be EHT160_Nss1,(MCS0)_4TX										
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.16M	77.314M	80.08M	77.356M	80.24M	77.404M	80.24M	77.41M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	80.4M	77.666M	80.16M	77.49M	80.08M	77.443M	80.16M	77.37M
5570MHz	Pass	Inf	162.624M	155.668M	162.624M	155.539M	163.68M	155.595M	162.624M	155.658M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
 Port X-OBW = Port X 99% occupied bandwidth




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW


5180MHz

CF: 5.18GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak

Port 1: [Blue line]
 Port 2: [Red line]
 Port 3: [Green line]
 Port 4: [Orange line]



CF: 5.18GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
28.248M	5.165876G	5.194124G	16.462M	5.171767G	5.188229G	Inf	1
30.36M	5.16449G	5.19485G	16.633M	5.171654G	5.188287G	Inf	2
32.076M	5.162972G	5.195048G	16.631M	5.171655G	5.188285G	Inf	3
29.898M	5.163236G	5.193134G	16.458M	5.171751G	5.188208G	Inf	4


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW


5200MHz

CF: 5.2GHz
 Span: 132MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak

Port 1: [Blue line]
 Port 2: [Red line]
 Port 3: [Green line]
 Port 4: [Orange line]



CF: 5.2GHz
 Span: 52.8MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.306M	5.178814G	5.22112G	21.08M	5.189179G	5.210259G	Inf	1
42.042M	5.179342G	5.221384G	22.812M	5.188219G	5.211031G	Inf	2
39.534M	5.179342G	5.218876G	22.169M	5.188436G	5.210605G	Inf	3
37.554M	5.18053G	5.218084G	19.017M	5.189878G	5.208895G	Inf	4




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5240MHz

CF: 5.24GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.24GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.422M	5.221718G	5.25914G	18.026M	5.23081G	5.248837G	Inf	1
38.61M	5.220926G	5.259536G	19.201M	5.230065G	5.249267G	Inf	2
35.772M	5.220662G	5.256434G	17.103M	5.231284G	5.248386G	Inf	3
28.314M	5.224952G	5.253266G	16.605M	5.231657G	5.248262G	Inf	4

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5260MHz

CF: 5.26GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.26GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.414M	5.25076G	5.269174G	16.339M	5.25184G	5.268178G	Inf	1
18.612M	5.250562G	5.269174G	16.345M	5.251821G	5.268165G	Inf	2
18.546M	5.250694G	5.26924G	16.34M	5.251824G	5.268163G	Inf	3
18.414M	5.25076G	5.269174G	16.343M	5.251815G	5.268158G	Inf	4




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5300MHz

CF: 5.3GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.3GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.988M	5.288912G	5.3099G	16.364M	5.291819G	5.308183G	Inf	1
20.13M	5.289242G	5.309372G	16.386M	5.291797G	5.308182G	Inf	2
22.572M	5.289308G	5.31188G	16.415M	5.291774G	5.308188G	Inf	3
20.328M	5.290034G	5.310362G	16.376M	5.291786G	5.308162G	Inf	4

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5320MHz

CF: 5.32GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.32GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.744M	5.310628G	5.329372G	16.39M	5.311805G	5.328195G	Inf	1
20.328M	5.309374G	5.329702G	16.376M	5.311801G	5.328177G	Inf	2
19.668M	5.309704G	5.329372G	16.407M	5.311772G	5.32818G	Inf	3
19.536M	5.309704G	5.32924G	16.385M	5.311791G	5.328176G	Inf	4




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5500MHz

CF: 5.5GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.5GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.272M	5.489968G	5.50924G	16.408M	5.491773G	5.508181G	Inf	1
18.81M	5.490496G	5.509306G	16.364M	5.491801G	5.508165G	Inf	2
19.47M	5.489704G	5.509174G	16.376M	5.491776G	5.508152G	Inf	3
19.602M	5.490166G	5.509768G	16.41M	5.491769G	5.508179G	Inf	4

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5580MHz

CF: 5.58GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.58GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.348M	5.570826G	5.589174G	16.327M	5.571824G	5.588151G	Inf	1
18.612M	5.570496G	5.589108G	16.352M	5.571812G	5.588165G	Inf	2
20.724M	5.568384G	5.589108G	16.342M	5.571816G	5.588158G	Inf	3
19.074M	5.569968G	5.589042G	16.343M	5.571804G	5.588147G	Inf	4




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5700MHz

CF: 5.7GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.7GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.546M	5.690628G	5.709174G	16.377M	5.691791G	5.708168G	Inf	1
20.196M	5.68944G	5.709636G	16.324M	5.691829G	5.708154G	Inf	2
21.318M	5.689176G	5.710494G	16.42M	5.691781G	5.708201G	Inf	3
18.546M	5.690562G	5.709108G	16.38M	5.691781G	5.708161G	Inf	4

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5720MHz Straddle 5.47-5.725GHz

CF: 5.71GHz
 Span: 30MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.71GHz
 Span: 30MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
13.995M	5.711005G	5.725G	13.126M	5.711789G	5.724915G	Inf	1
14.01M	5.71099G	5.725G	13.137M	5.711795G	5.724932G	Inf	2
13.8M	5.7112G	5.725G	13.117M	5.711814G	5.724931G	Inf	3
13.86M	5.71114G	5.725G	13.141M	5.711815G	5.724956G	Inf	4



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW


5720MHz Straddle 5.725-5.85GHz




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5720MHz Straddle 5.725-5.85GHz








5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5785MHz

CF: 5.785GHz
 Span: 132MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.785GHz
 Span: 52.8MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.236M	5.776882G	5.793118G	22.609M	5.773441G	5.796051G	500k	1
15.972M	5.776882G	5.792854G	22.769M	5.773342G	5.796111G	500k	2
15.51M	5.777212G	5.792722G	23.118M	5.772448G	5.795566G	500k	3
16.302M	5.776816G	5.793118G	23.657M	5.772899G	5.796556G	500k	4

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5785MHz

CF: 5.785GHz
 Span: 52.8MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
41.078M	5.764487G	5.805566G	Inf	1
41.554M	5.763774G	5.805328G	Inf	2
40.128M	5.764091G	5.804219G	Inf	3
41.923M	5.763669G	5.805592G	Inf	4




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5825MHz

CF: 5.825GHz
 Span: 132MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.825GHz
 Span: 52.8MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.302M	5.816816G	5.833118G	16.714M	5.816562G	5.833276G	500k	1
16.302M	5.816816G	5.833118G	17.915M	5.815548G	5.833463G	500k	2
16.038M	5.81708G	5.833118G	19.412M	5.814292G	5.833704G	500k	3
16.302M	5.816816G	5.833118G	21.318M	5.813092G	5.83441G	500k	4

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5825MHz

CF: 5.825GHz
 Span: 52.8MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
29.33M	5.809186G	5.838517G	Inf	1
34.241M	5.807206G	5.841447G	Inf	2
36.221M	5.805042G	5.841262G	Inf	3
38.966M	5.80351G	5.842477G	Inf	4




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5180MHz

CF: 5.18GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.18GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
29.766M	5.163962G	5.193728G	18.924M	5.17052G	5.189444G	Inf	1
32.274M	5.16284G	5.195114G	18.987M	5.170482G	5.189469G	Inf	2
31.152M	5.163962G	5.195114G	18.973M	5.170484G	5.189457G	Inf	3
28.314M	5.164886G	5.1932G	18.906M	5.170516G	5.189423G	Inf	4

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5200MHz

CF: 5.2GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.2GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
32.802M	5.183962G	5.216764G	19.099M	5.19044G	5.209539G	Inf	1
38.874M	5.17888G	5.217754G	19.679M	5.19002G	5.209698G	Inf	2
37.554M	5.179078G	5.216632G	19.175M	5.190358G	5.209533G	Inf	3
29.436M	5.183962G	5.213398G	19.026M	5.190469G	5.209495G	Inf	4




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5240MHz

CF: 5.24GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.24GHz
 Span: 60MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
38.94M	5.219804G	5.258744G	19.843M	5.229937G	5.249779G	Inf	1
38.148M	5.220002G	5.25815G	20.49M	5.229261G	5.249751G	Inf	2
36.828M	5.220068G	5.256896G	19.11M	5.230401G	5.249511G	Inf	3
35.838M	5.22086G	5.256698G	18.996M	5.230481G	5.249477G	Inf	4

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5260MHz

CF: 5.26GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.26GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	5.2501G	5.2699G	18.829M	5.250586G	5.269415G	Inf	1
19.8M	5.250034G	5.269834G	18.836M	5.250577G	5.269414G	Inf	2
19.734M	5.2501G	5.269834G	18.811M	5.250591G	5.269402G	Inf	3
19.734M	5.2501G	5.269834G	18.82M	5.250584G	5.269403G	Inf	4




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5300MHz

CF: 5.3GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.3GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	5.2901G	5.3099G	18.873M	5.29056G	5.309433G	Inf	1
19.8M	5.2901G	5.3099G	18.882M	5.290549G	5.309431G	Inf	2
20.13M	5.289902G	5.310032G	18.871M	5.290554G	5.309425G	Inf	3
19.866M	5.2901G	5.309966G	18.859M	5.29055G	5.309409G	Inf	4

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5320MHz

CF: 5.32GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.32GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	5.3101G	5.329966G	18.868M	5.310571G	5.329438G	Inf	1
20.13M	5.309836G	5.329966G	18.87M	5.310563G	5.329433G	Inf	2
19.8M	5.3101G	5.3299G	18.861M	5.310562G	5.329423G	Inf	3
19.8M	5.3101G	5.3299G	18.877M	5.310549G	5.329426G	Inf	4




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5500MHz

CF: 5.5GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.5GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.13M	5.489836G	5.509966G	18.856M	5.490555G	5.50941G	Inf	1
20.13M	5.489836G	5.509966G	18.862M	5.490548G	5.509411G	Inf	2
19.998M	5.489902G	5.5099G	18.862M	5.490554G	5.509416G	Inf	3
19.866M	5.490034G	5.5099G	18.841M	5.490565G	5.509406G	Inf	4

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5580MHz

CF: 5.58GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.58GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	5.570034G	5.589834G	18.826M	5.570574G	5.5894G	Inf	1
19.8M	5.5701G	5.5899G	18.839M	5.570576G	5.589415G	Inf	2
19.866M	5.570034G	5.5899G	18.83M	5.570579G	5.589409G	Inf	3
19.8M	5.5701G	5.5899G	18.833M	5.57057G	5.589403G	Inf	4




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5700MHz

CF: 5.7GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.7GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	5.6901G	5.7099G	18.839M	5.690571G	5.70941G	Inf	1
19.998M	5.689968G	5.709966G	18.865M	5.690567G	5.709432G	Inf	2
19.932M	5.690034G	5.709966G	18.826M	5.690595G	5.709421G	Inf	3
19.8M	5.6901G	5.7099G	18.849M	5.690572G	5.709421G	Inf	4

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5720MHz Straddle 5.47-5.725GHz

CF: 5.71GHz
 Span: 30MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.71GHz
 Span: 30MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
14.82M	5.71018G	5.725G	14.377M	5.710556G	5.724934G	Inf	1
14.835M	5.710165G	5.725G	14.36M	5.71056G	5.72492G	Inf	2
14.79M	5.71021G	5.725G	14.382M	5.710548G	5.724931G	Inf	3
14.82M	5.71018G	5.725G	14.378M	5.710541G	5.724919G	Inf	4



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5720MHz Straddle 5.725-5.85GHz






5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5745MHz

CF
5.745GHz
Span
132MHz
RBW
100kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
Peak



CF
5.745GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5745MHz

CF
5.745GHz
Span
60MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5785MHz

CF: 5.785GHz
 Span: 132MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.785GHz
 Span: 60MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.952M	5.776486G	5.794438G	23.385M	5.772987G	5.796373G	500k	1
17.622M	5.775892G	5.793514G	23.003M	5.773129G	5.796132G	500k	2
17.622M	5.776354G	5.793976G	23.821M	5.772064G	5.795885G	500k	3
17.886M	5.77609G	5.793976G	24.385M	5.772425G	5.79681G	500k	4

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5785MHz

CF: 5.785GHz
 Span: 60MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
42.63M	5.76301G	5.80564G	Inf	1
41.31M	5.76364G	5.80495G	Inf	2
41.7M	5.76304G	5.80474G	Inf	3
42.87M	5.76292G	5.80579G	Inf	4



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW


5825MHz



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5825MHz






5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5190MHz

CF: 5.19GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.19GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	5.170332G	5.2098G	37.666M	5.171202G	5.208869G	Inf	1
39.072M	5.170464G	5.209536G	37.728M	5.171138G	5.208866G	Inf	2
39.072M	5.170464G	5.209536G	37.631M	5.171171G	5.208803G	Inf	3
39.072M	5.170464G	5.209536G	37.632M	5.171184G	5.208816G	Inf	4

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5230MHz

CF: 5.23GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.23GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
65.604M	5.19568G	5.261284G	38.298M	5.210952G	5.24925G	Inf	1
70.884M	5.195416G	5.2663G	38.665M	5.210848G	5.249513G	Inf	2
65.076M	5.195812G	5.260888G	38.051M	5.210956G	5.249007G	Inf	3
59.928M	5.197396G	5.257324G	37.905M	5.211066G	5.248971G	Inf	4




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5270MHz

CF: 5.27GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.27GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.204M	5.250332G	5.289536G	37.437M	5.251308G	5.288745G	Inf	1
39.336M	5.250332G	5.289668G	37.447M	5.251298G	5.288745G	Inf	2
39.204M	5.250464G	5.289668G	37.475M	5.251274G	5.288749G	Inf	3
39.072M	5.250464G	5.289536G	37.464M	5.251244G	5.288708G	Inf	4

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5310MHz

CF: 5.31GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.31GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.204M	5.290464G	5.329668G	37.458M	5.291293G	5.328751G	Inf	1
39.336M	5.290332G	5.329668G	37.445M	5.291274G	5.32872G	Inf	2
39.072M	5.290464G	5.329536G	37.501M	5.291226G	5.328726G	Inf	3
39.204M	5.290332G	5.329536G	37.453M	5.29124G	5.328693G	Inf	4




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5510MHz

CF: 5.51GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.51GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.204M	5.490332G	5.529536G	37.567M	5.491188G	5.528754G	Inf	1
39.072M	5.490464G	5.529536G	37.534M	5.491175G	5.528709G	Inf	2
39.336M	5.490332G	5.529668G	37.582M	5.49114G	5.528722G	Inf	3
39.072M	5.490464G	5.529536G	37.596M	5.491145G	5.528742G	Inf	4

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5590MHz

CF: 5.59GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.59GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.204M	5.570464G	5.609668G	37.578M	5.571214G	5.608792G	Inf	1
39.336M	5.570332G	5.609668G	37.659M	5.571183G	5.608842G	Inf	2
39.204M	5.570332G	5.609536G	37.646M	5.571198G	5.608844G	Inf	3
39.336M	5.570332G	5.609668G	37.627M	5.571182G	5.608809G	Inf	4




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5670MHz

CF: 5.67GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.67GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.204M	5.650332G	5.689536G	37.524M	5.651309G	5.688833G	Inf	1
38.94M	5.650596G	5.689536G	37.545M	5.651355G	5.688899G	Inf	2
39.204M	5.650464G	5.689668G	37.585M	5.651263G	5.688849G	Inf	3
39.072M	5.650464G	5.689536G	37.556M	5.65132G	5.688876G	Inf	4

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5710MHz Straddle 5.47-5.725GHz

CF: 5.69GHz
 Span: 70MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.69GHz
 Span: 70MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
34.58M	5.69042G	5.725G	33.618M	5.691188G	5.724806G	Inf	1
34.545M	5.690455G	5.725G	33.326M	5.69139G	5.724715G	Inf	2
34.58M	5.69042G	5.725G	33.623M	5.691222G	5.724845G	Inf	3
34.65M	5.69035G	5.725G	33.527M	5.691169G	5.724696G	Inf	4



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW


5710MHz Straddle 5.725-5.85GHz





5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5710MHz Straddle 5.725-5.85GHz










5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5210MHz

CF
5.21GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.21GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
92.4M	5.170136G	5.262536G	77.094M	5.171677G	5.248771G	Inf	1
80.784M	5.169872G	5.250656G	76.809M	5.171622G	5.248431G	Inf	2
80.784M	5.169872G	5.250656G	76.871M	5.171604G	5.248475G	Inf	3
80.256M	5.169872G	5.250128G	76.717M	5.171542G	5.248258G	Inf	4

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5290MHz

CF
5.29GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.29GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	5.249872G	5.330128G	77.059M	5.251436G	5.328496G	Inf	1
80.256M	5.249872G	5.330128G	76.982M	5.251469G	5.328451G	Inf	2
80.256M	5.249872G	5.330128G	77.034M	5.251295G	5.328329G	Inf	3
80.256M	5.249872G	5.330128G	77.14M	5.251332G	5.328472G	Inf	4




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5530MHz

CF: 5.53GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.53GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.52M	5.489872G	5.570392G	77.062M	5.49153G	5.568592G	Inf	1
80.784M	5.489872G	5.570656G	77.027M	5.491528G	5.568555G	Inf	2
80.256M	5.489872G	5.570128G	77.081M	5.49143G	5.568511G	Inf	3
80.256M	5.489872G	5.570128G	77.02M	5.491436G	5.568456G	Inf	4

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5610MHz

CF: 5.61GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.61GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	5.569872G	5.650128G	77.012M	5.571415G	5.648427G	Inf	1
80.256M	5.569872G	5.650128G	76.959M	5.571382G	5.648341G	Inf	2
80.256M	5.569872G	5.650128G	77.042M	5.571321G	5.648363G	Inf	3
80.256M	5.569872G	5.650128G	77.021M	5.571396G	5.648417G	Inf	4



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW


5690MHz Straddle 5.47-5.725GHz





5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz










5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW


5250MHz Straddle 5.25-5.35GHz



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5570MHz





Beamforming mode

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	38.478M	19.798M	19M8D1D	23.034M	18.891M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	70.62M	38.335M	38M3D1D	39.072M	37.505M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	81.048M	77.07M	77M1D1D	80.52M	76.955M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	80.48M	77.754M	77M8D1D	80.16M	77.4M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.638M	18.883M	18M9D1D	19.734M	18.813M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	39.336M	37.63M	37M6D1D	39.072M	37.496M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	80.52M	76.993M	77M0D1D	79.992M	76.83M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	80.08M	77.659M	77M7D1D	80M	77.367M
5.47-5.725GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	19.932M	18.859M	18M9D1D	14.805M	14.383M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	39.336M	37.536M	37M5D1D	34.58M	33.504M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	80.784M	77.064M	77M1D1D	74.55M	72.561M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	164.208M	155.874M	156MD1D	162.096M	155.818M
5.725-5.85GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	18.81M	27.036M	27M0D1D	4.38M	4.512M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	35.64M	39.437M	39M4D1D	3.88M	4.059M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	75.768M	77.494M	77M5D1D	3.9M	4.099M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Minimum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT20-BF_Nss1,(MCS0)_4TX										
5180MHz	Pass	Inf	27.258M	18.892M	33.132M	18.973M	28.908M	18.909M	23.034M	18.891M
5200MHz	Pass	Inf	37.026M	19.118M	38.478M	19.798M	32.34M	19.074M	32.406M	18.951M
5240MHz	Pass	Inf	34.452M	19.105M	38.478M	19.458M	30.624M	19.017M	28.446M	18.937M
5260MHz	Pass	Inf	19.8M	18.813M	19.8M	18.827M	19.866M	18.832M	19.8M	18.82M
5300MHz	Pass	Inf	22.44M	18.865M	20.592M	18.875M	20.46M	18.882M	21.516M	18.874M
5320MHz	Pass	Inf	22.506M	18.86M	22.44M	18.883M	22.638M	18.856M	19.734M	18.859M
5500MHz	Pass	Inf	19.866M	18.853M	19.866M	18.849M	19.866M	18.859M	19.866M	18.84M
5580MHz	Pass	Inf	19.866M	18.828M	19.866M	18.842M	19.8M	18.839M	19.8M	18.834M
5700MHz	Pass	Inf	19.8M	18.853M	19.8M	18.825M	19.932M	18.845M	19.8M	18.845M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	14.805M	14.388M	14.805M	14.395M	14.82M	14.383M	14.82M	14.417M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.46M	4.512M	4.46M	4.517M	4.38M	4.531M	4.46M	4.523M
5745MHz	Pass	500k	17.688M	21.864M	18.414M	21.357M	18.546M	27.036M	18.348M	24.984M
5785MHz	Pass	500k	18.81M	23.3M	18.48M	22.377M	18.81M	25.211M	18.546M	25.63M
5825MHz	Pass	500k	18.678M	24.14M	18.414M	23.95M	18.612M	25.472M	17.754M	25.213M
802.11be EHT40-BF_Nss1,(MCS0)_4TX										
5190MHz	Pass	Inf	42.504M	37.556M	39.072M	37.62M	39.204M	37.518M	39.204M	37.505M
5230MHz	Pass	Inf	70.62M	38.215M	70.224M	38.335M	46.2M	37.591M	43.956M	37.839M
5270MHz	Pass	Inf	39.336M	37.496M	39.072M	37.53M	39.072M	37.558M	39.072M	37.518M
5310MHz	Pass	Inf	39.072M	37.597M	39.072M	37.63M	39.204M	37.565M	39.204M	37.587M
5510MHz	Pass	Inf	39.204M	37.48M	39.336M	37.536M	39.336M	37.518M	39.072M	37.461M
5590MHz	Pass	Inf	39.336M	37.514M	39.072M	37.446M	39.072M	37.48M	39.072M	37.462M
5670MHz	Pass	Inf	39.072M	37.486M	39.336M	37.475M	39.072M	37.412M	39.204M	37.465M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	34.72M	33.6M	34.65M	33.504M	34.58M	33.513M	34.65M	33.562M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	4M	4.091M	3.88M	4.076M	4M	4.073M	3.9M	4.059M
5755MHz	Pass	500k	34.98M	37.886M	34.98M	37.84M	33.66M	38.129M	34.98M	38.015M
5795MHz	Pass	500k	35.64M	38.256M	34.98M	38.11M	32.076M	39.151M	30.492M	39.437M
802.11be EHT80-BF_Nss1,(MCS0)_4TX										
5210MHz	Pass	Inf	81.048M	76.988M	81.048M	77.058M	80.52M	77.07M	80.52M	76.955M
5290MHz	Pass	Inf	80.256M	76.868M	80.256M	76.83M	79.992M	76.835M	80.52M	76.993M
5530MHz	Pass	Inf	80.784M	77.064M	80.256M	77.039M	80.256M	77.035M	79.992M	77.044M
5610MHz	Pass	Inf	80.256M	76.71M	80.256M	76.687M	80.256M	76.765M	79.992M	76.753M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	74.55M	72.561M	74.625M	72.614M	74.625M	72.562M	74.625M	72.653M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.94M	4.218M	3.94M	4.099M	3.96M	4.127M	3.9M	4.204M
5775MHz	Pass	500k	75.768M	77.454M	74.976M	77.362M	72.6M	77.342M	71.28M	77.494M
802.11be EHT160-BF_Nss1,(MCS0)_4TX										



Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.48M	77.562M	80.24M	77.4M	80.16M	77.535M	80.24M	77.754M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	80.08M	77.659M	80.08M	77.57M	80M	77.367M	80.08M	77.623M
5570MHz	Pass	Inf	162.624M	155.853M	164.208M	155.874M	162.096M	155.818M	163.68M	155.849M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band



Port X-OBW = Port X 99% occupied bandwidth



5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

EBW



5180MHz



5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

EBW

5200MHz






5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5240MHz

CF: 5.24GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.24GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
34.452M	5.222114G	5.256566G	19.105M	5.23042G	5.249525G	Inf	1
38.478M	5.220926G	5.259404G	19.458M	5.230209G	5.249667G	Inf	2
30.624M	5.223302G	5.253926G	19.017M	5.230449G	5.249466G	Inf	3
28.446M	5.22515G	5.253596G	18.937M	5.230498G	5.249435G	Inf	4

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5260MHz

CF: 5.26GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.26GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	5.2501G	5.2699G	18.813M	5.250587G	5.269399G	Inf	1
19.8M	5.2501G	5.2699G	18.827M	5.250575G	5.269402G	Inf	2
19.866M	5.250034G	5.2699G	18.832M	5.250566G	5.269398G	Inf	3
19.8M	5.2501G	5.2699G	18.82M	5.250585G	5.269404G	Inf	4




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5300MHz

CF: 5.3GHz
 Span: 132MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.3GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.44M	5.288516G	5.310956G	18.865M	5.290537G	5.309401G	Inf	1
20.592M	5.289374G	5.309966G	18.875M	5.290527G	5.309402G	Inf	2
20.46M	5.289572G	5.310032G	18.882M	5.29052G	5.309402G	Inf	3
21.516M	5.289374G	5.31089G	18.874M	5.290542G	5.309416G	Inf	4

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5320MHz

CF: 5.32GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.32GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.506M	5.3101G	5.332606G	18.86M	5.31055G	5.32941G	Inf	1
22.44M	5.310034G	5.332474G	18.883M	5.310551G	5.329435G	Inf	2
22.638M	5.309968G	5.332606G	18.856M	5.31055G	5.329406G	Inf	3
19.734M	5.3101G	5.329834G	18.859M	5.310551G	5.32941G	Inf	4




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5500MHz

CF: 5.5GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.5GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	5.490034G	5.5099G	18.853M	5.490543G	5.509396G	Inf	1
19.866M	5.490034G	5.5099G	18.849M	5.490549G	5.509398G	Inf	2
19.866M	5.490034G	5.5099G	18.859M	5.49053G	5.509389G	Inf	3
19.866M	5.4901G	5.509966G	18.84M	5.49055G	5.50939G	Inf	4

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5580MHz

CF: 5.58GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.58GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	5.570034G	5.5899G	18.828M	5.570582G	5.589409G	Inf	1
19.866M	5.570034G	5.5899G	18.842M	5.570566G	5.589408G	Inf	2
19.8M	5.5701G	5.5899G	18.839M	5.570562G	5.589401G	Inf	3
19.8M	5.5701G	5.5899G	18.834M	5.570563G	5.589397G	Inf	4




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5700MHz

CF: 5.7GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.7GHz
 Span: 60MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	5.6901G	5.7099G	18.853M	5.690565G	5.709419G	Inf	1
19.8M	5.6901G	5.7099G	18.825M	5.690571G	5.709396G	Inf	2
19.932M	5.690034G	5.709966G	18.845M	5.690556G	5.709401G	Inf	3
19.8M	5.6901G	5.7099G	18.845M	5.69055G	5.709395G	Inf	4

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5720MHz Straddle 5.47-5.725GHz

CF: 5.71GHz
 Span: 30MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.71GHz
 Span: 30MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
14.805M	5.710195G	5.725G	14.388M	5.710532G	5.72492G	Inf	1
14.805M	5.710195G	5.725G	14.395M	5.710531G	5.724926G	Inf	2
14.82M	5.71018G	5.725G	14.383M	5.710537G	5.72492G	Inf	3
14.82M	5.71018G	5.725G	14.417M	5.710519G	5.724936G	Inf	4



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

EBW


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

EBW

5720MHz Straddle 5.725-5.85GHz






5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5745MHz

CF
5.745GHz
Span
132MHz
RBW
100kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
Peak



CF
5.745GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.688M	5.736354G	5.754042G	21.864M	5.73441G	5.756275G	500k	1
18.414M	5.73576G	5.754174G	21.357M	5.734444G	5.755801G	500k	2
18.546M	5.73576G	5.754306G	27.036M	5.730964G	5.758G	500k	3
18.348M	5.735628G	5.753976G	24.984M	5.732589G	5.757573G	500k	4

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

EBW

5745MHz

CF
5.745GHz
Span
60MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
45.99M	5.72196G	5.76795G	Inf	1
45.39M	5.72208G	5.76747G	Inf	2
45.99M	5.72193G	5.76792G	Inf	3
45.93M	5.7219G	5.76783G	Inf	4



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

EBW


5785MHz



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

EBW

5785MHz






5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


EBW

5825MHz

CF
5.825GHz
Span
132MHz
RBW
100kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
Peak



CF
5.825GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.678M	5.815694G	5.834372G	24.14M	5.811872G	5.836012G	500k	1
18.414M	5.815958G	5.834372G	23.95M	5.812085G	5.836035G	500k	2
18.612M	5.815628G	5.83424G	25.472M	5.81062G	5.836092G	500k	3
17.754M	5.81576G	5.833514G	25.213M	5.810414G	5.835627G	500k	4

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

EBW

5825MHz

CF
5.825GHz
Span
60MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
43.53M	5.80151G	5.84504G	Inf	1
41.76M	5.80331G	5.84507G	Inf	2
44.04M	5.80106G	5.8451G	Inf	3
43.92M	5.80109G	5.84501G	Inf	4




5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


EBW

5190MHz

CF: 5.19GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.19GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.504M	5.167428G	5.209932G	37.556M	5.171205G	5.208761G	Inf	1
39.072M	5.170464G	5.209536G	37.62M	5.171165G	5.208785G	Inf	2
39.204M	5.170332G	5.209536G	37.518M	5.171178G	5.208696G	Inf	3
39.204M	5.170464G	5.209668G	37.505M	5.171169G	5.208674G	Inf	4

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


EBW

5230MHz

CF: 5.23GHz
 Span: 264MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.23GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
70.62M	5.197132G	5.267752G	38.215M	5.21092G	5.249135G	Inf	1
70.224M	5.197132G	5.267356G	38.335M	5.210947G	5.249282G	Inf	2
46.2M	5.207032G	5.253232G	37.591M	5.211317G	5.248908G	Inf	3
43.956M	5.205844G	5.2498G	37.839M	5.21094G	5.248778G	Inf	4




5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


EBW

5270MHz

CF: 5.27GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.27GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.336M	5.250464G	5.2898G	37.496M	5.251277G	5.288773G	Inf	1
39.072M	5.250464G	5.289536G	37.53M	5.251214G	5.288744G	Inf	2
39.072M	5.250464G	5.289536G	37.558M	5.251203G	5.288761G	Inf	3
39.072M	5.250464G	5.289536G	37.518M	5.251261G	5.288779G	Inf	4

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


EBW

5310MHz

CF: 5.31GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.31GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.072M	5.290464G	5.329536G	37.597M	5.291183G	5.328781G	Inf	1
39.072M	5.290464G	5.329536G	37.63M	5.291134G	5.328764G	Inf	2
39.204M	5.290332G	5.329536G	37.565M	5.291115G	5.32868G	Inf	3
39.204M	5.290332G	5.329536G	37.587M	5.291132G	5.328719G	Inf	4




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


EBW

5510MHz

CF: 5.51GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.51GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.204M	5.490464G	5.529668G	37.48M	5.491262G	5.528742G	Inf	1
39.336M	5.490332G	5.529668G	37.536M	5.491182G	5.528718G	Inf	2
39.336M	5.490332G	5.529668G	37.518M	5.49119G	5.528709G	Inf	3
39.072M	5.490464G	5.529536G	37.461M	5.491238G	5.528699G	Inf	4

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


EBW

5590MHz

CF: 5.59GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.59GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.336M	5.570332G	5.609668G	37.514M	5.571205G	5.608719G	Inf	1
39.072M	5.570464G	5.609536G	37.446M	5.571265G	5.608712G	Inf	2
39.072M	5.570464G	5.609536G	37.48M	5.57122G	5.6087G	Inf	3
39.072M	5.570464G	5.609536G	37.462M	5.57121G	5.608672G	Inf	4




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


EBW

5670MHz

CF: 5.67GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.67GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.072M	5.650464G	5.689536G	37.486M	5.651311G	5.688797G	Inf	1
39.336M	5.650332G	5.689668G	37.475M	5.651308G	5.688783G	Inf	2
39.072M	5.650464G	5.689536G	37.412M	5.651323G	5.688735G	Inf	3
39.204M	5.650332G	5.689536G	37.465M	5.651334G	5.688798G	Inf	4

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


EBW

5710MHz Straddle 5.47-5.725GHz

CF: 5.69GHz
 Span: 70MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.69GHz
 Span: 70MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
34.72M	5.69028G	5.725G	33.6M	5.691215G	5.724815G	Inf	1
34.65M	5.69035G	5.725G	33.504M	5.691307G	5.724811G	Inf	2
34.58M	5.69042G	5.725G	33.513M	5.69128G	5.724793G	Inf	3
34.65M	5.69035G	5.725G	33.562M	5.691228G	5.72479G	Inf	4



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

EBW

5710MHz Straddle 5.725-5.85GHz






5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


EBW

5755MHz

CF: 5.755GHz
 Span: 264MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.755GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
34.98M	5.737444G	5.772424G	37.886M	5.736063G	5.773949G	500k	1
34.98M	5.737444G	5.772424G	37.84M	5.736062G	5.773903G	500k	2
33.66M	5.738764G	5.772424G	38.129M	5.735922G	5.774051G	500k	3
34.98M	5.737444G	5.772424G	38.015M	5.73601G	5.774025G	500k	4

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

EBW


5755MHz

CF: 5.755GHz
 Span: 120MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
50.82M	5.73208G	5.7829G	Inf	1
44.46M	5.7322G	5.77666G	Inf	2
63.36M	5.72524G	5.7886G	Inf	3
58.02M	5.72944G	5.78746G	Inf	4






5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


EBW

5210MHz

CF
5.21GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.21GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.048M	5.169872G	5.25092G	76.988M	5.171572G	5.24856G	Inf	1
81.048M	5.169872G	5.25092G	77.058M	5.171471G	5.248529G	Inf	2
80.52M	5.169872G	5.250392G	77.07M	5.171427G	5.248496G	Inf	3
80.52M	5.169872G	5.250392G	76.955M	5.171392G	5.248347G	Inf	4

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


EBW

5290MHz

CF
5.29GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.29GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	5.249872G	5.330128G	76.868M	5.251627G	5.328495G	Inf	1
80.256M	5.249872G	5.330128G	76.83M	5.25164G	5.328471G	Inf	2
79.992M	5.249872G	5.329864G	76.835M	5.251526G	5.328362G	Inf	3
80.52M	5.249872G	5.330392G	76.993M	5.251447G	5.328439G	Inf	4




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


EBW

5530MHz

CF
5.53GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.53GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.784M	5.489872G	5.570656G	77.064M	5.491557G	5.568621G	Inf	1
80.256M	5.489872G	5.570128G	77.039M	5.491542G	5.568582G	Inf	2
80.256M	5.489872G	5.570128G	77.035M	5.4915G	5.568535G	Inf	3
79.992M	5.489872G	5.569864G	77.044M	5.491495G	5.568538G	Inf	4

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


EBW

5610MHz

CF
5.61GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.61GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	5.569872G	5.650128G	76.71M	5.571708G	5.648419G	Inf	1
80.256M	5.569872G	5.650128G	76.687M	5.57175G	5.648436G	Inf	2
80.256M	5.569872G	5.650128G	76.765M	5.571652G	5.648416G	Inf	3
79.992M	5.569872G	5.649864G	76.753M	5.571604G	5.648357G	Inf	4



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

EBW


5690MHz Straddle 5.47-5.725GHz







5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz










5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

EBW


5250MHz Straddle 5.25-5.35GHz



5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

EBW

5570MHz





Non-beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	27.85	0.60954	34.20	2.63027
802.11be EHT20_Nss1,(MCS0)_4TX	27.71	0.59020	34.06	2.54683
802.11be EHT40_Nss1,(MCS0)_4TX	28.02	0.63387	34.37	2.73527
802.11be EHT80_Nss1,(MCS0)_4TX	22.81	0.19099	29.16	0.82414
802.11be EHT160_Nss1,(MCS0)_4TX	15.26	0.03357	21.61	0.14488
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	23.12	0.20512	29.63	0.91833
802.11be EHT20_Nss1,(MCS0)_4TX	23.35	0.21627	29.86	0.96828
802.11be EHT40_Nss1,(MCS0)_4TX	23.19	0.20845	29.70	0.93325
802.11be EHT80_Nss1,(MCS0)_4TX	20.67	0.11668	27.18	0.52240
802.11be EHT160_Nss1,(MCS0)_4TX	15.81	0.03811	22.32	0.17061
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	22.94	0.19679	28.96	0.78705
802.11be EHT20_Nss1,(MCS0)_4TX	23.38	0.21777	29.40	0.87096
802.11be EHT40_Nss1,(MCS0)_4TX	23.72	0.23550	29.74	0.94189
802.11be EHT80_Nss1,(MCS0)_4TX	23.73	0.23605	29.75	0.94406
802.11be EHT160_Nss1,(MCS0)_4TX	19.57	0.09057	25.59	0.36224
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	29.00	0.79433	34.98	3.14775
802.11be EHT20_Nss1,(MCS0)_4TX	28.96	0.78705	34.94	3.11889
802.11be EHT40_Nss1,(MCS0)_4TX	27.89	0.61518	33.87	2.43781
802.11be EHT80_Nss1,(MCS0)_4TX	23.65	0.23174	29.63	0.91833



Conducted Output Power(Average)

Appendix B

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.346	19.59	19.02	19.42	20.18	25.59	29.65	31.94	36.00
5200MHz	Pass	6.346	21.11	21.92	21.82	22.36	27.85	29.65	34.20	36.00
5240MHz	Pass	6.346	22.46	21.84	21.12	21.72	27.83	29.65	34.18	36.00
5260MHz	Pass	6.510	17.01	16.86	17.02	17.18	23.04	23.14	29.55	29.65
5300MHz	Pass	6.510	16.94	16.98	17.04	16.94	23.00	23.49	29.51	30.00
5320MHz	Pass	6.510	17.01	17.05	17.29	17.05	23.12	23.22	29.63	29.73
5500MHz	Pass	6.018	17.47	16.54	16.73	16.87	22.94	23.72	28.96	29.74
5580MHz	Pass	6.018	16.52	17.02	16.76	17.23	22.91	23.62	28.93	29.64
5700MHz	Pass	6.018	16.04	16.19	16.99	17.23	22.66	23.66	28.68	29.68
5720MHz Straddle 5.47-5.725GHz	Pass	6.018	15.58	15.98	16.38	14.98	21.78	22.40	27.80	28.42
5720MHz Straddle 5.725-5.85GHz	Pass	5.982	8.38	8.85	8.73	8.56	14.65	30.00	20.63	36.00
5745MHz	Pass	5.982	22.77	22.82	23.09	23.21	29.00	30.00	34.98	36.00
5785MHz	Pass	5.982	22.82	22.32	22.33	23.03	28.66	30.00	34.64	36.00
5825MHz	Pass	5.982	22.21	21.83	22.59	22.15	28.22	30.00	34.20	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.346	19.92	19.07	19.46	20.41	25.76	29.65	32.11	36.00
5200MHz	Pass	6.346	21.29	20.56	20.43	21.22	26.91	29.65	33.26	36.00
5240MHz	Pass	6.346	22.32	21.71	21.08	21.55	27.71	29.65	34.06	36.00
5260MHz	Pass	6.510	17.07	16.92	17.52	17.72	23.34	23.44	29.85	29.95
5300MHz	Pass	6.510	17.16	17.1	17.55	17.5	23.35	23.46	29.86	29.97
5320MHz	Pass	6.510	17.3	17.31	17.33	17.31	23.33	23.46	29.84	29.97
5500MHz	Pass	6.018	17.27	17.07	17.45	17.64	23.38	23.96	29.40	29.98
5580MHz	Pass	6.018	16.85	17.22	17.66	17.67	23.38	23.95	29.40	29.97
5700MHz	Pass	6.018	16.71	16.88	17.64	17.87	23.32	23.95	29.34	29.97
5720MHz Straddle 5.47-5.725GHz	Pass	6.018	15.94	16.32	16.54	16.27	22.29	22.68	28.31	28.70
5720MHz Straddle 5.725-5.85GHz	Pass	5.982	10.09	10.72	11.12	10.45	16.63	30.00	22.61	36.00
5745MHz	Pass	5.982	22.71	22.72	23.16	23.15	28.96	30.00	34.94	36.00
5785MHz	Pass	5.982	22.59	22.09	22.14	22.84	28.45	30.00	34.43	36.00
5825MHz	Pass	5.982	22.05	21.8	22.35	22.06	28.09	30.00	34.07	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.346	17.92	17.59	17.63	18.3	23.89	29.65	30.24	36.00
5230MHz	Pass	6.346	22.49	21.94	21.45	22.04	28.02	29.65	34.37	36.00
5270MHz	Pass	6.510	17.22	17.06	17.05	17.25	23.17	23.49	29.68	30.00
5310MHz	Pass	6.510	17.21	17.12	17.22	17.13	23.19	23.49	29.70	30.00
5510MHz	Pass	6.018	17.83	17.69	17.62	17.65	23.72	23.98	29.74	30.00




Conducted Output Power(Average)

Appendix B

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5590MHz	Pass	6.018	17.03	17.42	17.76	17.95	23.57	23.98	29.59	30.00
5670MHz	Pass	6.018	17.14	16.84	17.65	18.47	23.59	23.98	29.61	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.018	17.26	17.42	17.89	17.65	23.58	23.98	29.60	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.982	5.92	6.31	7.16	6.43	12.50	30.00	18.48	36.00
5755MHz	Pass	5.982	20.69	20.12	21.11	21.41	26.88	30.00	32.86	36.00
5795MHz	Pass	5.982	22.02	21.46	21.72	22.25	27.89	30.00	33.87	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.346	17.25	16.72	16.22	16.91	22.81	29.65	29.16	36.00
5290MHz	Pass	6.510	14.67	14.58	14.57	14.78	20.67	23.49	27.18	30.00
5530MHz	Pass	6.018	18.19	17.79	17.32	17.49	23.73	23.98	29.75	30.00
5610MHz	Pass	6.018	17.02	17.43	17.72	18.1	23.61	23.98	29.63	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.018	17.02	17.16	17.93	17.86	23.53	23.98	29.55	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.982	2.55	3.28	4.06	2.91	9.26	30.00	15.24	36.00
5775MHz	Pass	5.982	17.65	17.3	17.61	17.92	23.65	30.00	29.63	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.346	8.91	8.76	9.61	9.62	15.26	29.65	21.61	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	6.510	10.28	9.63	9.6	9.6	15.81	23.49	22.32	30.00
5570MHz	Pass	6.018	13.41	13.25	13.45	14.05	19.57	23.98	25.59	30.00

DG = Directional Gain; Port X = Port X output power






5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
5ms
Detector Type
RMS
CP BW
30MHz



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
22.29	15.94	16.32	16.54	16.27

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
5ms
Detector Type
RMS
CP BW
20MHz



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
16.63	10.09	10.72	11.12	10.45




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

CF
5.69GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
5ms
Detector Type
RMS
CP BW
70MHz



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
23.58	17.26	17.42	17.89	17.65

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX

CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
5ms
Detector Type
RMS
CP BW
20MHz



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
12.50	5.92	6.31	7.16	6.43




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
5ms
Detector Type
RMS
CP BW
150MHz



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
23.53	17.02	17.16	17.93	17.86

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX


CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
5ms
Detector Type
RMS
CP BW
20MHz



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
9.26	2.55	3.28	4.06	2.91





Beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	26.98	0.49888	32.86	1.93197
802.11be EHT40-BF_Nss1,(MCS0)_4TX	26.85	0.48417	32.73	1.87499
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.24	0.16749	28.12	0.64863
802.11be EHT160-BF_Nss1,(MCS0)_4TX	15.24	0.03342	21.12	0.12942
5.25-5.35GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	23.32	0.21478	28.76	0.75162
802.11be EHT40-BF_Nss1,(MCS0)_4TX	23.85	0.24266	29.29	0.84918
802.11be EHT80-BF_Nss1,(MCS0)_4TX	20.52	0.11272	25.96	0.39446
802.11be EHT160-BF_Nss1,(MCS0)_4TX	15.77	0.03776	21.21	0.13213
5.47-5.725GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	23.36	0.21677	28.82	0.76208
802.11be EHT40-BF_Nss1,(MCS0)_4TX	23.71	0.23496	29.17	0.82604
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.56	0.22699	29.02	0.79799
802.11be EHT160-BF_Nss1,(MCS0)_4TX	19.66	0.09247	25.12	0.32509
5.725-5.85GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	28.79	0.75683	33.74	2.36592
802.11be EHT40-BF_Nss1,(MCS0)_4TX	27.76	0.59704	32.71	1.86638
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.48	0.22284	28.43	0.69663



Conducted Output Power(Average)

Appendix B

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_4TX										
5180MHz	Pass	5.88	19.29	18.87	19.73	19.89	25.48	30.00	31.36	36.00
5200MHz	Pass	5.88	21.19	20.51	20.51	20.77	26.77	30.00	32.65	36.00
5240MHz	Pass	5.88	21.76	21.14	20.15	20.61	26.98	30.00	32.86	36.00
5260MHz	Pass	5.44	17.02	17.31	17.15	17.39	23.24	23.97	28.68	29.97
5300MHz	Pass	5.44	17.43	17.02	17.63	17.09	23.32	24.00	28.76	30.00
5320MHz	Pass	5.44	17.16	17.31	17.19	17.42	23.29	23.95	28.73	29.95
5500MHz	Pass	5.46	16.45	17.02	17.8	17.18	23.16	23.98	28.62	29.98
5580MHz	Pass	5.46	17.48	17.12	17.63	17.09	23.36	23.97	28.82	29.97
5700MHz	Pass	5.46	17.39	17.18	17.1	17.27	23.26	23.97	28.72	29.97
5720MHz Straddle 5.47-5.725GHz	Pass	5.46	16.62	15.91	16.3	15.82	22.19	22.70	27.65	28.70
5720MHz Straddle 5.725-5.85GHz	Pass	4.95	10.99	10.32	10.88	10.19	16.63	30.00	21.58	36.00
5745MHz	Pass	4.95	22.55	22.15	23.17	23.13	28.79	30.00	33.74	36.00
5785MHz	Pass	4.95	22.85	21.75	21.99	22.9	28.42	30.00	33.37	36.00
5825MHz	Pass	4.95	21.97	21.55	22.24	21.81	27.92	30.00	32.87	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX										
5190MHz	Pass	5.88	17.61	17.98	17.43	18.09	23.81	30.00	29.69	36.00
5230MHz	Pass	5.88	21.42	21.01	20.2	20.59	26.85	30.00	32.73	36.00
5270MHz	Pass	5.44	18.25	17.52	17.79	17.73	23.85	24.00	29.29	30.00
5310MHz	Pass	5.44	17.78	17.73	17.68	17.79	23.77	24.00	29.21	30.00
5510MHz	Pass	5.46	17.5	17.79	17.86	17.59	23.71	24.00	29.17	30.00
5590MHz	Pass	5.46	18.01	17.38	17.28	17.33	23.53	24.00	28.99	30.00
5670MHz	Pass	5.46	17.67	16.45	18.05	17.88	23.58	24.00	29.04	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.46	17.85	17.14	17.75	17.27	23.53	24.00	28.99	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.95	6.62	6.19	6.8	6.1	12.46	30.00	17.41	36.00
5755MHz	Pass	4.95	20.57	20.62	20.97	21.14	26.85	30.00	31.80	36.00
5795MHz	Pass	4.95	21.93	21.38	21.32	22.26	27.76	30.00	32.71	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX										
5210MHz	Pass	5.88	16.64	16.47	15.64	16.06	22.24	30.00	28.12	36.00
5290MHz	Pass	5.44	14.34	14.64	14.29	14.72	20.52	24.00	25.96	30.00
5530MHz	Pass	5.46	17.71	17.5	17.63	17.32	23.56	24.00	29.02	30.00
5610MHz	Pass	5.46	17.68	17.29	17.49	17.63	23.55	24.00	29.01	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.46	17.68	16.93	17.65	17.73	23.53	24.00	28.99	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.95	3.22	2.95	3.4	3.1	9.19	30.00	14.14	36.00
5775MHz	Pass	4.95	17.43	17.04	17.29	18.02	23.48	30.00	28.43	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX										




Conducted Output Power(Average)



Appendix B



Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5250MHz Straddle 5.15-5.25GHz	Pass	5.88	8.97	8.73	8.97	10.08	15.24	30.00	21.12	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.44	10.23	9.69	9.24	9.78	15.77	24.00	21.21	30.00
5570MHz	Pass	5.46	13.88	13.34	13.45	13.86	19.66	24.00	25.12	30.00



DG = Directional Gain; Port X = Port X output power

Directional Gain refers to antenna report.











Non-beamforming mode

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	15.69	21.57
802.11be EHT20_Nss1,(MCS0)_4TX	14.95	20.83
802.11be EHT40_Nss1,(MCS0)_4TX	12.86	18.74
802.11be EHT80_Nss1,(MCS0)_4TX	5.00	10.88
802.11be EHT160_Nss1,(MCS0)_4TX	-2.37	3.51
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.71	16.15
802.11be EHT20_Nss1,(MCS0)_4TX	10.75	16.19
802.11be EHT40_Nss1,(MCS0)_4TX	8.24	13.68
802.11be EHT80_Nss1,(MCS0)_4TX	3.43	8.87
802.11be EHT160_Nss1,(MCS0)_4TX	-2.29	3.15
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.83	16.29
802.11be EHT20_Nss1,(MCS0)_4TX	10.77	16.23
802.11be EHT40_Nss1,(MCS0)_4TX	8.90	14.36
802.11be EHT80_Nss1,(MCS0)_4TX	5.62	11.08
802.11be EHT160_Nss1,(MCS0)_4TX	-0.64	4.82
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	14.79	19.74
802.11be EHT20_Nss1,(MCS0)_4TX	14.23	19.18
802.11be EHT40_Nss1,(MCS0)_4TX	11.57	16.52
802.11be EHT80_Nss1,(MCS0)_4TX	5.03	9.98

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX										
5180MHz	Pass	5.880	7.63	7.24	7.33	8.33	13.51	17.00	19.39	23.00
5200MHz	Pass	5.880	10.37	9.69	9.31	9.79	15.69	17.00	21.57	23.00
5240MHz	Pass	5.880	10.30	9.54	8.96	9.49	15.48	17.00	21.36	23.00
5260MHz	Pass	5.440	5.02	4.45	5.05	5.11	10.71	11.00	16.15	17.00
5300MHz	Pass	5.440	4.56	4.60	5.32	4.68	10.54	11.00	15.98	17.00
5320MHz	Pass	5.440	4.12	5.03	5.27	5.04	10.65	11.00	16.09	17.00
5500MHz	Pass	5.460	5.39	4.66	4.82	5.17	10.83	11.00	16.29	17.00
5580MHz	Pass	5.460	4.41	5.01	4.59	5.03	10.54	11.00	16.00	17.00
5700MHz	Pass	5.460	4.18	5.13	4.13	5.09	10.53	11.00	15.99	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.460	4.04	4.57	5.23	3.63	10.23	11.00	15.69	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.950	1.15	1.70	1.84	1.28	7.40	30.00	12.35	36.00
5745MHz	Pass	4.950	8.73	8.69	9.28	9.12	14.79	30.00	19.74	36.00
5785MHz	Pass	4.950	8.83	8.48	8.35	9.01	14.55	30.00	19.50	36.00
5825MHz	Pass	4.950	7.98	8.58	7.86	8.42	14.14	30.00	19.09	36.00
802.11be EHT20_Nss1,(MCS0)_4TX										
5180MHz	Pass	5.880	7.36	7.12	7.80	8.25	13.44	17.00	19.32	23.00
5200MHz	Pass	5.880	9.07	8.59	8.65	9.20	14.76	17.00	20.64	23.00
5240MHz	Pass	5.880	9.87	9.00	8.55	9.07	14.95	17.00	20.83	23.00
5260MHz	Pass	5.440	5.01	4.74	4.91	5.20	10.75	11.00	16.19	17.00
5300MHz	Pass	5.440	4.53	4.73	5.05	4.70	10.50	11.00	15.94	17.00
5320MHz	Pass	5.440	4.06	5.02	5.45	4.88	10.72	11.00	16.16	17.00
5500MHz	Pass	5.460	5.49	4.25	4.75	5.01	10.77	11.00	16.23	17.00
5580MHz	Pass	5.460	4.31	4.93	5.00	5.43	10.69	11.00	16.15	17.00
5700MHz	Pass	5.460	3.41	4.33	5.27	5.32	10.50	11.00	15.96	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.460	4.10	4.64	4.93	4.62	10.41	11.00	15.87	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.950	1.41	2.19	2.24	1.92	7.83	30.00	12.78	36.00
5745MHz	Pass	4.950	8.04	8.53	8.78	8.71	14.23	30.00	19.18	36.00
5785MHz	Pass	4.950	8.36	8.15	8.21	8.69	14.14	30.00	19.09	36.00
5825MHz	Pass	4.950	7.82	7.89	7.13	7.55	13.48	30.00	18.43	36.00
802.11be EHT40_Nss1,(MCS0)_4TX										
5190MHz	Pass	5.880	3.12	3.05	2.71	2.74	8.74	17.00	14.62	23.00
5230MHz	Pass	5.880	7.51	6.91	6.80	7.40	12.86	17.00	18.74	23.00
5270MHz	Pass	5.440	2.38	2.34	2.44	2.53	8.24	11.00	13.68	17.00
5310MHz	Pass	5.440	1.97	1.76	2.32	1.99	7.82	11.00	13.26	17.00
5510MHz	Pass	5.460	2.63	2.43	2.62	2.76	8.44	11.00	13.90	17.00
5590MHz	Pass	5.460	1.52	2.38	2.90	3.11	8.48	11.00	13.94	17.00
5670MHz	Pass	5.460	2.05	2.31	3.82	4.18	8.90	11.00	14.36	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.460	2.74	2.92	3.59	3.36	8.90	11.00	14.36	17.00