

Appendix

802.11ax(HE20) - 5260MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	95	1	558
2	74	1	718
3	81	1	658
4	70	1	758
5	81	1	658
6	74	1	718
7	18	1	3066
8	72	1	738
9	63	1	838
10	86	1	618
11	78	1	678
12	83	1	638
13	74	1	718
14	72	1	738
15	70	1	758
16	78	1	678
17	74	1	718
18	98	1	538
19	83	1	638
20	59	1	898
21	95	1	558
22	83	1	638
23	81	1	658
24	67	1	798
25	67	1	798
26	86	1	618
27	98	1	538
28	61	1	878
29	67	1	798
30	18	1	3066

802.11ax(HE20) - 5260MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	25	2.3	189
2	29	2.4	156
3	26	4.7	163
4	29	3.4	195
5	26	3.7	157
6	25	4.6	220
7	24	4.8	200
8	26	4.8	168
9	28	4.5	198
10	28	4.7	213
11	29	3.6	200
12	25	2	155
13	24	4.9	200
14	28	4.8	221
15	26	1.3	202
16	26	3.6	195
17	28	1.3	207
18	27	3.4	156
19	24	2	150
20	27	3.4	187
21	28	2.2	165
22	27	1.2	177
23	28	4.8	191
24	24	4.5	193
25	26	4.3	217
26	26	1.5	202
27	23	2.9	208
28	28	2	194
29	25	3.7	203
30	24	1.2	216

802.11ax(HE20) - 5260MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	17	8.8	468
2	17	8	256
3	17	6	434
4	16	9	374
5	16	9.5	376
6	16	6	485
7	16	6	394
8	17	8.7	270
9	18	8.8	434
10	16	7.6	475
11	18	6.8	252
12	16	7.3	443
13	17	8	220
14	17	9.6	326
15	16	9.3	476
16	17	6	460
17	16	6	318
18	16	9.3	246
19	16	8.8	273
20	16	6.5	244
21	16	6	375
22	17	9.1	242
23	17	8.9	252
24	17	7.9	246
25	17	7.3	465
26	16	8.6	311
27	18	7.9	213
28	17	7.1	400
29	18	8	399
30	18	7.3	413

802.11ax(HE20) - 5260MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	15	14.7	419
2	16	16.3	494
3	16	17.1	346
4	13	13.8	377
5	14	17.2	462
6	14	16.9	323
7	16	18.3	473
8	16	11.8	260
9	14	18	383
10	13	15.1	489
11	13	16.2	216
12	14	18.4	391
13	15	13.2	446
14	13	16.5	463
15	14	16.9	312
16	15	15.8	450
17	13	11.7	244
18	13	13	318
19	14	12	497
20	14	11.5	204
21	15	18.1	363
22	16	12.6	264
23	14	17.2	270
24	15	17.2	439
25	14	15.4	272
26	16	18.7	336
27	14	16.1	365
28	15	16.5	400
29	15	17	348
30	14	16.4	282


802.11ax(HE20) - 5260MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	6	1	5260
2	20	1	5260
3	7	1	5260
4	8	1	5260
5	19	1	5260
6	10	1	5260
7	15	1	5260
8	7	1	5260
9	15	1	5260
10	11	1	5260
11	19	2	5257.6
12	7	2	5252.8
13	17	2	5256.8
14	17	2	5256.8
15	15	2	5256
16	11	2	5254.4
17	9	2	5253.6
18	10	2	5254
19	20	2	5258
20	12	2	5254.8
21	16	3	5263.6
22	9	3	5266.4
23	6	3	5267.6
24	11	3	5265.6
25	9	3	5266.4
26	15	3	5264
27	20	3	5262
28	19	3	5262.4
29	14	3	5264.4
30	18	3	5262.8

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	98.5	10	1346		45.458
2	2	71	10	1319		359.443
3	1	52.5	10			333.556
4	2	84.8	10	1925		887.569
5	2	87.6	10	1519		301.572
6	3	56.7	10	1381	1734	231.905
7	1	57.8	10			662.638
8	2	72.9	10	1485		587.542
9	2	96.5	10	1628		121.305
10	2	63.6	10	1336		617.938
11	3	64.1	10	1019	1145	643.811
12	2	74.8	10	1920		832.654
13	3	61.5	10	1691	1731	550.877




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 7

Bursts in Trial: 16

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	67.4	15	1733	1499	464.56
2	3	56.7	15	1670	1272	515.19
3	2	74.8	15	1320		723.08
4	3	84.3	15	1604	1351	104.99
5	2	94.6	15	1786		598.98
6	2	88.6	15	1438		391.23
7	2	92.1	15	1092		728.34
8	3	96.3	15	1417	1990	621.57
9	2	87.6	15	1457		88.44
10	3	75.4	15	1227	1445	315.97
11	3	82.3	15	1907	1268	257.53
12	3	62.2	15	1619	1207	566.3
13	2	69.1	15	1855		731.19
14	2	71.1	15	1553		473.5
15	1	90.3	15			381.1
16	1	58.4	15			461.4



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	56.5	7			376.584
2	2	91.6	7	1375		493.971
3	3	59.1	7	1222	1233	550.872
4	1	98.5	7			539.973
5	1	70.3	7			295.814
6	1	74	7			321.265
7	2	72.5	7	1521		538.566
8	1	93.2	7			623.447
9	2	65.4	7	1366		92.978
10	1	57.9	7			27.719
11	3	96.2	7	1442	1561	422.421
12	2	85.6	7	1380		367.592
13	2	92.2	7	1823		473.603
14	1	85.2	7			456.804
15	1	97.6	7			522.075
16	3	72	7	1544	1404	53.306
17	2	91.9	7	1969		14.737
18	2	53.7	7	1298		340.058
19	2	59.4	7	1497		110.179




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 20

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	62.6	15	1358		422.688
2	2	57.4	15	1170		124.708
3	1	71.8	15			125.85
4	1	99.4	15			368.28
5	2	64.4	15	1807		362.38
6	3	61	15	1542	1553	41
7	3	93.5	15	1990	1904	30.36
8	2	54.2	15	1483		382.67
9	2	52.8	15	1269		91.34
10	2	80.6	15	1711		542.17
11	2	99.1	15	1844		129.69
12	2	67	15	1903		553.25
13	2	51.7	15	1724		498.7
14	1	74.3	15			167.67
15	2	89.1	15	1624		285.6
16	2	72.4	15	1104		123.35
17	3	51.9	15	1224	1050	266.14
18	2	53.3	15	1229		547.4
19	3	51.2	15	1211	1330	106.8
20	3	66.8	15	1743	1934	416.3




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 20

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	77.3	11	1615		79.625
2	2	73	11	1028		132.349
3	2	61.1	11	1426		578.71
4	1	67.7	11			298.93
5	2	51	11	1364		479.03
6	3	66.9	11	1607	1544	426.24
7	1	88	11			248.37
8	2	59.7	11	1798		225.44
9	3	68.5	11	1055	1399	336.92
10	2	50.4	11	1445		367.89
11	3	72.5	11	1879	1806	367.35
12	2	78.1	11	1321		427.95
13	3	50.4	11	1110	1258	501.26
14	3	89.1	11	1940	1004	49.84
15	2	68	11	1316		446.09
16	3	91	11	1638	1562	467.97
17	3	91.9	11	1063	1667	467.8
18	1	78.9	11			504.4
19	1	91.3	11			74.5
20	2	94.9	11	1739		334




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 11

Bursts in Trial: 17

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	73.6	19			174.664
2	2	60.5	19	1800		695.278
3	2	95.9	19	1889		641.355
4	2	94.1	19	1293		324.473
5	2	72.2	19	1486		382.861
6	2	63.6	19	1757		513.918
7	2	77.7	19	1236		52.976
8	2	96	19	1151		695.304
9	1	55.1	19			351.401
10	2	83.7	19	1945		23.659
11	2	93.9	19	1267		87.166
12	2	56	19	1531		195.094
13	2	72.4	19	1567		280.882
14	1	54.3	19			119.759
15	1	57	19			465.547
16	2	71	19	1988		606.465
17	3	59.2	19	1834	1078	82.482




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 19

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	87.5	7	1418		548.515
2	3	99.8	7	1846	1202	464.451
3	2	93.5	7	1581		113.582
4	2	96.6	7	1545		74.403
5	3	77.1	7	1714	1100	240.114
6	1	66.2	7			511.445
7	2	88.8	7	1177		56.286
8	2	99.8	7	1731		369.377
9	3	73.8	7	1471	1196	85.198
10	2	86.3	7	1301		12.109
11	2	90.1	7	1744		227.031
12	3	51.6	7	1507	1367	182.992
13	2	63.2	7	1079		622.573
14	3	70.8	7	1635	1421	93.884
15	2	75.1	7	1056		487.885
16	1	91.2	7			482.066
17	1	54.9	7			357.337
18	1	99.5	7			461.758
19	1	50.3	7			448.679




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 14

Bursts in Trial: 14

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	50.6	17			170.84
2	1	68.8	17			804.927
3	2	73.4	17	1446		247.964
4	2	95.1	17	1958		353.671
5	2	64	17	1370		577.009
6	1	94.2	17			36.606
7	1	94.2	17			759.633
8	2	79.9	17	1829		79.34
9	2	84.8	17	1396		337.057
10	2	68.4	17	1356		681.814
11	3	74.7	17	1751	1598	236.451
12	1	70.4	17			434.129
13	3	92.8	17	1425	1087	837.486
14	2	78.1	17	1131		761.843



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	53.7	15	1769		527.442
2	1	57.4	15			68.565
3	2	88.2	15	1266		382.677
4	2	76	15	1776		644.46
5	3	87.2	15	1768	1401	112.213
6	2	87.9	15	1985		279.207
7	1	82.5	15			25.65
8	1	64.6	15			213.463
9	2	55.4	15	1694		504.997
10	3	77	15	1272	1841	257.88
11	3	78.8	15	1475	1200	484.743
12	3	93.6	15	1307	1270	278.447
13	3	90.4	15	1285	1914	111.45
14	3	66.3	15	1132	1231	590.823
15	3	79.8	15	1135	1802	296.197
16	2	78.7	15	1469		621.1
17	1	64.9	15			534.433
18	3	71.6	15	1798	1283	643.767




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 18

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	99.8	10	1613		752.946
2	2	53.2	10	1075		326.013
3	3	94.3	10	1090	1728	93.736
4	2	55.1	10	1636		863.839
5	3	87.2	10	1453	1239	132.952
6	1	80.4	10			363.315
7	2	51.2	10	1544		23.398
8	1	93.4	10			213.692
9	1	54.9	10			484.925
10	1	53.7	10			254.198
11	3	61.2	10	1340	1483	903.631
12	1	68.3	10			81.154
13	3	63.6	10	1134	1072	805.277



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	75.7	12	1604	1966	72.262
2	2	89.2	12	1642		383.391
3	3	87.9	12	1356	1070	296.402
4	2	95.9	12	1081		346.533
5	3	63.2	12	1298	1647	104.094
6	2	80.7	12	1753		170.365
7	1	98.2	12			229.316
8	2	73.9	12	1461		547.997
9	1	69.1	12			447.438
10	3	64.6	12	1755	1666	532.869
11	2	86.5	12	1394		188.431
12	2	62.4	12	1124		215.272
13	2	71.1	12	1017		397.463
14	2	50.7	12	1309		233.384
15	1	57	12			170.805
16	3	92.3	12	1057	1403	348.076
17	2	68.5	12	1447		181.137
18	3	85.4	12	1242	1265	425.758
19	1	59.7	12			183.679




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 21

Bursts in Trial: 16


Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	62.7	16	1328		680.793
2	1	57.2	16			539.34
3	2	57.7	16	1463		424.86
4	1	83.2	16			549.37
5	3	72.7	16	1203	1249	411.07
6	3	72.1	16	1658	1704	88.05
7	2	76.3	16	1581		592.6
8	2	63.9	16	1078		187.55
9	2	55.1	16	1730		320.77
10	3	83.7	16	1402	1521	680.09
11	1	63.5	16			368.36
12	1	76	16			332.92
13	3	91.7	16	1552	1132	558.94
14	1	91.2	16			437.3
15	3	98.6	16	1194	1931	360.4
16	2	62.2	16	1523		121.1




TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	50.2	9	1799	1905	360.445
2	1	66.6	9			450.938
3	2	94.9	9	1331		29.385
4	3	50.9	9	1056	1986	160.523
5	3	57.7	9	1047	1338	317.581
6	2	72.9	9	1809		361.618
7	2	70.9	9	1867		142.506
8	2	57.7	9	1982		167.034
9	1	55.1	9			339.511
10	3	81	9	1636	1270	146.389
11	3	86.8	9	1690	1827	535.406
12	3	51.3	9	1036	1863	534.164
13	1	52.8	9			405.902
14	1	76.6	9			219.429
15	3	58.2	9	1613	1204	649.947
16	2	73.4	9	1425		534.865
17	2	68.8	9	1467		638.682




TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	75.1	11	1421	1680	257.316
2	2	59.2	11	1213		187.251
3	2	66	11	1706		61.507
4	2	65.1	11	1129		152.26
5	1	89.7	11			517.603
6	1	63.1	11			126.187
7	1	71.8	11			232.46
8	3	93.3	11	1047	1491	363.863
9	2	70.1	11	1464		419.527
10	1	98.9	11			657.84
11	2	54.7	11	1332		572.583
12	3	93.3	11	1505	1775	207.217
13	1	63.7	11			486.45
14	2	87	11	1247		630.693
15	2	77.2	11	1033		603.237
16	2	98.9	11	1281		218.5
17	1	83.7	11			269.033
18	2	90.7	11	1934		70.267




TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	73.1	15	1392		63.433
2	2	83.7	15	1394		456.133
3	1	59.7	15			162.057
4	2	62.3	15	1038		312.86
5	3	83.6	15	1358	1148	611.373
6	2	91.3	15	1547		33.497
7	1	71.7	15			624.82
8	1	64.2	15			167.403
9	2	90.9	15	1251		561.227
10	2	56.9	15	1443		345.14
11	2	71.6	15	1106		573.323
12	2	87.1	15	1103		394.187
13	1	54.6	15			81.99
14	1	82.5	15			498.593
15	3	79.8	15	1534	1623	501.267
16	1	65	15			86.5
17	2	94.7	15	1082		45.033
18	2	83	15	1667		291.767




TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	70.1	20	1327		6.193
2	1	67.1	20			408.813
3	2	79.5	20	1154		215.757
4	2	50.4	20	1712		323.88
5	1	53.9	20			123.703
6	2	77.1	20	1197		302.707
7	2	79.4	20	1725		146.77
8	2	81.6	20	1256		263.243
9	1	50.2	20			143.327
10	3	53.8	20	1771	1011	357.79
11	2	97.6	20	1097		539.213
12	1	82.5	20			491.577
13	2	81.4	20	1939		97.18
14	3	80.2	20	1631	1187	311.313
15	1	58.6	20			605.957
16	2	79.9	20	1717		359.7
17	2	78.7	20	1986		123.033
18	1	65.8	20			423.467



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	76.7	14	1659	1712	299.042
2	2	76.1	14	1339		152.903
3	2	76.3	14	1276		3.477
4	2	90.4	14	1513		615.47
5	3	59.9	14	1730	1604	146.433
6	2	79.7	14	1564		488.547
7	2	58.9	14	1907		200.6
8	3	88.4	14	1549	1749	158.543
9	2	54.6	14	1160		366.727
10	2	78.2	14	1363		561.49
11	1	85.2	14			43.493
12	2	73.5	14	1530		425.127
13	1	53.3	14			361.2
14	1	98.6	14			101.813
15	2	65.4	14	1919		566.107
16	2	70.4	14	1292		281
17	2	83.2	14	1951		135.233
18	2	88.6	14	1669		383.167



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	69.5	18	1561		196.784
2	3	79.5	18	1903	1231	470.908
3	1	92.7	18			257.915
4	1	79.1	18			58.233
5	1	95.7	18			361.481
6	3	56.9	18	1027	1284	696.518
7	2	77.4	18	1600		593.636
8	2	77.8	18	1768		271.624
9	1	93.9	18			449.241
10	2	58.9	18	1030		120.129
11	2	75.9	18	1554		118.616
12	3	76	18	1385	1943	408.074
13	3	81.5	18	1623	1301	237.312
14	3	69.8	18	1639	1898	472.869
15	2	58	18	1445		241.347
16	3	62.4	18	1592	1502	38.165
17	1	64.3	18			208.282



802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.545	20	
2	5.26	5.612	20	
3	5.26	5.252	20	
4	5.26	5.337	20	
5	5.26	5.564	20	
6	5.26	5.631	20	
7	5.26	5.459	20	
8	5.26	5.284	20	
9	5.26	5.338	20	
10	5.26	5.522	20	*
11	5.26	5.582	20	
12	5.26	5.517	20	
13	5.26	5.253	20	
14	5.26	5.578	20	
15	5.26	5.363	20	
16	5.26	5.416	20	
17	5.26	5.436	20	
18	5.26	5.386	20	
19	5.26	5.435	20	
20	5.26	5.64	20	
21	5.26	5.692	20	
22	5.26	5.509	20	
23	5.26	5.653	20	
24	5.26	5.695	20	
25	5.26	5.548	20	
26	5.26	5.449	20	
27	5.26	5.446	20	
28	5.26	5.554	20	
29	5.26	5.288	20	
30	5.26	5.281	20	
31	5.26	5.323	20	
32	5.26	5.624	20	
33	5.26	5.443	20	
34	5.26	5.489	20	
35	5.26	5.694	20	
36	5.26	5.523	20	*
37	5.26	5.699	20	
38	5.26	5.26	20	
39	5.26	5.716	20	
40	5.26	5.392	20	
41	5.26	5.261	20	
42	5.26	5.525	20	*
43	5.26	5.5	20	
44	5.26	5.565	20	
45	5.26	5.321	20	
46	5.26	5.258	20	
47	5.26	5.561	20	

48	5.26	5.643	20	
49	5.26	5.264	20	
50	5.26	5.46	20	
51	5.26	5.646	20	
52	5.26	5.686	20	
53	5.26	5.404	20	
54	5.26	5.454	20	
55	5.26	5.587	20	
56	5.26	5.684	20	
57	5.26	5.566	20	
58	5.26	5.263	20	
59	5.26	5.43	20	
60	5.26	5.644	20	
61	5.26	5.571	20	
62	5.26	5.703	20	
63	5.26	5.535	20	*
64	5.26	5.552	20	
65	5.26	5.711	20	
66	5.26	5.479	20	
67	5.26	5.714	20	
68	5.26	5.41	20	
69	5.26	5.458	20	
70	5.26	5.569	20	
71	5.26	5.48	20	
72	5.26	5.308	20	
73	5.26	5.551	20	
74	5.26	5.265	20	
75	5.26	5.487	20	
76	5.26	5.615	20	
77	5.26	5.334	20	
78	5.26	5.72	20	
79	5.26	5.262	20	
80	5.26	5.304	20	
81	5.26	5.626	20	
82	5.26	5.53	20	*
83	5.26	5.555	20	
84	5.26	5.526	20	*
85	5.26	5.444	20	
86	5.26	5.285	20	
87	5.26	5.673	20	
88	5.26	5.482	20	
89	5.26	5.292	20	
90	5.26	5.361	20	
91	5.26	5.709	20	
92	5.26	5.553	20	
93	5.26	5.287	20	
94	5.26	5.462	20	
95	5.26	5.713	20	
96	5.26	5.457	20	
97	5.26	5.659	20	
98	5.26	5.422	20	
99	5.26	5.67	20	
100	5.26	5.577	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.716	20	
2	5.26	5.391	20	
3	5.26	5.421	20	
4	5.26	5.376	20	
5	5.26	5.562	20	
6	5.26	5.684	20	
7	5.26	5.457	20	
8	5.26	5.332	20	
9	5.26	5.377	20	
10	5.26	5.613	20	
11	5.26	5.357	20	
12	5.26	5.573	20	
13	5.26	5.313	20	
14	5.26	5.409	20	
15	5.26	5.717	20	
16	5.26	5.548	20	
17	5.26	5.695	20	
18	5.26	5.353	20	
19	5.26	5.546	20	
20	5.26	5.554	20	
21	5.26	5.336	20	
22	5.26	5.393	20	
23	5.26	5.67	20	
24	5.26	5.278	20	
25	5.26	5.309	20	
26	5.26	5.524	20	*
27	5.26	5.552	20	
28	5.26	5.351	20	
29	5.26	5.321	20	
30	5.26	5.28	20	
31	5.26	5.255	20	
32	5.26	5.624	20	
33	5.26	5.288	20	
34	5.26	5.47	20	
35	5.26	5.566	20	
36	5.26	5.418	20	
37	5.26	5.63	20	
38	5.26	5.587	20	
39	5.26	5.258	20	
40	5.26	5.668	20	
41	5.26	5.662	20	
42	5.26	5.502	20	
43	5.26	5.274	20	
44	5.26	5.5	20	
45	5.26	5.603	20	
46	5.26	5.301	20	
47	5.26	5.531	20	*

48	5.26	5.291	20	
49	5.26	5.398	20	
50	5.26	5.35	20	
51	5.26	5.289	20	
52	5.26	5.512	20	
53	5.26	5.316	20	
54	5.26	5.505	20	
55	5.26	5.369	20	
56	5.26	5.625	20	
57	5.26	5.649	20	
58	5.26	5.612	20	
59	5.26	5.477	20	
60	5.26	5.397	20	
61	5.26	5.428	20	
62	5.26	5.356	20	
63	5.26	5.705	20	
64	5.26	5.636	20	
65	5.26	5.427	20	
66	5.26	5.347	20	
67	5.26	5.342	20	
68	5.26	5.387	20	
69	5.26	5.26	20	*
70	5.26	5.637	20	
71	5.26	5.498	20	
72	5.26	5.383	20	
73	5.26	5.696	20	
74	5.26	5.339	20	
75	5.26	5.655	20	
76	5.26	5.571	20	
77	5.26	5.445	20	
78	5.26	5.673	20	
79	5.26	5.544	20	
80	5.26	5.61	20	
81	5.26	5.308	20	
82	5.26	5.575	20	
83	5.26	5.251	20	
84	5.26	5.315	20	
85	5.26	5.48	20	
86	5.26	5.51	20	
87	5.26	5.479	20	
88	5.26	5.564	20	
89	5.26	5.497	20	
90	5.26	5.27	20	
91	5.26	5.533	20	*
92	5.26	5.337	20	
93	5.26	5.629	20	
94	5.26	5.437	20	
95	5.26	5.406	20	
96	5.26	5.416	20	
97	5.26	5.439	20	
98	5.26	5.581	20	
99	5.26	5.572	20	
100	5.26	5.408	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.269	20	
2	5.26	5.314	20	
3	5.26	5.309	20	
4	5.26	5.336	20	
5	5.26	5.502	20	
6	5.26	5.712	20	
7	5.26	5.318	20	
8	5.26	5.34	20	
9	5.26	5.658	20	
10	5.26	5.566	20	
11	5.26	5.441	20	
12	5.26	5.442	20	
13	5.26	5.506	20	
14	5.26	5.331	20	
15	5.26	5.265	20	
16	5.26	5.62	20	
17	5.26	5.252	20	
18	5.26	5.322	20	
19	5.26	5.575	20	
20	5.26	5.305	20	
21	5.26	5.602	20	
22	5.26	5.609	20	
23	5.26	5.715	20	
24	5.26	5.457	20	
25	5.26	5.463	20	
26	5.26	5.353	20	
27	5.26	5.289	20	
28	5.26	5.707	20	
29	5.26	5.402	20	
30	5.26	5.413	20	
31	5.26	5.455	20	
32	5.26	5.339	20	
33	5.26	5.406	20	
34	5.26	5.401	20	
35	5.26	5.577	20	
36	5.26	5.655	20	
37	5.26	5.626	20	
38	5.26	5.549	20	
39	5.26	5.721	20	
40	5.26	5.439	20	
41	5.26	5.35	20	
42	5.26	5.29	20	
43	5.26	5.364	20	
44	5.26	5.303	20	
45	5.26	5.526	20	*
46	5.26	5.638	20	
47	5.26	5.722	20	

48	5.26	5.497	20	
49	5.26	5.282	20	
50	5.26	5.375	20	
51	5.26	5.403	20	
52	5.26	5.667	20	
53	5.26	5.447	20	
54	5.26	5.466	20	
55	5.26	5.583	20	
56	5.26	5.519	20	*
57	5.26	5.453	20	
58	5.26	5.685	20	
59	5.26	5.524	20	*
60	5.26	5.256	20	
61	5.26	5.719	20	
62	5.26	5.556	20	
63	5.26	5.346	20	
64	5.26	5.334	20	
65	5.26	5.382	20	
66	5.26	5.266	20	
67	5.26	5.352	20	
68	5.26	5.663	20	
69	5.26	5.284	20	
70	5.26	5.613	20	
71	5.26	5.641	20	
72	5.26	5.501	20	
73	5.26	5.656	20	
74	5.26	5.657	20	
75	5.26	5.597	20	
76	5.26	5.472	20	
77	5.26	5.417	20	
78	5.26	5.425	20	
79	5.26	5.711	20	
80	5.26	5.419	20	
81	5.26	5.393	20	
82	5.26	5.299	20	
83	5.26	5.681	20	
84	5.26	5.267	20	
85	5.26	5.5	20	
86	5.26	5.565	20	
87	5.26	5.378	20	
88	5.26	5.44	20	
89	5.26	5.384	20	
90	5.26	5.395	20	
91	5.26	5.283	20	
92	5.26	5.421	20	
93	5.26	5.541	20	
94	5.26	5.54	20	
95	5.26	5.582	20	
96	5.26	5.606	20	
97	5.26	5.286	20	
98	5.26	5.624	20	
99	5.26	5.259	20	
100	5.26	5.332	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.288	20	
2	5.26	5.67	20	
3	5.26	5.306	20	
4	5.26	5.474	20	
5	5.26	5.278	20	
6	5.26	5.592	20	
7	5.26	5.585	20	
8	5.26	5.491	20	
9	5.26	5.705	20	
10	5.26	5.521	20	*
11	5.26	5.443	20	
12	5.26	5.26	20	
13	5.26	5.635	20	
14	5.26	5.618	20	
15	5.26	5.47	20	
16	5.26	5.27	20	
17	5.26	5.417	20	
18	5.26	5.636	20	
19	5.26	5.676	20	
20	5.26	5.328	20	
21	5.26	5.502	20	
22	5.26	5.545	20	
23	5.26	5.271	20	
24	5.26	5.321	20	
25	5.26	5.471	20	
26	5.26	5.658	20	
27	5.26	5.257	20	
28	5.26	5.655	20	
29	5.26	5.542	20	
30	5.26	5.469	20	
31	5.26	5.622	20	
32	5.26	5.707	20	
33	5.26	5.349	20	
34	5.26	5.363	20	
35	5.26	5.662	20	
36	5.26	5.265	20	
37	5.26	5.532	20	*
38	5.26	5.516	20	
39	5.26	5.293	20	
40	5.26	5.7	20	
41	5.26	5.308	20	
42	5.26	5.703	20	
43	5.26	5.698	20	
44	5.26	5.64	20	
45	5.26	5.71	20	
46	5.26	5.58	20	
47	5.26	5.695	20	

48	5.26	5.503	20	
49	5.26	5.397	20	
50	5.26	5.648	20	
51	5.26	5.714	20	
52	5.26	5.451	20	
53	5.26	5.702	20	
54	5.26	5.323	20	
55	5.26	5.34	20	
56	5.26	5.549	20	
57	5.26	5.579	20	
58	5.26	5.704	20	
59	5.26	5.393	20	
60	5.26	5.653	20	
61	5.26	5.401	20	
62	5.26	5.404	20	
63	5.26	5.625	20	
64	5.26	5.297	20	
65	5.26	5.286	20	
66	5.26	5.275	20	
67	5.26	5.462	20	
68	5.26	5.338	20	
69	5.26	5.441	20	
70	5.26	5.367	20	
71	5.26	5.459	20	
72	5.26	5.331	20	
73	5.26	5.605	20	
74	5.26	5.51	20	
75	5.26	5.355	20	
76	5.26	5.372	20	
77	5.26	5.673	20	
78	5.26	5.387	20	
79	5.26	5.65	20	
80	5.26	5.373	20	
81	5.26	5.478	20	
82	5.26	5.514	20	
83	5.26	5.593	20	
84	5.26	5.723	20	
85	5.26	5.455	20	
86	5.26	5.564	20	
87	5.26	5.555	20	
88	5.26	5.493	20	
89	5.26	5.677	20	
90	5.26	5.666	20	
91	5.26	5.291	20	
92	5.26	5.477	20	
93	5.26	5.482	20	
94	5.26	5.57	20	
95	5.26	5.588	20	
96	5.26	5.487	20	
97	5.26	5.408	20	
98	5.26	5.302	20	
99	5.26	5.689	20	
100	5.26	5.608	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.496	20	
2	5.26	5.484	20	
3	5.26	5.684	20	
4	5.26	5.357	20	
5	5.26	5.585	20	
6	5.26	5.624	20	
7	5.26	5.396	20	
8	5.26	5.707	20	
9	5.26	5.35	20	
10	5.26	5.482	20	
11	5.26	5.369	20	
12	5.26	5.307	20	
13	5.26	5.636	20	
14	5.26	5.663	20	
15	5.26	5.677	20	
16	5.26	5.421	20	
17	5.26	5.639	20	
18	5.26	5.506	20	
19	5.26	5.658	20	
20	5.26	5.293	20	
21	5.26	5.579	20	
22	5.26	5.529	20	*
23	5.26	5.38	20	
24	5.26	5.623	20	
25	5.26	5.611	20	
26	5.26	5.283	20	
27	5.26	5.424	20	
28	5.26	5.431	20	
29	5.26	5.351	20	
30	5.26	5.553	20	
31	5.26	5.695	20	
32	5.26	5.503	20	
33	5.26	5.711	20	
34	5.26	5.465	20	
35	5.26	5.562	20	
36	5.26	5.583	20	
37	5.26	5.641	20	
38	5.26	5.31	20	
39	5.26	5.315	20	
40	5.26	5.633	20	
41	5.26	5.65	20	
42	5.26	5.58	20	
43	5.26	5.468	20	
44	5.26	5.278	20	
45	5.26	5.455	20	
46	5.26	5.593	20	
47	5.26	5.444	20	

48	5.26	5.388	20	
49	5.26	5.297	20	
50	5.26	5.568	20	
51	5.26	5.401	20	
52	5.26	5.325	20	
53	5.26	5.597	20	
54	5.26	5.602	20	
55	5.26	5.605	20	
56	5.26	5.316	20	
57	5.26	5.662	20	
58	5.26	5.668	20	
59	5.26	5.475	20	
60	5.26	5.272	20	
61	5.26	5.25	20	
62	5.26	5.395	20	
63	5.26	5.596	20	
64	5.26	5.387	20	
65	5.26	5.429	20	
66	5.26	5.306	20	
67	5.26	5.32	20	
68	5.26	5.448	20	
69	5.26	5.391	20	
70	5.26	5.463	20	
71	5.26	5.532	20	*
72	5.26	5.507	20	
73	5.26	5.665	20	
74	5.26	5.5	20	
75	5.26	5.384	20	
76	5.26	5.383	20	
77	5.26	5.494	20	
78	5.26	5.618	20	
79	5.26	5.489	20	
80	5.26	5.634	20	
81	5.26	5.601	20	
82	5.26	5.673	20	
83	5.26	5.477	20	
84	5.26	5.491	20	
85	5.26	5.504	20	
86	5.26	5.699	20	
87	5.26	5.629	20	
88	5.26	5.587	20	
89	5.26	5.329	20	
90	5.26	5.545	20	
91	5.26	5.538	20	*
92	5.26	5.573	20	
93	5.26	5.531	20	*
94	5.26	5.716	20	
95	5.26	5.533	20	*
96	5.26	5.365	20	
97	5.26	5.622	20	
98	5.26	5.39	20	
99	5.26	5.471	20	
100	5.26	5.404	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.477	20	
2	5.26	5.665	20	
3	5.26	5.602	20	
4	5.26	5.259	20	
5	5.26	5.499	20	
6	5.26	5.721	20	
7	5.26	5.382	20	
8	5.26	5.573	20	
9	5.26	5.691	20	
10	5.26	5.666	20	
11	5.26	5.707	20	
12	5.26	5.337	20	
13	5.26	5.479	20	
14	5.26	5.263	20	
15	5.26	5.423	20	
16	5.26	5.291	20	
17	5.26	5.255	20	
18	5.26	5.534	20	*
19	5.26	5.711	20	
20	5.26	5.379	20	
21	5.26	5.664	20	
22	5.26	5.387	20	
23	5.26	5.414	20	
24	5.26	5.292	20	
25	5.26	5.605	20	
26	5.26	5.685	20	
27	5.26	5.682	20	
28	5.26	5.587	20	
29	5.26	5.505	20	
30	5.26	5.578	20	
31	5.26	5.345	20	
32	5.26	5.275	20	
33	5.26	5.396	20	
34	5.26	5.334	20	
35	5.26	5.449	20	
36	5.26	5.541	20	
37	5.26	5.67	20	
38	5.26	5.615	20	
39	5.26	5.68	20	
40	5.26	5.554	20	
41	5.26	5.576	20	
42	5.26	5.394	20	
43	5.26	5.53	20	*
44	5.26	5.599	20	
45	5.26	5.716	20	
46	5.26	5.488	20	
47	5.26	5.64	20	

48	5.26	5.408	20	
49	5.26	5.307	20	
50	5.26	5.411	20	
51	5.26	5.642	20	
52	5.26	5.652	20	
53	5.26	5.41	20	
54	5.26	5.553	20	
55	5.26	5.34	20	
56	5.26	5.513	20	
57	5.26	5.71	20	
58	5.26	5.464	20	
59	5.26	5.607	20	
60	5.26	5.647	20	
61	5.26	5.674	20	
62	5.26	5.699	20	
63	5.26	5.512	20	
64	5.26	5.688	20	
65	5.26	5.409	20	
66	5.26	5.298	20	
67	5.26	5.317	20	
68	5.26	5.588	20	
69	5.26	5.28	20	
70	5.26	5.539	20	
71	5.26	5.654	20	
72	5.26	5.669	20	
73	5.26	5.413	20	
74	5.26	5.4	20	
75	5.26	5.42	20	
76	5.26	5.329	20	
77	5.26	5.489	20	
78	5.26	5.559	20	
79	5.26	5.429	20	
80	5.26	5.269	20	
81	5.26	5.303	20	
82	5.26	5.256	20	
83	5.26	5.361	20	
84	5.26	5.312	20	
85	5.26	5.455	20	
86	5.26	5.635	20	
87	5.26	5.475	20	
88	5.26	5.358	20	
89	5.26	5.697	20	
90	5.26	5.271	20	
91	5.26	5.638	20	
92	5.26	5.284	20	
93	5.26	5.494	20	
94	5.26	5.574	20	
95	5.26	5.643	20	
96	5.26	5.323	20	
97	5.26	5.511	20	
98	5.26	5.693	20	
99	5.26	5.614	20	
100	5.26	5.568	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.589	20	
2	5.26	5.471	20	
3	5.26	5.693	20	
4	5.26	5.625	20	
5	5.26	5.467	20	
6	5.26	5.384	20	
7	5.26	5.42	20	
8	5.26	5.477	20	
9	5.26	5.611	20	
10	5.26	5.339	20	
11	5.26	5.296	20	
12	5.26	5.594	20	
13	5.26	5.374	20	
14	5.26	5.542	20	
15	5.26	5.276	20	
16	5.26	5.476	20	
17	5.26	5.649	20	
18	5.26	5.273	20	
19	5.26	5.632	20	
20	5.26	5.473	20	
21	5.26	5.621	20	
22	5.26	5.309	20	
23	5.26	5.289	20	
24	5.26	5.673	20	
25	5.26	5.557	20	
26	5.26	5.643	20	
27	5.26	5.688	20	
28	5.26	5.623	20	
29	5.26	5.599	20	
30	5.26	5.336	20	
31	5.26	5.391	20	
32	5.26	5.514	20	
33	5.26	5.353	20	
34	5.26	5.383	20	
35	5.26	5.436	20	
36	5.26	5.54	20	
37	5.26	5.389	20	
38	5.26	5.343	20	
39	5.26	5.416	20	
40	5.26	5.668	20	
41	5.26	5.456	20	
42	5.26	5.532	20	*
43	5.26	5.583	20	
44	5.26	5.598	20	
45	5.26	5.512	20	
46	5.26	5.659	20	
47	5.26	5.47	20	

48	5.26	5.558	20	
49	5.26	5.551	20	
50	5.26	5.429	20	
51	5.26	5.3	20	
52	5.26	5.711	20	
53	5.26	5.585	20	
54	5.26	5.458	20	
55	5.26	5.655	20	
56	5.26	5.275	20	
57	5.26	5.529	20	*
58	5.26	5.656	20	
59	5.26	5.694	20	
60	5.26	5.269	20	
61	5.26	5.508	20	
62	5.26	5.346	20	
63	5.26	5.581	20	
64	5.26	5.498	20	
65	5.26	5.604	20	
66	5.26	5.716	20	
67	5.26	5.464	20	
68	5.26	5.485	20	
69	5.26	5.465	20	
70	5.26	5.717	20	
71	5.26	5.53	20	*
72	5.26	5.271	20	
73	5.26	5.268	20	
74	5.26	5.556	20	
75	5.26	5.326	20	
76	5.26	5.531	20	*
77	5.26	5.624	20	
78	5.26	5.306	20	
79	5.26	5.479	20	
80	5.26	5.543	20	
81	5.26	5.547	20	
82	5.26	5.642	20	
83	5.26	5.616	20	
84	5.26	5.698	20	
85	5.26	5.312	20	
86	5.26	5.262	20	
87	5.26	5.367	20	
88	5.26	5.45	20	
89	5.26	5.417	20	
90	5.26	5.301	20	
91	5.26	5.348	20	
92	5.26	5.52	20	*
93	5.26	5.605	20	
94	5.26	5.701	20	
95	5.26	5.291	20	
96	5.26	5.425	20	
97	5.26	5.363	20	
98	5.26	5.617	20	
99	5.26	5.272	20	
100	5.26	5.355	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.422	20	
2	5.26	5.586	20	
3	5.26	5.598	20	
4	5.26	5.504	20	
5	5.26	5.507	20	
6	5.26	5.414	20	
7	5.26	5.478	20	
8	5.26	5.346	20	
9	5.26	5.451	20	
10	5.26	5.719	20	
11	5.26	5.597	20	
12	5.26	5.702	20	
13	5.26	5.275	20	
14	5.26	5.292	20	
15	5.26	5.714	20	
16	5.26	5.566	20	
17	5.26	5.279	20	
18	5.26	5.48	20	
19	5.26	5.286	20	
20	5.26	5.444	20	
21	5.26	5.319	20	
22	5.26	5.715	20	
23	5.26	5.699	20	
24	5.26	5.632	20	
25	5.26	5.538	20	*
26	5.26	5.36	20	
27	5.26	5.642	20	
28	5.26	5.563	20	
29	5.26	5.646	20	
30	5.26	5.652	20	
31	5.26	5.674	20	
32	5.26	5.647	20	
33	5.26	5.381	20	
34	5.26	5.554	20	
35	5.26	5.606	20	
36	5.26	5.515	20	
37	5.26	5.556	20	
38	5.26	5.359	20	
39	5.26	5.526	20	*
40	5.26	5.578	20	
41	5.26	5.523	20	*
42	5.26	5.693	20	
43	5.26	5.579	20	
44	5.26	5.401	20	
45	5.26	5.605	20	
46	5.26	5.461	20	
47	5.26	5.489	20	

48	5.26	5.495	20	
49	5.26	5.406	20	
50	5.26	5.454	20	
51	5.26	5.623	20	
52	5.26	5.427	20	
53	5.26	5.289	20	
54	5.26	5.568	20	
55	5.26	5.673	20	
56	5.26	5.469	20	
57	5.26	5.362	20	
58	5.26	5.572	20	
59	5.26	5.501	20	
60	5.26	5.539	20	
61	5.26	5.47	20	
62	5.26	5.651	20	
63	5.26	5.527	20	*
64	5.26	5.366	20	
65	5.26	5.607	20	
66	5.26	5.624	20	
67	5.26	5.708	20	
68	5.26	5.311	20	
69	5.26	5.487	20	
70	5.26	5.352	20	
71	5.26	5.312	20	
72	5.26	5.428	20	
73	5.26	5.604	20	
74	5.26	5.713	20	
75	5.26	5.601	20	
76	5.26	5.392	20	
77	5.26	5.403	20	
78	5.26	5.3	20	
79	5.26	5.552	20	
80	5.26	5.659	20	
81	5.26	5.639	20	
82	5.26	5.583	20	
83	5.26	5.716	20	
84	5.26	5.543	20	
85	5.26	5.41	20	
86	5.26	5.64	20	
87	5.26	5.33	20	
88	5.26	5.493	20	
89	5.26	5.59	20	
90	5.26	5.669	20	
91	5.26	5.304	20	
92	5.26	5.423	20	
93	5.26	5.472	20	
94	5.26	5.677	20	
95	5.26	5.517	20	
96	5.26	5.388	20	
97	5.26	5.723	20	
98	5.26	5.393	20	
99	5.26	5.387	20	
100	5.26	5.307	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.271	20	
2	5.26	5.414	20	
3	5.26	5.512	20	
4	5.26	5.601	20	
5	5.26	5.406	20	
6	5.26	5.654	20	
7	5.26	5.28	20	
8	5.26	5.605	20	
9	5.26	5.681	20	
10	5.26	5.713	20	
11	5.26	5.335	20	
12	5.26	5.409	20	
13	5.26	5.59	20	
14	5.26	5.679	20	
15	5.26	5.333	20	
16	5.26	5.632	20	
17	5.26	5.351	20	
18	5.26	5.581	20	
19	5.26	5.295	20	
20	5.26	5.569	20	
21	5.26	5.396	20	
22	5.26	5.341	20	
23	5.26	5.641	20	
24	5.26	5.44	20	
25	5.26	5.339	20	
26	5.26	5.494	20	
27	5.26	5.667	20	
28	5.26	5.6	20	
29	5.26	5.484	20	
30	5.26	5.627	20	
31	5.26	5.442	20	
32	5.26	5.572	20	
33	5.26	5.429	20	
34	5.26	5.421	20	
35	5.26	5.453	20	
36	5.26	5.682	20	
37	5.26	5.542	20	
38	5.26	5.491	20	
39	5.26	5.695	20	
40	5.26	5.658	20	
41	5.26	5.366	20	
42	5.26	5.331	20	
43	5.26	5.458	20	
44	5.26	5.267	20	
45	5.26	5.537	20	*
46	5.26	5.51	20	
47	5.26	5.603	20	

48	5.26	5.519	20	*
49	5.26	5.3	20	
50	5.26	5.269	20	
51	5.26	5.413	20	
52	5.26	5.292	20	
53	5.26	5.261	20	
54	5.26	5.675	20	
55	5.26	5.523	20	*
56	5.26	5.61	20	
57	5.26	5.621	20	
58	5.26	5.614	20	
59	5.26	5.555	20	
60	5.26	5.527	20	*
61	5.26	5.552	20	
62	5.26	5.306	20	
63	5.26	5.566	20	
64	5.26	5.579	20	
65	5.26	5.337	20	
66	5.26	5.696	20	
67	5.26	5.558	20	
68	5.26	5.263	20	
69	5.26	5.706	20	
70	5.26	5.704	20	
71	5.26	5.485	20	
72	5.26	5.62	20	
73	5.26	5.417	20	
74	5.26	5.63	20	
75	5.26	5.559	20	
76	5.26	5.312	20	
77	5.26	5.517	20	
78	5.26	5.393	20	
79	5.26	5.619	20	
80	5.26	5.338	20	
81	5.26	5.422	20	
82	5.26	5.649	20	
83	5.26	5.39	20	
84	5.26	5.426	20	
85	5.26	5.563	20	
86	5.26	5.521	20	*
87	5.26	5.55	20	
88	5.26	5.622	20	
89	5.26	5.372	20	
90	5.26	5.37	20	
91	5.26	5.392	20	
92	5.26	5.618	20	
93	5.26	5.434	20	
94	5.26	5.397	20	
95	5.26	5.466	20	
96	5.26	5.264	20	
97	5.26	5.294	20	
98	5.26	5.362	20	
99	5.26	5.665	20	
100	5.26	5.716	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.332	20	
2	5.26	5.312	20	
3	5.26	5.544	20	
4	5.26	5.561	20	
5	5.26	5.279	20	
6	5.26	5.336	20	
7	5.26	5.412	20	
8	5.26	5.377	20	
9	5.26	5.588	20	
10	5.26	5.616	20	
11	5.26	5.579	20	
12	5.26	5.7	20	
13	5.26	5.694	20	
14	5.26	5.381	20	
15	5.26	5.414	20	
16	5.26	5.622	20	
17	5.26	5.59	20	
18	5.26	5.464	20	
19	5.26	5.439	20	
20	5.26	5.595	20	
21	5.26	5.511	20	
22	5.26	5.351	20	
23	5.26	5.384	20	
24	5.26	5.659	20	
25	5.26	5.583	20	
26	5.26	5.633	20	
27	5.26	5.26	20	
28	5.26	5.487	20	
29	5.26	5.649	20	
30	5.26	5.525	20	*
31	5.26	5.441	20	
32	5.26	5.672	20	
33	5.26	5.311	20	
34	5.26	5.546	20	
35	5.26	5.542	20	
36	5.26	5.307	20	
37	5.26	5.514	20	
38	5.26	5.563	20	
39	5.26	5.316	20	
40	5.26	5.581	20	
41	5.26	5.401	20	
42	5.26	5.281	20	
43	5.26	5.498	20	
44	5.26	5.301	20	
45	5.26	5.646	20	
46	5.26	5.509	20	
47	5.26	5.252	20	

48	5.26	5.404	20	
49	5.26	5.541	20	
50	5.26	5.605	20	
51	5.26	5.453	20	
52	5.26	5.519	20	*
53	5.26	5.45	20	
54	5.26	5.354	20	
55	5.26	5.577	20	
56	5.26	5.602	20	
57	5.26	5.289	20	
58	5.26	5.269	20	
59	5.26	5.408	20	
60	5.26	5.668	20	
61	5.26	5.473	20	
62	5.26	5.338	20	
63	5.26	5.638	20	
64	5.26	5.493	20	
65	5.26	5.358	20	
66	5.26	5.504	20	
67	5.26	5.315	20	
68	5.26	5.6	20	
69	5.26	5.678	20	
70	5.26	5.645	20	
71	5.26	5.503	20	
72	5.26	5.382	20	
73	5.26	5.391	20	
74	5.26	5.636	20	
75	5.26	5.271	20	
76	5.26	5.444	20	
77	5.26	5.669	20	
78	5.26	5.465	20	
79	5.26	5.353	20	
80	5.26	5.492	20	
81	5.26	5.344	20	
82	5.26	5.266	20	
83	5.26	5.518	20	*
84	5.26	5.692	20	
85	5.26	5.405	20	
86	5.26	5.459	20	
87	5.26	5.566	20	
88	5.26	5.564	20	
89	5.26	5.555	20	
90	5.26	5.447	20	
91	5.26	5.335	20	
92	5.26	5.591	20	
93	5.26	5.707	20	
94	5.26	5.313	20	
95	5.26	5.277	20	
96	5.26	5.284	20	
97	5.26	5.532	20	*
98	5.26	5.38	20	
99	5.26	5.643	20	
100	5.26	5.251	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.428	20	
2	5.26	5.622	20	
3	5.26	5.669	20	
4	5.26	5.675	20	
5	5.26	5.531	20	*
6	5.26	5.35	20	
7	5.26	5.529	20	*
8	5.26	5.296	20	
9	5.26	5.482	20	
10	5.26	5.368	20	
11	5.26	5.619	20	
12	5.26	5.263	20	
13	5.26	5.468	20	
14	5.26	5.383	20	
15	5.26	5.484	20	
16	5.26	5.364	20	
17	5.26	5.535	20	*
18	5.26	5.568	20	
19	5.26	5.585	20	
20	5.26	5.313	20	
21	5.26	5.679	20	
22	5.26	5.407	20	
23	5.26	5.512	20	
24	5.26	5.395	20	
25	5.26	5.367	20	
26	5.26	5.588	20	
27	5.26	5.28	20	
28	5.26	5.409	20	
29	5.26	5.384	20	
30	5.26	5.605	20	
31	5.26	5.294	20	
32	5.26	5.603	20	
33	5.26	5.513	20	
34	5.26	5.393	20	
35	5.26	5.505	20	
36	5.26	5.595	20	
37	5.26	5.389	20	
38	5.26	5.463	20	
39	5.26	5.25	20	
40	5.26	5.612	20	
41	5.26	5.336	20	
42	5.26	5.32	20	
43	5.26	5.648	20	
44	5.26	5.256	20	
45	5.26	5.438	20	
46	5.26	5.5	20	
47	5.26	5.524	20	*

48	5.26	5.717	20	
49	5.26	5.706	20	
50	5.26	5.502	20	
51	5.26	5.43	20	
52	5.26	5.51	20	
53	5.26	5.337	20	
54	5.26	5.628	20	
55	5.26	5.625	20	
56	5.26	5.538	20	*
57	5.26	5.499	20	
58	5.26	5.604	20	
59	5.26	5.397	20	
60	5.26	5.501	20	
61	5.26	5.607	20	
62	5.26	5.527	20	*
63	5.26	5.387	20	
64	5.26	5.658	20	
65	5.26	5.276	20	
66	5.26	5.655	20	
67	5.26	5.517	20	
68	5.26	5.477	20	
69	5.26	5.597	20	
70	5.26	5.621	20	
71	5.26	5.399	20	
72	5.26	5.351	20	
73	5.26	5.467	20	
74	5.26	5.414	20	
75	5.26	5.616	20	
76	5.26	5.48	20	
77	5.26	5.507	20	
78	5.26	5.662	20	
79	5.26	5.3	20	
80	5.26	5.515	20	
81	5.26	5.601	20	
82	5.26	5.37	20	
83	5.26	5.582	20	
84	5.26	5.488	20	
85	5.26	5.486	20	
86	5.26	5.355	20	
87	5.26	5.592	20	
88	5.26	5.447	20	
89	5.26	5.685	20	
90	5.26	5.444	20	
91	5.26	5.521	20	*
92	5.26	5.366	20	
93	5.26	5.307	20	
94	5.26	5.478	20	
95	5.26	5.59	20	
96	5.26	5.34	20	
97	5.26	5.644	20	
98	5.26	5.293	20	
99	5.26	5.557	20	
100	5.26	5.322	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.587	20	
2	5.26	5.536	20	*
3	5.26	5.333	20	
4	5.26	5.619	20	
5	5.26	5.657	20	
6	5.26	5.623	20	
7	5.26	5.491	20	
8	5.26	5.423	20	
9	5.26	5.452	20	
10	5.26	5.456	20	
11	5.26	5.691	20	
12	5.26	5.386	20	
13	5.26	5.595	20	
14	5.26	5.637	20	
15	5.26	5.374	20	
16	5.26	5.29	20	
17	5.26	5.499	20	
18	5.26	5.672	20	
19	5.26	5.577	20	
20	5.26	5.707	20	
21	5.26	5.403	20	
22	5.26	5.551	20	
23	5.26	5.291	20	
24	5.26	5.676	20	
25	5.26	5.592	20	
26	5.26	5.346	20	
27	5.26	5.299	20	
28	5.26	5.553	20	
29	5.26	5.668	20	
30	5.26	5.629	20	
31	5.26	5.489	20	
32	5.26	5.289	20	
33	5.26	5.339	20	
34	5.26	5.376	20	
35	5.26	5.6	20	
36	5.26	5.355	20	
37	5.26	5.277	20	
38	5.26	5.651	20	
39	5.26	5.361	20	
40	5.26	5.669	20	
41	5.26	5.366	20	
42	5.26	5.708	20	
43	5.26	5.411	20	
44	5.26	5.454	20	
45	5.26	5.634	20	
46	5.26	5.474	20	
47	5.26	5.46	20	

48	5.26	5.482	20	
49	5.26	5.422	20	
50	5.26	5.598	20	
51	5.26	5.585	20	
52	5.26	5.404	20	
53	5.26	5.643	20	
54	5.26	5.724	20	
55	5.26	5.328	20	
56	5.26	5.517	20	
57	5.26	5.502	20	
58	5.26	5.36	20	
59	5.26	5.48	20	
60	5.26	5.414	20	
61	5.26	5.335	20	
62	5.26	5.56	20	
63	5.26	5.286	20	
64	5.26	5.713	20	
65	5.26	5.673	20	
66	5.26	5.642	20	
67	5.26	5.64	20	
68	5.26	5.359	20	
69	5.26	5.26	20	*
70	5.26	5.622	20	
71	5.26	5.687	20	
72	5.26	5.285	20	
73	5.26	5.461	20	
74	5.26	5.271	20	
75	5.26	5.308	20	
76	5.26	5.305	20	
77	5.26	5.357	20	
78	5.26	5.426	20	
79	5.26	5.571	20	
80	5.26	5.453	20	
81	5.26	5.435	20	
82	5.26	5.278	20	
83	5.26	5.576	20	
84	5.26	5.439	20	
85	5.26	5.558	20	
86	5.26	5.62	20	
87	5.26	5.378	20	
88	5.26	5.424	20	
89	5.26	5.712	20	
90	5.26	5.508	20	
91	5.26	5.509	20	
92	5.26	5.692	20	
93	5.26	5.38	20	
94	5.26	5.263	20	
95	5.26	5.506	20	
96	5.26	5.288	20	
97	5.26	5.72	20	
98	5.26	5.49	20	
99	5.26	5.463	20	
100	5.26	5.25	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.319	20	
2	5.26	5.368	20	
3	5.26	5.47	20	
4	5.26	5.669	20	
5	5.26	5.261	20	
6	5.26	5.349	20	
7	5.26	5.631	20	
8	5.26	5.451	20	
9	5.26	5.567	20	
10	5.26	5.321	20	
11	5.26	5.394	20	
12	5.26	5.607	20	
13	5.26	5.373	20	
14	5.26	5.673	20	
15	5.26	5.453	20	
16	5.26	5.514	20	
17	5.26	5.61	20	
18	5.26	5.648	20	
19	5.26	5.676	20	
20	5.26	5.353	20	
21	5.26	5.433	20	
22	5.26	5.277	20	
23	5.26	5.553	20	
24	5.26	5.437	20	
25	5.26	5.619	20	
26	5.26	5.268	20	
27	5.26	5.707	20	
28	5.26	5.483	20	
29	5.26	5.71	20	
30	5.26	5.509	20	
31	5.26	5.723	20	
32	5.26	5.538	20	*
33	5.26	5.441	20	
34	5.26	5.479	20	
35	5.26	5.632	20	
36	5.26	5.543	20	
37	5.26	5.456	20	
38	5.26	5.489	20	
39	5.26	5.629	20	
40	5.26	5.561	20	
41	5.26	5.44	20	
42	5.26	5.589	20	
43	5.26	5.345	20	
44	5.26	5.714	20	
45	5.26	5.283	20	
46	5.26	5.308	20	
47	5.26	5.5	20	

48	5.26	5.621	20	
49	5.26	5.527	20	*
50	5.26	5.58	20	
51	5.26	5.504	20	
52	5.26	5.438	20	
53	5.26	5.646	20	
54	5.26	5.337	20	
55	5.26	5.682	20	
56	5.26	5.591	20	
57	5.26	5.722	20	
58	5.26	5.649	20	
59	5.26	5.693	20	
60	5.26	5.614	20	
61	5.26	5.455	20	
62	5.26	5.369	20	
63	5.26	5.447	20	
64	5.26	5.685	20	
65	5.26	5.358	20	
66	5.26	5.306	20	
67	5.26	5.376	20	
68	5.26	5.563	20	
69	5.26	5.689	20	
70	5.26	5.413	20	
71	5.26	5.592	20	
72	5.26	5.612	20	
73	5.26	5.545	20	
74	5.26	5.505	20	
75	5.26	5.625	20	
76	5.26	5.635	20	
77	5.26	5.718	20	
78	5.26	5.459	20	
79	5.26	5.296	20	
80	5.26	5.387	20	
81	5.26	5.695	20	
82	5.26	5.615	20	
83	5.26	5.691	20	
84	5.26	5.532	20	*
85	5.26	5.692	20	
86	5.26	5.388	20	
87	5.26	5.484	20	
88	5.26	5.668	20	
89	5.26	5.436	20	
90	5.26	5.361	20	
91	5.26	5.36	20	
92	5.26	5.37	20	
93	5.26	5.28	20	
94	5.26	5.445	20	
95	5.26	5.336	20	
96	5.26	5.517	20	
97	5.26	5.473	20	
98	5.26	5.706	20	
99	5.26	5.294	20	
100	5.26	5.382	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.468	20	
2	5.26	5.444	20	
3	5.26	5.719	20	
4	5.26	5.491	20	
5	5.26	5.545	20	
6	5.26	5.514	20	
7	5.26	5.649	20	
8	5.26	5.553	20	
9	5.26	5.543	20	
10	5.26	5.364	20	
11	5.26	5.72	20	
12	5.26	5.704	20	
13	5.26	5.432	20	
14	5.26	5.603	20	
15	5.26	5.573	20	
16	5.26	5.593	20	
17	5.26	5.621	20	
18	5.26	5.708	20	
19	5.26	5.27	20	
20	5.26	5.266	20	
21	5.26	5.33	20	
22	5.26	5.677	20	
23	5.26	5.474	20	
24	5.26	5.475	20	
25	5.26	5.697	20	
26	5.26	5.612	20	
27	5.26	5.57	20	
28	5.26	5.706	20	
29	5.26	5.574	20	
30	5.26	5.714	20	
31	5.26	5.43	20	
32	5.26	5.601	20	
33	5.26	5.469	20	
34	5.26	5.707	20	
35	5.26	5.36	20	
36	5.26	5.575	20	
37	5.26	5.458	20	
38	5.26	5.344	20	
39	5.26	5.502	20	
40	5.26	5.6	20	
41	5.26	5.395	20	
42	5.26	5.539	20	
43	5.26	5.663	20	
44	5.26	5.686	20	
45	5.26	5.361	20	
46	5.26	5.548	20	
47	5.26	5.379	20	

48	5.26	5.412	20	
49	5.26	5.436	20	
50	5.26	5.692	20	
51	5.26	5.608	20	
52	5.26	5.256	20	
53	5.26	5.58	20	
54	5.26	5.498	20	
55	5.26	5.267	20	
56	5.26	5.684	20	
57	5.26	5.671	20	
58	5.26	5.656	20	
59	5.26	5.311	20	
60	5.26	5.527	20	*
61	5.26	5.653	20	
62	5.26	5.661	20	
63	5.26	5.626	20	
64	5.26	5.401	20	
65	5.26	5.429	20	
66	5.26	5.717	20	
67	5.26	5.606	20	
68	5.26	5.576	20	
69	5.26	5.635	20	
70	5.26	5.722	20	
71	5.26	5.532	20	*
72	5.26	5.59	20	
73	5.26	5.479	20	
74	5.26	5.69	20	
75	5.26	5.425	20	
76	5.26	5.617	20	
77	5.26	5.693	20	
78	5.26	5.423	20	
79	5.26	5.667	20	
80	5.26	5.414	20	
81	5.26	5.294	20	
82	5.26	5.447	20	
83	5.26	5.381	20	
84	5.26	5.487	20	
85	5.26	5.358	20	
86	5.26	5.431	20	
87	5.26	5.631	20	
88	5.26	5.372	20	
89	5.26	5.413	20	
90	5.26	5.524	20	*
91	5.26	5.332	20	
92	5.26	5.345	20	
93	5.26	5.698	20	
94	5.26	5.263	20	
95	5.26	5.291	20	
96	5.26	5.411	20	
97	5.26	5.705	20	
98	5.26	5.67	20	
99	5.26	5.696	20	
100	5.26	5.37	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.439	20	
2	5.26	5.353	20	
3	5.26	5.431	20	
4	5.26	5.676	20	
5	5.26	5.328	20	
6	5.26	5.692	20	
7	5.26	5.408	20	
8	5.26	5.264	20	
9	5.26	5.606	20	
10	5.26	5.617	20	
11	5.26	5.363	20	
12	5.26	5.588	20	
13	5.26	5.672	20	
14	5.26	5.634	20	
15	5.26	5.698	20	
16	5.26	5.541	20	
17	5.26	5.306	20	
18	5.26	5.357	20	
19	5.26	5.522	20	*
20	5.26	5.564	20	
21	5.26	5.481	20	
22	5.26	5.628	20	
23	5.26	5.394	20	
24	5.26	5.321	20	
25	5.26	5.396	20	
26	5.26	5.685	20	
27	5.26	5.31	20	
28	5.26	5.449	20	
29	5.26	5.252	20	
30	5.26	5.352	20	
31	5.26	5.255	20	
32	5.26	5.411	20	
33	5.26	5.27	20	
34	5.26	5.555	20	
35	5.26	5.483	20	
36	5.26	5.568	20	
37	5.26	5.457	20	
38	5.26	5.6	20	
39	5.26	5.652	20	
40	5.26	5.334	20	
41	5.26	5.641	20	
42	5.26	5.709	20	
43	5.26	5.657	20	
44	5.26	5.59	20	
45	5.26	5.258	20	
46	5.26	5.662	20	
47	5.26	5.331	20	

48	5.26	5.717	20	
49	5.26	5.299	20	
50	5.26	5.556	20	
51	5.26	5.434	20	
52	5.26	5.388	20	
53	5.26	5.298	20	
54	5.26	5.526	20	*
55	5.26	5.399	20	
56	5.26	5.704	20	
57	5.26	5.678	20	
58	5.26	5.591	20	
59	5.26	5.577	20	
60	5.26	5.684	20	
61	5.26	5.545	20	
62	5.26	5.416	20	
63	5.26	5.517	20	
64	5.26	5.456	20	
65	5.26	5.587	20	
66	5.26	5.384	20	
67	5.26	5.675	20	
68	5.26	5.702	20	
69	5.26	5.512	20	
70	5.26	5.446	20	
71	5.26	5.699	20	
72	5.26	5.325	20	
73	5.26	5.48	20	
74	5.26	5.529	20	*
75	5.26	5.279	20	
76	5.26	5.3	20	
77	5.26	5.425	20	
78	5.26	5.376	20	
79	5.26	5.578	20	
80	5.26	5.28	20	
81	5.26	5.409	20	
82	5.26	5.57	20	
83	5.26	5.55	20	
84	5.26	5.687	20	
85	5.26	5.532	20	*
86	5.26	5.673	20	
87	5.26	5.668	20	
88	5.26	5.402	20	
89	5.26	5.535	20	*
90	5.26	5.602	20	
91	5.26	5.419	20	
92	5.26	5.316	20	
93	5.26	5.342	20	
94	5.26	5.317	20	
95	5.26	5.38	20	
96	5.26	5.251	20	
97	5.26	5.655	20	
98	5.26	5.67	20	
99	5.26	5.337	20	
100	5.26	5.383	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.678	20	
2	5.26	5.344	20	
3	5.26	5.405	20	
4	5.26	5.59	20	
5	5.26	5.428	20	
6	5.26	5.672	20	
7	5.26	5.265	20	
8	5.26	5.676	20	
9	5.26	5.681	20	
10	5.26	5.257	20	
11	5.26	5.463	20	
12	5.26	5.594	20	
13	5.26	5.695	20	
14	5.26	5.655	20	
15	5.26	5.336	20	
16	5.26	5.379	20	
17	5.26	5.46	20	
18	5.26	5.664	20	
19	5.26	5.66	20	
20	5.26	5.391	20	
21	5.26	5.486	20	
22	5.26	5.396	20	
23	5.26	5.431	20	
24	5.26	5.663	20	
25	5.26	5.259	20	
26	5.26	5.699	20	
27	5.26	5.426	20	
28	5.26	5.552	20	
29	5.26	5.32	20	
30	5.26	5.514	20	
31	5.26	5.696	20	
32	5.26	5.367	20	
33	5.26	5.286	20	
34	5.26	5.518	20	*
35	5.26	5.279	20	
36	5.26	5.509	20	
37	5.26	5.578	20	
38	5.26	5.312	20	
39	5.26	5.479	20	
40	5.26	5.31	20	
41	5.26	5.407	20	
42	5.26	5.262	20	
43	5.26	5.592	20	
44	5.26	5.688	20	
45	5.26	5.629	20	
46	5.26	5.516	20	
47	5.26	5.659	20	

48	5.26	5.384	20	
49	5.26	5.583	20	
50	5.26	5.378	20	
51	5.26	5.693	20	
52	5.26	5.272	20	
53	5.26	5.424	20	
54	5.26	5.371	20	
55	5.26	5.487	20	
56	5.26	5.476	20	
57	5.26	5.258	20	
58	5.26	5.497	20	
59	5.26	5.541	20	
60	5.26	5.512	20	
61	5.26	5.482	20	
62	5.26	5.653	20	
63	5.26	5.64	20	
64	5.26	5.329	20	
65	5.26	5.4	20	
66	5.26	5.668	20	
67	5.26	5.454	20	
68	5.26	5.251	20	
69	5.26	5.706	20	
70	5.26	5.317	20	
71	5.26	5.425	20	
72	5.26	5.661	20	
73	5.26	5.597	20	
74	5.26	5.701	20	
75	5.26	5.313	20	
76	5.26	5.397	20	
77	5.26	5.398	20	
78	5.26	5.532	20	*
79	5.26	5.331	20	
80	5.26	5.543	20	
81	5.26	5.413	20	
82	5.26	5.585	20	
83	5.26	5.442	20	
84	5.26	5.534	20	*
85	5.26	5.278	20	
86	5.26	5.466	20	
87	5.26	5.519	20	*
88	5.26	5.297	20	
89	5.26	5.253	20	
90	5.26	5.601	20	
91	5.26	5.61	20	
92	5.26	5.27	20	
93	5.26	5.355	20	
94	5.26	5.67	20	
95	5.26	5.29	20	
96	5.26	5.644	20	
97	5.26	5.656	20	
98	5.26	5.499	20	
99	5.26	5.51	20	
100	5.26	5.667	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.706	20	
2	5.26	5.569	20	
3	5.26	5.395	20	
4	5.26	5.693	20	
5	5.26	5.688	20	
6	5.26	5.357	20	
7	5.26	5.652	20	
8	5.26	5.678	20	
9	5.26	5.361	20	
10	5.26	5.324	20	
11	5.26	5.381	20	
12	5.26	5.71	20	
13	5.26	5.307	20	
14	5.26	5.466	20	
15	5.26	5.578	20	
16	5.26	5.292	20	
17	5.26	5.694	20	
18	5.26	5.653	20	
19	5.26	5.632	20	
20	5.26	5.263	20	
21	5.26	5.532	20	*
22	5.26	5.343	20	
23	5.26	5.557	20	
24	5.26	5.52	20	*
25	5.26	5.664	20	
26	5.26	5.303	20	
27	5.26	5.463	20	
28	5.26	5.661	20	
29	5.26	5.309	20	
30	5.26	5.294	20	
31	5.26	5.605	20	
32	5.26	5.571	20	
33	5.26	5.655	20	
34	5.26	5.323	20	
35	5.26	5.59	20	
36	5.26	5.373	20	
37	5.26	5.497	20	
38	5.26	5.333	20	
39	5.26	5.553	20	
40	5.26	5.686	20	
41	5.26	5.348	20	
42	5.26	5.648	20	
43	5.26	5.355	20	
44	5.26	5.505	20	
45	5.26	5.282	20	
46	5.26	5.467	20	
47	5.26	5.539	20	

48	5.26	5.432	20	
49	5.26	5.662	20	
50	5.26	5.445	20	
51	5.26	5.321	20	
52	5.26	5.379	20	
53	5.26	5.469	20	
54	5.26	5.724	20	
55	5.26	5.478	20	
56	5.26	5.291	20	
57	5.26	5.55	20	
58	5.26	5.585	20	
59	5.26	5.593	20	
60	5.26	5.666	20	
61	5.26	5.608	20	
62	5.26	5.568	20	
63	5.26	5.62	20	
64	5.26	5.677	20	
65	5.26	5.354	20	
66	5.26	5.439	20	
67	5.26	5.639	20	
68	5.26	5.656	20	
69	5.26	5.35	20	
70	5.26	5.627	20	
71	5.26	5.423	20	
72	5.26	5.53	20	*
73	5.26	5.371	20	
74	5.26	5.695	20	
75	5.26	5.607	20	
76	5.26	5.668	20	
77	5.26	5.461	20	
78	5.26	5.401	20	
79	5.26	5.316	20	
80	5.26	5.332	20	
81	5.26	5.5	20	
82	5.26	5.457	20	
83	5.26	5.711	20	
84	5.26	5.623	20	
85	5.26	5.29	20	
86	5.26	5.437	20	
87	5.26	5.681	20	
88	5.26	5.434	20	
89	5.26	5.591	20	
90	5.26	5.644	20	
91	5.26	5.576	20	
92	5.26	5.3	20	
93	5.26	5.349	20	
94	5.26	5.308	20	
95	5.26	5.474	20	
96	5.26	5.642	20	
97	5.26	5.419	20	
98	5.26	5.336	20	
99	5.26	5.533	20	*
100	5.26	5.565	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.529	20	*
2	5.26	5.465	20	
3	5.26	5.646	20	
4	5.26	5.423	20	
5	5.26	5.601	20	
6	5.26	5.562	20	
7	5.26	5.471	20	
8	5.26	5.655	20	
9	5.26	5.333	20	
10	5.26	5.698	20	
11	5.26	5.456	20	
12	5.26	5.563	20	
13	5.26	5.304	20	
14	5.26	5.614	20	
15	5.26	5.507	20	
16	5.26	5.448	20	
17	5.26	5.372	20	
18	5.26	5.626	20	
19	5.26	5.293	20	
20	5.26	5.472	20	
21	5.26	5.512	20	
22	5.26	5.403	20	
23	5.26	5.685	20	
24	5.26	5.316	20	
25	5.26	5.44	20	
26	5.26	5.266	20	
27	5.26	5.417	20	
28	5.26	5.552	20	
29	5.26	5.716	20	
30	5.26	5.486	20	
31	5.26	5.251	20	
32	5.26	5.649	20	
33	5.26	5.328	20	
34	5.26	5.348	20	
35	5.26	5.549	20	
36	5.26	5.515	20	
37	5.26	5.576	20	
38	5.26	5.724	20	
39	5.26	5.578	20	
40	5.26	5.543	20	
41	5.26	5.546	20	
42	5.26	5.615	20	
43	5.26	5.584	20	
44	5.26	5.55	20	
45	5.26	5.323	20	
46	5.26	5.36	20	
47	5.26	5.408	20	

48	5.26	5.689	20	
49	5.26	5.539	20	
50	5.26	5.445	20	
51	5.26	5.424	20	
52	5.26	5.708	20	
53	5.26	5.26	20	*
54	5.26	5.493	20	
55	5.26	5.509	20	
56	5.26	5.568	20	
57	5.26	5.645	20	
58	5.26	5.574	20	
59	5.26	5.464	20	
60	5.26	5.343	20	
61	5.26	5.541	20	
62	5.26	5.506	20	
63	5.26	5.573	20	
64	5.26	5.536	20	*
65	5.26	5.297	20	
66	5.26	5.411	20	
67	5.26	5.435	20	
68	5.26	5.681	20	
69	5.26	5.583	20	
70	5.26	5.326	20	
71	5.26	5.581	20	
72	5.26	5.314	20	
73	5.26	5.4	20	
74	5.26	5.564	20	
75	5.26	5.587	20	
76	5.26	5.586	20	
77	5.26	5.327	20	
78	5.26	5.718	20	
79	5.26	5.521	20	*
80	5.26	5.28	20	
81	5.26	5.57	20	
82	5.26	5.414	20	
83	5.26	5.532	20	*
84	5.26	5.446	20	
85	5.26	5.386	20	
86	5.26	5.561	20	
87	5.26	5.473	20	
88	5.26	5.675	20	
89	5.26	5.296	20	
90	5.26	5.324	20	
91	5.26	5.389	20	
92	5.26	5.352	20	
93	5.26	5.415	20	
94	5.26	5.358	20	
95	5.26	5.258	20	
96	5.26	5.39	20	
97	5.26	5.457	20	
98	5.26	5.455	20	
99	5.26	5.553	20	
100	5.26	5.658	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.598	20	
2	5.26	5.53	20	*
3	5.26	5.525	20	*
4	5.26	5.529	20	*
5	5.26	5.355	20	
6	5.26	5.647	20	
7	5.26	5.357	20	
8	5.26	5.258	20	
9	5.26	5.622	20	
10	5.26	5.547	20	
11	5.26	5.658	20	
12	5.26	5.667	20	
13	5.26	5.367	20	
14	5.26	5.583	20	
15	5.26	5.478	20	
16	5.26	5.505	20	
17	5.26	5.606	20	
18	5.26	5.488	20	
19	5.26	5.601	20	
20	5.26	5.641	20	
21	5.26	5.434	20	
22	5.26	5.368	20	
23	5.26	5.471	20	
24	5.26	5.454	20	
25	5.26	5.537	20	*
26	5.26	5.713	20	
27	5.26	5.342	20	
28	5.26	5.665	20	
29	5.26	5.344	20	
30	5.26	5.274	20	
31	5.26	5.659	20	
32	5.26	5.329	20	
33	5.26	5.66	20	
34	5.26	5.332	20	
35	5.26	5.321	20	
36	5.26	5.511	20	
37	5.26	5.593	20	
38	5.26	5.389	20	
39	5.26	5.458	20	
40	5.26	5.277	20	
41	5.26	5.613	20	
42	5.26	5.295	20	
43	5.26	5.373	20	
44	5.26	5.618	20	
45	5.26	5.406	20	
46	5.26	5.276	20	
47	5.26	5.394	20	

48	5.26	5.526	20	*
49	5.26	5.564	20	
50	5.26	5.715	20	
51	5.26	5.352	20	
52	5.26	5.631	20	
53	5.26	5.648	20	
54	5.26	5.573	20	
55	5.26	5.559	20	
56	5.26	5.278	20	
57	5.26	5.25	20	
58	5.26	5.513	20	
59	5.26	5.391	20	
60	5.26	5.689	20	
61	5.26	5.706	20	
62	5.26	5.672	20	
63	5.26	5.719	20	
64	5.26	5.416	20	
65	5.26	5.643	20	
66	5.26	5.29	20	
67	5.26	5.308	20	
68	5.26	5.712	20	
69	5.26	5.275	20	
70	5.26	5.364	20	
71	5.26	5.501	20	
72	5.26	5.487	20	
73	5.26	5.642	20	
74	5.26	5.666	20	
75	5.26	5.464	20	
76	5.26	5.306	20	
77	5.26	5.555	20	
78	5.26	5.345	20	
79	5.26	5.543	20	
80	5.26	5.716	20	
81	5.26	5.635	20	
82	5.26	5.328	20	
83	5.26	5.48	20	
84	5.26	5.502	20	
85	5.26	5.662	20	
86	5.26	5.272	20	
87	5.26	5.587	20	
88	5.26	5.663	20	
89	5.26	5.628	20	
90	5.26	5.441	20	
91	5.26	5.71	20	
92	5.26	5.459	20	
93	5.26	5.599	20	
94	5.26	5.499	20	
95	5.26	5.578	20	
96	5.26	5.676	20	
97	5.26	5.324	20	
98	5.26	5.331	20	
99	5.26	5.426	20	
100	5.26	5.337	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.466	20	
2	5.26	5.297	20	
3	5.26	5.507	20	
4	5.26	5.685	20	
5	5.26	5.421	20	
6	5.26	5.281	20	
7	5.26	5.491	20	
8	5.26	5.632	20	
9	5.26	5.639	20	
10	5.26	5.657	20	
11	5.26	5.407	20	
12	5.26	5.302	20	
13	5.26	5.487	20	
14	5.26	5.283	20	
15	5.26	5.29	20	
16	5.26	5.406	20	
17	5.26	5.684	20	
18	5.26	5.432	20	
19	5.26	5.715	20	
20	5.26	5.711	20	
21	5.26	5.706	20	
22	5.26	5.679	20	
23	5.26	5.425	20	
24	5.26	5.361	20	
25	5.26	5.289	20	
26	5.26	5.512	20	
27	5.26	5.652	20	
28	5.26	5.611	20	
29	5.26	5.562	20	
30	5.26	5.293	20	
31	5.26	5.456	20	
32	5.26	5.27	20	
33	5.26	5.568	20	
34	5.26	5.428	20	
35	5.26	5.451	20	
36	5.26	5.692	20	
37	5.26	5.554	20	
38	5.26	5.517	20	
39	5.26	5.682	20	
40	5.26	5.278	20	
41	5.26	5.454	20	
42	5.26	5.701	20	
43	5.26	5.436	20	
44	5.26	5.585	20	
45	5.26	5.572	20	
46	5.26	5.329	20	
47	5.26	5.292	20	

48	5.26	5.314	20	
49	5.26	5.35	20	
50	5.26	5.394	20	
51	5.26	5.529	20	*
52	5.26	5.583	20	
53	5.26	5.677	20	
54	5.26	5.582	20	
55	5.26	5.576	20	
56	5.26	5.28	20	
57	5.26	5.444	20	
58	5.26	5.59	20	
59	5.26	5.563	20	
60	5.26	5.719	20	
61	5.26	5.465	20	
62	5.26	5.346	20	
63	5.26	5.559	20	
64	5.26	5.714	20	
65	5.26	5.486	20	
66	5.26	5.672	20	
67	5.26	5.267	20	
68	5.26	5.647	20	
69	5.26	5.381	20	
70	5.26	5.687	20	
71	5.26	5.392	20	
72	5.26	5.397	20	
73	5.26	5.532	20	*
74	5.26	5.26	20	
75	5.26	5.653	20	
76	5.26	5.595	20	
77	5.26	5.37	20	
78	5.26	5.641	20	
79	5.26	5.521	20	*
80	5.26	5.46	20	
81	5.26	5.398	20	
82	5.26	5.475	20	
83	5.26	5.287	20	
84	5.26	5.722	20	
85	5.26	5.594	20	
86	5.26	5.351	20	
87	5.26	5.479	20	
88	5.26	5.462	20	
89	5.26	5.429	20	
90	5.26	5.376	20	
91	5.26	5.667	20	
92	5.26	5.558	20	
93	5.26	5.635	20	
94	5.26	5.723	20	
95	5.26	5.323	20	
96	5.26	5.542	20	
97	5.26	5.358	20	
98	5.26	5.609	20	
99	5.26	5.284	20	
100	5.26	5.439	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.47	20	
2	5.26	5.422	20	
3	5.26	5.308	20	
4	5.26	5.499	20	
5	5.26	5.438	20	
6	5.26	5.298	20	
7	5.26	5.26	20	*
8	5.26	5.312	20	
9	5.26	5.479	20	
10	5.26	5.444	20	
11	5.26	5.28	20	
12	5.26	5.303	20	
13	5.26	5.475	20	
14	5.26	5.65	20	
15	5.26	5.722	20	
16	5.26	5.64	20	
17	5.26	5.36	20	
18	5.26	5.552	20	
19	5.26	5.302	20	
20	5.26	5.514	20	
21	5.26	5.63	20	
22	5.26	5.262	20	
23	5.26	5.342	20	
24	5.26	5.5	20	
25	5.26	5.565	20	
26	5.26	5.682	20	
27	5.26	5.697	20	
28	5.26	5.696	20	
29	5.26	5.613	20	
30	5.26	5.601	20	
31	5.26	5.461	20	
32	5.26	5.555	20	
33	5.26	5.638	20	
34	5.26	5.577	20	
35	5.26	5.655	20	
36	5.26	5.412	20	
37	5.26	5.32	20	
38	5.26	5.579	20	
39	5.26	5.27	20	
40	5.26	5.562	20	
41	5.26	5.699	20	
42	5.26	5.323	20	
43	5.26	5.266	20	
44	5.26	5.496	20	
45	5.26	5.401	20	
46	5.26	5.498	20	
47	5.26	5.265	20	

48	5.26	5.637	20	
49	5.26	5.646	20	
50	5.26	5.652	20	
51	5.26	5.554	20	
52	5.26	5.467	20	
53	5.26	5.488	20	
54	5.26	5.608	20	
55	5.26	5.344	20	
56	5.26	5.523	20	*
57	5.26	5.641	20	
58	5.26	5.339	20	
59	5.26	5.485	20	
60	5.26	5.512	20	
61	5.26	5.347	20	
62	5.26	5.348	20	
63	5.26	5.559	20	
64	5.26	5.672	20	
65	5.26	5.432	20	
66	5.26	5.617	20	
67	5.26	5.567	20	
68	5.26	5.535	20	*
69	5.26	5.651	20	
70	5.26	5.375	20	
71	5.26	5.534	20	*
72	5.26	5.399	20	
73	5.26	5.521	20	*
74	5.26	5.634	20	
75	5.26	5.525	20	*
76	5.26	5.663	20	
77	5.26	5.43	20	
78	5.26	5.431	20	
79	5.26	5.433	20	
80	5.26	5.621	20	
81	5.26	5.685	20	
82	5.26	5.369	20	
83	5.26	5.537	20	*
84	5.26	5.692	20	
85	5.26	5.257	20	
86	5.26	5.59	20	
87	5.26	5.544	20	
88	5.26	5.502	20	
89	5.26	5.509	20	
90	5.26	5.439	20	
91	5.26	5.533	20	*
92	5.26	5.332	20	
93	5.26	5.273	20	
94	5.26	5.629	20	
95	5.26	5.289	20	
96	5.26	5.26	20	
97	5.26	5.52	20	*
98	5.26	5.472	20	
99	5.26	5.507	20	
100	5.26	5.321	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.49	20	
2	5.26	5.407	20	
3	5.26	5.631	20	
4	5.26	5.672	20	
5	5.26	5.26	20	
6	5.26	5.424	20	
7	5.26	5.381	20	
8	5.26	5.648	20	
9	5.26	5.454	20	
10	5.26	5.508	20	
11	5.26	5.275	20	
12	5.26	5.29	20	
13	5.26	5.395	20	
14	5.26	5.328	20	
15	5.26	5.652	20	
16	5.26	5.712	20	
17	5.26	5.718	20	
18	5.26	5.64	20	
19	5.26	5.523	20	*
20	5.26	5.47	20	
21	5.26	5.411	20	
22	5.26	5.318	20	
23	5.26	5.704	20	
24	5.26	5.561	20	
25	5.26	5.586	20	
26	5.26	5.276	20	
27	5.26	5.473	20	
28	5.26	5.427	20	
29	5.26	5.625	20	
30	5.26	5.25	20	
31	5.26	5.576	20	
32	5.26	5.651	20	
33	5.26	5.389	20	
34	5.26	5.274	20	
35	5.26	5.358	20	
36	5.26	5.71	20	
37	5.26	5.281	20	
38	5.26	5.337	20	
39	5.26	5.468	20	
40	5.26	5.306	20	
41	5.26	5.682	20	
42	5.26	5.378	20	
43	5.26	5.51	20	
44	5.26	5.559	20	
45	5.26	5.361	20	
46	5.26	5.5	20	
47	5.26	5.315	20	

48	5.26	5.34	20	
49	5.26	5.688	20	
50	5.26	5.398	20	
51	5.26	5.609	20	
52	5.26	5.287	20	
53	5.26	5.409	20	
54	5.26	5.499	20	
55	5.26	5.542	20	
56	5.26	5.656	20	
57	5.26	5.458	20	
58	5.26	5.386	20	
59	5.26	5.432	20	
60	5.26	5.611	20	
61	5.26	5.585	20	
62	5.26	5.314	20	
63	5.26	5.558	20	
64	5.26	5.302	20	
65	5.26	5.327	20	
66	5.26	5.366	20	
67	5.26	5.396	20	
68	5.26	5.658	20	
69	5.26	5.254	20	
70	5.26	5.582	20	
71	5.26	5.356	20	
72	5.26	5.441	20	
73	5.26	5.603	20	
74	5.26	5.291	20	
75	5.26	5.376	20	
76	5.26	5.565	20	
77	5.26	5.352	20	
78	5.26	5.531	20	*
79	5.26	5.251	20	
80	5.26	5.265	20	
81	5.26	5.703	20	
82	5.26	5.535	20	*
83	5.26	5.579	20	
84	5.26	5.709	20	
85	5.26	5.604	20	
86	5.26	5.402	20	
87	5.26	5.46	20	
88	5.26	5.716	20	
89	5.26	5.498	20	
90	5.26	5.713	20	
91	5.26	5.54	20	
92	5.26	5.492	20	
93	5.26	5.506	20	
94	5.26	5.526	20	*
95	5.26	5.695	20	
96	5.26	5.372	20	
97	5.26	5.549	20	
98	5.26	5.36	20	
99	5.26	5.663	20	
100	5.26	5.457	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.358	20	
2	5.26	5.316	20	
3	5.26	5.417	20	
4	5.26	5.271	20	
5	5.26	5.352	20	
6	5.26	5.456	20	
7	5.26	5.48	20	
8	5.26	5.253	20	
9	5.26	5.641	20	
10	5.26	5.682	20	
11	5.26	5.616	20	
12	5.26	5.43	20	
13	5.26	5.507	20	
14	5.26	5.424	20	
15	5.26	5.298	20	
16	5.26	5.354	20	
17	5.26	5.634	20	
18	5.26	5.721	20	
19	5.26	5.618	20	
20	5.26	5.297	20	
21	5.26	5.699	20	
22	5.26	5.389	20	
23	5.26	5.567	20	
24	5.26	5.411	20	
25	5.26	5.532	20	*
26	5.26	5.305	20	
27	5.26	5.724	20	
28	5.26	5.35	20	
29	5.26	5.448	20	
30	5.26	5.596	20	
31	5.26	5.561	20	
32	5.26	5.371	20	
33	5.26	5.423	20	
34	5.26	5.317	20	
35	5.26	5.499	20	
36	5.26	5.394	20	
37	5.26	5.544	20	
38	5.26	5.293	20	
39	5.26	5.516	20	
40	5.26	5.39	20	
41	5.26	5.605	20	
42	5.26	5.708	20	
43	5.26	5.602	20	
44	5.26	5.666	20	
45	5.26	5.647	20	
46	5.26	5.652	20	
47	5.26	5.71	20	

48	5.26	5.286	20	
49	5.26	5.368	20	
50	5.26	5.684	20	
51	5.26	5.431	20	
52	5.26	5.564	20	
53	5.26	5.543	20	
54	5.26	5.723	20	
55	5.26	5.444	20	
56	5.26	5.365	20	
57	5.26	5.707	20	
58	5.26	5.501	20	
59	5.26	5.372	20	
60	5.26	5.545	20	
61	5.26	5.481	20	
62	5.26	5.578	20	
63	5.26	5.581	20	
64	5.26	5.592	20	
65	5.26	5.463	20	
66	5.26	5.694	20	
67	5.26	5.571	20	
68	5.26	5.364	20	
69	5.26	5.402	20	
70	5.26	5.283	20	
71	5.26	5.548	20	
72	5.26	5.615	20	
73	5.26	5.254	20	
74	5.26	5.267	20	
75	5.26	5.714	20	
76	5.26	5.484	20	
77	5.26	5.66	20	
78	5.26	5.331	20	
79	5.26	5.26	20	
80	5.26	5.273	20	
81	5.26	5.312	20	
82	5.26	5.582	20	
83	5.26	5.579	20	
84	5.26	5.421	20	
85	5.26	5.607	20	
86	5.26	5.445	20	
87	5.26	5.681	20	
88	5.26	5.483	20	
89	5.26	5.627	20	
90	5.26	5.323	20	
91	5.26	5.667	20	
92	5.26	5.517	20	
93	5.26	5.584	20	
94	5.26	5.611	20	
95	5.26	5.466	20	
96	5.26	5.601	20	
97	5.26	5.378	20	
98	5.26	5.42	20	
99	5.26	5.32	20	
100	5.26	5.418	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.566	20	
2	5.26	5.396	20	
3	5.26	5.713	20	
4	5.26	5.709	20	
5	5.26	5.474	20	
6	5.26	5.458	20	
7	5.26	5.702	20	
8	5.26	5.714	20	
9	5.26	5.695	20	
10	5.26	5.7	20	
11	5.26	5.368	20	
12	5.26	5.501	20	
13	5.26	5.31	20	
14	5.26	5.563	20	
15	5.26	5.675	20	
16	5.26	5.511	20	
17	5.26	5.616	20	
18	5.26	5.63	20	
19	5.26	5.643	20	
20	5.26	5.391	20	
21	5.26	5.347	20	
22	5.26	5.411	20	
23	5.26	5.571	20	
24	5.26	5.273	20	
25	5.26	5.552	20	
26	5.26	5.449	20	
27	5.26	5.251	20	
28	5.26	5.32	20	
29	5.26	5.658	20	
30	5.26	5.423	20	
31	5.26	5.572	20	
32	5.26	5.399	20	
33	5.26	5.268	20	
34	5.26	5.267	20	
35	5.26	5.41	20	
36	5.26	5.62	20	
37	5.26	5.525	20	*
38	5.26	5.693	20	
39	5.26	5.488	20	
40	5.26	5.551	20	
41	5.26	5.493	20	
42	5.26	5.683	20	
43	5.26	5.668	20	
44	5.26	5.286	20	
45	5.26	5.663	20	
46	5.26	5.596	20	
47	5.26	5.674	20	

48	5.26	5.608	20	
49	5.26	5.452	20	
50	5.26	5.262	20	
51	5.26	5.462	20	
52	5.26	5.558	20	
53	5.26	5.579	20	
54	5.26	5.454	20	
55	5.26	5.465	20	
56	5.26	5.473	20	
57	5.26	5.28	20	
58	5.26	5.338	20	
59	5.26	5.342	20	
60	5.26	5.499	20	
61	5.26	5.468	20	
62	5.26	5.332	20	
63	5.26	5.694	20	
64	5.26	5.645	20	
65	5.26	5.559	20	
66	5.26	5.464	20	
67	5.26	5.519	20	*
68	5.26	5.275	20	
69	5.26	5.485	20	
70	5.26	5.278	20	
71	5.26	5.583	20	
72	5.26	5.255	20	
73	5.26	5.445	20	
74	5.26	5.667	20	
75	5.26	5.577	20	
76	5.26	5.428	20	
77	5.26	5.404	20	
78	5.26	5.266	20	
79	5.26	5.416	20	
80	5.26	5.524	20	*
81	5.26	5.55	20	
82	5.26	5.431	20	
83	5.26	5.587	20	
84	5.26	5.333	20	
85	5.26	5.329	20	
86	5.26	5.568	20	
87	5.26	5.285	20	
88	5.26	5.302	20	
89	5.26	5.441	20	
90	5.26	5.306	20	
91	5.26	5.444	20	
92	5.26	5.434	20	
93	5.26	5.678	20	
94	5.26	5.46	20	
95	5.26	5.622	20	
96	5.26	5.364	20	
97	5.26	5.381	20	
98	5.26	5.37	20	
99	5.26	5.35	20	
100	5.26	5.346	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.251	20	
2	5.26	5.672	20	
3	5.26	5.296	20	
4	5.26	5.269	20	
5	5.26	5.439	20	
6	5.26	5.628	20	
7	5.26	5.273	20	
8	5.26	5.702	20	
9	5.26	5.488	20	
10	5.26	5.321	20	
11	5.26	5.46	20	
12	5.26	5.567	20	
13	5.26	5.283	20	
14	5.26	5.497	20	
15	5.26	5.44	20	
16	5.26	5.683	20	
17	5.26	5.671	20	
18	5.26	5.424	20	
19	5.26	5.667	20	
20	5.26	5.558	20	
21	5.26	5.412	20	
22	5.26	5.328	20	
23	5.26	5.542	20	
24	5.26	5.551	20	
25	5.26	5.633	20	
26	5.26	5.631	20	
27	5.26	5.279	20	
28	5.26	5.43	20	
29	5.26	5.575	20	
30	5.26	5.4	20	
31	5.26	5.71	20	
32	5.26	5.364	20	
33	5.26	5.59	20	
34	5.26	5.723	20	
35	5.26	5.452	20	
36	5.26	5.312	20	
37	5.26	5.302	20	
38	5.26	5.724	20	
39	5.26	5.382	20	
40	5.26	5.525	20	*
41	5.26	5.686	20	
42	5.26	5.625	20	
43	5.26	5.655	20	
44	5.26	5.687	20	
45	5.26	5.314	20	
46	5.26	5.674	20	
47	5.26	5.361	20	

48	5.26	5.295	20	
49	5.26	5.345	20	
50	5.26	5.535	20	*
51	5.26	5.446	20	
52	5.26	5.347	20	
53	5.26	5.282	20	
54	5.26	5.507	20	
55	5.26	5.624	20	
56	5.26	5.642	20	
57	5.26	5.377	20	
58	5.26	5.376	20	
59	5.26	5.524	20	*
60	5.26	5.605	20	
61	5.26	5.552	20	
62	5.26	5.472	20	
63	5.26	5.532	20	*
64	5.26	5.494	20	
65	5.26	5.578	20	
66	5.26	5.597	20	
67	5.26	5.442	20	
68	5.26	5.498	20	
69	5.26	5.691	20	
70	5.26	5.682	20	
71	5.26	5.647	20	
72	5.26	5.284	20	
73	5.26	5.585	20	
74	5.26	5.586	20	
75	5.26	5.369	20	
76	5.26	5.596	20	
77	5.26	5.614	20	
78	5.26	5.445	20	
79	5.26	5.622	20	
80	5.26	5.458	20	
81	5.26	5.534	20	*
82	5.26	5.544	20	
83	5.26	5.485	20	
84	5.26	5.547	20	
85	5.26	5.58	20	
86	5.26	5.349	20	
87	5.26	5.696	20	
88	5.26	5.569	20	
89	5.26	5.509	20	
90	5.26	5.343	20	
91	5.26	5.403	20	
92	5.26	5.587	20	
93	5.26	5.664	20	
94	5.26	5.45	20	
95	5.26	5.257	20	
96	5.26	5.368	20	
97	5.26	5.466	20	
98	5.26	5.685	20	
99	5.26	5.265	20	
100	5.26	5.577	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.524	20	*
2	5.26	5.309	20	
3	5.26	5.333	20	
4	5.26	5.608	20	
5	5.26	5.667	20	
6	5.26	5.321	20	
7	5.26	5.405	20	
8	5.26	5.523	20	*
9	5.26	5.317	20	
10	5.26	5.261	20	
11	5.26	5.697	20	
12	5.26	5.474	20	
13	5.26	5.647	20	
14	5.26	5.402	20	
15	5.26	5.615	20	
16	5.26	5.675	20	
17	5.26	5.723	20	
18	5.26	5.514	20	
19	5.26	5.382	20	
20	5.26	5.676	20	
21	5.26	5.644	20	
22	5.26	5.603	20	
23	5.26	5.383	20	
24	5.26	5.492	20	
25	5.26	5.255	20	
26	5.26	5.292	20	
27	5.26	5.338	20	
28	5.26	5.273	20	
29	5.26	5.488	20	
30	5.26	5.263	20	
31	5.26	5.668	20	
32	5.26	5.462	20	
33	5.26	5.439	20	
34	5.26	5.569	20	
35	5.26	5.622	20	
36	5.26	5.53	20	*
37	5.26	5.68	20	
38	5.26	5.472	20	
39	5.26	5.38	20	
40	5.26	5.478	20	
41	5.26	5.583	20	
42	5.26	5.322	20	
43	5.26	5.373	20	
44	5.26	5.584	20	
45	5.26	5.426	20	
46	5.26	5.363	20	
47	5.26	5.645	20	

48	5.26	5.46	20	
49	5.26	5.441	20	
50	5.26	5.571	20	
51	5.26	5.633	20	
52	5.26	5.565	20	
53	5.26	5.476	20	
54	5.26	5.39	20	
55	5.26	5.323	20	
56	5.26	5.381	20	
57	5.26	5.493	20	
58	5.26	5.448	20	
59	5.26	5.703	20	
60	5.26	5.506	20	
61	5.26	5.521	20	*
62	5.26	5.624	20	
63	5.26	5.692	20	
64	5.26	5.445	20	
65	5.26	5.366	20	
66	5.26	5.449	20	
67	5.26	5.407	20	
68	5.26	5.541	20	
69	5.26	5.716	20	
70	5.26	5.654	20	
71	5.26	5.671	20	
72	5.26	5.341	20	
73	5.26	5.438	20	
74	5.26	5.371	20	
75	5.26	5.431	20	
76	5.26	5.549	20	
77	5.26	5.626	20	
78	5.26	5.655	20	
79	5.26	5.543	20	
80	5.26	5.576	20	
81	5.26	5.715	20	
82	5.26	5.58	20	
83	5.26	5.389	20	
84	5.26	5.511	20	
85	5.26	5.256	20	
86	5.26	5.534	20	*
87	5.26	5.596	20	
88	5.26	5.315	20	
89	5.26	5.548	20	
90	5.26	5.291	20	
91	5.26	5.306	20	
92	5.26	5.267	20	
93	5.26	5.27	20	
94	5.26	5.657	20	
95	5.26	5.365	20	
96	5.26	5.428	20	
97	5.26	5.611	20	
98	5.26	5.642	20	
99	5.26	5.414	20	
100	5.26	5.652	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.251	20	
2	5.26	5.571	20	
3	5.26	5.303	20	
4	5.26	5.634	20	
5	5.26	5.355	20	
6	5.26	5.334	20	
7	5.26	5.48	20	
8	5.26	5.354	20	
9	5.26	5.358	20	
10	5.26	5.608	20	
11	5.26	5.687	20	
12	5.26	5.661	20	
13	5.26	5.676	20	
14	5.26	5.409	20	
15	5.26	5.701	20	
16	5.26	5.256	20	
17	5.26	5.298	20	
18	5.26	5.561	20	
19	5.26	5.588	20	
20	5.26	5.263	20	
21	5.26	5.5	20	
22	5.26	5.695	20	
23	5.26	5.432	20	
24	5.26	5.431	20	
25	5.26	5.394	20	
26	5.26	5.465	20	
27	5.26	5.705	20	
28	5.26	5.272	20	
29	5.26	5.341	20	
30	5.26	5.385	20	
31	5.26	5.331	20	
32	5.26	5.582	20	
33	5.26	5.466	20	
34	5.26	5.612	20	
35	5.26	5.433	20	
36	5.26	5.356	20	
37	5.26	5.491	20	
38	5.26	5.71	20	
39	5.26	5.306	20	
40	5.26	5.597	20	
41	5.26	5.691	20	
42	5.26	5.35	20	
43	5.26	5.424	20	
44	5.26	5.488	20	
45	5.26	5.402	20	
46	5.26	5.335	20	
47	5.26	5.67	20	

48	5.26	5.282	20	
49	5.26	5.281	20	
50	5.26	5.452	20	
51	5.26	5.276	20	
52	5.26	5.484	20	
53	5.26	5.314	20	
54	5.26	5.636	20	
55	5.26	5.28	20	
56	5.26	5.581	20	
57	5.26	5.647	20	
58	5.26	5.268	20	
59	5.26	5.593	20	
60	5.26	5.577	20	
61	5.26	5.406	20	
62	5.26	5.498	20	
63	5.26	5.44	20	
64	5.26	5.333	20	
65	5.26	5.391	20	
66	5.26	5.635	20	
67	5.26	5.618	20	
68	5.26	5.579	20	
69	5.26	5.396	20	
70	5.26	5.482	20	
71	5.26	5.39	20	
72	5.26	5.652	20	
73	5.26	5.602	20	
74	5.26	5.631	20	
75	5.26	5.497	20	
76	5.26	5.26	20	*
77	5.26	5.721	20	
78	5.26	5.72	20	
79	5.26	5.439	20	
80	5.26	5.624	20	
81	5.26	5.62	20	
82	5.26	5.279	20	
83	5.26	5.519	20	*
84	5.26	5.537	20	*
85	5.26	5.445	20	
86	5.26	5.43	20	
87	5.26	5.407	20	
88	5.26	5.646	20	
89	5.26	5.589	20	
90	5.26	5.352	20	
91	5.26	5.311	20	
92	5.26	5.318	20	
93	5.26	5.308	20	
94	5.26	5.403	20	
95	5.26	5.718	20	
96	5.26	5.295	20	
97	5.26	5.681	20	
98	5.26	5.552	20	
99	5.26	5.686	20	
100	5.26	5.413	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.586	20	
2	5.26	5.338	20	
3	5.26	5.643	20	
4	5.26	5.498	20	
5	5.26	5.551	20	
6	5.26	5.402	20	
7	5.26	5.5	20	
8	5.26	5.412	20	
9	5.26	5.518	20	*
10	5.26	5.321	20	
11	5.26	5.281	20	
12	5.26	5.484	20	
13	5.26	5.589	20	
14	5.26	5.37	20	
15	5.26	5.68	20	
16	5.26	5.353	20	
17	5.26	5.661	20	
18	5.26	5.361	20	
19	5.26	5.439	20	
20	5.26	5.618	20	
21	5.26	5.362	20	
22	5.26	5.354	20	
23	5.26	5.264	20	
24	5.26	5.404	20	
25	5.26	5.446	20	
26	5.26	5.507	20	
27	5.26	5.38	20	
28	5.26	5.584	20	
29	5.26	5.266	20	
30	5.26	5.346	20	
31	5.26	5.356	20	
32	5.26	5.69	20	
33	5.26	5.616	20	
34	5.26	5.348	20	
35	5.26	5.619	20	
36	5.26	5.445	20	
37	5.26	5.571	20	
38	5.26	5.588	20	
39	5.26	5.596	20	
40	5.26	5.273	20	
41	5.26	5.378	20	
42	5.26	5.313	20	
43	5.26	5.626	20	
44	5.26	5.716	20	
45	5.26	5.391	20	
46	5.26	5.613	20	
47	5.26	5.344	20	

48	5.26	5.268	20	
49	5.26	5.383	20	
50	5.26	5.691	20	
51	5.26	5.414	20	
52	5.26	5.553	20	
53	5.26	5.325	20	
54	5.26	5.72	20	
55	5.26	5.515	20	
56	5.26	5.597	20	
57	5.26	5.428	20	
58	5.26	5.547	20	
59	5.26	5.578	20	
60	5.26	5.545	20	
61	5.26	5.463	20	
62	5.26	5.337	20	
63	5.26	5.534	20	*
64	5.26	5.668	20	
65	5.26	5.686	20	
66	5.26	5.427	20	
67	5.26	5.35	20	
68	5.26	5.317	20	
69	5.26	5.577	20	
70	5.26	5.646	20	
71	5.26	5.667	20	
72	5.26	5.274	20	
73	5.26	5.461	20	
74	5.26	5.285	20	
75	5.26	5.695	20	
76	5.26	5.333	20	
77	5.26	5.385	20	
78	5.26	5.527	20	*
79	5.26	5.434	20	
80	5.26	5.705	20	
81	5.26	5.724	20	
82	5.26	5.413	20	
83	5.26	5.451	20	
84	5.26	5.565	20	
85	5.26	5.331	20	
86	5.26	5.543	20	
87	5.26	5.406	20	
88	5.26	5.323	20	
89	5.26	5.65	20	
90	5.26	5.604	20	
91	5.26	5.315	20	
92	5.26	5.437	20	
93	5.26	5.612	20	
94	5.26	5.679	20	
95	5.26	5.371	20	
96	5.26	5.611	20	
97	5.26	5.549	20	
98	5.26	5.474	20	
99	5.26	5.555	20	
100	5.26	5.548	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.647	20	
2	5.26	5.686	20	
3	5.26	5.418	20	
4	5.26	5.719	20	
5	5.26	5.498	20	
6	5.26	5.269	20	
7	5.26	5.544	20	
8	5.26	5.476	20	
9	5.26	5.699	20	
10	5.26	5.674	20	
11	5.26	5.302	20	
12	5.26	5.641	20	
13	5.26	5.264	20	
14	5.26	5.491	20	
15	5.26	5.267	20	
16	5.26	5.482	20	
17	5.26	5.723	20	
18	5.26	5.364	20	
19	5.26	5.313	20	
20	5.26	5.646	20	
21	5.26	5.254	20	
22	5.26	5.51	20	
23	5.26	5.398	20	
24	5.26	5.263	20	
25	5.26	5.29	20	
26	5.26	5.526	20	*
27	5.26	5.721	20	
28	5.26	5.519	20	*
29	5.26	5.533	20	*
30	5.26	5.484	20	
31	5.26	5.642	20	
32	5.26	5.315	20	
33	5.26	5.352	20	
34	5.26	5.442	20	
35	5.26	5.322	20	
36	5.26	5.559	20	
37	5.26	5.602	20	
38	5.26	5.443	20	
39	5.26	5.611	20	
40	5.26	5.337	20	
41	5.26	5.548	20	
42	5.26	5.414	20	
43	5.26	5.368	20	
44	5.26	5.382	20	
45	5.26	5.701	20	
46	5.26	5.399	20	
47	5.26	5.34	20	

48	5.26	5.447	20	
49	5.26	5.583	20	
50	5.26	5.339	20	
51	5.26	5.695	20	
52	5.26	5.27	20	
53	5.26	5.556	20	
54	5.26	5.659	20	
55	5.26	5.696	20	
56	5.26	5.365	20	
57	5.26	5.561	20	
58	5.26	5.439	20	
59	5.26	5.258	20	
60	5.26	5.675	20	
61	5.26	5.43	20	
62	5.26	5.509	20	
63	5.26	5.563	20	
64	5.26	5.596	20	
65	5.26	5.524	20	*
66	5.26	5.452	20	
67	5.26	5.318	20	
68	5.26	5.643	20	
69	5.26	5.617	20	
70	5.26	5.334	20	
71	5.26	5.627	20	
72	5.26	5.323	20	
73	5.26	5.393	20	
74	5.26	5.691	20	
75	5.26	5.53	20	*
76	5.26	5.36	20	
77	5.26	5.406	20	
78	5.26	5.444	20	
79	5.26	5.688	20	
80	5.26	5.266	20	
81	5.26	5.568	20	
82	5.26	5.62	20	
83	5.26	5.713	20	
84	5.26	5.408	20	
85	5.26	5.591	20	
86	5.26	5.465	20	
87	5.26	5.373	20	
88	5.26	5.672	20	
89	5.26	5.683	20	
90	5.26	5.46	20	
91	5.26	5.503	20	
92	5.26	5.466	20	
93	5.26	5.395	20	
94	5.26	5.645	20	
95	5.26	5.603	20	
96	5.26	5.714	20	
97	5.26	5.571	20	
98	5.26	5.637	20	
99	5.26	5.578	20	
100	5.26	5.356	20	

--	--	--	--	--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.269	20	
2	5.26	5.659	20	
3	5.26	5.307	20	
4	5.26	5.349	20	
5	5.26	5.688	20	
6	5.26	5.684	20	
7	5.26	5.591	20	
8	5.26	5.254	20	
9	5.26	5.501	20	
10	5.26	5.618	20	
11	5.26	5.706	20	
12	5.26	5.513	20	
13	5.26	5.433	20	
14	5.26	5.572	20	
15	5.26	5.46	20	
16	5.26	5.265	20	
17	5.26	5.587	20	
18	5.26	5.333	20	
19	5.26	5.677	20	
20	5.26	5.574	20	
21	5.26	5.561	20	
22	5.26	5.489	20	
23	5.26	5.463	20	
24	5.26	5.628	20	
25	5.26	5.683	20	
26	5.26	5.595	20	
27	5.26	5.304	20	
28	5.26	5.51	20	
29	5.26	5.497	20	
30	5.26	5.291	20	
31	5.26	5.661	20	
32	5.26	5.562	20	
33	5.26	5.325	20	
34	5.26	5.667	20	
35	5.26	5.466	20	
36	5.26	5.273	20	
37	5.26	5.476	20	
38	5.26	5.697	20	
39	5.26	5.702	20	
40	5.26	5.473	20	
41	5.26	5.525	20	*
42	5.26	5.495	20	
43	5.26	5.692	20	
44	5.26	5.277	20	
45	5.26	5.575	20	
46	5.26	5.357	20	
47	5.26	5.457	20	

48	5.26	5.272	20	
49	5.26	5.383	20	
50	5.26	5.616	20	
51	5.26	5.582	20	
52	5.26	5.308	20	
53	5.26	5.514	20	
54	5.26	5.699	20	
55	5.26	5.492	20	
56	5.26	5.368	20	
57	5.26	5.567	20	
58	5.26	5.315	20	
59	5.26	5.723	20	
60	5.26	5.554	20	
61	5.26	5.603	20	
62	5.26	5.329	20	
63	5.26	5.485	20	
64	5.26	5.715	20	
65	5.26	5.338	20	
66	5.26	5.711	20	
67	5.26	5.364	20	
68	5.26	5.499	20	
69	5.26	5.281	20	
70	5.26	5.544	20	
71	5.26	5.385	20	
72	5.26	5.57	20	
73	5.26	5.268	20	
74	5.26	5.579	20	
75	5.26	5.302	20	
76	5.26	5.583	20	
77	5.26	5.419	20	
78	5.26	5.252	20	
79	5.26	5.604	20	
80	5.26	5.468	20	
81	5.26	5.526	20	*
82	5.26	5.68	20	
83	5.26	5.519	20	*
84	5.26	5.337	20	
85	5.26	5.405	20	
86	5.26	5.63	20	
87	5.26	5.487	20	
88	5.26	5.601	20	
89	5.26	5.52	20	*
90	5.26	5.448	20	
91	5.26	5.267	20	
92	5.26	5.404	20	
93	5.26	5.363	20	
94	5.26	5.568	20	
95	5.26	5.718	20	
96	5.26	5.564	20	
97	5.26	5.446	20	
98	5.26	5.427	20	
99	5.26	5.713	20	
100	5.26	5.399	20	

--

802.11ax(HE40) - 5270MHz**RADAR TYPE 1**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	72	1	738
2	76	1	698
3	63	1	838
4	68	1	778
5	86	1	618
6	89	1	598
7	63	1	838
8	74	1	718
9	70	1	758
10	67	1	798
11	62	1	858
12	95	1	558
13	62	1	858
14	62	1	858
15	78	1	678
16	61	1	878
17	81	1	658
18	92	1	578
19	76	1	698
20	57	1	938
21	76	1	698
22	83	1	638
23	98	1	538
24	70	1	758
25	81	1	658
26	63	1	838
27	62	1	858
28	58	1	918
29	65	1	818
30	98	1	538


802.11ax(HE40) - 5270MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	25	4.5	158
2	24	1.3	202
3	23	3.7	185
4	24	1.7	179
5	23	3.4	207
6	26	1	172
7	27	3.7	217
8	25	3	166
9	27	4.8	163
10	28	4.7	166
11	25	4.8	192
12	24	2.2	161
13	25	3.8	199
14	28	3.4	194
15	24	4.1	174
16	26	3.8	183
17	28	3.7	189
18	25	2.2	183
19	28	2.2	222
20	28	4.3	211
21	24	4.1	180
22	25	1	166
23	29	2.3	165
24	26	4.5	184
25	24	3.1	157
26	24	4.8	203
27	26	4.9	215
28	25	2.4	206
29	27	3.2	206
30	26	2.8	161

802.11ax(HE40) - 5270MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	16	9.2	371
2	17	7.3	223
3	16	9.6	424
4	16	7.5	300
5	17	7.7	430
6	17	7.7	362
7	17	6.3	227
8	18	7.2	273
9	16	9	448
10	17	8.8	325
11	17	9	394
12	18	10	370
13	18	8	477
14	17	9.6	486
15	17	9.2	500
16	17	9.6	447
17	17	8.4	340
18	17	9.6	261
19	16	8.5	470
20	16	7.7	364
21	18	8.7	334
22	17	6.1	396
23	17	9.1	374
24	16	9.8	218
25	17	9.2	479
26	16	6.4	266
27	17	7	456
28	16	9.9	336
29	16	9.8	231
30	17	8.8	475

802.11ax(HE40) - 5270MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	14	11.3	238
2	13	14.2	458
3	14	16.2	363
4	14	12.8	224
5	14	18.8	268
6	12	18.2	226
7	14	18.9	364
8	13	18.5	444
9	13	19.6	250
10	15	17	301
11	12	12.2	459
12	14	17.8	451
13	13	18.8	266
14	14	13.4	441
15	15	12.7	221
16	14	12.5	290
17	13	17.1	478
18	13	18.9	285
19	12	17.6	225
20	14	13.2	373
21	13	11.5	346
22	15	17.5	417
23	13	18	392
24	12	16.3	285
25	15	15.2	445
26	16	11.6	267
27	13	15	354
28	13	16.6	248
29	14	17.8	406
30	16	12.2	277

802.11ax(HE40) - 5270MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	20	1	5270
2	9	1	5270
3	16	1	5270
4	10	1	5270
5	17	1	5270
6	12	1	5270
7	9	1	5270
8	14	1	5270
9	17	1	5270
10	16	1	5270
11	17	2	5257.8
12	8	2	5254.2
13	19	2	5258.6
14	11	2	5255.4
15	9	2	5254.6
16	12	2	5255.8
17	20	2	5259
18	9	2	5254.6
19	11	2	5255.4
20	9	2	5254.6
21	6	3	5286.6
22	6	3	5286.6
23	20	3	5281
24	7	3	5286.2
25	10	3	5285
26	9	3	5285.4
27	9	3	5285.4
28	16	3	5282.6
29	7	3	5286.2
30	7	3	5286.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	59.3	20	1420	1520	91.928
2	3	96.8	20	1390	1523	380.8
3	3	64.6	20	1987	2000	419.75
4	2	71.6	20	1341		170.83
5	2	50.9	20	1323		741.33
6	1	51.3	20			291.91
7	2	80.7	20	1349		64.07
8	2	73.4	20	1598		269.34
9	2	54.7	20	1193		633.78
10	1	66.9	20			302.91
11	2	52	20	1572		131.72
12	2	58.9	20	1681		458.06
13	1	59.1	20			566.5
14	3	79.4	20	1008	1114	327.5
15	2	80.9	20	1033		524
16	2	81.4	20	1651		142.7




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 9

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	67.7	10	1918		260.621
2	2	69.9	10	1770		333.717
3	3	83.1	10	1629	1107	149.863
4	2	73.9	10	1256		143.32
5	1	57.1	10			987.267
6	1	95.2	10			817.033
7	1	85.9	10			1106
8	2	85.9	10	1462		654.577
9	2	90.8	10	1443		1244.633

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	75.4	17			520.68
2	2	68.4	17	1409		685.69
3	2	79.6	17	1877		15.89
4	3	75	17	1319	1873	224.72
5	2	92.7	17	1616		184.99
6	1	73.2	17			73.38
7	1	98	17			369.28
8	2	53.6	17	1208		697.53
9	2	61.4	17	1274		714.88
10	1	55.4	17			309.36
11	2	52.4	17	1256		692.11
12	2	99.7	17	1581		689.76
13	2	73.6	17	1614		151.01
14	2	84.8	17	1934		606.7
15	3	73.6	17	1743	1916	191.2
16	3	99.8	17	1797	1488	616.4




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 9

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	94.2	12			881.561
2	2	99.2	12	1424		1265.607
3	2	55.5	12	1423		980.493
4	3	70.9	12	1822	1356	609.08
5	2	66	12	1412		1088.307
6	2	52.6	12	1223		876.023
7	1	62.9	12			553.74
8	3	53.5	12	1926	1463	1257.967
9	1	85.5	12			746.933

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	81.2	9	1098	1933	593.106
2	3	92.4	9	1764	1504	503.853
3	2	80.1	9	1955		424.117
4	2	97.4	9	1139		564.78
5	2	66.1	9	1072		334.273
6	2	66.5	9	1286		656.277
7	1	78.4	9			281.47
8	2	89.6	9	1148		227.733
9	1	93.8	9			107.467
10	3	99.9	9	1956	1755	303.96
11	3	80.5	9	1989	1762	280.763
12	3	55.1	9	1027	1418	589.667
13	3	59.8	9	1043	1962	43.09
14	2	79.4	9	1217		170.943
15	2	55.9	9	1541		9.127
16	2	74	9	1848		539
17	3	69.2	9	1622	1161	124.733
18	2	58.5	9	1173		436.067




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	75.2	14			303.017
2	2	70	14	1378		882.093
3	1	59.8	14			836.776
4	2	52.3	14	1635		894.309
5	3	64.9	14	1070	1048	276.042
6	3	75.3	14	1521	1363	493.065
7	1	61.6	14			391.378
8	1	65.4	14			126.872
9	3	83.2	14	1638	1525	578.575
10	1	66.1	14			508.458
11	3	93.7	14	1762	1178	207.251
12	2	74.5	14	1264		729.454
13	2	67.3	14	1066		118.777




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 15

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	72.4	17			315.883
2	2	52.2	17	1673		679.22
3	2	83.6	17	1241		571.7
4	1	94.6	17			27.83
5	3	58.4	17	1797	1109	62.83
6	2	97.4	17	1445		83.39
7	2	90.6	17	1400		333.26
8	3	96	17	1704	1938	569.26
9	3	55.9	17	1727	1806	477.88
10	1	63.2	17			351.47
11	1	90.8	17			677
12	2	98	17	1389		82.66
13	1	84.2	17			642.6
14	2	61.2	17	1829		696.9
15	2	59.6	17	1305		351.9




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 10


Bursts in Trial: 9

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	79.6	16	1083		1277.03
2	3	73.9	16	1257	1674	462.557
3	2	64.2	16	1755		1099.513
4	3	82.2	16	1334	1782	1312.93
5	3	77.6	16	1736	1075	1106.547
6	3	74.5	16	1831	1530	669.673
7	2	62.5	16	1382		939.88
8	2	75.4	16	1738		373.597
9	1	63.2	16			630.433

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	52.4	17			34.546
2	2	77.2	17	1312		528.36
3	3	50.6	17	1292	1044	468.05
4	2	83.5	17	1305		189.93
5	3	91.6	17	1703	1974	574.42
6	2	84.9	17	1882		43.07
7	2	87.7	17	1167		224.47
8	2	64.9	17	1261		663.67
9	1	79.7	17			169.56
10	2	85.6	17	1195		464.4
11	1	65	17			352.32
12	3	77.7	17	1456	1005	259.38
13	1	95.7	17			252.12
14	3	56.3	17	1942	1794	639.2
15	2	55.8	17	1180		431.4
16	2	62	17	1894		622.1



TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 12							
Bursts in Trial: 12							
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)	
1	2	63.6	8	1004		736.717	
2	1	72.7	8			310.44	
3	2	99.1	8	1537		18.67	
4	1	52.5	8			71.94	
5	2	79.6	8	1854		644.14	
6	2	96.3	8	1928		510.68	
7	3	82.9	8	1624	1607	157.87	
8	2	80.9	8	1063		821.65	
9	2	79.3	8	1383		922.54	
10	1	79.2	8			511.97	
11	2	86	8	1957		4.1	
12	3	59.2	8	1315	1649	549.4	




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 20

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	93.3	19	1269	1902	533.789
2	2	52.5	19	1953		89.896
3	3	72.8	19	1261	1111	404.99
4	2	55.7	19	1538		590.17
5	2	94.7	19	1807		72.75
6	2	75.9	19	1898		396.53
7	1	58.7	19			151.76
8	1	72.5	19			285.38
9	2	81.8	19	1618		439.77
10	1	99.6	19			361.59
11	2	59.1	19	1815		259.02
12	3	72.5	19	1347	1444	365.04
13	2	65.4	19	1590		547.69
14	3	99.7	19	1525	1459	326.56
15	2	62.8	19	1542		548.41
16	2	87.9	19	1531		338.51
17	2	51.8	19	1410		386.58
18	2	66.5	19	1084		306.6
19	2	70.3	19	1301		538.2
20	1	61.5	19			363.8



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 8						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	59.8	11	1163		823.964
2	2	79.9	11	1424		835.61
3	1	79.9	11			1352.87
4	3	66.9	11	1625	1624	665.77
5	1	90.2	11			1412.48
6	2	78.7	11	1773		1486.22
7	3	52.4	11	1769	1499	617.07
8	2	91.1	11	1700		314.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	57.2	9			153.358
2	2	94	9	1824		318.73
3	1	91.1	9			186.24
4	2	98.5	9	1532		658.87
5	2	72.8	9	1187		789.65
6	2	84	9	1746		662.45
7	3	90.9	9	1317	1891	363.02
8	1	56.9	9			421.13
9	2	53.2	9	1933		165.64
10	2	69.8	9	1848		263.41
11	1	54.3	9			491.07
12	3	99.1	9	1421	1311	57.15
13	3	51	9	1599	1979	235.55
14	1	94.2	9			267.7
15	3	57.2	9	1486	1325	138


--

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 20

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	53.5	12			322.728
2	1	81.6	12			549.36
3	2	64	12	1821		103.47
4	2	98.6	12	1624		211.04
5	3	94.7	12	1476	1179	85.49
6	3	74.9	12	1662	1736	353.54
7	2	92.2	12	1089		71.74
8	2	55.3	12	1601		108.58
9	3	93	12	1633	1305	293.57
10	2	70.9	12	1517		355.69
11	1	51.3	12			350.33
12	3	61.5	12	1974	1802	591.68
13	1	62.9	12			374.57
14	2	50.4	12	1320		155.28
15	2	87.9	12	1130		547.75
16	2	80.6	12	1242		72.27
17	2	69	12	1496		31.8
18	2	99	12	1196		427.6
19	3	85.8	12	1979	1138	404.6
20	2	94.6	12	1982		148




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 9

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	79	20	1121		805.873
2	1	78.1	20			1053.987
3	3	60.5	20	1740	1061	1022.043
4	1	87.1	20			629.75
5	1	97.1	20			942.857
6	1	86	20			696.073
7	2	72.2	20	1289		986.36
8	1	75.1	20			1295.167
9	2	58.1	20	1793		818.433

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	83.8	9	1822		173.923
2	1	84.3	9			488.773
3	2	99.7	9	1603		433.497
4	3	78	9	1214	1853	486.34
5	2	88.3	9	1731		552.353
6	1	65.2	9			542.857
7	3	83.6	9	1259	1800	601.33
8	2	60.1	9	1916		418.853
9	2	84	9	1755		620.647
10	2	74	9	1323		256.98
11	2	90.4	9	1974		415.213
12	2	97.8	9	1036		167.097
13	3	66.2	9	1719	1099	556.72
14	1	68.9	9			562.653
15	3	72.9	9	1159	1495	33.137
16	3	63.5	9	1118	1607	238.2
17	2	51.8	9	1023		161.833
18	1	74.6	9			598.667



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	61.8	11	1288		276.113
2	1	65.8	11			530.423
3	1	67.6	11			241.627
4	2	94.8	11	1918		66.91
5	2	77.1	11	1132		162.913
6	2	65.2	11	1573		368.157
7	3	77.5	11	1879	1525	253.11
8	2	87.1	11	1705		155.833
9	2	59.7	11	1517		490.457
10	2	59	11	1824		210.25
11	1	97.8	11			433.833
12	1	77.6	11			436.287
13	3	97.2	11	1423	1922	645.99
14	2	68	11	1739		366.423
15	2	90.7	11	1519		360.837
16	3	54.7	11	1909	1528	85.1
17	2	72.4	11	1984		109.433
18	2	67.7	11	1086		121.067

--

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 10


Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	73.3	9	1755		1059.97
2	2	59.1	9	1267		338.84
3	2	53.7	9	1722		762.1
4	1	89.8	9			133.31
5	3	86.1	9	1310	1104	844.1
6	1	97.1	9			541.38
7	2	82.9	9	1967		548.33
8	2	99	9	1745		339.28
9	3	99.3	9	1847	1931	8.71
10	2	66.4	9	1597		313.2

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 21

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	71.2	6			691.824
2	1	81.2	6			125.883
3	2	66	6	1895		480.526
4	1	79.5	6			153.979
5	2	53.5	6	1587		202.732
6	1	94.4	6			431.535
7	1	93.5	6			609.728
8	3	65.1	6	1969	1377	339.002
9	3	63	6	1235	1671	331.855
10	2	86	6	1288		244.478
11	2	69.3	6	1417		473.691
12	2	55.6	6	1228		152.254
13	1	94	6			221.477




TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	69.8	6	1476	1004	690.389
2	1	64.4	6			519.648
3	1	72	6			9.165
4	2	67.4	6	1048		205.323
5	1	59.1	6			299.551
6	1	67	6			445.738
7	3	83.6	6	1854	1014	55.566
8	3	88.7	6	1192	1055	426.574
9	2	95	6	1601		44.411
10	2	73.6	6	1992		245.099
11	2	51	6	1092		496.806
12	2	86.7	6	1716		273.834
13	1	87.2	6			580.732
14	1	72	6			211.899
15	2	89.3	6	1180		317.447
16	2	97.8	6	1876		508.265
17	1	91.2	6			293.782



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	100	7	1538	1623	46.541
2	3	77.2	7	1158	1960	391.723
3	1	92	7			67.627
4	3	74.6	7	1517	1424	468.44
5	1	89.3	7			459.353
6	3	98.2	7	1124	1231	201.957
7	3	76	7	1852	1812	573.29
8	2	84.8	7	1082		307.673
9	2	67	7	1233		467.807
10	3	97.1	7	1642	1320	407.36
11	2	76.3	7	1080		23.833
12	2	95.6	7	1357		170.017
13	3	50.2	7	1182	1363	506.79
14	2	92.9	7	1803		516.703
15	2	80.9	7	1419		161.487
16	2	89.1	7	1281		291.8
17	2	87.6	7	1423		582.433
18	2	63.4	7	1762		491.167

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	59.8	9			22.215
2	3	74.5	9	1921	1319	274.009
3	1	87.5	9			187.317
4	2	66	9	1886		234.99
5	3	83.5	9	1913	1850	178.593
6	2	78.3	9	1787		528.257
7	1	60.5	9			477.95
8	2	89.1	9	1224		23.173
9	2	91.8	9	1009		520.207
10	2	92.2	9	1198		488.89
11	1	54.9	9			251.803
12	3	86	9	1542	1971	4.447
13	3	95.1	9	1165	1801	147.76
14	2	73.1	9	1706		205.513
15	2	90	9	1981		198.867
16	1	76.5	9			575.7
17	2	87.9	9	1284		230.633
18	1	95.9	9			118.367



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	60.8	7	1313		696.861
2	2	72	7	1017		41.424
3	3	65.6	7	1356	1411	68.04
4	2	69.1	7	1929		303.7
5	2	54.6	7	1737		161.05
6	1	54.6	7			385.42
7	3	97.3	7	1385	1336	493.1
8	3	83	7	1105	1081	284.68
9	1	50.4	7			3.57
10	2	71.6	7	1855		308.48
11	2	76.8	7	1029		652.22
12	2	68.8	7	1988		97.88
13	3	58.1	7	1305	1074	171.34
14	2	68	7	1107		231.8
15	2	54.3	7	1486		505.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	81.8	7			6.777
2	3	61.7	7	1056	1021	422.897
3	2	66.8	7	1035		98.693
4	3	50.7	7	1700	1588	178.25
5	2	69.5	7	1679		1145.807
6	1	71.5	7			863.033
7	2	89	7	1443		1080.21
8	1	65.9	7			844.867
9	2	54.2	7	1457		919.233

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.351	40	
2	5.29	5.45	40	
3	5.29	5.427	40	
4	5.29	5.365	40	
5	5.29	5.468	40	
6	5.29	5.671	40	
7	5.29	5.71	40	
8	5.29	5.57	40	
9	5.29	5.463	40	
10	5.29	5.312	40	
11	5.29	5.424	40	
12	5.29	5.408	40	
13	5.29	5.582	40	
14	5.29	5.405	40	
15	5.29	5.31	40	
16	5.29	5.563	40	
17	5.29	5.487	40	
18	5.29	5.264	40	
19	5.29	5.473	40	
20	5.29	5.593	40	
21	5.29	5.56	40	
22	5.29	5.333	40	
23	5.29	5.566	40	
24	5.29	5.577	40	
25	5.29	5.565	40	
26	5.29	5.288	40	*
27	5.29	5.399	40	
28	5.29	5.598	40	
29	5.29	5.632	40	
30	5.29	5.28	40	*
31	5.29	5.677	40	
32	5.29	5.382	40	
33	5.29	5.431	40	
34	5.29	5.266	40	
35	5.29	5.531	40	
36	5.29	5.304	40	
37	5.29	5.716	40	
38	5.29	5.386	40	
39	5.29	5.269	40	
40	5.29	5.26	40	
41	5.29	5.311	40	
42	5.29	5.367	40	
43	5.29	5.384	40	
44	5.29	5.371	40	
45	5.29	5.465	40	
46	5.29	5.622	40	
47	5.29	5.654	40	

48	5.29	5.47	40	
49	5.29	5.646	40	
50	5.29	5.549	40	
51	5.29	5.505	40	
52	5.29	5.5	40	
53	5.29	5.507	40	
54	5.29	5.547	40	
55	5.29	5.574	40	
56	5.29	5.475	40	
57	5.29	5.557	40	
58	5.29	5.529	40	
59	5.29	5.432	40	
60	5.29	5.645	40	
61	5.29	5.276	40	
62	5.29	5.616	40	
63	5.29	5.374	40	
64	5.29	5.661	40	
65	5.29	5.354	40	
66	5.29	5.423	40	
67	5.29	5.533	40	
68	5.29	5.562	40	
69	5.29	5.522	40	
70	5.29	5.328	40	
71	5.29	5.721	40	
72	5.29	5.471	40	
73	5.29	5.618	40	
74	5.29	5.72	40	
75	5.29	5.258	40	
76	5.29	5.606	40	
77	5.29	5.512	40	
78	5.29	5.253	40	
79	5.29	5.308	40	
80	5.29	5.332	40	
81	5.29	5.612	40	
82	5.29	5.372	40	
83	5.29	5.669	40	
84	5.29	5.353	40	
85	5.29	5.342	40	
86	5.29	5.578	40	
87	5.29	5.51	40	
88	5.29	5.392	40	
89	5.29	5.637	40	
90	5.29	5.297	40	*
91	5.29	5.387	40	
92	5.29	5.532	40	
93	5.29	5.373	40	
94	5.29	5.348	40	
95	5.29	5.429	40	
96	5.29	5.395	40	
97	5.29	5.435	40	
98	5.29	5.656	40	
99	5.29	5.323	40	
100	5.29	5.682	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.61	40	
2	5.29	5.697	40	
3	5.29	5.386	40	
4	5.29	5.351	40	
5	5.29	5.314	40	
6	5.29	5.552	40	
7	5.29	5.626	40	
8	5.29	5.625	40	
9	5.29	5.563	40	
10	5.29	5.377	40	
11	5.29	5.624	40	
12	5.29	5.539	40	
13	5.29	5.325	40	
14	5.29	5.394	40	
15	5.29	5.32	40	
16	5.29	5.542	40	
17	5.29	5.55	40	
18	5.29	5.268	40	
19	5.29	5.466	40	
20	5.29	5.535	40	
21	5.29	5.465	40	
22	5.29	5.528	40	
23	5.29	5.644	40	
24	5.29	5.508	40	
25	5.29	5.473	40	
26	5.29	5.366	40	
27	5.29	5.675	40	
28	5.29	5.663	40	
29	5.29	5.722	40	
30	5.29	5.347	40	
31	5.29	5.417	40	
32	5.29	5.315	40	
33	5.29	5.373	40	
34	5.29	5.349	40	
35	5.29	5.527	40	
36	5.29	5.587	40	
37	5.29	5.692	40	
38	5.29	5.341	40	
39	5.29	5.345	40	
40	5.29	5.392	40	
41	5.29	5.444	40	
42	5.29	5.474	40	
43	5.29	5.297	40	*
44	5.29	5.435	40	
45	5.29	5.273	40	
46	5.29	5.616	40	
47	5.29	5.582	40	

48	5.29	5.418	40	
49	5.29	5.654	40	
50	5.29	5.593	40	
51	5.29	5.471	40	
52	5.29	5.647	40	
53	5.29	5.27	40	
54	5.29	5.543	40	
55	5.29	5.48	40	
56	5.29	5.602	40	
57	5.29	5.522	40	
58	5.29	5.316	40	
59	5.29	5.429	40	
60	5.29	5.695	40	
61	5.29	5.352	40	
62	5.29	5.685	40	
63	5.29	5.371	40	
64	5.29	5.504	40	
65	5.29	5.413	40	
66	5.29	5.51	40	
67	5.29	5.705	40	
68	5.29	5.496	40	
69	5.29	5.683	40	
70	5.29	5.643	40	
71	5.29	5.387	40	
72	5.29	5.603	40	
73	5.29	5.719	40	
74	5.29	5.545	40	
75	5.29	5.622	40	
76	5.29	5.426	40	
77	5.29	5.274	40	
78	5.29	5.655	40	
79	5.29	5.642	40	
80	5.29	5.506	40	
81	5.29	5.628	40	
82	5.29	5.282	40	*
83	5.29	5.389	40	
84	5.29	5.588	40	
85	5.29	5.632	40	
86	5.29	5.714	40	
87	5.29	5.339	40	
88	5.29	5.448	40	
89	5.29	5.537	40	
90	5.29	5.711	40	
91	5.29	5.332	40	
92	5.29	5.69	40	
93	5.29	5.688	40	
94	5.29	5.634	40	
95	5.29	5.275	40	
96	5.29	5.449	40	
97	5.29	5.68	40	
98	5.29	5.62	40	
99	5.29	5.46	40	
100	5.29	5.565	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.511	40	
2	5.29	5.3	40	*
3	5.29	5.348	40	
4	5.29	5.705	40	
5	5.29	5.601	40	
6	5.29	5.691	40	
7	5.29	5.681	40	
8	5.29	5.521	40	
9	5.29	5.489	40	
10	5.29	5.706	40	
11	5.29	5.329	40	
12	5.29	5.354	40	
13	5.29	5.408	40	
14	5.29	5.255	40	
15	5.29	5.632	40	
16	5.29	5.405	40	
17	5.29	5.701	40	
18	5.29	5.383	40	
19	5.29	5.598	40	
20	5.29	5.438	40	
21	5.29	5.307	40	
22	5.29	5.422	40	
23	5.29	5.359	40	
24	5.29	5.322	40	
25	5.29	5.709	40	
26	5.29	5.694	40	
27	5.29	5.54	40	
28	5.29	5.423	40	
29	5.29	5.592	40	
30	5.29	5.602	40	
31	5.29	5.445	40	
32	5.29	5.717	40	
33	5.29	5.497	40	
34	5.29	5.282	40	*
35	5.29	5.474	40	
36	5.29	5.395	40	
37	5.29	5.461	40	
38	5.29	5.342	40	
39	5.29	5.401	40	
40	5.29	5.444	40	
41	5.29	5.287	40	*
42	5.29	5.324	40	
43	5.29	5.62	40	
44	5.29	5.302	40	
45	5.29	5.582	40	
46	5.29	5.534	40	
47	5.29	5.513	40	

48	5.29	5.646	40	
49	5.29	5.658	40	
50	5.29	5.437	40	
51	5.29	5.435	40	
52	5.29	5.693	40	
53	5.29	5.477	40	
54	5.29	5.528	40	
55	5.29	5.653	40	
56	5.29	5.49	40	
57	5.29	5.622	40	
58	5.29	5.639	40	
59	5.29	5.36	40	
60	5.29	5.547	40	
61	5.29	5.626	40	
62	5.29	5.554	40	
63	5.29	5.377	40	
64	5.29	5.559	40	
65	5.29	5.596	40	
66	5.29	5.334	40	
67	5.29	5.637	40	
68	5.29	5.616	40	
69	5.29	5.704	40	
70	5.29	5.344	40	
71	5.29	5.27	40	
72	5.29	5.429	40	
73	5.29	5.688	40	
74	5.29	5.522	40	
75	5.29	5.484	40	
76	5.29	5.721	40	
77	5.29	5.441	40	
78	5.29	5.6	40	
79	5.29	5.373	40	
80	5.29	5.562	40	
81	5.29	5.424	40	
82	5.29	5.251	40	
83	5.29	5.677	40	
84	5.29	5.568	40	
85	5.29	5.366	40	
86	5.29	5.627	40	
87	5.29	5.299	40	*
88	5.29	5.321	40	
89	5.29	5.57	40	
90	5.29	5.597	40	
91	5.29	5.296	40	*
92	5.29	5.353	40	
93	5.29	5.649	40	
94	5.29	5.325	40	
95	5.29	5.638	40	
96	5.29	5.651	40	
97	5.29	5.442	40	
98	5.29	5.494	40	
99	5.29	5.487	40	
100	5.29	5.507	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.529	40	
2	5.29	5.383	40	
3	5.29	5.543	40	
4	5.29	5.385	40	
5	5.29	5.322	40	
6	5.29	5.441	40	
7	5.29	5.617	40	
8	5.29	5.486	40	
9	5.29	5.643	40	
10	5.29	5.42	40	
11	5.29	5.37	40	
12	5.29	5.404	40	
13	5.29	5.538	40	
14	5.29	5.695	40	
15	5.29	5.425	40	
16	5.29	5.701	40	
17	5.29	5.272	40	
18	5.29	5.342	40	
19	5.29	5.294	40	*
20	5.29	5.676	40	
21	5.29	5.473	40	
22	5.29	5.318	40	
23	5.29	5.614	40	
24	5.29	5.379	40	
25	5.29	5.632	40	
26	5.29	5.501	40	
27	5.29	5.481	40	
28	5.29	5.694	40	
29	5.29	5.616	40	
30	5.29	5.579	40	
31	5.29	5.661	40	
32	5.29	5.376	40	
33	5.29	5.378	40	
34	5.29	5.611	40	
35	5.29	5.478	40	
36	5.29	5.67	40	
37	5.29	5.641	40	
38	5.29	5.587	40	
39	5.29	5.578	40	
40	5.29	5.493	40	
41	5.29	5.402	40	
42	5.29	5.612	40	
43	5.29	5.497	40	
44	5.29	5.712	40	
45	5.29	5.599	40	
46	5.29	5.26	40	
47	5.29	5.503	40	

48	5.29	5.38	40	
49	5.29	5.25	40	
50	5.29	5.375	40	
51	5.29	5.64	40	
52	5.29	5.263	40	
53	5.29	5.298	40	*
54	5.29	5.484	40	
55	5.29	5.405	40	
56	5.29	5.321	40	
57	5.29	5.512	40	
58	5.29	5.554	40	
59	5.29	5.559	40	
60	5.29	5.334	40	
61	5.29	5.696	40	
62	5.29	5.361	40	
63	5.29	5.55	40	
64	5.29	5.605	40	
65	5.29	5.438	40	
66	5.29	5.399	40	
67	5.29	5.455	40	
68	5.29	5.288	40	*
69	5.29	5.454	40	
70	5.29	5.479	40	
71	5.29	5.366	40	
72	5.29	5.28	40	*
73	5.29	5.426	40	
74	5.29	5.343	40	
75	5.29	5.284	40	*
76	5.29	5.279	40	
77	5.29	5.644	40	
78	5.29	5.299	40	*
79	5.29	5.642	40	
80	5.29	5.468	40	
81	5.29	5.606	40	
82	5.29	5.432	40	
83	5.29	5.671	40	
84	5.29	5.265	40	
85	5.29	5.713	40	
86	5.29	5.362	40	
87	5.29	5.564	40	
88	5.29	5.634	40	
89	5.29	5.633	40	
90	5.29	5.296	40	*
91	5.29	5.715	40	
92	5.29	5.658	40	
93	5.29	5.449	40	
94	5.29	5.352	40	
95	5.29	5.308	40	
96	5.29	5.412	40	
97	5.29	5.526	40	
98	5.29	5.429	40	
99	5.29	5.27	40	
100	5.29	5.665	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.685	40	
2	5.29	5.686	40	
3	5.29	5.498	40	
4	5.29	5.72	40	
5	5.29	5.522	40	
6	5.29	5.455	40	
7	5.29	5.682	40	
8	5.29	5.58	40	
9	5.29	5.631	40	
10	5.29	5.604	40	
11	5.29	5.259	40	
12	5.29	5.666	40	
13	5.29	5.299	40	*
14	5.29	5.384	40	
15	5.29	5.305	40	
16	5.29	5.315	40	
17	5.29	5.446	40	
18	5.29	5.495	40	
19	5.29	5.558	40	
20	5.29	5.364	40	
21	5.29	5.314	40	
22	5.29	5.334	40	
23	5.29	5.485	40	
24	5.29	5.361	40	
25	5.29	5.602	40	
26	5.29	5.701	40	
27	5.29	5.432	40	
28	5.29	5.586	40	
29	5.29	5.491	40	
30	5.29	5.32	40	
31	5.29	5.65	40	
32	5.29	5.622	40	
33	5.29	5.546	40	
34	5.29	5.714	40	
35	5.29	5.553	40	
36	5.29	5.653	40	
37	5.29	5.53	40	
38	5.29	5.516	40	
39	5.29	5.434	40	
40	5.29	5.283	40	*
41	5.29	5.437	40	
42	5.29	5.35	40	
43	5.29	5.365	40	
44	5.29	5.717	40	
45	5.29	5.654	40	
46	5.29	5.273	40	
47	5.29	5.494	40	

48	5.29	5.599	40	
49	5.29	5.626	40	
50	5.29	5.706	40	
51	5.29	5.541	40	
52	5.29	5.633	40	
53	5.29	5.583	40	
54	5.29	5.281	40	*
55	5.29	5.307	40	
56	5.29	5.479	40	
57	5.29	5.703	40	
58	5.29	5.26	40	
59	5.29	5.362	40	
60	5.29	5.302	40	
61	5.29	5.559	40	
62	5.29	5.648	40	
63	5.29	5.336	40	
64	5.29	5.505	40	
65	5.29	5.515	40	
66	5.29	5.312	40	
67	5.29	5.715	40	
68	5.29	5.664	40	
69	5.29	5.275	40	
70	5.29	5.282	40	*
71	5.29	5.7	40	
72	5.29	5.344	40	
73	5.29	5.646	40	
74	5.29	5.477	40	
75	5.29	5.448	40	
76	5.29	5.33	40	
77	5.29	5.425	40	
78	5.29	5.44	40	
79	5.29	5.661	40	
80	5.29	5.419	40	
81	5.29	5.265	40	
82	5.29	5.702	40	
83	5.29	5.721	40	
84	5.29	5.311	40	
85	5.29	5.291	40	*
86	5.29	5.398	40	
87	5.29	5.397	40	
88	5.29	5.549	40	
89	5.29	5.452	40	
90	5.29	5.62	40	
91	5.29	5.399	40	
92	5.29	5.611	40	
93	5.29	5.252	40	
94	5.29	5.36	40	
95	5.29	5.325	40	
96	5.29	5.258	40	
97	5.29	5.56	40	
98	5.29	5.584	40	
99	5.29	5.643	40	
100	5.29	5.376	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.656	40	
2	5.29	5.696	40	
3	5.29	5.494	40	
4	5.29	5.59	40	
5	5.29	5.623	40	
6	5.29	5.645	40	
7	5.29	5.611	40	
8	5.29	5.7	40	
9	5.29	5.632	40	
10	5.29	5.722	40	
11	5.29	5.709	40	
12	5.29	5.451	40	
13	5.29	5.406	40	
14	5.29	5.57	40	
15	5.29	5.641	40	
16	5.29	5.689	40	
17	5.29	5.419	40	
18	5.29	5.702	40	
19	5.29	5.372	40	
20	5.29	5.502	40	
21	5.29	5.252	40	
22	5.29	5.381	40	
23	5.29	5.283	40	*
24	5.29	5.484	40	
25	5.29	5.694	40	
26	5.29	5.677	40	
27	5.29	5.515	40	
28	5.29	5.257	40	
29	5.29	5.542	40	
30	5.29	5.366	40	
31	5.29	5.464	40	
32	5.29	5.364	40	
33	5.29	5.701	40	
34	5.29	5.334	40	
35	5.29	5.333	40	
36	5.29	5.483	40	
37	5.29	5.403	40	
38	5.29	5.431	40	
39	5.29	5.394	40	
40	5.29	5.642	40	
41	5.29	5.301	40	
42	5.29	5.594	40	
43	5.29	5.659	40	
44	5.29	5.426	40	
45	5.29	5.404	40	
46	5.29	5.624	40	
47	5.29	5.675	40	

48	5.29	5.373	40	
49	5.29	5.376	40	
50	5.29	5.658	40	
51	5.29	5.353	40	
52	5.29	5.612	40	
53	5.29	5.638	40	
54	5.29	5.296	40	*
55	5.29	5.572	40	
56	5.29	5.463	40	
57	5.29	5.614	40	
58	5.29	5.561	40	
59	5.29	5.583	40	
60	5.29	5.269	40	
61	5.29	5.581	40	
62	5.29	5.711	40	
63	5.29	5.378	40	
64	5.29	5.337	40	
65	5.29	5.526	40	
66	5.29	5.493	40	
67	5.29	5.714	40	
68	5.29	5.643	40	
69	5.29	5.298	40	*
70	5.29	5.692	40	
71	5.29	5.577	40	
72	5.29	5.518	40	
73	5.29	5.597	40	
74	5.29	5.625	40	
75	5.29	5.605	40	
76	5.29	5.644	40	
77	5.29	5.311	40	
78	5.29	5.486	40	
79	5.29	5.4	40	
80	5.29	5.663	40	
81	5.29	5.449	40	
82	5.29	5.578	40	
83	5.29	5.412	40	
84	5.29	5.299	40	*
85	5.29	5.691	40	
86	5.29	5.367	40	
87	5.29	5.547	40	
88	5.29	5.38	40	
89	5.29	5.718	40	
90	5.29	5.546	40	
91	5.29	5.435	40	
92	5.29	5.68	40	
93	5.29	5.423	40	
94	5.29	5.517	40	
95	5.29	5.707	40	
96	5.29	5.439	40	
97	5.29	5.326	40	
98	5.29	5.571	40	
99	5.29	5.345	40	
100	5.29	5.461	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.522	40	
2	5.29	5.344	40	
3	5.29	5.577	40	
4	5.29	5.688	40	
5	5.29	5.281	40	*
6	5.29	5.295	40	*
7	5.29	5.507	40	
8	5.29	5.278	40	
9	5.29	5.63	40	
10	5.29	5.355	40	
11	5.29	5.44	40	
12	5.29	5.336	40	
13	5.29	5.302	40	
14	5.29	5.286	40	*
15	5.29	5.305	40	
16	5.29	5.458	40	
17	5.29	5.371	40	
18	5.29	5.559	40	
19	5.29	5.361	40	
20	5.29	5.288	40	*
21	5.29	5.692	40	
22	5.29	5.373	40	
23	5.29	5.442	40	
24	5.29	5.566	40	
25	5.29	5.574	40	
26	5.29	5.515	40	
27	5.29	5.654	40	
28	5.29	5.261	40	
29	5.29	5.703	40	
30	5.29	5.523	40	
31	5.29	5.694	40	
32	5.29	5.395	40	
33	5.29	5.594	40	
34	5.29	5.555	40	
35	5.29	5.59	40	
36	5.29	5.429	40	
37	5.29	5.306	40	
38	5.29	5.264	40	
39	5.29	5.638	40	
40	5.29	5.413	40	
41	5.29	5.639	40	
42	5.29	5.568	40	
43	5.29	5.572	40	
44	5.29	5.546	40	
45	5.29	5.567	40	
46	5.29	5.671	40	
47	5.29	5.312	40	

48	5.29	5.715	40	
49	5.29	5.724	40	
50	5.29	5.51	40	
51	5.29	5.557	40	
52	5.29	5.537	40	
53	5.29	5.366	40	
54	5.29	5.428	40	
55	5.29	5.495	40	
56	5.29	5.682	40	
57	5.29	5.679	40	
58	5.29	5.558	40	
59	5.29	5.665	40	
60	5.29	5.342	40	
61	5.29	5.498	40	
62	5.29	5.689	40	
63	5.29	5.549	40	
64	5.29	5.432	40	
65	5.29	5.605	40	
66	5.29	5.695	40	
67	5.29	5.527	40	
68	5.29	5.291	40	*
69	5.29	5.641	40	
70	5.29	5.521	40	
71	5.29	5.606	40	
72	5.29	5.66	40	
73	5.29	5.351	40	
74	5.29	5.392	40	
75	5.29	5.476	40	
76	5.29	5.449	40	
77	5.29	5.58	40	
78	5.29	5.445	40	
79	5.29	5.314	40	
80	5.29	5.436	40	
81	5.29	5.391	40	
82	5.29	5.29	40	*
83	5.29	5.517	40	
84	5.29	5.28	40	*
85	5.29	5.357	40	
86	5.29	5.45	40	
87	5.29	5.311	40	
88	5.29	5.518	40	
89	5.29	5.466	40	
90	5.29	5.271	40	
91	5.29	5.708	40	
92	5.29	5.375	40	
93	5.29	5.34	40	
94	5.29	5.274	40	
95	5.29	5.707	40	
96	5.29	5.254	40	
97	5.29	5.611	40	
98	5.29	5.374	40	
99	5.29	5.352	40	
100	5.29	5.681	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.634	40	
2	5.29	5.611	40	
3	5.29	5.498	40	
4	5.29	5.694	40	
5	5.29	5.262	40	
6	5.29	5.362	40	
7	5.29	5.343	40	
8	5.29	5.345	40	
9	5.29	5.674	40	
10	5.29	5.376	40	
11	5.29	5.677	40	
12	5.29	5.499	40	
13	5.29	5.313	40	
14	5.29	5.604	40	
15	5.29	5.59	40	
16	5.29	5.268	40	
17	5.29	5.56	40	
18	5.29	5.697	40	
19	5.29	5.529	40	
20	5.29	5.42	40	
21	5.29	5.48	40	
22	5.29	5.47	40	
23	5.29	5.361	40	
24	5.29	5.281	40	*
25	5.29	5.349	40	
26	5.29	5.533	40	
27	5.29	5.36	40	
28	5.29	5.487	40	
29	5.29	5.342	40	
30	5.29	5.32	40	
31	5.29	5.463	40	
32	5.29	5.285	40	*
33	5.29	5.536	40	
34	5.29	5.384	40	
35	5.29	5.332	40	
36	5.29	5.378	40	
37	5.29	5.483	40	
38	5.29	5.692	40	
39	5.29	5.724	40	
40	5.29	5.501	40	
41	5.29	5.412	40	
42	5.29	5.319	40	
43	5.29	5.46	40	
44	5.29	5.279	40	
45	5.29	5.552	40	
46	5.29	5.561	40	
47	5.29	5.402	40	

48	5.29	5.315	40	
49	5.29	5.585	40	
50	5.29	5.263	40	
51	5.29	5.709	40	
52	5.29	5.462	40	
53	5.29	5.365	40	
54	5.29	5.366	40	
55	5.29	5.485	40	
56	5.29	5.685	40	
57	5.29	5.266	40	
58	5.29	5.316	40	
59	5.29	5.336	40	
60	5.29	5.459	40	
61	5.29	5.519	40	
62	5.29	5.572	40	
63	5.29	5.488	40	
64	5.29	5.293	40	*
65	5.29	5.272	40	
66	5.29	5.617	40	
67	5.29	5.298	40	*
68	5.29	5.522	40	
69	5.29	5.385	40	
70	5.29	5.364	40	
71	5.29	5.691	40	
72	5.29	5.489	40	
73	5.29	5.29	40	*
74	5.29	5.406	40	
75	5.29	5.646	40	
76	5.29	5.355	40	
77	5.29	5.335	40	
78	5.29	5.447	40	
79	5.29	5.612	40	
80	5.29	5.446	40	
81	5.29	5.305	40	
82	5.29	5.452	40	
83	5.29	5.55	40	
84	5.29	5.276	40	
85	5.29	5.654	40	
86	5.29	5.44	40	
87	5.29	5.571	40	
88	5.29	5.37	40	
89	5.29	5.435	40	
90	5.29	5.433	40	
91	5.29	5.302	40	
92	5.29	5.596	40	
93	5.29	5.43	40	
94	5.29	5.602	40	
95	5.29	5.523	40	
96	5.29	5.307	40	
97	5.29	5.503	40	
98	5.29	5.687	40	
99	5.29	5.506	40	
100	5.29	5.568	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.612	40	
2	5.29	5.321	40	
3	5.29	5.433	40	
4	5.29	5.509	40	
5	5.29	5.647	40	
6	5.29	5.426	40	
7	5.29	5.676	40	
8	5.29	5.63	40	
9	5.29	5.265	40	
10	5.29	5.496	40	
11	5.29	5.62	40	
12	5.29	5.499	40	
13	5.29	5.552	40	
14	5.29	5.539	40	
15	5.29	5.555	40	
16	5.29	5.624	40	
17	5.29	5.705	40	
18	5.29	5.652	40	
19	5.29	5.269	40	
20	5.29	5.273	40	
21	5.29	5.409	40	
22	5.29	5.25	40	
23	5.29	5.664	40	
24	5.29	5.466	40	
25	5.29	5.653	40	
26	5.29	5.414	40	
27	5.29	5.455	40	
28	5.29	5.658	40	
29	5.29	5.281	40	*
30	5.29	5.285	40	*
31	5.29	5.595	40	
32	5.29	5.574	40	
33	5.29	5.306	40	
34	5.29	5.713	40	
35	5.29	5.506	40	
36	5.29	5.687	40	
37	5.29	5.415	40	
38	5.29	5.623	40	
39	5.29	5.406	40	
40	5.29	5.614	40	
41	5.29	5.437	40	
42	5.29	5.618	40	
43	5.29	5.572	40	
44	5.29	5.385	40	
45	5.29	5.35	40	
46	5.29	5.456	40	
47	5.29	5.644	40	

48	5.29	5.631	40	
49	5.29	5.715	40	
50	5.29	5.447	40	
51	5.29	5.638	40	
52	5.29	5.546	40	
53	5.29	5.301	40	
54	5.29	5.425	40	
55	5.29	5.319	40	
56	5.29	5.454	40	
57	5.29	5.325	40	
58	5.29	5.395	40	
59	5.29	5.439	40	
60	5.29	5.511	40	
61	5.29	5.313	40	
62	5.29	5.279	40	
63	5.29	5.419	40	
64	5.29	5.332	40	
65	5.29	5.616	40	
66	5.29	5.334	40	
67	5.29	5.606	40	
68	5.29	5.538	40	
69	5.29	5.403	40	
70	5.29	5.361	40	
71	5.29	5.696	40	
72	5.29	5.518	40	
73	5.29	5.483	40	
74	5.29	5.558	40	
75	5.29	5.48	40	
76	5.29	5.295	40	*
77	5.29	5.634	40	
78	5.29	5.362	40	
79	5.29	5.607	40	
80	5.29	5.308	40	
81	5.29	5.311	40	
82	5.29	5.491	40	
83	5.29	5.366	40	
84	5.29	5.424	40	
85	5.29	5.72	40	
86	5.29	5.354	40	
87	5.29	5.597	40	
88	5.29	5.337	40	
89	5.29	5.475	40	
90	5.29	5.272	40	
91	5.29	5.444	40	
92	5.29	5.376	40	
93	5.29	5.695	40	
94	5.29	5.698	40	
95	5.29	5.282	40	*
96	5.29	5.324	40	
97	5.29	5.65	40	
98	5.29	5.387	40	
99	5.29	5.435	40	
100	5.29	5.262	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.306	40	
2	5.29	5.521	40	
3	5.29	5.516	40	
4	5.29	5.495	40	
5	5.29	5.47	40	
6	5.29	5.481	40	
7	5.29	5.705	40	
8	5.29	5.295	40	*
9	5.29	5.467	40	
10	5.29	5.6	40	
11	5.29	5.287	40	*
12	5.29	5.633	40	
13	5.29	5.415	40	
14	5.29	5.46	40	
15	5.29	5.643	40	
16	5.29	5.63	40	
17	5.29	5.449	40	
18	5.29	5.261	40	
19	5.29	5.347	40	
20	5.29	5.593	40	
21	5.29	5.579	40	
22	5.29	5.568	40	
23	5.29	5.517	40	
24	5.29	5.32	40	
25	5.29	5.503	40	
26	5.29	5.378	40	
27	5.29	5.651	40	
28	5.29	5.554	40	
29	5.29	5.414	40	
30	5.29	5.514	40	
31	5.29	5.357	40	
32	5.29	5.585	40	
33	5.29	5.253	40	
34	5.29	5.608	40	
35	5.29	5.598	40	
36	5.29	5.375	40	
37	5.29	5.456	40	
38	5.29	5.707	40	
39	5.29	5.513	40	
40	5.29	5.624	40	
41	5.29	5.499	40	
42	5.29	5.564	40	
43	5.29	5.49	40	
44	5.29	5.611	40	
45	5.29	5.441	40	
46	5.29	5.343	40	
47	5.29	5.359	40	

48	5.29	5.612	40	
49	5.29	5.672	40	
50	5.29	5.65	40	
51	5.29	5.485	40	
52	5.29	5.525	40	
53	5.29	5.599	40	
54	5.29	5.276	40	
55	5.29	5.53	40	
56	5.29	5.282	40	*
57	5.29	5.328	40	
58	5.29	5.648	40	
59	5.29	5.69	40	
60	5.29	5.583	40	
61	5.29	5.673	40	
62	5.29	5.288	40	*
63	5.29	5.269	40	
64	5.29	5.437	40	
65	5.29	5.427	40	
66	5.29	5.299	40	*
67	5.29	5.447	40	
68	5.29	5.492	40	
69	5.29	5.569	40	
70	5.29	5.421	40	
71	5.29	5.566	40	
72	5.29	5.443	40	
73	5.29	5.307	40	
74	5.29	5.321	40	
75	5.29	5.412	40	
76	5.29	5.56	40	
77	5.29	5.426	40	
78	5.29	5.542	40	
79	5.29	5.482	40	
80	5.29	5.352	40	
81	5.29	5.473	40	
82	5.29	5.42	40	
83	5.29	5.539	40	
84	5.29	5.453	40	
85	5.29	5.538	40	
86	5.29	5.625	40	
87	5.29	5.505	40	
88	5.29	5.714	40	
89	5.29	5.439	40	
90	5.29	5.309	40	
91	5.29	5.718	40	
92	5.29	5.512	40	
93	5.29	5.565	40	
94	5.29	5.497	40	
95	5.29	5.279	40	
96	5.29	5.38	40	
97	5.29	5.468	40	
98	5.29	5.59	40	
99	5.29	5.543	40	
100	5.29	5.567	40	

--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.538	40	
2	5.29	5.559	40	
3	5.29	5.421	40	
4	5.29	5.549	40	
5	5.29	5.25	40	
6	5.29	5.658	40	
7	5.29	5.29	40	*
8	5.29	5.629	40	
9	5.29	5.426	40	
10	5.29	5.283	40	*
11	5.29	5.393	40	
12	5.29	5.607	40	
13	5.29	5.439	40	
14	5.29	5.622	40	
15	5.29	5.693	40	
16	5.29	5.646	40	
17	5.29	5.412	40	
18	5.29	5.595	40	
19	5.29	5.27	40	
20	5.29	5.574	40	
21	5.29	5.638	40	
22	5.29	5.363	40	
23	5.29	5.456	40	
24	5.29	5.437	40	
25	5.29	5.59	40	
26	5.29	5.444	40	
27	5.29	5.47	40	
28	5.29	5.647	40	
29	5.29	5.623	40	
30	5.29	5.724	40	
31	5.29	5.58	40	
32	5.29	5.296	40	*
33	5.29	5.583	40	
34	5.29	5.522	40	
35	5.29	5.616	40	
36	5.29	5.692	40	
37	5.29	5.588	40	
38	5.29	5.679	40	
39	5.29	5.485	40	
40	5.29	5.631	40	
41	5.29	5.436	40	
42	5.29	5.611	40	
43	5.29	5.546	40	
44	5.29	5.483	40	
45	5.29	5.401	40	
46	5.29	5.689	40	
47	5.29	5.272	40	

48	5.29	5.65	40	
49	5.29	5.266	40	
50	5.29	5.38	40	
51	5.29	5.259	40	
52	5.29	5.649	40	
53	5.29	5.576	40	
54	5.29	5.558	40	
55	5.29	5.411	40	
56	5.29	5.339	40	
57	5.29	5.513	40	
58	5.29	5.443	40	
59	5.29	5.703	40	
60	5.29	5.642	40	
61	5.29	5.597	40	
62	5.29	5.609	40	
63	5.29	5.3	40	*
64	5.29	5.677	40	
65	5.29	5.286	40	*
66	5.29	5.596	40	
67	5.29	5.279	40	
68	5.29	5.606	40	
69	5.29	5.416	40	
70	5.29	5.684	40	
71	5.29	5.399	40	
72	5.29	5.614	40	
73	5.29	5.275	40	
74	5.29	5.593	40	
75	5.29	5.529	40	
76	5.29	5.564	40	
77	5.29	5.643	40	
78	5.29	5.652	40	
79	5.29	5.397	40	
80	5.29	5.655	40	
81	5.29	5.492	40	
82	5.29	5.276	40	
83	5.29	5.358	40	
84	5.29	5.316	40	
85	5.29	5.288	40	*
86	5.29	5.457	40	
87	5.29	5.379	40	
88	5.29	5.687	40	
89	5.29	5.475	40	
90	5.29	5.46	40	
91	5.29	5.473	40	
92	5.29	5.624	40	
93	5.29	5.686	40	
94	5.29	5.33	40	
95	5.29	5.721	40	
96	5.29	5.716	40	
97	5.29	5.321	40	
98	5.29	5.465	40	
99	5.29	5.41	40	
100	5.29	5.537	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.61	40	
2	5.29	5.298	40	*
3	5.29	5.401	40	
4	5.29	5.277	40	
5	5.29	5.293	40	*
6	5.29	5.573	40	
7	5.29	5.442	40	
8	5.29	5.679	40	
9	5.29	5.418	40	
10	5.29	5.501	40	
11	5.29	5.324	40	
12	5.29	5.291	40	*
13	5.29	5.608	40	
14	5.29	5.306	40	
15	5.29	5.629	40	
16	5.29	5.69	40	
17	5.29	5.459	40	
18	5.29	5.475	40	
19	5.29	5.523	40	
20	5.29	5.299	40	*
21	5.29	5.527	40	
22	5.29	5.576	40	
23	5.29	5.691	40	
24	5.29	5.542	40	
25	5.29	5.678	40	
26	5.29	5.383	40	
27	5.29	5.701	40	
28	5.29	5.278	40	
29	5.29	5.296	40	*
30	5.29	5.458	40	
31	5.29	5.286	40	*
32	5.29	5.437	40	
33	5.29	5.517	40	
34	5.29	5.44	40	
35	5.29	5.687	40	
36	5.29	5.364	40	
37	5.29	5.56	40	
38	5.29	5.652	40	
39	5.29	5.275	40	
40	5.29	5.433	40	
41	5.29	5.504	40	
42	5.29	5.329	40	
43	5.29	5.446	40	
44	5.29	5.43	40	
45	5.29	5.548	40	
46	5.29	5.718	40	
47	5.29	5.591	40	

48	5.29	5.482	40	
49	5.29	5.655	40	
50	5.29	5.71	40	
51	5.29	5.715	40	
52	5.29	5.32	40	
53	5.29	5.443	40	
54	5.29	5.489	40	
55	5.29	5.304	40	
56	5.29	5.421	40	
57	5.29	5.279	40	
58	5.29	5.499	40	
59	5.29	5.412	40	
60	5.29	5.589	40	
61	5.29	5.615	40	
62	5.29	5.535	40	
63	5.29	5.601	40	
64	5.29	5.568	40	
65	5.29	5.311	40	
66	5.29	5.269	40	
67	5.29	5.251	40	
68	5.29	5.419	40	
69	5.29	5.318	40	
70	5.29	5.402	40	
71	5.29	5.598	40	
72	5.29	5.59	40	
73	5.29	5.484	40	
74	5.29	5.574	40	
75	5.29	5.703	40	
76	5.29	5.262	40	
77	5.29	5.303	40	
78	5.29	5.671	40	
79	5.29	5.674	40	
80	5.29	5.662	40	
81	5.29	5.692	40	
82	5.29	5.62	40	
83	5.29	5.712	40	
84	5.29	5.468	40	
85	5.29	5.63	40	
86	5.29	5.372	40	
87	5.29	5.588	40	
88	5.29	5.391	40	
89	5.29	5.305	40	
90	5.29	5.58	40	
91	5.29	5.336	40	
92	5.29	5.342	40	
93	5.29	5.353	40	
94	5.29	5.677	40	
95	5.29	5.567	40	
96	5.29	5.619	40	
97	5.29	5.628	40	
98	5.29	5.3	40	*
99	5.29	5.266	40	
100	5.29	5.457	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.501	40	
2	5.29	5.527	40	
3	5.29	5.68	40	
4	5.29	5.683	40	
5	5.29	5.604	40	
6	5.29	5.685	40	
7	5.29	5.553	40	
8	5.29	5.562	40	
9	5.29	5.392	40	
10	5.29	5.463	40	
11	5.29	5.699	40	
12	5.29	5.712	40	
13	5.29	5.384	40	
14	5.29	5.677	40	
15	5.29	5.458	40	
16	5.29	5.533	40	
17	5.29	5.402	40	
18	5.29	5.67	40	
19	5.29	5.585	40	
20	5.29	5.618	40	
21	5.29	5.71	40	
22	5.29	5.443	40	
23	5.29	5.674	40	
24	5.29	5.641	40	
25	5.29	5.531	40	
26	5.29	5.581	40	
27	5.29	5.375	40	
28	5.29	5.658	40	
29	5.29	5.521	40	
30	5.29	5.466	40	
31	5.29	5.611	40	
32	5.29	5.411	40	
33	5.29	5.629	40	
34	5.29	5.343	40	
35	5.29	5.388	40	
36	5.29	5.447	40	
37	5.29	5.282	40	*
38	5.29	5.632	40	
39	5.29	5.668	40	
40	5.29	5.417	40	
41	5.29	5.623	40	
42	5.29	5.715	40	
43	5.29	5.295	40	*
44	5.29	5.522	40	
45	5.29	5.328	40	
46	5.29	5.335	40	
47	5.29	5.406	40	

48	5.29	5.359	40	
49	5.29	5.438	40	
50	5.29	5.305	40	
51	5.29	5.488	40	
52	5.29	5.449	40	
53	5.29	5.448	40	
54	5.29	5.278	40	
55	5.29	5.637	40	
56	5.29	5.412	40	
57	5.29	5.54	40	
58	5.29	5.444	40	
59	5.29	5.502	40	
60	5.29	5.446	40	
61	5.29	5.574	40	
62	5.29	5.336	40	
63	5.29	5.326	40	
64	5.29	5.404	40	
65	5.29	5.362	40	
66	5.29	5.515	40	
67	5.29	5.549	40	
68	5.29	5.315	40	
69	5.29	5.534	40	
70	5.29	5.482	40	
71	5.29	5.58	40	
72	5.29	5.598	40	
73	5.29	5.633	40	
74	5.29	5.695	40	
75	5.29	5.337	40	
76	5.29	5.616	40	
77	5.29	5.268	40	
78	5.29	5.694	40	
79	5.29	5.707	40	
80	5.29	5.686	40	
81	5.29	5.304	40	
82	5.29	5.539	40	
83	5.29	5.44	40	
84	5.29	5.33	40	
85	5.29	5.575	40	
86	5.29	5.32	40	
87	5.29	5.516	40	
88	5.29	5.555	40	
89	5.29	5.681	40	
90	5.29	5.541	40	
91	5.29	5.478	40	
92	5.29	5.593	40	
93	5.29	5.289	40	*
94	5.29	5.666	40	
95	5.29	5.259	40	
96	5.29	5.688	40	
97	5.29	5.487	40	
98	5.29	5.519	40	
99	5.29	5.721	40	
100	5.29	5.357	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.619	40	
2	5.29	5.421	40	
3	5.29	5.439	40	
4	5.29	5.515	40	
5	5.29	5.334	40	
6	5.29	5.371	40	
7	5.29	5.693	40	
8	5.29	5.547	40	
9	5.29	5.652	40	
10	5.29	5.373	40	
11	5.29	5.476	40	
12	5.29	5.677	40	
13	5.29	5.564	40	
14	5.29	5.645	40	
15	5.29	5.616	40	
16	5.29	5.25	40	
17	5.29	5.409	40	
18	5.29	5.648	40	
19	5.29	5.562	40	
20	5.29	5.69	40	
21	5.29	5.405	40	
22	5.29	5.452	40	
23	5.29	5.717	40	
24	5.29	5.511	40	
25	5.29	5.572	40	
26	5.29	5.474	40	
27	5.29	5.386	40	
28	5.29	5.514	40	
29	5.29	5.426	40	
30	5.29	5.323	40	
31	5.29	5.312	40	
32	5.29	5.41	40	
33	5.29	5.551	40	
34	5.29	5.54	40	
35	5.29	5.423	40	
36	5.29	5.298	40	*
37	5.29	5.584	40	
38	5.29	5.492	40	
39	5.29	5.348	40	
40	5.29	5.484	40	
41	5.29	5.528	40	
42	5.29	5.694	40	
43	5.29	5.282	40	*
44	5.29	5.667	40	
45	5.29	5.351	40	
46	5.29	5.661	40	
47	5.29	5.434	40	

48	5.29	5.698	40	
49	5.29	5.676	40	
50	5.29	5.268	40	
51	5.29	5.548	40	
52	5.29	5.615	40	
53	5.29	5.483	40	
54	5.29	5.261	40	
55	5.29	5.558	40	
56	5.29	5.335	40	
57	5.29	5.51	40	
58	5.29	5.684	40	
59	5.29	5.662	40	
60	5.29	5.363	40	
61	5.29	5.593	40	
62	5.29	5.314	40	
63	5.29	5.623	40	
64	5.29	5.296	40	*
65	5.29	5.28	40	*
66	5.29	5.555	40	
67	5.29	5.7	40	
68	5.29	5.324	40	
69	5.29	5.436	40	
70	5.29	5.631	40	
71	5.29	5.646	40	
72	5.29	5.425	40	
73	5.29	5.433	40	
74	5.29	5.305	40	
75	5.29	5.336	40	
76	5.29	5.585	40	
77	5.29	5.339	40	
78	5.29	5.497	40	
79	5.29	5.428	40	
80	5.29	5.53	40	
81	5.29	5.565	40	
82	5.29	5.546	40	
83	5.29	5.326	40	
84	5.29	5.459	40	
85	5.29	5.269	40	
86	5.29	5.449	40	
87	5.29	5.353	40	
88	5.29	5.715	40	
89	5.29	5.658	40	
90	5.29	5.33	40	
91	5.29	5.47	40	
92	5.29	5.349	40	
93	5.29	5.632	40	
94	5.29	5.714	40	
95	5.29	5.302	40	
96	5.29	5.394	40	
97	5.29	5.253	40	
98	5.29	5.466	40	
99	5.29	5.71	40	
100	5.29	5.463	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.612	40	
2	5.29	5.532	40	
3	5.29	5.419	40	
4	5.29	5.344	40	
5	5.29	5.522	40	
6	5.29	5.51	40	
7	5.29	5.283	40	*
8	5.29	5.66	40	
9	5.29	5.327	40	
10	5.29	5.576	40	
11	5.29	5.432	40	
12	5.29	5.441	40	
13	5.29	5.712	40	
14	5.29	5.346	40	
15	5.29	5.279	40	
16	5.29	5.388	40	
17	5.29	5.45	40	
18	5.29	5.623	40	
19	5.29	5.553	40	
20	5.29	5.452	40	
21	5.29	5.263	40	
22	5.29	5.531	40	
23	5.29	5.513	40	
24	5.29	5.442	40	
25	5.29	5.632	40	
26	5.29	5.291	40	*
27	5.29	5.688	40	
28	5.29	5.647	40	
29	5.29	5.652	40	
30	5.29	5.565	40	
31	5.29	5.693	40	
32	5.29	5.328	40	
33	5.29	5.425	40	
34	5.29	5.537	40	
35	5.29	5.627	40	
36	5.29	5.448	40	
37	5.29	5.544	40	
38	5.29	5.591	40	
39	5.29	5.339	40	
40	5.29	5.408	40	
41	5.29	5.366	40	
42	5.29	5.496	40	
43	5.29	5.692	40	
44	5.29	5.504	40	
45	5.29	5.582	40	
46	5.29	5.48	40	
47	5.29	5.422	40	

48	5.29	5.57	40	
49	5.29	5.27	40	
50	5.29	5.586	40	
51	5.29	5.554	40	
52	5.29	5.521	40	
53	5.29	5.378	40	
54	5.29	5.341	40	
55	5.29	5.468	40	
56	5.29	5.447	40	
57	5.29	5.506	40	
58	5.29	5.352	40	
59	5.29	5.459	40	
60	5.29	5.429	40	
61	5.29	5.65	40	
62	5.29	5.25	40	
63	5.29	5.277	40	
64	5.29	5.658	40	
65	5.29	5.446	40	
66	5.29	5.398	40	
67	5.29	5.306	40	
68	5.29	5.516	40	
69	5.29	5.56	40	
70	5.29	5.677	40	
71	5.29	5.252	40	
72	5.29	5.372	40	
73	5.29	5.569	40	
74	5.29	5.609	40	
75	5.29	5.376	40	
76	5.29	5.654	40	
77	5.29	5.639	40	
78	5.29	5.651	40	
79	5.29	5.389	40	
80	5.29	5.671	40	
81	5.29	5.716	40	
82	5.29	5.266	40	
83	5.29	5.423	40	
84	5.29	5.467	40	
85	5.29	5.695	40	
86	5.29	5.333	40	
87	5.29	5.293	40	*
88	5.29	5.672	40	
89	5.29	5.482	40	
90	5.29	5.329	40	
91	5.29	5.254	40	
92	5.29	5.568	40	
93	5.29	5.557	40	
94	5.29	5.437	40	
95	5.29	5.392	40	
96	5.29	5.653	40	
97	5.29	5.314	40	
98	5.29	5.281	40	*
99	5.29	5.371	40	
100	5.29	5.588	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.289	40	*
2	5.29	5.283	40	*
3	5.29	5.428	40	
4	5.29	5.268	40	
5	5.29	5.257	40	
6	5.29	5.577	40	
7	5.29	5.499	40	
8	5.29	5.261	40	
9	5.29	5.662	40	
10	5.29	5.264	40	
11	5.29	5.325	40	
12	5.29	5.281	40	*
13	5.29	5.67	40	
14	5.29	5.611	40	
15	5.29	5.417	40	
16	5.29	5.362	40	
17	5.29	5.301	40	
18	5.29	5.282	40	*
19	5.29	5.557	40	
20	5.29	5.493	40	
21	5.29	5.643	40	
22	5.29	5.516	40	
23	5.29	5.449	40	
24	5.29	5.262	40	
25	5.29	5.634	40	
26	5.29	5.33	40	
27	5.29	5.682	40	
28	5.29	5.692	40	
29	5.29	5.307	40	
30	5.29	5.403	40	
31	5.29	5.355	40	
32	5.29	5.707	40	
33	5.29	5.623	40	
34	5.29	5.567	40	
35	5.29	5.64	40	
36	5.29	5.424	40	
37	5.29	5.453	40	
38	5.29	5.416	40	
39	5.29	5.646	40	
40	5.29	5.321	40	
41	5.29	5.379	40	
42	5.29	5.386	40	
43	5.29	5.26	40	
44	5.29	5.349	40	
45	5.29	5.555	40	
46	5.29	5.291	40	*
47	5.29	5.44	40	

48	5.29	5.683	40	
49	5.29	5.302	40	
50	5.29	5.345	40	
51	5.29	5.446	40	
52	5.29	5.675	40	
53	5.29	5.578	40	
54	5.29	5.613	40	
55	5.29	5.673	40	
56	5.29	5.674	40	
57	5.29	5.438	40	
58	5.29	5.714	40	
59	5.29	5.323	40	
60	5.29	5.464	40	
61	5.29	5.706	40	
62	5.29	5.685	40	
63	5.29	5.661	40	
64	5.29	5.489	40	
65	5.29	5.505	40	
66	5.29	5.719	40	
67	5.29	5.494	40	
68	5.29	5.705	40	
69	5.29	5.305	40	
70	5.29	5.602	40	
71	5.29	5.521	40	
72	5.29	5.487	40	
73	5.29	5.378	40	
74	5.29	5.256	40	
75	5.29	5.551	40	
76	5.29	5.384	40	
77	5.29	5.366	40	
78	5.29	5.507	40	
79	5.29	5.548	40	
80	5.29	5.609	40	
81	5.29	5.427	40	
82	5.29	5.399	40	
83	5.29	5.382	40	
84	5.29	5.654	40	
85	5.29	5.448	40	
86	5.29	5.374	40	
87	5.29	5.698	40	
88	5.29	5.4	40	
89	5.29	5.556	40	
90	5.29	5.418	40	
91	5.29	5.559	40	
92	5.29	5.533	40	
93	5.29	5.515	40	
94	5.29	5.353	40	
95	5.29	5.579	40	
96	5.29	5.506	40	
97	5.29	5.72	40	
98	5.29	5.512	40	
99	5.29	5.702	40	
100	5.29	5.51	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.4	40	
2	5.29	5.713	40	
3	5.29	5.494	40	
4	5.29	5.559	40	
5	5.29	5.464	40	
6	5.29	5.637	40	
7	5.29	5.397	40	
8	5.29	5.533	40	
9	5.29	5.642	40	
10	5.29	5.491	40	
11	5.29	5.709	40	
12	5.29	5.5	40	
13	5.29	5.653	40	
14	5.29	5.692	40	
15	5.29	5.474	40	
16	5.29	5.722	40	
17	5.29	5.581	40	
18	5.29	5.429	40	
19	5.29	5.402	40	
20	5.29	5.523	40	
21	5.29	5.376	40	
22	5.29	5.373	40	
23	5.29	5.451	40	
24	5.29	5.484	40	
25	5.29	5.327	40	
26	5.29	5.389	40	
27	5.29	5.404	40	
28	5.29	5.33	40	
29	5.29	5.347	40	
30	5.29	5.385	40	
31	5.29	5.501	40	
32	5.29	5.571	40	
33	5.29	5.589	40	
34	5.29	5.613	40	
35	5.29	5.704	40	
36	5.29	5.564	40	
37	5.29	5.374	40	
38	5.29	5.313	40	
39	5.29	5.716	40	
40	5.29	5.37	40	
41	5.29	5.386	40	
42	5.29	5.574	40	
43	5.29	5.497	40	
44	5.29	5.458	40	
45	5.29	5.445	40	
46	5.29	5.384	40	
47	5.29	5.44	40	

48	5.29	5.379	40	
49	5.29	5.286	40	*
50	5.29	5.659	40	
51	5.29	5.615	40	
52	5.29	5.544	40	
53	5.29	5.656	40	
54	5.29	5.587	40	
55	5.29	5.661	40	
56	5.29	5.297	40	*
57	5.29	5.443	40	
58	5.29	5.695	40	
59	5.29	5.302	40	
60	5.29	5.603	40	
61	5.29	5.406	40	
62	5.29	5.654	40	
63	5.29	5.669	40	
64	5.29	5.258	40	
65	5.29	5.674	40	
66	5.29	5.349	40	
67	5.29	5.57	40	
68	5.29	5.668	40	
69	5.29	5.55	40	
70	5.29	5.68	40	
71	5.29	5.693	40	
72	5.29	5.465	40	
73	5.29	5.627	40	
74	5.29	5.54	40	
75	5.29	5.681	40	
76	5.29	5.454	40	
77	5.29	5.338	40	
78	5.29	5.592	40	
79	5.29	5.558	40	
80	5.29	5.666	40	
81	5.29	5.254	40	
82	5.29	5.358	40	
83	5.29	5.423	40	
84	5.29	5.529	40	
85	5.29	5.723	40	
86	5.29	5.718	40	
87	5.29	5.289	40	*
88	5.29	5.428	40	
89	5.29	5.477	40	
90	5.29	5.594	40	
91	5.29	5.53	40	
92	5.29	5.676	40	
93	5.29	5.293	40	*
94	5.29	5.441	40	
95	5.29	5.506	40	
96	5.29	5.446	40	
97	5.29	5.646	40	
98	5.29	5.561	40	
99	5.29	5.435	40	
100	5.29	5.502	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.538	40	
2	5.29	5.322	40	
3	5.29	5.469	40	
4	5.29	5.379	40	
5	5.29	5.65	40	
6	5.29	5.352	40	
7	5.29	5.258	40	
8	5.29	5.385	40	
9	5.29	5.623	40	
10	5.29	5.31	40	
11	5.29	5.681	40	
12	5.29	5.266	40	
13	5.29	5.701	40	
14	5.29	5.625	40	
15	5.29	5.58	40	
16	5.29	5.254	40	
17	5.29	5.425	40	
18	5.29	5.561	40	
19	5.29	5.523	40	
20	5.29	5.648	40	
21	5.29	5.611	40	
22	5.29	5.57	40	
23	5.29	5.521	40	
24	5.29	5.609	40	
25	5.29	5.563	40	
26	5.29	5.287	40	*
27	5.29	5.717	40	
28	5.29	5.671	40	
29	5.29	5.527	40	
30	5.29	5.276	40	
31	5.29	5.54	40	
32	5.29	5.347	40	
33	5.29	5.275	40	
34	5.29	5.529	40	
35	5.29	5.586	40	
36	5.29	5.654	40	
37	5.29	5.639	40	
38	5.29	5.661	40	
39	5.29	5.554	40	
40	5.29	5.342	40	
41	5.29	5.309	40	
42	5.29	5.578	40	
43	5.29	5.684	40	
44	5.29	5.634	40	
45	5.29	5.369	40	
46	5.29	5.299	40	*
47	5.29	5.548	40	

48	5.29	5.406	40	
49	5.29	5.367	40	
50	5.29	5.351	40	
51	5.29	5.603	40	
52	5.29	5.468	40	
53	5.29	5.662	40	
54	5.29	5.516	40	
55	5.29	5.479	40	
56	5.29	5.638	40	
57	5.29	5.491	40	
58	5.29	5.504	40	
59	5.29	5.72	40	
60	5.29	5.36	40	
61	5.29	5.259	40	
62	5.29	5.252	40	
63	5.29	5.574	40	
64	5.29	5.508	40	
65	5.29	5.302	40	
66	5.29	5.298	40	*
67	5.29	5.477	40	
68	5.29	5.417	40	
69	5.29	5.444	40	
70	5.29	5.362	40	
71	5.29	5.557	40	
72	5.29	5.576	40	
73	5.29	5.535	40	
74	5.29	5.344	40	
75	5.29	5.354	40	
76	5.29	5.509	40	
77	5.29	5.375	40	
78	5.29	5.489	40	
79	5.29	5.598	40	
80	5.29	5.676	40	
81	5.29	5.482	40	
82	5.29	5.335	40	
83	5.29	5.601	40	
84	5.29	5.686	40	
85	5.29	5.716	40	
86	5.29	5.542	40	
87	5.29	5.47	40	
88	5.29	5.371	40	
89	5.29	5.616	40	
90	5.29	5.409	40	
91	5.29	5.274	40	
92	5.29	5.488	40	
93	5.29	5.411	40	
94	5.29	5.399	40	
95	5.29	5.397	40	
96	5.29	5.283	40	*
97	5.29	5.673	40	
98	5.29	5.631	40	
99	5.29	5.629	40	
100	5.29	5.41	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.461	40	
2	5.29	5.269	40	
3	5.29	5.518	40	
4	5.29	5.635	40	
5	5.29	5.508	40	
6	5.29	5.679	40	
7	5.29	5.505	40	
8	5.29	5.64	40	
9	5.29	5.265	40	
10	5.29	5.65	40	
11	5.29	5.47	40	
12	5.29	5.425	40	
13	5.29	5.388	40	
14	5.29	5.71	40	
15	5.29	5.439	40	
16	5.29	5.563	40	
17	5.29	5.344	40	
18	5.29	5.272	40	
19	5.29	5.312	40	
20	5.29	5.305	40	
21	5.29	5.295	40	*
22	5.29	5.443	40	
23	5.29	5.268	40	
24	5.29	5.491	40	
25	5.29	5.33	40	
26	5.29	5.25	40	
27	5.29	5.342	40	
28	5.29	5.496	40	
29	5.29	5.367	40	
30	5.29	5.495	40	
31	5.29	5.719	40	
32	5.29	5.357	40	
33	5.29	5.601	40	
34	5.29	5.655	40	
35	5.29	5.475	40	
36	5.29	5.587	40	
37	5.29	5.348	40	
38	5.29	5.437	40	
39	5.29	5.598	40	
40	5.29	5.576	40	
41	5.29	5.68	40	
42	5.29	5.41	40	
43	5.29	5.684	40	
44	5.29	5.524	40	
45	5.29	5.707	40	
46	5.29	5.636	40	
47	5.29	5.503	40	

48	5.29	5.36	40	
49	5.29	5.317	40	
50	5.29	5.384	40	
51	5.29	5.497	40	
52	5.29	5.476	40	
53	5.29	5.343	40	
54	5.29	5.699	40	
55	5.29	5.553	40	
56	5.29	5.285	40	*
57	5.29	5.477	40	
58	5.29	5.263	40	
59	5.29	5.574	40	
60	5.29	5.254	40	
61	5.29	5.513	40	
62	5.29	5.669	40	
63	5.29	5.59	40	
64	5.29	5.277	40	
65	5.29	5.573	40	
66	5.29	5.323	40	
67	5.29	5.284	40	*
68	5.29	5.371	40	
69	5.29	5.259	40	
70	5.29	5.358	40	
71	5.29	5.436	40	
72	5.29	5.38	40	
73	5.29	5.389	40	
74	5.29	5.369	40	
75	5.29	5.661	40	
76	5.29	5.356	40	
77	5.29	5.365	40	
78	5.29	5.335	40	
79	5.29	5.595	40	
80	5.29	5.355	40	
81	5.29	5.568	40	
82	5.29	5.417	40	
83	5.29	5.492	40	
84	5.29	5.7	40	
85	5.29	5.697	40	
86	5.29	5.641	40	
87	5.29	5.504	40	
88	5.29	5.685	40	
89	5.29	5.637	40	
90	5.29	5.311	40	
91	5.29	5.488	40	
92	5.29	5.658	40	
93	5.29	5.397	40	
94	5.29	5.462	40	
95	5.29	5.653	40	
96	5.29	5.724	40	
97	5.29	5.687	40	
98	5.29	5.413	40	
99	5.29	5.6	40	
100	5.29	5.606	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.27	40	
2	5.29	5.428	40	
3	5.29	5.495	40	
4	5.29	5.697	40	
5	5.29	5.449	40	
6	5.29	5.677	40	
7	5.29	5.666	40	
8	5.29	5.64	40	
9	5.29	5.28	40	*
10	5.29	5.437	40	
11	5.29	5.703	40	
12	5.29	5.656	40	
13	5.29	5.619	40	
14	5.29	5.285	40	*
15	5.29	5.684	40	
16	5.29	5.284	40	*
17	5.29	5.617	40	
18	5.29	5.405	40	
19	5.29	5.722	40	
20	5.29	5.537	40	
21	5.29	5.543	40	
22	5.29	5.49	40	
23	5.29	5.67	40	
24	5.29	5.561	40	
25	5.29	5.704	40	
26	5.29	5.474	40	
27	5.29	5.439	40	
28	5.29	5.389	40	
29	5.29	5.536	40	
30	5.29	5.603	40	
31	5.29	5.642	40	
32	5.29	5.37	40	
33	5.29	5.33	40	
34	5.29	5.307	40	
35	5.29	5.294	40	*
36	5.29	5.699	40	
37	5.29	5.674	40	
38	5.29	5.497	40	
39	5.29	5.688	40	
40	5.29	5.319	40	
41	5.29	5.32	40	
42	5.29	5.523	40	
43	5.29	5.329	40	
44	5.29	5.262	40	
45	5.29	5.367	40	
46	5.29	5.377	40	
47	5.29	5.274	40	

48	5.29	5.696	40	
49	5.29	5.486	40	
50	5.29	5.286	40	*
51	5.29	5.352	40	
52	5.29	5.572	40	
53	5.29	5.539	40	
54	5.29	5.464	40	
55	5.29	5.384	40	
56	5.29	5.473	40	
57	5.29	5.425	40	
58	5.29	5.355	40	
59	5.29	5.724	40	
60	5.29	5.627	40	
61	5.29	5.466	40	
62	5.29	5.716	40	
63	5.29	5.343	40	
64	5.29	5.689	40	
65	5.29	5.438	40	
66	5.29	5.315	40	
67	5.29	5.448	40	
68	5.29	5.608	40	
69	5.29	5.542	40	
70	5.29	5.514	40	
71	5.29	5.633	40	
72	5.29	5.632	40	
73	5.29	5.452	40	
74	5.29	5.675	40	
75	5.29	5.58	40	
76	5.29	5.635	40	
77	5.29	5.578	40	
78	5.29	5.519	40	
79	5.29	5.706	40	
80	5.29	5.445	40	
81	5.29	5.406	40	
82	5.29	5.303	40	
83	5.29	5.493	40	
84	5.29	5.7	40	
85	5.29	5.719	40	
86	5.29	5.56	40	
87	5.29	5.463	40	
88	5.29	5.568	40	
89	5.29	5.491	40	
90	5.29	5.528	40	
91	5.29	5.53	40	
92	5.29	5.504	40	
93	5.29	5.277	40	
94	5.29	5.667	40	
95	5.29	5.531	40	
96	5.29	5.556	40	
97	5.29	5.712	40	
98	5.29	5.601	40	
99	5.29	5.265	40	
100	5.29	5.546	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.603	40	
2	5.29	5.712	40	
3	5.29	5.321	40	
4	5.29	5.647	40	
5	5.29	5.291	40	*
6	5.29	5.427	40	
7	5.29	5.359	40	
8	5.29	5.397	40	
9	5.29	5.315	40	
10	5.29	5.371	40	
11	5.29	5.611	40	
12	5.29	5.354	40	
13	5.29	5.511	40	
14	5.29	5.412	40	
15	5.29	5.447	40	
16	5.29	5.589	40	
17	5.29	5.295	40	*
18	5.29	5.723	40	
19	5.29	5.563	40	
20	5.29	5.402	40	
21	5.29	5.582	40	
22	5.29	5.543	40	
23	5.29	5.579	40	
24	5.29	5.405	40	
25	5.29	5.688	40	
26	5.29	5.258	40	
27	5.29	5.285	40	*
28	5.29	5.378	40	
29	5.29	5.395	40	
30	5.29	5.659	40	
31	5.29	5.652	40	
32	5.29	5.323	40	
33	5.29	5.657	40	
34	5.29	5.581	40	
35	5.29	5.394	40	
36	5.29	5.653	40	
37	5.29	5.532	40	
38	5.29	5.709	40	
39	5.29	5.352	40	
40	5.29	5.631	40	
41	5.29	5.329	40	
42	5.29	5.262	40	
43	5.29	5.72	40	
44	5.29	5.337	40	
45	5.29	5.385	40	
46	5.29	5.533	40	
47	5.29	5.398	40	

48	5.29	5.695	40	
49	5.29	5.256	40	
50	5.29	5.357	40	
51	5.29	5.494	40	
52	5.29	5.341	40	
53	5.29	5.674	40	
54	5.29	5.692	40	
55	5.29	5.691	40	
56	5.29	5.45	40	
57	5.29	5.573	40	
58	5.29	5.596	40	
59	5.29	5.512	40	
60	5.29	5.306	40	
61	5.29	5.322	40	
62	5.29	5.707	40	
63	5.29	5.47	40	
64	5.29	5.346	40	
65	5.29	5.522	40	
66	5.29	5.515	40	
67	5.29	5.373	40	
68	5.29	5.351	40	
69	5.29	5.299	40	*
70	5.29	5.5	40	
71	5.29	5.558	40	
72	5.29	5.687	40	
73	5.29	5.444	40	
74	5.29	5.584	40	
75	5.29	5.454	40	
76	5.29	5.362	40	
77	5.29	5.316	40	
78	5.29	5.284	40	*
79	5.29	5.544	40	
80	5.29	5.266	40	
81	5.29	5.535	40	
82	5.29	5.396	40	
83	5.29	5.606	40	
84	5.29	5.703	40	
85	5.29	5.534	40	
86	5.29	5.349	40	
87	5.29	5.714	40	
88	5.29	5.317	40	
89	5.29	5.487	40	
90	5.29	5.469	40	
91	5.29	5.538	40	
92	5.29	5.452	40	
93	5.29	5.673	40	
94	5.29	5.71	40	
95	5.29	5.253	40	
96	5.29	5.441	40	
97	5.29	5.326	40	
98	5.29	5.343	40	
99	5.29	5.344	40	
100	5.29	5.608	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.28	40	*
2	5.29	5.535	40	
3	5.29	5.578	40	
4	5.29	5.596	40	
5	5.29	5.324	40	
6	5.29	5.688	40	
7	5.29	5.424	40	
8	5.29	5.344	40	
9	5.29	5.289	40	*
10	5.29	5.616	40	
11	5.29	5.385	40	
12	5.29	5.411	40	
13	5.29	5.675	40	
14	5.29	5.668	40	
15	5.29	5.533	40	
16	5.29	5.35	40	
17	5.29	5.502	40	
18	5.29	5.438	40	
19	5.29	5.517	40	
20	5.29	5.519	40	
21	5.29	5.647	40	
22	5.29	5.617	40	
23	5.29	5.498	40	
24	5.29	5.577	40	
25	5.29	5.441	40	
26	5.29	5.3	40	*
27	5.29	5.437	40	
28	5.29	5.667	40	
29	5.29	5.624	40	
30	5.29	5.254	40	
31	5.29	5.328	40	
32	5.29	5.397	40	
33	5.29	5.308	40	
34	5.29	5.426	40	
35	5.29	5.382	40	
36	5.29	5.449	40	
37	5.29	5.253	40	
38	5.29	5.452	40	
39	5.29	5.683	40	
40	5.29	5.406	40	
41	5.29	5.552	40	
42	5.29	5.705	40	
43	5.29	5.373	40	
44	5.29	5.464	40	
45	5.29	5.68	40	
46	5.29	5.272	40	
47	5.29	5.619	40	

48	5.29	5.364	40	
49	5.29	5.697	40	
50	5.29	5.307	40	
51	5.29	5.416	40	
52	5.29	5.516	40	
53	5.29	5.294	40	*
54	5.29	5.684	40	
55	5.29	5.551	40	
56	5.29	5.297	40	*
57	5.29	5.659	40	
58	5.29	5.504	40	
59	5.29	5.309	40	
60	5.29	5.484	40	
61	5.29	5.541	40	
62	5.29	5.563	40	
63	5.29	5.341	40	
64	5.29	5.334	40	
65	5.29	5.312	40	
66	5.29	5.565	40	
67	5.29	5.487	40	
68	5.29	5.702	40	
69	5.29	5.572	40	
70	5.29	5.686	40	
71	5.29	5.643	40	
72	5.29	5.473	40	
73	5.29	5.369	40	
74	5.29	5.352	40	
75	5.29	5.663	40	
76	5.29	5.431	40	
77	5.29	5.31	40	
78	5.29	5.486	40	
79	5.29	5.631	40	
80	5.29	5.346	40	
81	5.29	5.277	40	
82	5.29	5.396	40	
83	5.29	5.69	40	
84	5.29	5.333	40	
85	5.29	5.466	40	
86	5.29	5.263	40	
87	5.29	5.467	40	
88	5.29	5.575	40	
89	5.29	5.695	40	
90	5.29	5.636	40	
91	5.29	5.598	40	
92	5.29	5.315	40	
93	5.29	5.314	40	
94	5.29	5.543	40	
95	5.29	5.666	40	
96	5.29	5.434	40	
97	5.29	5.633	40	
98	5.29	5.64	40	
99	5.29	5.557	40	
100	5.29	5.656	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.458	40	
2	5.29	5.426	40	
3	5.29	5.344	40	
4	5.29	5.329	40	
5	5.29	5.454	40	
6	5.29	5.567	40	
7	5.29	5.658	40	
8	5.29	5.276	40	
9	5.29	5.302	40	
10	5.29	5.281	40	*
11	5.29	5.478	40	
12	5.29	5.459	40	
13	5.29	5.669	40	
14	5.29	5.642	40	
15	5.29	5.525	40	
16	5.29	5.298	40	*
17	5.29	5.541	40	
18	5.29	5.66	40	
19	5.29	5.589	40	
20	5.29	5.427	40	
21	5.29	5.356	40	
22	5.29	5.579	40	
23	5.29	5.524	40	
24	5.29	5.314	40	
25	5.29	5.637	40	
26	5.29	5.465	40	
27	5.29	5.267	40	
28	5.29	5.436	40	
29	5.29	5.653	40	
30	5.29	5.505	40	
31	5.29	5.646	40	
32	5.29	5.453	40	
33	5.29	5.43	40	
34	5.29	5.704	40	
35	5.29	5.435	40	
36	5.29	5.65	40	
37	5.29	5.536	40	
38	5.29	5.443	40	
39	5.29	5.652	40	
40	5.29	5.477	40	
41	5.29	5.484	40	
42	5.29	5.594	40	
43	5.29	5.297	40	*
44	5.29	5.409	40	
45	5.29	5.695	40	
46	5.29	5.537	40	
47	5.29	5.42	40	

48	5.29	5.452	40	
49	5.29	5.523	40	
50	5.29	5.464	40	
51	5.29	5.496	40	
52	5.29	5.319	40	
53	5.29	5.405	40	
54	5.29	5.402	40	
55	5.29	5.59	40	
56	5.29	5.504	40	
57	5.29	5.662	40	
58	5.29	5.7	40	
59	5.29	5.312	40	
60	5.29	5.299	40	*
61	5.29	5.63	40	
62	5.29	5.661	40	
63	5.29	5.604	40	
64	5.29	5.639	40	
65	5.29	5.33	40	
66	5.29	5.438	40	
67	5.29	5.336	40	
68	5.29	5.698	40	
69	5.29	5.355	40	
70	5.29	5.558	40	
71	5.29	5.522	40	
72	5.29	5.46	40	
73	5.29	5.55	40	
74	5.29	5.445	40	
75	5.29	5.528	40	
76	5.29	5.359	40	
77	5.29	5.345	40	
78	5.29	5.466	40	
79	5.29	5.62	40	
80	5.29	5.256	40	
81	5.29	5.262	40	
82	5.29	5.451	40	
83	5.29	5.252	40	
84	5.29	5.268	40	
85	5.29	5.686	40	
86	5.29	5.697	40	
87	5.29	5.679	40	
88	5.29	5.611	40	
89	5.29	5.529	40	
90	5.29	5.442	40	
91	5.29	5.581	40	
92	5.29	5.4	40	
93	5.29	5.487	40	
94	5.29	5.556	40	
95	5.29	5.503	40	
96	5.29	5.72	40	
97	5.29	5.382	40	
98	5.29	5.49	40	
99	5.29	5.393	40	
100	5.29	5.473	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.457	40	
2	5.29	5.277	40	
3	5.29	5.7	40	
4	5.29	5.29	40	*
5	5.29	5.25	40	
6	5.29	5.286	40	*
7	5.29	5.398	40	
8	5.29	5.577	40	
9	5.29	5.621	40	
10	5.29	5.646	40	
11	5.29	5.567	40	
12	5.29	5.431	40	
13	5.29	5.422	40	
14	5.29	5.446	40	
15	5.29	5.659	40	
16	5.29	5.54	40	
17	5.29	5.488	40	
18	5.29	5.711	40	
19	5.29	5.65	40	
20	5.29	5.596	40	
21	5.29	5.334	40	
22	5.29	5.552	40	
23	5.29	5.672	40	
24	5.29	5.571	40	
25	5.29	5.724	40	
26	5.29	5.676	40	
27	5.29	5.407	40	
28	5.29	5.516	40	
29	5.29	5.324	40	
30	5.29	5.303	40	
31	5.29	5.517	40	
32	5.29	5.316	40	
33	5.29	5.609	40	
34	5.29	5.531	40	
35	5.29	5.315	40	
36	5.29	5.506	40	
37	5.29	5.584	40	
38	5.29	5.42	40	
39	5.29	5.597	40	
40	5.29	5.476	40	
41	5.29	5.678	40	
42	5.29	5.451	40	
43	5.29	5.339	40	
44	5.29	5.685	40	
45	5.29	5.562	40	
46	5.29	5.468	40	
47	5.29	5.664	40	

48	5.29	5.514	40	
49	5.29	5.482	40	
50	5.29	5.436	40	
51	5.29	5.695	40	
52	5.29	5.598	40	
53	5.29	5.329	40	
54	5.29	5.251	40	
55	5.29	5.637	40	
56	5.29	5.399	40	
57	5.29	5.674	40	
58	5.29	5.554	40	
59	5.29	5.375	40	
60	5.29	5.613	40	
61	5.29	5.55	40	
62	5.29	5.722	40	
63	5.29	5.335	40	
64	5.29	5.556	40	
65	5.29	5.404	40	
66	5.29	5.588	40	
67	5.29	5.714	40	
68	5.29	5.629	40	
69	5.29	5.424	40	
70	5.29	5.341	40	
71	5.29	5.697	40	
72	5.29	5.483	40	
73	5.29	5.484	40	
74	5.29	5.338	40	
75	5.29	5.327	40	
76	5.29	5.579	40	
77	5.29	5.593	40	
78	5.29	5.268	40	
79	5.29	5.258	40	
80	5.29	5.634	40	
81	5.29	5.653	40	
82	5.29	5.615	40	
83	5.29	5.568	40	
84	5.29	5.388	40	
85	5.29	5.599	40	
86	5.29	5.718	40	
87	5.29	5.669	40	
88	5.29	5.376	40	
89	5.29	5.35	40	
90	5.29	5.4	40	
91	5.29	5.374	40	
92	5.29	5.546	40	
93	5.29	5.46	40	
94	5.29	5.497	40	
95	5.29	5.675	40	
96	5.29	5.612	40	
97	5.29	5.605	40	
98	5.29	5.351	40	
99	5.29	5.325	40	
100	5.29	5.578	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.252	40	
2	5.29	5.656	40	
3	5.29	5.324	40	
4	5.29	5.425	40	
5	5.29	5.698	40	
6	5.29	5.619	40	
7	5.29	5.493	40	
8	5.29	5.351	40	
9	5.29	5.673	40	
10	5.29	5.461	40	
11	5.29	5.572	40	
12	5.29	5.583	40	
13	5.29	5.381	40	
14	5.29	5.721	40	
15	5.29	5.498	40	
16	5.29	5.489	40	
17	5.29	5.326	40	
18	5.29	5.375	40	
19	5.29	5.59	40	
20	5.29	5.333	40	
21	5.29	5.405	40	
22	5.29	5.401	40	
23	5.29	5.396	40	
24	5.29	5.541	40	
25	5.29	5.41	40	
26	5.29	5.557	40	
27	5.29	5.545	40	
28	5.29	5.699	40	
29	5.29	5.596	40	
30	5.29	5.581	40	
31	5.29	5.647	40	
32	5.29	5.687	40	
33	5.29	5.657	40	
34	5.29	5.644	40	
35	5.29	5.364	40	
36	5.29	5.716	40	
37	5.29	5.509	40	
38	5.29	5.294	40	*
39	5.29	5.417	40	
40	5.29	5.436	40	
41	5.29	5.263	40	
42	5.29	5.531	40	
43	5.29	5.303	40	
44	5.29	5.514	40	
45	5.29	5.386	40	
46	5.29	5.458	40	
47	5.29	5.273	40	

48	5.29	5.492	40	
49	5.29	5.287	40	*
50	5.29	5.304	40	
51	5.29	5.253	40	
52	5.29	5.415	40	
53	5.29	5.587	40	
54	5.29	5.501	40	
55	5.29	5.684	40	
56	5.29	5.43	40	
57	5.29	5.316	40	
58	5.29	5.297	40	*
59	5.29	5.62	40	
60	5.29	5.507	40	
61	5.29	5.607	40	
62	5.29	5.35	40	
63	5.29	5.578	40	
64	5.29	5.686	40	
65	5.29	5.465	40	
66	5.29	5.302	40	
67	5.29	5.69	40	
68	5.29	5.257	40	
69	5.29	5.599	40	
70	5.29	5.53	40	
71	5.29	5.625	40	
72	5.29	5.341	40	
73	5.29	5.332	40	
74	5.29	5.299	40	*
75	5.29	5.473	40	
76	5.29	5.569	40	
77	5.29	5.462	40	
78	5.29	5.265	40	
79	5.29	5.359	40	
80	5.29	5.315	40	
81	5.29	5.637	40	
82	5.29	5.472	40	
83	5.29	5.274	40	
84	5.29	5.305	40	
85	5.29	5.368	40	
86	5.29	5.289	40	*
87	5.29	5.379	40	
88	5.29	5.469	40	
89	5.29	5.54	40	
90	5.29	5.27	40	
91	5.29	5.481	40	
92	5.29	5.318	40	
93	5.29	5.623	40	
94	5.29	5.523	40	
95	5.29	5.31	40	
96	5.29	5.693	40	
97	5.29	5.378	40	
98	5.29	5.282	40	*
99	5.29	5.44	40	
100	5.29	5.593	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.364	40	
2	5.29	5.51	40	
3	5.29	5.414	40	
4	5.29	5.38	40	
5	5.29	5.632	40	
6	5.29	5.289	40	*
7	5.29	5.284	40	*
8	5.29	5.417	40	
9	5.29	5.4	40	
10	5.29	5.383	40	
11	5.29	5.646	40	
12	5.29	5.476	40	
13	5.29	5.322	40	
14	5.29	5.621	40	
15	5.29	5.693	40	
16	5.29	5.528	40	
17	5.29	5.699	40	
18	5.29	5.557	40	
19	5.29	5.598	40	
20	5.29	5.253	40	
21	5.29	5.35	40	
22	5.29	5.308	40	
23	5.29	5.595	40	
24	5.29	5.591	40	
25	5.29	5.355	40	
26	5.29	5.492	40	
27	5.29	5.464	40	
28	5.29	5.279	40	
29	5.29	5.254	40	
30	5.29	5.379	40	
31	5.29	5.499	40	
32	5.29	5.463	40	
33	5.29	5.39	40	
34	5.29	5.429	40	
35	5.29	5.717	40	
36	5.29	5.262	40	
37	5.29	5.382	40	
38	5.29	5.607	40	
39	5.29	5.257	40	
40	5.29	5.602	40	
41	5.29	5.587	40	
42	5.29	5.478	40	
43	5.29	5.606	40	
44	5.29	5.384	40	
45	5.29	5.56	40	
46	5.29	5.596	40	
47	5.29	5.689	40	

48	5.29	5.568	40	
49	5.29	5.3	40	*
50	5.29	5.63	40	
51	5.29	5.261	40	
52	5.29	5.286	40	*
53	5.29	5.529	40	
54	5.29	5.375	40	
55	5.29	5.468	40	
56	5.29	5.677	40	
57	5.29	5.534	40	
58	5.29	5.399	40	
59	5.29	5.421	40	
60	5.29	5.327	40	
61	5.29	5.569	40	
62	5.29	5.465	40	
63	5.29	5.466	40	
64	5.29	5.617	40	
65	5.29	5.272	40	
66	5.29	5.428	40	
67	5.29	5.508	40	
68	5.29	5.29	40	*
69	5.29	5.263	40	
70	5.29	5.432	40	
71	5.29	5.634	40	
72	5.29	5.292	40	*
73	5.29	5.547	40	
74	5.29	5.524	40	
75	5.29	5.664	40	
76	5.29	5.535	40	
77	5.29	5.265	40	
78	5.29	5.376	40	
79	5.29	5.315	40	
80	5.29	5.624	40	
81	5.29	5.471	40	
82	5.29	5.493	40	
83	5.29	5.694	40	
84	5.29	5.31	40	
85	5.29	5.504	40	
86	5.29	5.546	40	
87	5.29	5.491	40	
88	5.29	5.525	40	
89	5.29	5.656	40	
90	5.29	5.542	40	
91	5.29	5.615	40	
92	5.29	5.552	40	
93	5.29	5.381	40	
94	5.29	5.7	40	
95	5.29	5.495	40	
96	5.29	5.653	40	
97	5.29	5.682	40	
98	5.29	5.37	40	
99	5.29	5.609	40	
100	5.29	5.47	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.472	40	
2	5.29	5.448	40	
3	5.29	5.375	40	
4	5.29	5.626	40	
5	5.29	5.711	40	
6	5.29	5.673	40	
7	5.29	5.28	40	*
8	5.29	5.552	40	
9	5.29	5.677	40	
10	5.29	5.684	40	
11	5.29	5.623	40	
12	5.29	5.605	40	
13	5.29	5.335	40	
14	5.29	5.719	40	
15	5.29	5.352	40	
16	5.29	5.545	40	
17	5.29	5.397	40	
18	5.29	5.696	40	
19	5.29	5.635	40	
20	5.29	5.607	40	
21	5.29	5.629	40	
22	5.29	5.387	40	
23	5.29	5.661	40	
24	5.29	5.377	40	
25	5.29	5.578	40	
26	5.29	5.474	40	
27	5.29	5.648	40	
28	5.29	5.386	40	
29	5.29	5.409	40	
30	5.29	5.567	40	
31	5.29	5.649	40	
32	5.29	5.609	40	
33	5.29	5.438	40	
34	5.29	5.517	40	
35	5.29	5.295	40	*
36	5.29	5.252	40	
37	5.29	5.553	40	
38	5.29	5.583	40	
39	5.29	5.334	40	
40	5.29	5.509	40	
41	5.29	5.504	40	
42	5.29	5.366	40	
43	5.29	5.43	40	
44	5.29	5.513	40	
45	5.29	5.614	40	
46	5.29	5.486	40	
47	5.29	5.541	40	

48	5.29	5.512	40	
49	5.29	5.339	40	
50	5.29	5.534	40	
51	5.29	5.374	40	
52	5.29	5.557	40	
53	5.29	5.588	40	
54	5.29	5.62	40	
55	5.29	5.51	40	
56	5.29	5.38	40	
57	5.29	5.7	40	
58	5.29	5.533	40	
59	5.29	5.667	40	
60	5.29	5.262	40	
61	5.29	5.586	40	
62	5.29	5.466	40	
63	5.29	5.627	40	
64	5.29	5.331	40	
65	5.29	5.274	40	
66	5.29	5.411	40	
67	5.29	5.282	40	*
68	5.29	5.682	40	
69	5.29	5.611	40	
70	5.29	5.441	40	
71	5.29	5.531	40	
72	5.29	5.572	40	
73	5.29	5.604	40	
74	5.29	5.269	40	
75	5.29	5.479	40	
76	5.29	5.703	40	
77	5.29	5.683	40	
78	5.29	5.371	40	
79	5.29	5.702	40	
80	5.29	5.554	40	
81	5.29	5.437	40	
82	5.29	5.633	40	
83	5.29	5.261	40	
84	5.29	5.343	40	
85	5.29	5.309	40	
86	5.29	5.492	40	
87	5.29	5.424	40	
88	5.29	5.417	40	
89	5.29	5.464	40	
90	5.29	5.304	40	
91	5.29	5.646	40	
92	5.29	5.389	40	
93	5.29	5.701	40	
94	5.29	5.416	40	
95	5.29	5.615	40	
96	5.29	5.678	40	
97	5.29	5.538	40	
98	5.29	5.25	40	
99	5.29	5.532	40	
100	5.29	5.46	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.599	40	
2	5.29	5.523	40	
3	5.29	5.649	40	
4	5.29	5.652	40	
5	5.29	5.501	40	
6	5.29	5.531	40	
7	5.29	5.486	40	
8	5.29	5.554	40	
9	5.29	5.339	40	
10	5.29	5.444	40	
11	5.29	5.393	40	
12	5.29	5.7	40	
13	5.29	5.256	40	
14	5.29	5.675	40	
15	5.29	5.456	40	
16	5.29	5.395	40	
17	5.29	5.417	40	
18	5.29	5.704	40	
19	5.29	5.52	40	
20	5.29	5.374	40	
21	5.29	5.546	40	
22	5.29	5.378	40	
23	5.29	5.385	40	
24	5.29	5.617	40	
25	5.29	5.557	40	
26	5.29	5.549	40	
27	5.29	5.682	40	
28	5.29	5.473	40	
29	5.29	5.427	40	
30	5.29	5.286	40	*
31	5.29	5.632	40	
32	5.29	5.318	40	
33	5.29	5.698	40	
34	5.29	5.305	40	
35	5.29	5.667	40	
36	5.29	5.584	40	
37	5.29	5.467	40	
38	5.29	5.581	40	
39	5.29	5.527	40	
40	5.29	5.678	40	
41	5.29	5.285	40	*
42	5.29	5.314	40	
43	5.29	5.588	40	
44	5.29	5.398	40	
45	5.29	5.302	40	
46	5.29	5.492	40	
47	5.29	5.604	40	

48	5.29	5.437	40	
49	5.29	5.411	40	
50	5.29	5.67	40	
51	5.29	5.583	40	
52	5.29	5.511	40	
53	5.29	5.424	40	
54	5.29	5.303	40	
55	5.29	5.349	40	
56	5.29	5.377	40	
57	5.29	5.49	40	
58	5.29	5.31	40	
59	5.29	5.331	40	
60	5.29	5.429	40	
61	5.29	5.4	40	
62	5.29	5.54	40	
63	5.29	5.26	40	
64	5.29	5.587	40	
65	5.29	5.65	40	
66	5.29	5.313	40	
67	5.29	5.284	40	*
68	5.29	5.39	40	
69	5.29	5.714	40	
70	5.29	5.46	40	
71	5.29	5.392	40	
72	5.29	5.556	40	
73	5.29	5.568	40	
74	5.29	5.626	40	
75	5.29	5.672	40	
76	5.29	5.315	40	
77	5.29	5.342	40	
78	5.29	5.295	40	*
79	5.29	5.687	40	
80	5.29	5.288	40	*
81	5.29	5.654	40	
82	5.29	5.436	40	
83	5.29	5.278	40	
84	5.29	5.521	40	
85	5.29	5.391	40	
86	5.29	5.397	40	
87	5.29	5.658	40	
88	5.29	5.71	40	
89	5.29	5.48	40	
90	5.29	5.439	40	
91	5.29	5.646	40	
92	5.29	5.345	40	
93	5.29	5.639	40	
94	5.29	5.259	40	
95	5.29	5.723	40	
96	5.29	5.544	40	
97	5.29	5.542	40	
98	5.29	5.559	40	
99	5.29	5.512	40	
100	5.29	5.304	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.34	40	
2	5.29	5.685	40	
3	5.29	5.646	40	
4	5.29	5.677	40	
5	5.29	5.518	40	
6	5.29	5.263	40	
7	5.29	5.636	40	
8	5.29	5.549	40	
9	5.29	5.702	40	
10	5.29	5.314	40	
11	5.29	5.376	40	
12	5.29	5.267	40	
13	5.29	5.297	40	*
14	5.29	5.604	40	
15	5.29	5.438	40	
16	5.29	5.258	40	
17	5.29	5.71	40	
18	5.29	5.721	40	
19	5.29	5.603	40	
20	5.29	5.506	40	
21	5.29	5.709	40	
22	5.29	5.532	40	
23	5.29	5.317	40	
24	5.29	5.615	40	
25	5.29	5.494	40	
26	5.29	5.491	40	
27	5.29	5.264	40	
28	5.29	5.386	40	
29	5.29	5.643	40	
30	5.29	5.599	40	
31	5.29	5.46	40	
32	5.29	5.289	40	*
33	5.29	5.6	40	
34	5.29	5.683	40	
35	5.29	5.654	40	
36	5.29	5.255	40	
37	5.29	5.33	40	
38	5.29	5.625	40	
39	5.29	5.49	40	
40	5.29	5.527	40	
41	5.29	5.481	40	
42	5.29	5.375	40	
43	5.29	5.634	40	
44	5.29	5.567	40	
45	5.29	5.393	40	
46	5.29	5.301	40	
47	5.29	5.445	40	

48	5.29	5.596	40	
49	5.29	5.605	40	
50	5.29	5.343	40	
51	5.29	5.663	40	
52	5.29	5.548	40	
53	5.29	5.377	40	
54	5.29	5.57	40	
55	5.29	5.583	40	
56	5.29	5.473	40	
57	5.29	5.668	40	
58	5.29	5.587	40	
59	5.29	5.41	40	
60	5.29	5.329	40	
61	5.29	5.561	40	
62	5.29	5.364	40	
63	5.29	5.552	40	
64	5.29	5.374	40	
65	5.29	5.391	40	
66	5.29	5.519	40	
67	5.29	5.346	40	
68	5.29	5.704	40	
69	5.29	5.53	40	
70	5.29	5.485	40	
71	5.29	5.458	40	
72	5.29	5.59	40	
73	5.29	5.517	40	
74	5.29	5.425	40	
75	5.29	5.348	40	
76	5.29	5.382	40	
77	5.29	5.296	40	*
78	5.29	5.529	40	
79	5.29	5.368	40	
80	5.29	5.361	40	
81	5.29	5.528	40	
82	5.29	5.315	40	
83	5.29	5.47	40	
84	5.29	5.589	40	
85	5.29	5.324	40	
86	5.29	5.498	40	
87	5.29	5.513	40	
88	5.29	5.592	40	
89	5.29	5.451	40	
90	5.29	5.287	40	*
91	5.29	5.378	40	
92	5.29	5.72	40	
93	5.29	5.52	40	
94	5.29	5.601	40	
95	5.29	5.602	40	
96	5.29	5.691	40	
97	5.29	5.402	40	
98	5.29	5.703	40	
99	5.29	5.539	40	
100	5.29	5.303	40	

--	--	--	--	--

802.11ax(HE40) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.462	40	
2	5.29	5.32	40	
3	5.29	5.505	40	
4	5.29	5.557	40	
5	5.29	5.576	40	
6	5.29	5.371	40	
7	5.29	5.437	40	
8	5.29	5.376	40	
9	5.29	5.372	40	
10	5.29	5.482	40	
11	5.29	5.411	40	
12	5.29	5.404	40	
13	5.29	5.344	40	
14	5.29	5.544	40	
15	5.29	5.347	40	
16	5.29	5.367	40	
17	5.29	5.394	40	
18	5.29	5.429	40	
19	5.29	5.35	40	
20	5.29	5.545	40	
21	5.29	5.608	40	
22	5.29	5.513	40	
23	5.29	5.598	40	
24	5.29	5.275	40	
25	5.29	5.553	40	
26	5.29	5.463	40	
27	5.29	5.419	40	
28	5.29	5.696	40	
29	5.29	5.416	40	
30	5.29	5.453	40	
31	5.29	5.443	40	
32	5.29	5.265	40	
33	5.29	5.702	40	
34	5.29	5.268	40	
35	5.29	5.546	40	
36	5.29	5.528	40	
37	5.29	5.654	40	
38	5.29	5.653	40	
39	5.29	5.586	40	
40	5.29	5.464	40	
41	5.29	5.392	40	
42	5.29	5.435	40	
43	5.29	5.714	40	
44	5.29	5.298	40	*
45	5.29	5.272	40	
46	5.29	5.537	40	
47	5.29	5.34	40	

48	5.29	5.479	40	
49	5.29	5.375	40	
50	5.29	5.45	40	
51	5.29	5.628	40	
52	5.29	5.665	40	
53	5.29	5.266	40	
54	5.29	5.607	40	
55	5.29	5.305	40	
56	5.29	5.584	40	
57	5.29	5.418	40	
58	5.29	5.566	40	
59	5.29	5.284	40	*
60	5.29	5.264	40	
61	5.29	5.502	40	
62	5.29	5.382	40	
63	5.29	5.542	40	
64	5.29	5.689	40	
65	5.29	5.428	40	
66	5.29	5.306	40	
67	5.29	5.363	40	
68	5.29	5.38	40	
69	5.29	5.556	40	
70	5.29	5.518	40	
71	5.29	5.722	40	
72	5.29	5.648	40	
73	5.29	5.677	40	
74	5.29	5.596	40	
75	5.29	5.467	40	
76	5.29	5.684	40	
77	5.29	5.425	40	
78	5.29	5.426	40	
79	5.29	5.699	40	
80	5.29	5.585	40	
81	5.29	5.511	40	
82	5.29	5.663	40	
83	5.29	5.444	40	
84	5.29	5.389	40	
85	5.29	5.636	40	
86	5.29	5.579	40	
87	5.29	5.613	40	
88	5.29	5.642	40	
89	5.29	5.427	40	
90	5.29	5.58	40	
91	5.29	5.656	40	
92	5.29	5.281	40	*
93	5.29	5.354	40	
94	5.29	5.341	40	
95	5.29	5.279	40	
96	5.29	5.638	40	
97	5.29	5.72	40	
98	5.29	5.66	40	
99	5.29	5.605	40	
100	5.29	5.514	40	

--	--	--	--	--

802.11ax(HE80) - 5290MHz

RADAR TYPE 1

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	61	1	878
2	102	1	518
3	65	1	818
4	61	1	878
5	76	1	698
6	81	1	658
7	81	1	658
8	57	1	938
9	86	1	618
10	67	1	798
11	81	1	658
12	57	1	938
13	78	1	678
14	58	1	918
15	70	1	758
16	92	1	578
17	89	1	598
18	92	1	578
19	83	1	638
20	78	1	678
21	61	1	878
22	98	1	538
23	76	1	698
24	74	1	718
25	83	1	638
26	92	1	578
27	57	1	938
28	89	1	598
29	76	1	698
30	92	1	578

802.11ax(HE80) - 5290MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			

802.11ax(HE80) - 5290MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	17	7.7	250
2	17	7.6	406
3	16	9	266
4	17	6.7	363
5	18	6.1	256
6	16	7	352
7	17	7.9	245
8	17	7.3	275
9	18	8.7	456
10	18	8.1	382
11	17	8.1	458
12	18	8.3	488
13	18	8.6	412
14	16	9.7	266
15	16	7	232
16	16	6.3	204
17	17	8.3	378
18	17	8.4	375
19	17	8.6	309
20	16	9.3	474
21	17	8.7	480
22	16	6.8	470
23	17	8.8	480
24	17	7.3	301
25	17	7.7	313
26	18	6	423
27	16	6.3	289
28	17	7.3	243
29	17	7.3	228
30	18	7.4	333

802.11ax(HE80) - 5290MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	12	14.1	366
2	15	11.7	201
3	13	11.2	306
4	14	18.8	331
5	16	18.6	373
6	13	18.8	307
7	15	13.9	369
8	16	14.6	379
9	16	19.2	444
10	15	16	263
11	15	13.8	479
12	13	15.1	342
13	13	20	405
14	14	14	416
15	16	12	467
16	15	13.6	398
17	15	17.6	242
18	13	13.8	399
19	15	17.6	354
20	13	13.4	262
21	12	13	228
22	12	17.1	376
23	15	19.7	230
24	16	12.3	327
25	16	15.9	497
26	16	19.8	481
27	15	17.1	239
28	14	11.8	284
29	13	17.9	405
30	12	12.1	225


802.11ax(HE80) - 5290MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	7	1	5290
2	13	1	5290
3	18	1	5290
4	7	1	5290
5	16	1	5290
6	14	1	5290
7	20	1	5290
8	18	1	5290
9	6	1	5290
10	8	1	5290
11	11	2	5255.4
12	11	2	5255.4
13	8	2	5254.2
14	9	2	5254.6
15	12	2	5255.8
16	6	2	5253.4
17	20	2	5259
18	10	2	5255
19	15	2	5257
20	8	2	5254.2
21	20	3	5321
22	7	3	5326.2
23	10	3	5325
24	13	3	5323.8
25	20	3	5321
26	14	3	5323.4
27	20	3	5321
28	11	3	5324.6
29	17	3	5322.2
30	5	3	5327

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 2

Bursts in Trial: 19

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	66.1	13			210.51
2	2	77	13	1115		543.971
3	2	57.2	13	1856		302.262
4	2	85.2	13	1939		425.043
5	3	77.1	13	1406	1204	334.134
6	2	63.6	13	1736		420.105
7	2	63.1	13	1810		314.576
8	2	96.4	13	1567		353.927
9	2	54.3	13	1337		531.488
10	2	78.9	13	1560		48.809
11	2	89.9	13	1436		309.301
12	2	79.5	13	1232		363.852
13	1	77.5	13			622.403
14	1	69.9	13			589.304
15	1	79	13			283.225
16	2	53.1	13	1092		449.476
17	2	97.7	13	1135		493.337
18	1	73.6	13			54.058
19	2	60.4	13	1899		472.679



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	57.5	7	1269		569.293
2	3	60.4	7	1583	1219	631.288
3	3	78.6	7	1727	1987	664.135
4	3	92.8	7	1763	1013	196.483
5	2	59.3	7	1847		584.171
6	2	91.6	7	1898		268.668
7	1	64	7			334.656
8	3	77.5	7	1604	1633	580.314
9	1	89.5	7			634.441
10	1	78.1	7			179.529
11	2	59.3	7	1957		1.516
12	2	82	7	1887		139.844
13	2	82.4	7	1132		27.712
14	2	73.7	7	1685		159.619
15	2	78.7	7	1315		278.947
16	2	71.1	7	1779		629.765
17	2	64.1	7	1993		381.182




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 7

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	62.5	20	1888		410.322
2	3	54.4	20	1274	1587	129.873
3	1	90.8	20			186.406
4	1	69.2	20			747.289
5	2	57.9	20	1449		889.882
6	2	81.1	20	1560		256.345
7	2	74.7	20	1800		658.648
8	2	54.1	20	1157		528.952
9	2	50.5	20	1191		108.145
10	3	88.9	20	1184	1966	8.678
11	3	51.5	20	1962	1376	130.161
12	3	53.9	20	1457	1375	394.754
13	2	95.6	20	1030		143.077



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	58.8	8			585.997
2	2	92.2	8	1652		457.073
3	1	63.5	8			4.887
4	2	79.5	8	1217		50.79
5	2	55.2	8	1544		472.473
6	1	89.2	8			254.297
7	2	78.2	8	1140		389.3
8	2	52.1	8	1176		12.203
9	1	92.4	8			5.327
10	3	78.8	8	1112	1476	338.81
11	2	89.7	8	1180		288.733
12	1	92.6	8			96.347
13	3	68.7	8	1294	1143	75.54
14	1	95.1	8			498.863
15	1	56.5	8			513.127
16	3	93.3	8	1461	1027	417.4
17	3	78.9	8	1565	1690	537.233
18	2	53.9	8	1401		533.667




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 11

Bursts in Trial: 12

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	56.3	11			61.925
2	1	72.2	11			187.35
3	2	72.8	11	1551		914.84
4	2	69.7	11	1521		849.18
5	3	98.5	11	1629	1590	802.36
6	1	52.6	11			636.52
7	2	54.9	11	1562		137.08
8	2	68.6	11	1003		658.18
9	1	76.9	11			290.9
10	2	84.4	11	1666		668.3
11	3	50.9	11	1995	1282	196.9
12	2	52.7	11	1358		428.4



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	85.8	11	1643	1417	54.634
2	2	63.7	11	1802		585.993
3	2	64	11	1542		466.997
4	2	58.5	11	1673		219.58
5	1	68.4	11			187.343
6	2	56.9	11	1008		568.677
7	2	99.2	11	1867		386.56
8	2	80.6	11	1455		334.843
9	1	75.3	11			191.117
10	2	86.4	11	1869		182.87
11	1	77.2	11			189.423
12	2	75.1	11	1430		161.767
13	3	67.2	11	1911	1977	499.34
14	3	77.8	11	1987	1905	325.213
15	2	57.9	11	1105		566.977
16	2	56.2	11	1193		283.6
17	3	88.2	11	1850	1229	628.633
18	2	55.9	11	1737		484.967




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 15


Bursts in Trial: 9

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	99.4	12	1551		537.331
2	2	64.8	12	1852		651.147
3	3	54.9	12	1615	1488	608.283
4	1	63.9	12			196.83
5	3	95	12	1251	1199	924.167
6	2	79.1	12	1925		948.203
7	3	92.8	12	1884	1397	983
8	2	79.6	12	1831		833.467
9	2	66.7	12	1335		549.033

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	89.5	6	1597		499.002
2	2	85.7	6	1011		391.423
3	2	99.9	6	1510		41.397
4	2	68.2	6	1122		402.68
5	2	67.6	6	1046		473.173
6	2	69.9	6	1466		369.677
7	2	60.8	6	1493		211.16
8	2	76.9	6	1871		77.113
9	2	73.2	6	1237		564.817
10	2	76.9	6	1622		291.08
11	1	85.2	6			147.103
12	3	93.7	6	1556	1810	127.397
13	2	85.9	6	1535		290.16
14	3	70.6	6	1786	1223	43.843
15	2	78.5	6	1402		168.327
16	2	73	6	1310		603.2
17	3	67.8	6	1443	1385	328.233
18	3	73.4	6	1212	1270	459.267



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	97.4	20	1610		559.346
2	3	66.4	20	1213	1139	476.968
3	2	57	20	1509		612.145
4	1	96.6	20			361.443
5	3	97.4	20	1383	1280	402.271
6	2	56.5	20	1796		133.268
7	2	95.1	20	1544		548.176
8	3	76	20	1864	1040	646.064
9	3	94.4	20	1217	1057	184.421
10	2	56.2	20	1629		228.329
11	2	92.9	20	1744		480.316
12	3	54.3	20	1812	1576	58.304
13	2	73.2	20	1363		1.812
14	2	56.4	20	1584		691.219
15	3	61.5	20	1989	1979	544.647
16	2	68.8	20	1274		270.365
17	2	78.6	20	1209		133.782




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 19

Bursts in Trial: 15

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	92.4	15	1393		641.461
2	1	65.8	15			677.37
3	1	70.4	15			497.33
4	2	70.5	15	1327		26.92
5	2	94.7	15	1738		158.51
6	1	50	15			396.25
7	2	83.2	15	1889		548.6
8	1	98.2	15			439.94
9	3	87	15	1543	1047	142.75
10	3	86	15	1567	1066	333.37
11	3	63.1	15	1847	1127	496.58
12	2	59	15	1939		477.46
13	1	76.1	15			262.45
14	1	90.4	15			294.4
15	2	82.8	15	1783		542.9




TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	74.4	20			52.807
2	3	60.7	20	1026	1797	340.487
3	2	80.6	20	1983		275.832
4	3	87.1	20	1382	1253	425.303
5	3	71.4	20	1387	1387	217.804
6	2	63.8	20	1075		302.255
7	3	91.5	20	1693	1412	278.746
8	3	83	20	1788	1581	1.347
9	2	95.2	20	1969		83.808
10	2	72	20	1673		303.279
11	3	96.8	20	1385	1181	190.401
12	2	69.9	20	1825		602.172
13	3	74.1	20	1615	1675	339.803
14	2	62.5	20	1997		235.884
15	2	60	20	1639		258.765
16	3	66	20	1029	1341	498.346
17	1	65.4	20			467.537
18	2	98.7	20	1631		200.958
19	2	59.3	20	1557		195.279



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	86	7	1830		87.321
2	2	94.5	7	1134		627.89
3	3	70.8	7	1039	1051	462.1
4	1	66.1	7			587.88
5	2	58.9	7	1347		422.08
6	2	62.3	7	1755		610.74
7	3	57.9	7	1873	1495	483.63
8	3	59.4	7	1631	1235	697.63
9	2	89.1	7	1499		623.14
10	2	53.5	7	1890		152.09
11	1	91.8	7			495.49
12	1	90	7			435.9
13	1	76.1	7			205.96
14	2	64.2	7	1297		605.9
15	1	73	7			218.8
16	2	54.9	7	1649		647.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	66.5	20			241.197
2	2	50	20	1837		587.598
3	2	89.7	20	1158		62.145
4	2	54.8	20	1876		433.423
5	3	91.9	20	1015	1539	220.441
6	1	77.3	20			109.018
7	3	94.4	20	1414	1887	16.646
8	2	90.8	20	1020		98.364
9	2	56.9	20	1003		517.081
10	3	95.3	20	1050	1924	276.239
11	2	56.4	20	1581		479.826
12	2	78.2	20	1726		571.034
13	1	93.4	20			9.852
14	2	94.5	20	1016		52.009
15	3	54.2	20	1564	1503	665.247
16	3	78	20	1755	1604	128.665
17	1	90.2	20			450.482



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	57	14	1450	1244	474.933
2	3	97.7	14	1919	1308	479.908
3	2	97.6	14	1709		638.695
4	2	97.4	14	1627		25.103
5	1	56.3	14			317.801
6	1	82.1	14			436.558
7	1	82.5	14			467.326
8	2	74	14	1875		165.284
9	2	72.2	14	1531		217.481
10	2	59.4	14	1801		304.419
11	3	86.6	14	1665	1891	291.826
12	3	98.3	14	1209	1775	349.664
13	2	51.2	14	1834		563.572
14	1	72.8	14			593.069
15	3	54.2	14	1100	1062	480.647
16	2	97.7	14	1581		486.365
17	2	89.9	14	1878		585.282


--

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 27

Bursts in Trial: 12

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	62	20			9.582
2	2	77.4	20	1820		190.04
3	1	60.7	20			82.1
4	2	75.3	20	1785		758.03
5	1	81	20			294.49
6	1	79.3	20			720.98
7	3	78	20	1436	1457	430.91
8	2	73.8	20	1111		822.75
9	2	96.3	20	1933		377.77
10	1	68.8	20			380.09
11	3	85.2	20	1532	1543	159.8
12	2	62.5	20	1282		648



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	60.5	11	1949	1557	16.686
2	3	83.9	11	1930	1996	451.003
3	2	74.1	11	1430		434.617
4	2	62.3	11	1280		113.05
5	2	70.6	11	1950		456.603
6	2	94.2	11	1962		285.457
7	2	96.1	11	1125		356.97
8	3	51.2	11	1105	1966	528.583
9	2	79.4	11	1033		626.137
10	3	66	11	1519	1806	606.39
11	1	93.7	11			307.423
12	2	92.6	11	1311		601.107
13	2	85.2	11	1721		575.97
14	2	92.8	11	1637		600.723
15	2	71.7	11	1230		111.307
16	2	80.2	11	1483		146.4
17	2	58.2	11	1029		424.833
18	2	67.2	11	1230		139.267




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 30

Bursts in Trial: 14

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	100	5	1249		74.619
2	3	56.5	5	1722	1218	597.367
3	3	94	5	1155	1510	12.394
4	2	98.1	5	1381		321.691
5	1	58.6	5			281.339
6	3	85.9	5	1978	1878	134.596
7	3	98	5	1261	1907	566.313
8	3	63.1	5	1149	1132	89.45
9	3	53.3	5	1265	2000	168.477
10	2	84.6	5	1614		632.604
11	3	76.3	5	1488	1547	802.831
12	2	97.7	5	1615		24.399
13	2	76.5	5	1551		77.786
14	3	57.2	5	1124	1952	69.643



802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.351	80	
2	5.27	5.45	80	
3	5.27	5.427	80	
4	5.27	5.365	80	
5	5.27	5.468	80	
6	5.27	5.671	80	
7	5.27	5.71	80	
8	5.27	5.57	80	
9	5.27	5.463	80	
10	5.27	5.312	80	
11	5.27	5.424	80	
12	5.27	5.408	80	
13	5.27	5.582	80	
14	5.27	5.405	80	
15	5.27	5.31	80	
16	5.27	5.563	80	
17	5.27	5.487	80	
18	5.27	5.264	80	
19	5.27	5.473	80	
20	5.27	5.593	80	
21	5.27	5.56	80	
22	5.27	5.333	80	
23	5.27	5.566	80	
24	5.27	5.577	80	
25	5.27	5.565	80	
26	5.27	5.288	80	*
27	5.27	5.399	80	
28	5.27	5.598	80	
29	5.27	5.632	80	
30	5.27	5.28	80	*
31	5.27	5.677	80	
32	5.27	5.382	80	
33	5.27	5.431	80	
34	5.27	5.266	80	
35	5.27	5.531	80	
36	5.27	5.304	80	
37	5.27	5.716	80	
38	5.27	5.386	80	
39	5.27	5.269	80	
40	5.27	5.26	80	
41	5.27	5.311	80	
42	5.27	5.367	80	
43	5.27	5.384	80	
44	5.27	5.371	80	
45	5.27	5.465	80	
46	5.27	5.622	80	
47	5.27	5.654	80	

48	5.27	5.47	80	
49	5.27	5.646	80	
50	5.27	5.549	80	
51	5.27	5.505	80	
52	5.27	5.5	80	
53	5.27	5.507	80	
54	5.27	5.547	80	
55	5.27	5.574	80	
56	5.27	5.475	80	
57	5.27	5.557	80	
58	5.27	5.529	80	
59	5.27	5.432	80	
60	5.27	5.645	80	
61	5.27	5.276	80	
62	5.27	5.616	80	
63	5.27	5.374	80	
64	5.27	5.661	80	
65	5.27	5.354	80	
66	5.27	5.423	80	
67	5.27	5.533	80	
68	5.27	5.562	80	
69	5.27	5.522	80	
70	5.27	5.328	80	
71	5.27	5.721	80	
72	5.27	5.471	80	
73	5.27	5.618	80	
74	5.27	5.72	80	
75	5.27	5.258	80	
76	5.27	5.606	80	
77	5.27	5.512	80	
78	5.27	5.253	80	
79	5.27	5.308	80	
80	5.27	5.332	80	
81	5.27	5.612	80	
82	5.27	5.372	80	
83	5.27	5.669	80	
84	5.27	5.353	80	
85	5.27	5.342	80	
86	5.27	5.578	80	
87	5.27	5.51	80	
88	5.27	5.392	80	
89	5.27	5.637	80	
90	5.27	5.297	80	*
91	5.27	5.387	80	
92	5.27	5.532	80	
93	5.27	5.373	80	
94	5.27	5.348	80	
95	5.27	5.429	80	
96	5.27	5.395	80	
97	5.27	5.435	80	
98	5.27	5.656	80	
99	5.27	5.323	80	
100	5.27	5.682	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.61	80	
2	5.27	5.697	80	
3	5.27	5.386	80	
4	5.27	5.351	80	
5	5.27	5.314	80	
6	5.27	5.552	80	
7	5.27	5.626	80	
8	5.27	5.625	80	
9	5.27	5.563	80	
10	5.27	5.377	80	
11	5.27	5.624	80	
12	5.27	5.539	80	
13	5.27	5.325	80	
14	5.27	5.394	80	
15	5.27	5.32	80	
16	5.27	5.542	80	
17	5.27	5.55	80	
18	5.27	5.268	80	
19	5.27	5.466	80	
20	5.27	5.535	80	
21	5.27	5.465	80	
22	5.27	5.528	80	
23	5.27	5.644	80	
24	5.27	5.508	80	
25	5.27	5.473	80	
26	5.27	5.366	80	
27	5.27	5.675	80	
28	5.27	5.663	80	
29	5.27	5.722	80	
30	5.27	5.347	80	
31	5.27	5.417	80	
32	5.27	5.315	80	
33	5.27	5.373	80	
34	5.27	5.349	80	
35	5.27	5.527	80	
36	5.27	5.587	80	
37	5.27	5.692	80	
38	5.27	5.341	80	
39	5.27	5.345	80	
40	5.27	5.392	80	
41	5.27	5.444	80	
42	5.27	5.474	80	
43	5.27	5.297	80	*
44	5.27	5.435	80	
45	5.27	5.273	80	
46	5.27	5.616	80	
47	5.27	5.582	80	

48	5.27	5.418	80	
49	5.27	5.654	80	
50	5.27	5.593	80	
51	5.27	5.471	80	
52	5.27	5.647	80	
53	5.27	5.27	80	
54	5.27	5.543	80	
55	5.27	5.48	80	
56	5.27	5.602	80	
57	5.27	5.522	80	
58	5.27	5.316	80	
59	5.27	5.429	80	
60	5.27	5.695	80	
61	5.27	5.352	80	
62	5.27	5.685	80	
63	5.27	5.371	80	
64	5.27	5.504	80	
65	5.27	5.413	80	
66	5.27	5.51	80	
67	5.27	5.705	80	
68	5.27	5.496	80	
69	5.27	5.683	80	
70	5.27	5.643	80	
71	5.27	5.387	80	
72	5.27	5.603	80	
73	5.27	5.719	80	
74	5.27	5.545	80	
75	5.27	5.622	80	
76	5.27	5.426	80	
77	5.27	5.274	80	
78	5.27	5.655	80	
79	5.27	5.642	80	
80	5.27	5.506	80	
81	5.27	5.628	80	
82	5.27	5.282	80	*
83	5.27	5.389	80	
84	5.27	5.588	80	
85	5.27	5.632	80	
86	5.27	5.714	80	
87	5.27	5.339	80	
88	5.27	5.448	80	
89	5.27	5.537	80	
90	5.27	5.711	80	
91	5.27	5.332	80	
92	5.27	5.69	80	
93	5.27	5.688	80	
94	5.27	5.634	80	
95	5.27	5.275	80	
96	5.27	5.449	80	
97	5.27	5.68	80	
98	5.27	5.62	80	
99	5.27	5.46	80	
100	5.27	5.565	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.511	80	
2	5.27	5.3	80	*
3	5.27	5.348	80	
4	5.27	5.705	80	
5	5.27	5.601	80	
6	5.27	5.691	80	
7	5.27	5.681	80	
8	5.27	5.521	80	
9	5.27	5.489	80	
10	5.27	5.706	80	
11	5.27	5.329	80	
12	5.27	5.354	80	
13	5.27	5.408	80	
14	5.27	5.255	80	
15	5.27	5.632	80	
16	5.27	5.405	80	
17	5.27	5.701	80	
18	5.27	5.383	80	
19	5.27	5.598	80	
20	5.27	5.438	80	
21	5.27	5.307	80	
22	5.27	5.422	80	
23	5.27	5.359	80	
24	5.27	5.322	80	
25	5.27	5.709	80	
26	5.27	5.694	80	
27	5.27	5.54	80	
28	5.27	5.423	80	
29	5.27	5.592	80	
30	5.27	5.602	80	
31	5.27	5.445	80	
32	5.27	5.717	80	
33	5.27	5.497	80	
34	5.27	5.282	80	*
35	5.27	5.474	80	
36	5.27	5.395	80	
37	5.27	5.461	80	
38	5.27	5.342	80	
39	5.27	5.401	80	
40	5.27	5.444	80	
41	5.27	5.287	80	*
42	5.27	5.324	80	
43	5.27	5.62	80	
44	5.27	5.302	80	
45	5.27	5.582	80	
46	5.27	5.534	80	
47	5.27	5.513	80	

48	5.27	5.646	80	
49	5.27	5.658	80	
50	5.27	5.437	80	
51	5.27	5.435	80	
52	5.27	5.693	80	
53	5.27	5.477	80	
54	5.27	5.528	80	
55	5.27	5.653	80	
56	5.27	5.49	80	
57	5.27	5.622	80	
58	5.27	5.639	80	
59	5.27	5.36	80	
60	5.27	5.547	80	
61	5.27	5.626	80	
62	5.27	5.554	80	
63	5.27	5.377	80	
64	5.27	5.559	80	
65	5.27	5.596	80	
66	5.27	5.334	80	
67	5.27	5.637	80	
68	5.27	5.616	80	
69	5.27	5.704	80	
70	5.27	5.344	80	
71	5.27	5.27	80	
72	5.27	5.429	80	
73	5.27	5.688	80	
74	5.27	5.522	80	
75	5.27	5.484	80	
76	5.27	5.721	80	
77	5.27	5.441	80	
78	5.27	5.6	80	
79	5.27	5.373	80	
80	5.27	5.562	80	
81	5.27	5.424	80	
82	5.27	5.251	80	
83	5.27	5.677	80	
84	5.27	5.568	80	
85	5.27	5.366	80	
86	5.27	5.627	80	
87	5.27	5.299	80	*
88	5.27	5.321	80	
89	5.27	5.57	80	
90	5.27	5.597	80	
91	5.27	5.296	80	*
92	5.27	5.353	80	
93	5.27	5.649	80	
94	5.27	5.325	80	
95	5.27	5.638	80	
96	5.27	5.651	80	
97	5.27	5.442	80	
98	5.27	5.494	80	
99	5.27	5.487	80	
100	5.27	5.507	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.529	80	
2	5.27	5.383	80	
3	5.27	5.543	80	
4	5.27	5.385	80	
5	5.27	5.322	80	
6	5.27	5.441	80	
7	5.27	5.617	80	
8	5.27	5.486	80	
9	5.27	5.643	80	
10	5.27	5.42	80	
11	5.27	5.37	80	
12	5.27	5.404	80	
13	5.27	5.538	80	
14	5.27	5.695	80	
15	5.27	5.425	80	
16	5.27	5.701	80	
17	5.27	5.272	80	
18	5.27	5.342	80	
19	5.27	5.294	80	*
20	5.27	5.676	80	
21	5.27	5.473	80	
22	5.27	5.318	80	
23	5.27	5.614	80	
24	5.27	5.379	80	
25	5.27	5.632	80	
26	5.27	5.501	80	
27	5.27	5.481	80	
28	5.27	5.694	80	
29	5.27	5.616	80	
30	5.27	5.579	80	
31	5.27	5.661	80	
32	5.27	5.376	80	
33	5.27	5.378	80	
34	5.27	5.611	80	
35	5.27	5.478	80	
36	5.27	5.67	80	
37	5.27	5.641	80	
38	5.27	5.587	80	
39	5.27	5.578	80	
40	5.27	5.493	80	
41	5.27	5.402	80	
42	5.27	5.612	80	
43	5.27	5.497	80	
44	5.27	5.712	80	
45	5.27	5.599	80	
46	5.27	5.26	80	
47	5.27	5.503	80	

48	5.27	5.38	80	
49	5.27	5.25	80	
50	5.27	5.375	80	
51	5.27	5.64	80	
52	5.27	5.263	80	
53	5.27	5.298	80	*
54	5.27	5.484	80	
55	5.27	5.405	80	
56	5.27	5.321	80	
57	5.27	5.512	80	
58	5.27	5.554	80	
59	5.27	5.559	80	
60	5.27	5.334	80	
61	5.27	5.696	80	
62	5.27	5.361	80	
63	5.27	5.55	80	
64	5.27	5.605	80	
65	5.27	5.438	80	
66	5.27	5.399	80	
67	5.27	5.455	80	
68	5.27	5.288	80	*
69	5.27	5.454	80	
70	5.27	5.479	80	
71	5.27	5.366	80	
72	5.27	5.28	80	*
73	5.27	5.426	80	
74	5.27	5.343	80	
75	5.27	5.284	80	*
76	5.27	5.279	80	
77	5.27	5.644	80	
78	5.27	5.299	80	*
79	5.27	5.642	80	
80	5.27	5.468	80	
81	5.27	5.606	80	
82	5.27	5.432	80	
83	5.27	5.671	80	
84	5.27	5.265	80	
85	5.27	5.713	80	
86	5.27	5.362	80	
87	5.27	5.564	80	
88	5.27	5.634	80	
89	5.27	5.633	80	
90	5.27	5.296	80	*
91	5.27	5.715	80	
92	5.27	5.658	80	
93	5.27	5.449	80	
94	5.27	5.352	80	
95	5.27	5.308	80	
96	5.27	5.412	80	
97	5.27	5.526	80	
98	5.27	5.429	80	
99	5.27	5.27	80	
100	5.27	5.665	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.685	80	
2	5.27	5.686	80	
3	5.27	5.498	80	
4	5.27	5.72	80	
5	5.27	5.522	80	
6	5.27	5.455	80	
7	5.27	5.682	80	
8	5.27	5.58	80	
9	5.27	5.631	80	
10	5.27	5.604	80	
11	5.27	5.259	80	
12	5.27	5.666	80	
13	5.27	5.299	80	*
14	5.27	5.384	80	
15	5.27	5.305	80	
16	5.27	5.315	80	
17	5.27	5.446	80	
18	5.27	5.495	80	
19	5.27	5.558	80	
20	5.27	5.364	80	
21	5.27	5.314	80	
22	5.27	5.334	80	
23	5.27	5.485	80	
24	5.27	5.361	80	
25	5.27	5.602	80	
26	5.27	5.701	80	
27	5.27	5.432	80	
28	5.27	5.586	80	
29	5.27	5.491	80	
30	5.27	5.32	80	
31	5.27	5.65	80	
32	5.27	5.622	80	
33	5.27	5.546	80	
34	5.27	5.714	80	
35	5.27	5.553	80	
36	5.27	5.653	80	
37	5.27	5.53	80	
38	5.27	5.516	80	
39	5.27	5.434	80	
40	5.27	5.283	80	*
41	5.27	5.437	80	
42	5.27	5.35	80	
43	5.27	5.365	80	
44	5.27	5.717	80	
45	5.27	5.654	80	
46	5.27	5.273	80	
47	5.27	5.494	80	

48	5.27	5.599	80	
49	5.27	5.626	80	
50	5.27	5.706	80	
51	5.27	5.541	80	
52	5.27	5.633	80	
53	5.27	5.583	80	
54	5.27	5.281	80	*
55	5.27	5.307	80	
56	5.27	5.479	80	
57	5.27	5.703	80	
58	5.27	5.26	80	
59	5.27	5.362	80	
60	5.27	5.302	80	
61	5.27	5.559	80	
62	5.27	5.648	80	
63	5.27	5.336	80	
64	5.27	5.505	80	
65	5.27	5.515	80	
66	5.27	5.312	80	
67	5.27	5.715	80	
68	5.27	5.664	80	
69	5.27	5.275	80	
70	5.27	5.282	80	*
71	5.27	5.7	80	
72	5.27	5.344	80	
73	5.27	5.646	80	
74	5.27	5.477	80	
75	5.27	5.448	80	
76	5.27	5.33	80	
77	5.27	5.425	80	
78	5.27	5.44	80	
79	5.27	5.661	80	
80	5.27	5.419	80	
81	5.27	5.265	80	
82	5.27	5.702	80	
83	5.27	5.721	80	
84	5.27	5.311	80	
85	5.27	5.291	80	*
86	5.27	5.398	80	
87	5.27	5.397	80	
88	5.27	5.549	80	
89	5.27	5.452	80	
90	5.27	5.62	80	
91	5.27	5.399	80	
92	5.27	5.611	80	
93	5.27	5.252	80	
94	5.27	5.36	80	
95	5.27	5.325	80	
96	5.27	5.258	80	
97	5.27	5.56	80	
98	5.27	5.584	80	
99	5.27	5.643	80	
100	5.27	5.376	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.656	80	
2	5.27	5.696	80	
3	5.27	5.494	80	
4	5.27	5.59	80	
5	5.27	5.623	80	
6	5.27	5.645	80	
7	5.27	5.611	80	
8	5.27	5.7	80	
9	5.27	5.632	80	
10	5.27	5.722	80	
11	5.27	5.709	80	
12	5.27	5.451	80	
13	5.27	5.406	80	
14	5.27	5.57	80	
15	5.27	5.641	80	
16	5.27	5.689	80	
17	5.27	5.419	80	
18	5.27	5.702	80	
19	5.27	5.372	80	
20	5.27	5.502	80	
21	5.27	5.252	80	
22	5.27	5.381	80	
23	5.27	5.283	80	*
24	5.27	5.484	80	
25	5.27	5.694	80	
26	5.27	5.677	80	
27	5.27	5.515	80	
28	5.27	5.257	80	
29	5.27	5.542	80	
30	5.27	5.366	80	
31	5.27	5.464	80	
32	5.27	5.364	80	
33	5.27	5.701	80	
34	5.27	5.334	80	
35	5.27	5.333	80	
36	5.27	5.483	80	
37	5.27	5.403	80	
38	5.27	5.431	80	
39	5.27	5.394	80	
40	5.27	5.642	80	
41	5.27	5.301	80	
42	5.27	5.594	80	
43	5.27	5.659	80	
44	5.27	5.426	80	
45	5.27	5.404	80	
46	5.27	5.624	80	
47	5.27	5.675	80	

48	5.27	5.373	80	
49	5.27	5.376	80	
50	5.27	5.658	80	
51	5.27	5.353	80	
52	5.27	5.612	80	
53	5.27	5.638	80	
54	5.27	5.296	80	*
55	5.27	5.572	80	
56	5.27	5.463	80	
57	5.27	5.614	80	
58	5.27	5.561	80	
59	5.27	5.583	80	
60	5.27	5.269	80	
61	5.27	5.581	80	
62	5.27	5.711	80	
63	5.27	5.378	80	
64	5.27	5.337	80	
65	5.27	5.526	80	
66	5.27	5.493	80	
67	5.27	5.714	80	
68	5.27	5.643	80	
69	5.27	5.298	80	*
70	5.27	5.692	80	
71	5.27	5.577	80	
72	5.27	5.518	80	
73	5.27	5.597	80	
74	5.27	5.625	80	
75	5.27	5.605	80	
76	5.27	5.644	80	
77	5.27	5.311	80	
78	5.27	5.486	80	
79	5.27	5.4	80	
80	5.27	5.663	80	
81	5.27	5.449	80	
82	5.27	5.578	80	
83	5.27	5.412	80	
84	5.27	5.299	80	*
85	5.27	5.691	80	
86	5.27	5.367	80	
87	5.27	5.547	80	
88	5.27	5.38	80	
89	5.27	5.718	80	
90	5.27	5.546	80	
91	5.27	5.435	80	
92	5.27	5.68	80	
93	5.27	5.423	80	
94	5.27	5.517	80	
95	5.27	5.707	80	
96	5.27	5.439	80	
97	5.27	5.326	80	
98	5.27	5.571	80	
99	5.27	5.345	80	
100	5.27	5.461	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.522	80	
2	5.27	5.344	80	
3	5.27	5.577	80	
4	5.27	5.688	80	
5	5.27	5.281	80	*
6	5.27	5.295	80	*
7	5.27	5.507	80	
8	5.27	5.278	80	
9	5.27	5.63	80	
10	5.27	5.355	80	
11	5.27	5.44	80	
12	5.27	5.336	80	
13	5.27	5.302	80	
14	5.27	5.286	80	*
15	5.27	5.305	80	
16	5.27	5.458	80	
17	5.27	5.371	80	
18	5.27	5.559	80	
19	5.27	5.361	80	
20	5.27	5.288	80	*
21	5.27	5.692	80	
22	5.27	5.373	80	
23	5.27	5.442	80	
24	5.27	5.566	80	
25	5.27	5.574	80	
26	5.27	5.515	80	
27	5.27	5.654	80	
28	5.27	5.261	80	
29	5.27	5.703	80	
30	5.27	5.523	80	
31	5.27	5.694	80	
32	5.27	5.395	80	
33	5.27	5.594	80	
34	5.27	5.555	80	
35	5.27	5.59	80	
36	5.27	5.429	80	
37	5.27	5.306	80	
38	5.27	5.264	80	
39	5.27	5.638	80	
40	5.27	5.413	80	
41	5.27	5.639	80	
42	5.27	5.568	80	
43	5.27	5.572	80	
44	5.27	5.546	80	
45	5.27	5.567	80	
46	5.27	5.671	80	
47	5.27	5.312	80	

48	5.27	5.715	80	
49	5.27	5.724	80	
50	5.27	5.51	80	
51	5.27	5.557	80	
52	5.27	5.537	80	
53	5.27	5.366	80	
54	5.27	5.428	80	
55	5.27	5.495	80	
56	5.27	5.682	80	
57	5.27	5.679	80	
58	5.27	5.558	80	
59	5.27	5.665	80	
60	5.27	5.342	80	
61	5.27	5.498	80	
62	5.27	5.689	80	
63	5.27	5.549	80	
64	5.27	5.432	80	
65	5.27	5.605	80	
66	5.27	5.695	80	
67	5.27	5.527	80	
68	5.27	5.291	80	*
69	5.27	5.641	80	
70	5.27	5.521	80	
71	5.27	5.606	80	
72	5.27	5.66	80	
73	5.27	5.351	80	
74	5.27	5.392	80	
75	5.27	5.476	80	
76	5.27	5.449	80	
77	5.27	5.58	80	
78	5.27	5.445	80	
79	5.27	5.314	80	
80	5.27	5.436	80	
81	5.27	5.391	80	
82	5.27	5.29	80	*
83	5.27	5.517	80	
84	5.27	5.28	80	*
85	5.27	5.357	80	
86	5.27	5.45	80	
87	5.27	5.311	80	
88	5.27	5.518	80	
89	5.27	5.466	80	
90	5.27	5.271	80	
91	5.27	5.708	80	
92	5.27	5.375	80	
93	5.27	5.34	80	
94	5.27	5.274	80	
95	5.27	5.707	80	
96	5.27	5.254	80	
97	5.27	5.611	80	
98	5.27	5.374	80	
99	5.27	5.352	80	
100	5.27	5.681	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.634	80	
2	5.27	5.611	80	
3	5.27	5.498	80	
4	5.27	5.694	80	
5	5.27	5.262	80	
6	5.27	5.362	80	
7	5.27	5.343	80	
8	5.27	5.345	80	
9	5.27	5.674	80	
10	5.27	5.376	80	
11	5.27	5.677	80	
12	5.27	5.499	80	
13	5.27	5.313	80	
14	5.27	5.604	80	
15	5.27	5.59	80	
16	5.27	5.268	80	
17	5.27	5.56	80	
18	5.27	5.697	80	
19	5.27	5.529	80	
20	5.27	5.42	80	
21	5.27	5.48	80	
22	5.27	5.47	80	
23	5.27	5.361	80	
24	5.27	5.281	80	*
25	5.27	5.349	80	
26	5.27	5.533	80	
27	5.27	5.36	80	
28	5.27	5.487	80	
29	5.27	5.342	80	
30	5.27	5.32	80	
31	5.27	5.463	80	
32	5.27	5.285	80	*
33	5.27	5.536	80	
34	5.27	5.384	80	
35	5.27	5.332	80	
36	5.27	5.378	80	
37	5.27	5.483	80	
38	5.27	5.692	80	
39	5.27	5.724	80	
40	5.27	5.501	80	
41	5.27	5.412	80	
42	5.27	5.319	80	
43	5.27	5.46	80	
44	5.27	5.279	80	
45	5.27	5.552	80	
46	5.27	5.561	80	
47	5.27	5.402	80	

48	5.27	5.315	80	
49	5.27	5.585	80	
50	5.27	5.263	80	
51	5.27	5.709	80	
52	5.27	5.462	80	
53	5.27	5.365	80	
54	5.27	5.366	80	
55	5.27	5.485	80	
56	5.27	5.685	80	
57	5.27	5.266	80	
58	5.27	5.316	80	
59	5.27	5.336	80	
60	5.27	5.459	80	
61	5.27	5.519	80	
62	5.27	5.572	80	
63	5.27	5.488	80	
64	5.27	5.293	80	*
65	5.27	5.272	80	
66	5.27	5.617	80	
67	5.27	5.298	80	*
68	5.27	5.522	80	
69	5.27	5.385	80	
70	5.27	5.364	80	
71	5.27	5.691	80	
72	5.27	5.489	80	
73	5.27	5.29	80	*
74	5.27	5.406	80	
75	5.27	5.646	80	
76	5.27	5.355	80	
77	5.27	5.335	80	
78	5.27	5.447	80	
79	5.27	5.612	80	
80	5.27	5.446	80	
81	5.27	5.305	80	
82	5.27	5.452	80	
83	5.27	5.55	80	
84	5.27	5.276	80	
85	5.27	5.654	80	
86	5.27	5.44	80	
87	5.27	5.571	80	
88	5.27	5.37	80	
89	5.27	5.435	80	
90	5.27	5.433	80	
91	5.27	5.302	80	
92	5.27	5.596	80	
93	5.27	5.43	80	
94	5.27	5.602	80	
95	5.27	5.523	80	
96	5.27	5.307	80	
97	5.27	5.503	80	
98	5.27	5.687	80	
99	5.27	5.506	80	
100	5.27	5.568	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.612	80	
2	5.27	5.321	80	
3	5.27	5.433	80	
4	5.27	5.509	80	
5	5.27	5.647	80	
6	5.27	5.426	80	
7	5.27	5.676	80	
8	5.27	5.63	80	
9	5.27	5.265	80	
10	5.27	5.496	80	
11	5.27	5.62	80	
12	5.27	5.499	80	
13	5.27	5.552	80	
14	5.27	5.539	80	
15	5.27	5.555	80	
16	5.27	5.624	80	
17	5.27	5.705	80	
18	5.27	5.652	80	
19	5.27	5.269	80	
20	5.27	5.273	80	
21	5.27	5.409	80	
22	5.27	5.25	80	
23	5.27	5.664	80	
24	5.27	5.466	80	
25	5.27	5.653	80	
26	5.27	5.414	80	
27	5.27	5.455	80	
28	5.27	5.658	80	
29	5.27	5.281	80	*
30	5.27	5.285	80	*
31	5.27	5.595	80	
32	5.27	5.574	80	
33	5.27	5.306	80	
34	5.27	5.713	80	
35	5.27	5.506	80	
36	5.27	5.687	80	
37	5.27	5.415	80	
38	5.27	5.623	80	
39	5.27	5.406	80	
40	5.27	5.614	80	
41	5.27	5.437	80	
42	5.27	5.618	80	
43	5.27	5.572	80	
44	5.27	5.385	80	
45	5.27	5.35	80	
46	5.27	5.456	80	
47	5.27	5.644	80	

48	5.27	5.631	80	
49	5.27	5.715	80	
50	5.27	5.447	80	
51	5.27	5.638	80	
52	5.27	5.546	80	
53	5.27	5.301	80	
54	5.27	5.425	80	
55	5.27	5.319	80	
56	5.27	5.454	80	
57	5.27	5.325	80	
58	5.27	5.395	80	
59	5.27	5.439	80	
60	5.27	5.511	80	
61	5.27	5.313	80	
62	5.27	5.279	80	
63	5.27	5.419	80	
64	5.27	5.332	80	
65	5.27	5.616	80	
66	5.27	5.334	80	
67	5.27	5.606	80	
68	5.27	5.538	80	
69	5.27	5.403	80	
70	5.27	5.361	80	
71	5.27	5.696	80	
72	5.27	5.518	80	
73	5.27	5.483	80	
74	5.27	5.558	80	
75	5.27	5.48	80	
76	5.27	5.295	80	*
77	5.27	5.634	80	
78	5.27	5.362	80	
79	5.27	5.607	80	
80	5.27	5.308	80	
81	5.27	5.311	80	
82	5.27	5.491	80	
83	5.27	5.366	80	
84	5.27	5.424	80	
85	5.27	5.72	80	
86	5.27	5.354	80	
87	5.27	5.597	80	
88	5.27	5.337	80	
89	5.27	5.475	80	
90	5.27	5.272	80	
91	5.27	5.444	80	
92	5.27	5.376	80	
93	5.27	5.695	80	
94	5.27	5.698	80	
95	5.27	5.282	80	*
96	5.27	5.324	80	
97	5.27	5.65	80	
98	5.27	5.387	80	
99	5.27	5.435	80	
100	5.27	5.262	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.306	80	
2	5.27	5.521	80	
3	5.27	5.516	80	
4	5.27	5.495	80	
5	5.27	5.47	80	
6	5.27	5.481	80	
7	5.27	5.705	80	
8	5.27	5.295	80	*
9	5.27	5.467	80	
10	5.27	5.6	80	
11	5.27	5.287	80	*
12	5.27	5.633	80	
13	5.27	5.415	80	
14	5.27	5.46	80	
15	5.27	5.643	80	
16	5.27	5.63	80	
17	5.27	5.449	80	
18	5.27	5.261	80	
19	5.27	5.347	80	
20	5.27	5.593	80	
21	5.27	5.579	80	
22	5.27	5.568	80	
23	5.27	5.517	80	
24	5.27	5.32	80	
25	5.27	5.503	80	
26	5.27	5.378	80	
27	5.27	5.651	80	
28	5.27	5.554	80	
29	5.27	5.414	80	
30	5.27	5.514	80	
31	5.27	5.357	80	
32	5.27	5.585	80	
33	5.27	5.253	80	
34	5.27	5.608	80	
35	5.27	5.598	80	
36	5.27	5.375	80	
37	5.27	5.456	80	
38	5.27	5.707	80	
39	5.27	5.513	80	
40	5.27	5.624	80	
41	5.27	5.499	80	
42	5.27	5.564	80	
43	5.27	5.49	80	
44	5.27	5.611	80	
45	5.27	5.441	80	
46	5.27	5.343	80	
47	5.27	5.359	80	

48	5.27	5.612	80	
49	5.27	5.672	80	
50	5.27	5.65	80	
51	5.27	5.485	80	
52	5.27	5.525	80	
53	5.27	5.599	80	
54	5.27	5.276	80	
55	5.27	5.53	80	
56	5.27	5.282	80	*
57	5.27	5.328	80	
58	5.27	5.648	80	
59	5.27	5.69	80	
60	5.27	5.583	80	
61	5.27	5.673	80	
62	5.27	5.288	80	*
63	5.27	5.269	80	
64	5.27	5.437	80	
65	5.27	5.427	80	
66	5.27	5.299	80	*
67	5.27	5.447	80	
68	5.27	5.492	80	
69	5.27	5.569	80	
70	5.27	5.421	80	
71	5.27	5.566	80	
72	5.27	5.443	80	
73	5.27	5.307	80	
74	5.27	5.321	80	
75	5.27	5.412	80	
76	5.27	5.56	80	
77	5.27	5.426	80	
78	5.27	5.542	80	
79	5.27	5.482	80	
80	5.27	5.352	80	
81	5.27	5.473	80	
82	5.27	5.42	80	
83	5.27	5.539	80	
84	5.27	5.453	80	
85	5.27	5.538	80	
86	5.27	5.625	80	
87	5.27	5.505	80	
88	5.27	5.714	80	
89	5.27	5.439	80	
90	5.27	5.309	80	
91	5.27	5.718	80	
92	5.27	5.512	80	
93	5.27	5.565	80	
94	5.27	5.497	80	
95	5.27	5.279	80	
96	5.27	5.38	80	
97	5.27	5.468	80	
98	5.27	5.59	80	
99	5.27	5.543	80	
100	5.27	5.567	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.538	80	
2	5.27	5.559	80	
3	5.27	5.421	80	
4	5.27	5.549	80	
5	5.27	5.25	80	
6	5.27	5.658	80	
7	5.27	5.29	80	*
8	5.27	5.629	80	
9	5.27	5.426	80	
10	5.27	5.283	80	*
11	5.27	5.393	80	
12	5.27	5.607	80	
13	5.27	5.439	80	
14	5.27	5.622	80	
15	5.27	5.693	80	
16	5.27	5.646	80	
17	5.27	5.412	80	
18	5.27	5.595	80	
19	5.27	5.27	80	
20	5.27	5.574	80	
21	5.27	5.638	80	
22	5.27	5.363	80	
23	5.27	5.456	80	
24	5.27	5.437	80	
25	5.27	5.59	80	
26	5.27	5.444	80	
27	5.27	5.47	80	
28	5.27	5.647	80	
29	5.27	5.623	80	
30	5.27	5.724	80	
31	5.27	5.58	80	
32	5.27	5.296	80	*
33	5.27	5.583	80	
34	5.27	5.522	80	
35	5.27	5.616	80	
36	5.27	5.692	80	
37	5.27	5.588	80	
38	5.27	5.679	80	
39	5.27	5.485	80	
40	5.27	5.631	80	
41	5.27	5.436	80	
42	5.27	5.611	80	
43	5.27	5.546	80	
44	5.27	5.483	80	
45	5.27	5.401	80	
46	5.27	5.689	80	
47	5.27	5.272	80	

48	5.27	5.65	80	
49	5.27	5.266	80	
50	5.27	5.38	80	
51	5.27	5.259	80	
52	5.27	5.649	80	
53	5.27	5.576	80	
54	5.27	5.558	80	
55	5.27	5.411	80	
56	5.27	5.339	80	
57	5.27	5.513	80	
58	5.27	5.443	80	
59	5.27	5.703	80	
60	5.27	5.642	80	
61	5.27	5.597	80	
62	5.27	5.609	80	
63	5.27	5.3	80	*
64	5.27	5.677	80	
65	5.27	5.286	80	*
66	5.27	5.596	80	
67	5.27	5.279	80	
68	5.27	5.606	80	
69	5.27	5.416	80	
70	5.27	5.684	80	
71	5.27	5.399	80	
72	5.27	5.614	80	
73	5.27	5.275	80	
74	5.27	5.593	80	
75	5.27	5.529	80	
76	5.27	5.564	80	
77	5.27	5.643	80	
78	5.27	5.652	80	
79	5.27	5.397	80	
80	5.27	5.655	80	
81	5.27	5.492	80	
82	5.27	5.276	80	
83	5.27	5.358	80	
84	5.27	5.316	80	
85	5.27	5.288	80	*
86	5.27	5.457	80	
87	5.27	5.379	80	
88	5.27	5.687	80	
89	5.27	5.475	80	
90	5.27	5.46	80	
91	5.27	5.473	80	
92	5.27	5.624	80	
93	5.27	5.686	80	
94	5.27	5.33	80	
95	5.27	5.721	80	
96	5.27	5.716	80	
97	5.27	5.321	80	
98	5.27	5.465	80	
99	5.27	5.41	80	
100	5.27	5.537	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.61	80	
2	5.27	5.298	80	*
3	5.27	5.401	80	
4	5.27	5.277	80	
5	5.27	5.293	80	*
6	5.27	5.573	80	
7	5.27	5.442	80	
8	5.27	5.679	80	
9	5.27	5.418	80	
10	5.27	5.501	80	
11	5.27	5.324	80	
12	5.27	5.291	80	*
13	5.27	5.608	80	
14	5.27	5.306	80	
15	5.27	5.629	80	
16	5.27	5.69	80	
17	5.27	5.459	80	
18	5.27	5.475	80	
19	5.27	5.523	80	
20	5.27	5.299	80	*
21	5.27	5.527	80	
22	5.27	5.576	80	
23	5.27	5.691	80	
24	5.27	5.542	80	
25	5.27	5.678	80	
26	5.27	5.383	80	
27	5.27	5.701	80	
28	5.27	5.278	80	
29	5.27	5.296	80	*
30	5.27	5.458	80	
31	5.27	5.286	80	*
32	5.27	5.437	80	
33	5.27	5.517	80	
34	5.27	5.44	80	
35	5.27	5.687	80	
36	5.27	5.364	80	
37	5.27	5.56	80	
38	5.27	5.652	80	
39	5.27	5.275	80	
40	5.27	5.433	80	
41	5.27	5.504	80	
42	5.27	5.329	80	
43	5.27	5.446	80	
44	5.27	5.43	80	
45	5.27	5.548	80	
46	5.27	5.718	80	
47	5.27	5.591	80	

48	5.27	5.482	80	
49	5.27	5.655	80	
50	5.27	5.71	80	
51	5.27	5.715	80	
52	5.27	5.32	80	
53	5.27	5.443	80	
54	5.27	5.489	80	
55	5.27	5.304	80	
56	5.27	5.421	80	
57	5.27	5.279	80	
58	5.27	5.499	80	
59	5.27	5.412	80	
60	5.27	5.589	80	
61	5.27	5.615	80	
62	5.27	5.535	80	
63	5.27	5.601	80	
64	5.27	5.568	80	
65	5.27	5.311	80	
66	5.27	5.269	80	
67	5.27	5.251	80	
68	5.27	5.419	80	
69	5.27	5.318	80	
70	5.27	5.402	80	
71	5.27	5.598	80	
72	5.27	5.59	80	
73	5.27	5.484	80	
74	5.27	5.574	80	
75	5.27	5.703	80	
76	5.27	5.262	80	
77	5.27	5.303	80	
78	5.27	5.671	80	
79	5.27	5.674	80	
80	5.27	5.662	80	
81	5.27	5.692	80	
82	5.27	5.62	80	
83	5.27	5.712	80	
84	5.27	5.468	80	
85	5.27	5.63	80	
86	5.27	5.372	80	
87	5.27	5.588	80	
88	5.27	5.391	80	
89	5.27	5.305	80	
90	5.27	5.58	80	
91	5.27	5.336	80	
92	5.27	5.342	80	
93	5.27	5.353	80	
94	5.27	5.677	80	
95	5.27	5.567	80	
96	5.27	5.619	80	
97	5.27	5.628	80	
98	5.27	5.3	80	*
99	5.27	5.266	80	
100	5.27	5.457	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.501	80	
2	5.27	5.527	80	
3	5.27	5.68	80	
4	5.27	5.683	80	
5	5.27	5.604	80	
6	5.27	5.685	80	
7	5.27	5.553	80	
8	5.27	5.562	80	
9	5.27	5.392	80	
10	5.27	5.463	80	
11	5.27	5.699	80	
12	5.27	5.712	80	
13	5.27	5.384	80	
14	5.27	5.677	80	
15	5.27	5.458	80	
16	5.27	5.533	80	
17	5.27	5.402	80	
18	5.27	5.67	80	
19	5.27	5.585	80	
20	5.27	5.618	80	
21	5.27	5.71	80	
22	5.27	5.443	80	
23	5.27	5.674	80	
24	5.27	5.641	80	
25	5.27	5.531	80	
26	5.27	5.581	80	
27	5.27	5.375	80	
28	5.27	5.658	80	
29	5.27	5.521	80	
30	5.27	5.466	80	
31	5.27	5.611	80	
32	5.27	5.411	80	
33	5.27	5.629	80	
34	5.27	5.343	80	
35	5.27	5.388	80	
36	5.27	5.447	80	
37	5.27	5.282	80	*
38	5.27	5.632	80	
39	5.27	5.668	80	
40	5.27	5.417	80	
41	5.27	5.623	80	
42	5.27	5.715	80	
43	5.27	5.295	80	*
44	5.27	5.522	80	
45	5.27	5.328	80	
46	5.27	5.335	80	
47	5.27	5.406	80	

48	5.27	5.359	80	
49	5.27	5.438	80	
50	5.27	5.305	80	
51	5.27	5.488	80	
52	5.27	5.449	80	
53	5.27	5.448	80	
54	5.27	5.278	80	
55	5.27	5.637	80	
56	5.27	5.412	80	
57	5.27	5.54	80	
58	5.27	5.444	80	
59	5.27	5.502	80	
60	5.27	5.446	80	
61	5.27	5.574	80	
62	5.27	5.336	80	
63	5.27	5.326	80	
64	5.27	5.404	80	
65	5.27	5.362	80	
66	5.27	5.515	80	
67	5.27	5.549	80	
68	5.27	5.315	80	
69	5.27	5.534	80	
70	5.27	5.482	80	
71	5.27	5.58	80	
72	5.27	5.598	80	
73	5.27	5.633	80	
74	5.27	5.695	80	
75	5.27	5.337	80	
76	5.27	5.616	80	
77	5.27	5.268	80	
78	5.27	5.694	80	
79	5.27	5.707	80	
80	5.27	5.686	80	
81	5.27	5.304	80	
82	5.27	5.539	80	
83	5.27	5.44	80	
84	5.27	5.33	80	
85	5.27	5.575	80	
86	5.27	5.32	80	
87	5.27	5.516	80	
88	5.27	5.555	80	
89	5.27	5.681	80	
90	5.27	5.541	80	
91	5.27	5.478	80	
92	5.27	5.593	80	
93	5.27	5.289	80	*
94	5.27	5.666	80	
95	5.27	5.259	80	
96	5.27	5.688	80	
97	5.27	5.487	80	
98	5.27	5.519	80	
99	5.27	5.721	80	
100	5.27	5.357	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.619	80	
2	5.27	5.421	80	
3	5.27	5.439	80	
4	5.27	5.515	80	
5	5.27	5.334	80	
6	5.27	5.371	80	
7	5.27	5.693	80	
8	5.27	5.547	80	
9	5.27	5.652	80	
10	5.27	5.373	80	
11	5.27	5.476	80	
12	5.27	5.677	80	
13	5.27	5.564	80	
14	5.27	5.645	80	
15	5.27	5.616	80	
16	5.27	5.25	80	
17	5.27	5.409	80	
18	5.27	5.648	80	
19	5.27	5.562	80	
20	5.27	5.69	80	
21	5.27	5.405	80	
22	5.27	5.452	80	
23	5.27	5.717	80	
24	5.27	5.511	80	
25	5.27	5.572	80	
26	5.27	5.474	80	
27	5.27	5.386	80	
28	5.27	5.514	80	
29	5.27	5.426	80	
30	5.27	5.323	80	
31	5.27	5.312	80	
32	5.27	5.41	80	
33	5.27	5.551	80	
34	5.27	5.54	80	
35	5.27	5.423	80	
36	5.27	5.298	80	*
37	5.27	5.584	80	
38	5.27	5.492	80	
39	5.27	5.348	80	
40	5.27	5.484	80	
41	5.27	5.528	80	
42	5.27	5.694	80	
43	5.27	5.282	80	*
44	5.27	5.667	80	
45	5.27	5.351	80	
46	5.27	5.661	80	
47	5.27	5.434	80	

48	5.27	5.698	80	
49	5.27	5.676	80	
50	5.27	5.268	80	
51	5.27	5.548	80	
52	5.27	5.615	80	
53	5.27	5.483	80	
54	5.27	5.261	80	
55	5.27	5.558	80	
56	5.27	5.335	80	
57	5.27	5.51	80	
58	5.27	5.684	80	
59	5.27	5.662	80	
60	5.27	5.363	80	
61	5.27	5.593	80	
62	5.27	5.314	80	
63	5.27	5.623	80	
64	5.27	5.296	80	*
65	5.27	5.28	80	*
66	5.27	5.555	80	
67	5.27	5.7	80	
68	5.27	5.324	80	
69	5.27	5.436	80	
70	5.27	5.631	80	
71	5.27	5.646	80	
72	5.27	5.425	80	
73	5.27	5.433	80	
74	5.27	5.305	80	
75	5.27	5.336	80	
76	5.27	5.585	80	
77	5.27	5.339	80	
78	5.27	5.497	80	
79	5.27	5.428	80	
80	5.27	5.53	80	
81	5.27	5.565	80	
82	5.27	5.546	80	
83	5.27	5.326	80	
84	5.27	5.459	80	
85	5.27	5.269	80	
86	5.27	5.449	80	
87	5.27	5.353	80	
88	5.27	5.715	80	
89	5.27	5.658	80	
90	5.27	5.33	80	
91	5.27	5.47	80	
92	5.27	5.349	80	
93	5.27	5.632	80	
94	5.27	5.714	80	
95	5.27	5.302	80	
96	5.27	5.394	80	
97	5.27	5.253	80	
98	5.27	5.466	80	
99	5.27	5.71	80	
100	5.27	5.463	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.612	80	
2	5.27	5.532	80	
3	5.27	5.419	80	
4	5.27	5.344	80	
5	5.27	5.522	80	
6	5.27	5.51	80	
7	5.27	5.283	80	*
8	5.27	5.66	80	
9	5.27	5.327	80	
10	5.27	5.576	80	
11	5.27	5.432	80	
12	5.27	5.441	80	
13	5.27	5.712	80	
14	5.27	5.346	80	
15	5.27	5.279	80	
16	5.27	5.388	80	
17	5.27	5.45	80	
18	5.27	5.623	80	
19	5.27	5.553	80	
20	5.27	5.452	80	
21	5.27	5.263	80	
22	5.27	5.531	80	
23	5.27	5.513	80	
24	5.27	5.442	80	
25	5.27	5.632	80	
26	5.27	5.291	80	*
27	5.27	5.688	80	
28	5.27	5.647	80	
29	5.27	5.652	80	
30	5.27	5.565	80	
31	5.27	5.693	80	
32	5.27	5.328	80	
33	5.27	5.425	80	
34	5.27	5.537	80	
35	5.27	5.627	80	
36	5.27	5.448	80	
37	5.27	5.544	80	
38	5.27	5.591	80	
39	5.27	5.339	80	
40	5.27	5.408	80	
41	5.27	5.366	80	
42	5.27	5.496	80	
43	5.27	5.692	80	
44	5.27	5.504	80	
45	5.27	5.582	80	
46	5.27	5.48	80	
47	5.27	5.422	80	

48	5.27	5.57	80	
49	5.27	5.27	80	
50	5.27	5.586	80	
51	5.27	5.554	80	
52	5.27	5.521	80	
53	5.27	5.378	80	
54	5.27	5.341	80	
55	5.27	5.468	80	
56	5.27	5.447	80	
57	5.27	5.506	80	
58	5.27	5.352	80	
59	5.27	5.459	80	
60	5.27	5.429	80	
61	5.27	5.65	80	
62	5.27	5.25	80	
63	5.27	5.277	80	
64	5.27	5.658	80	
65	5.27	5.446	80	
66	5.27	5.398	80	
67	5.27	5.306	80	
68	5.27	5.516	80	
69	5.27	5.56	80	
70	5.27	5.677	80	
71	5.27	5.252	80	
72	5.27	5.372	80	
73	5.27	5.569	80	
74	5.27	5.609	80	
75	5.27	5.376	80	
76	5.27	5.654	80	
77	5.27	5.639	80	
78	5.27	5.651	80	
79	5.27	5.389	80	
80	5.27	5.671	80	
81	5.27	5.716	80	
82	5.27	5.266	80	
83	5.27	5.423	80	
84	5.27	5.467	80	
85	5.27	5.695	80	
86	5.27	5.333	80	
87	5.27	5.293	80	*
88	5.27	5.672	80	
89	5.27	5.482	80	
90	5.27	5.329	80	
91	5.27	5.254	80	
92	5.27	5.568	80	
93	5.27	5.557	80	
94	5.27	5.437	80	
95	5.27	5.392	80	
96	5.27	5.653	80	
97	5.27	5.314	80	
98	5.27	5.281	80	*
99	5.27	5.371	80	
100	5.27	5.588	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.289	80	*
2	5.27	5.283	80	*
3	5.27	5.428	80	
4	5.27	5.268	80	
5	5.27	5.257	80	
6	5.27	5.577	80	
7	5.27	5.499	80	
8	5.27	5.261	80	
9	5.27	5.662	80	
10	5.27	5.264	80	
11	5.27	5.325	80	
12	5.27	5.281	80	*
13	5.27	5.67	80	
14	5.27	5.611	80	
15	5.27	5.417	80	
16	5.27	5.362	80	
17	5.27	5.301	80	
18	5.27	5.282	80	*
19	5.27	5.557	80	
20	5.27	5.493	80	
21	5.27	5.643	80	
22	5.27	5.516	80	
23	5.27	5.449	80	
24	5.27	5.262	80	
25	5.27	5.634	80	
26	5.27	5.33	80	
27	5.27	5.682	80	
28	5.27	5.692	80	
29	5.27	5.307	80	
30	5.27	5.403	80	
31	5.27	5.355	80	
32	5.27	5.707	80	
33	5.27	5.623	80	
34	5.27	5.567	80	
35	5.27	5.64	80	
36	5.27	5.424	80	
37	5.27	5.453	80	
38	5.27	5.416	80	
39	5.27	5.646	80	
40	5.27	5.321	80	
41	5.27	5.379	80	
42	5.27	5.386	80	
43	5.27	5.26	80	
44	5.27	5.349	80	
45	5.27	5.555	80	
46	5.27	5.291	80	*
47	5.27	5.44	80	

48	5.27	5.683	80	
49	5.27	5.302	80	
50	5.27	5.345	80	
51	5.27	5.446	80	
52	5.27	5.675	80	
53	5.27	5.578	80	
54	5.27	5.613	80	
55	5.27	5.673	80	
56	5.27	5.674	80	
57	5.27	5.438	80	
58	5.27	5.714	80	
59	5.27	5.323	80	
60	5.27	5.464	80	
61	5.27	5.706	80	
62	5.27	5.685	80	
63	5.27	5.661	80	
64	5.27	5.489	80	
65	5.27	5.505	80	
66	5.27	5.719	80	
67	5.27	5.494	80	
68	5.27	5.705	80	
69	5.27	5.305	80	
70	5.27	5.602	80	
71	5.27	5.521	80	
72	5.27	5.487	80	
73	5.27	5.378	80	
74	5.27	5.256	80	
75	5.27	5.551	80	
76	5.27	5.384	80	
77	5.27	5.366	80	
78	5.27	5.507	80	
79	5.27	5.548	80	
80	5.27	5.609	80	
81	5.27	5.427	80	
82	5.27	5.399	80	
83	5.27	5.382	80	
84	5.27	5.654	80	
85	5.27	5.448	80	
86	5.27	5.374	80	
87	5.27	5.698	80	
88	5.27	5.4	80	
89	5.27	5.556	80	
90	5.27	5.418	80	
91	5.27	5.559	80	
92	5.27	5.533	80	
93	5.27	5.515	80	
94	5.27	5.353	80	
95	5.27	5.579	80	
96	5.27	5.506	80	
97	5.27	5.72	80	
98	5.27	5.512	80	
99	5.27	5.702	80	
100	5.27	5.51	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.4	80	
2	5.27	5.713	80	
3	5.27	5.494	80	
4	5.27	5.559	80	
5	5.27	5.464	80	
6	5.27	5.637	80	
7	5.27	5.397	80	
8	5.27	5.533	80	
9	5.27	5.642	80	
10	5.27	5.491	80	
11	5.27	5.709	80	
12	5.27	5.5	80	
13	5.27	5.653	80	
14	5.27	5.692	80	
15	5.27	5.474	80	
16	5.27	5.722	80	
17	5.27	5.581	80	
18	5.27	5.429	80	
19	5.27	5.402	80	
20	5.27	5.523	80	
21	5.27	5.376	80	
22	5.27	5.373	80	
23	5.27	5.451	80	
24	5.27	5.484	80	
25	5.27	5.327	80	
26	5.27	5.389	80	
27	5.27	5.404	80	
28	5.27	5.33	80	
29	5.27	5.347	80	
30	5.27	5.385	80	
31	5.27	5.501	80	
32	5.27	5.571	80	
33	5.27	5.589	80	
34	5.27	5.613	80	
35	5.27	5.704	80	
36	5.27	5.564	80	
37	5.27	5.374	80	
38	5.27	5.313	80	
39	5.27	5.716	80	
40	5.27	5.37	80	
41	5.27	5.386	80	
42	5.27	5.574	80	
43	5.27	5.497	80	
44	5.27	5.458	80	
45	5.27	5.445	80	
46	5.27	5.384	80	
47	5.27	5.44	80	

48	5.27	5.379	80	
49	5.27	5.286	80	*
50	5.27	5.659	80	
51	5.27	5.615	80	
52	5.27	5.544	80	
53	5.27	5.656	80	
54	5.27	5.587	80	
55	5.27	5.661	80	
56	5.27	5.297	80	*
57	5.27	5.443	80	
58	5.27	5.695	80	
59	5.27	5.302	80	
60	5.27	5.603	80	
61	5.27	5.406	80	
62	5.27	5.654	80	
63	5.27	5.669	80	
64	5.27	5.258	80	
65	5.27	5.674	80	
66	5.27	5.349	80	
67	5.27	5.57	80	
68	5.27	5.668	80	
69	5.27	5.55	80	
70	5.27	5.68	80	
71	5.27	5.693	80	
72	5.27	5.465	80	
73	5.27	5.627	80	
74	5.27	5.54	80	
75	5.27	5.681	80	
76	5.27	5.454	80	
77	5.27	5.338	80	
78	5.27	5.592	80	
79	5.27	5.558	80	
80	5.27	5.666	80	
81	5.27	5.254	80	
82	5.27	5.358	80	
83	5.27	5.423	80	
84	5.27	5.529	80	
85	5.27	5.723	80	
86	5.27	5.718	80	
87	5.27	5.289	80	*
88	5.27	5.428	80	
89	5.27	5.477	80	
90	5.27	5.594	80	
91	5.27	5.53	80	
92	5.27	5.676	80	
93	5.27	5.293	80	*
94	5.27	5.441	80	
95	5.27	5.506	80	
96	5.27	5.446	80	
97	5.27	5.646	80	
98	5.27	5.561	80	
99	5.27	5.435	80	
100	5.27	5.502	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.538	80	
2	5.27	5.322	80	
3	5.27	5.469	80	
4	5.27	5.379	80	
5	5.27	5.65	80	
6	5.27	5.352	80	
7	5.27	5.258	80	
8	5.27	5.385	80	
9	5.27	5.623	80	
10	5.27	5.31	80	
11	5.27	5.681	80	
12	5.27	5.266	80	
13	5.27	5.701	80	
14	5.27	5.625	80	
15	5.27	5.58	80	
16	5.27	5.254	80	
17	5.27	5.425	80	
18	5.27	5.561	80	
19	5.27	5.523	80	
20	5.27	5.648	80	
21	5.27	5.611	80	
22	5.27	5.57	80	
23	5.27	5.521	80	
24	5.27	5.609	80	
25	5.27	5.563	80	
26	5.27	5.287	80	*
27	5.27	5.717	80	
28	5.27	5.671	80	
29	5.27	5.527	80	
30	5.27	5.276	80	
31	5.27	5.54	80	
32	5.27	5.347	80	
33	5.27	5.275	80	
34	5.27	5.529	80	
35	5.27	5.586	80	
36	5.27	5.654	80	
37	5.27	5.639	80	
38	5.27	5.661	80	
39	5.27	5.554	80	
40	5.27	5.342	80	
41	5.27	5.309	80	
42	5.27	5.578	80	
43	5.27	5.684	80	
44	5.27	5.634	80	
45	5.27	5.369	80	
46	5.27	5.299	80	*
47	5.27	5.548	80	

48	5.27	5.406	80	
49	5.27	5.367	80	
50	5.27	5.351	80	
51	5.27	5.603	80	
52	5.27	5.468	80	
53	5.27	5.662	80	
54	5.27	5.516	80	
55	5.27	5.479	80	
56	5.27	5.638	80	
57	5.27	5.491	80	
58	5.27	5.504	80	
59	5.27	5.72	80	
60	5.27	5.36	80	
61	5.27	5.259	80	
62	5.27	5.252	80	
63	5.27	5.574	80	
64	5.27	5.508	80	
65	5.27	5.302	80	
66	5.27	5.298	80	*
67	5.27	5.477	80	
68	5.27	5.417	80	
69	5.27	5.444	80	
70	5.27	5.362	80	
71	5.27	5.557	80	
72	5.27	5.576	80	
73	5.27	5.535	80	
74	5.27	5.344	80	
75	5.27	5.354	80	
76	5.27	5.509	80	
77	5.27	5.375	80	
78	5.27	5.489	80	
79	5.27	5.598	80	
80	5.27	5.676	80	
81	5.27	5.482	80	
82	5.27	5.335	80	
83	5.27	5.601	80	
84	5.27	5.686	80	
85	5.27	5.716	80	
86	5.27	5.542	80	
87	5.27	5.47	80	
88	5.27	5.371	80	
89	5.27	5.616	80	
90	5.27	5.409	80	
91	5.27	5.274	80	
92	5.27	5.488	80	
93	5.27	5.411	80	
94	5.27	5.399	80	
95	5.27	5.397	80	
96	5.27	5.283	80	*
97	5.27	5.673	80	
98	5.27	5.631	80	
99	5.27	5.629	80	
100	5.27	5.41	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.461	80	
2	5.27	5.269	80	
3	5.27	5.518	80	
4	5.27	5.635	80	
5	5.27	5.508	80	
6	5.27	5.679	80	
7	5.27	5.505	80	
8	5.27	5.64	80	
9	5.27	5.265	80	
10	5.27	5.65	80	
11	5.27	5.47	80	
12	5.27	5.425	80	
13	5.27	5.388	80	
14	5.27	5.71	80	
15	5.27	5.439	80	
16	5.27	5.563	80	
17	5.27	5.344	80	
18	5.27	5.272	80	
19	5.27	5.312	80	
20	5.27	5.305	80	
21	5.27	5.295	80	*
22	5.27	5.443	80	
23	5.27	5.268	80	
24	5.27	5.491	80	
25	5.27	5.33	80	
26	5.27	5.25	80	
27	5.27	5.342	80	
28	5.27	5.496	80	
29	5.27	5.367	80	
30	5.27	5.495	80	
31	5.27	5.719	80	
32	5.27	5.357	80	
33	5.27	5.601	80	
34	5.27	5.655	80	
35	5.27	5.475	80	
36	5.27	5.587	80	
37	5.27	5.348	80	
38	5.27	5.437	80	
39	5.27	5.598	80	
40	5.27	5.576	80	
41	5.27	5.68	80	
42	5.27	5.41	80	
43	5.27	5.684	80	
44	5.27	5.524	80	
45	5.27	5.707	80	
46	5.27	5.636	80	
47	5.27	5.503	80	

48	5.27	5.36	80	
49	5.27	5.317	80	
50	5.27	5.384	80	
51	5.27	5.497	80	
52	5.27	5.476	80	
53	5.27	5.343	80	
54	5.27	5.699	80	
55	5.27	5.553	80	
56	5.27	5.285	80	*
57	5.27	5.477	80	
58	5.27	5.263	80	
59	5.27	5.574	80	
60	5.27	5.254	80	
61	5.27	5.513	80	
62	5.27	5.669	80	
63	5.27	5.59	80	
64	5.27	5.277	80	
65	5.27	5.573	80	
66	5.27	5.323	80	
67	5.27	5.284	80	*
68	5.27	5.371	80	
69	5.27	5.259	80	
70	5.27	5.358	80	
71	5.27	5.436	80	
72	5.27	5.38	80	
73	5.27	5.389	80	
74	5.27	5.369	80	
75	5.27	5.661	80	
76	5.27	5.356	80	
77	5.27	5.365	80	
78	5.27	5.335	80	
79	5.27	5.595	80	
80	5.27	5.355	80	
81	5.27	5.568	80	
82	5.27	5.417	80	
83	5.27	5.492	80	
84	5.27	5.7	80	
85	5.27	5.697	80	
86	5.27	5.641	80	
87	5.27	5.504	80	
88	5.27	5.685	80	
89	5.27	5.637	80	
90	5.27	5.311	80	
91	5.27	5.488	80	
92	5.27	5.658	80	
93	5.27	5.397	80	
94	5.27	5.462	80	
95	5.27	5.653	80	
96	5.27	5.724	80	
97	5.27	5.687	80	
98	5.27	5.413	80	
99	5.27	5.6	80	
100	5.27	5.606	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.27	80	
2	5.27	5.428	80	
3	5.27	5.495	80	
4	5.27	5.697	80	
5	5.27	5.449	80	
6	5.27	5.677	80	
7	5.27	5.666	80	
8	5.27	5.64	80	
9	5.27	5.28	80	*
10	5.27	5.437	80	
11	5.27	5.703	80	
12	5.27	5.656	80	
13	5.27	5.619	80	
14	5.27	5.285	80	*
15	5.27	5.684	80	
16	5.27	5.284	80	*
17	5.27	5.617	80	
18	5.27	5.405	80	
19	5.27	5.722	80	
20	5.27	5.537	80	
21	5.27	5.543	80	
22	5.27	5.49	80	
23	5.27	5.67	80	
24	5.27	5.561	80	
25	5.27	5.704	80	
26	5.27	5.474	80	
27	5.27	5.439	80	
28	5.27	5.389	80	
29	5.27	5.536	80	
30	5.27	5.603	80	
31	5.27	5.642	80	
32	5.27	5.37	80	
33	5.27	5.33	80	
34	5.27	5.307	80	
35	5.27	5.294	80	*
36	5.27	5.699	80	
37	5.27	5.674	80	
38	5.27	5.497	80	
39	5.27	5.688	80	
40	5.27	5.319	80	
41	5.27	5.32	80	
42	5.27	5.523	80	
43	5.27	5.329	80	
44	5.27	5.262	80	
45	5.27	5.367	80	
46	5.27	5.377	80	
47	5.27	5.274	80	

48	5.27	5.696	80	
49	5.27	5.486	80	
50	5.27	5.286	80	*
51	5.27	5.352	80	
52	5.27	5.572	80	
53	5.27	5.539	80	
54	5.27	5.464	80	
55	5.27	5.384	80	
56	5.27	5.473	80	
57	5.27	5.425	80	
58	5.27	5.355	80	
59	5.27	5.724	80	
60	5.27	5.627	80	
61	5.27	5.466	80	
62	5.27	5.716	80	
63	5.27	5.343	80	
64	5.27	5.689	80	
65	5.27	5.438	80	
66	5.27	5.315	80	
67	5.27	5.448	80	
68	5.27	5.608	80	
69	5.27	5.542	80	
70	5.27	5.514	80	
71	5.27	5.633	80	
72	5.27	5.632	80	
73	5.27	5.452	80	
74	5.27	5.675	80	
75	5.27	5.58	80	
76	5.27	5.635	80	
77	5.27	5.578	80	
78	5.27	5.519	80	
79	5.27	5.706	80	
80	5.27	5.445	80	
81	5.27	5.406	80	
82	5.27	5.303	80	
83	5.27	5.493	80	
84	5.27	5.7	80	
85	5.27	5.719	80	
86	5.27	5.56	80	
87	5.27	5.463	80	
88	5.27	5.568	80	
89	5.27	5.491	80	
90	5.27	5.528	80	
91	5.27	5.53	80	
92	5.27	5.504	80	
93	5.27	5.277	80	
94	5.27	5.667	80	
95	5.27	5.531	80	
96	5.27	5.556	80	
97	5.27	5.712	80	
98	5.27	5.601	80	
99	5.27	5.265	80	
100	5.27	5.546	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.603	80	
2	5.27	5.712	80	
3	5.27	5.321	80	
4	5.27	5.647	80	
5	5.27	5.291	80	*
6	5.27	5.427	80	
7	5.27	5.359	80	
8	5.27	5.397	80	
9	5.27	5.315	80	
10	5.27	5.371	80	
11	5.27	5.611	80	
12	5.27	5.354	80	
13	5.27	5.511	80	
14	5.27	5.412	80	
15	5.27	5.447	80	
16	5.27	5.589	80	
17	5.27	5.295	80	*
18	5.27	5.723	80	
19	5.27	5.563	80	
20	5.27	5.402	80	
21	5.27	5.582	80	
22	5.27	5.543	80	
23	5.27	5.579	80	
24	5.27	5.405	80	
25	5.27	5.688	80	
26	5.27	5.258	80	
27	5.27	5.285	80	*
28	5.27	5.378	80	
29	5.27	5.395	80	
30	5.27	5.659	80	
31	5.27	5.652	80	
32	5.27	5.323	80	
33	5.27	5.657	80	
34	5.27	5.581	80	
35	5.27	5.394	80	
36	5.27	5.653	80	
37	5.27	5.532	80	
38	5.27	5.709	80	
39	5.27	5.352	80	
40	5.27	5.631	80	
41	5.27	5.329	80	
42	5.27	5.262	80	
43	5.27	5.72	80	
44	5.27	5.337	80	
45	5.27	5.385	80	
46	5.27	5.533	80	
47	5.27	5.398	80	

48	5.27	5.695	80	
49	5.27	5.256	80	
50	5.27	5.357	80	
51	5.27	5.494	80	
52	5.27	5.341	80	
53	5.27	5.674	80	
54	5.27	5.692	80	
55	5.27	5.691	80	
56	5.27	5.45	80	
57	5.27	5.573	80	
58	5.27	5.596	80	
59	5.27	5.512	80	
60	5.27	5.306	80	
61	5.27	5.322	80	
62	5.27	5.707	80	
63	5.27	5.47	80	
64	5.27	5.346	80	
65	5.27	5.522	80	
66	5.27	5.515	80	
67	5.27	5.373	80	
68	5.27	5.351	80	
69	5.27	5.299	80	*
70	5.27	5.5	80	
71	5.27	5.558	80	
72	5.27	5.687	80	
73	5.27	5.444	80	
74	5.27	5.584	80	
75	5.27	5.454	80	
76	5.27	5.362	80	
77	5.27	5.316	80	
78	5.27	5.284	80	*
79	5.27	5.544	80	
80	5.27	5.266	80	
81	5.27	5.535	80	
82	5.27	5.396	80	
83	5.27	5.606	80	
84	5.27	5.703	80	
85	5.27	5.534	80	
86	5.27	5.349	80	
87	5.27	5.714	80	
88	5.27	5.317	80	
89	5.27	5.487	80	
90	5.27	5.469	80	
91	5.27	5.538	80	
92	5.27	5.452	80	
93	5.27	5.673	80	
94	5.27	5.71	80	
95	5.27	5.253	80	
96	5.27	5.441	80	
97	5.27	5.326	80	
98	5.27	5.343	80	
99	5.27	5.344	80	
100	5.27	5.608	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.28	80	*
2	5.27	5.535	80	
3	5.27	5.578	80	
4	5.27	5.596	80	
5	5.27	5.324	80	
6	5.27	5.688	80	
7	5.27	5.424	80	
8	5.27	5.344	80	
9	5.27	5.289	80	*
10	5.27	5.616	80	
11	5.27	5.385	80	
12	5.27	5.411	80	
13	5.27	5.675	80	
14	5.27	5.668	80	
15	5.27	5.533	80	
16	5.27	5.35	80	
17	5.27	5.502	80	
18	5.27	5.438	80	
19	5.27	5.517	80	
20	5.27	5.519	80	
21	5.27	5.647	80	
22	5.27	5.617	80	
23	5.27	5.498	80	
24	5.27	5.577	80	
25	5.27	5.441	80	
26	5.27	5.3	80	*
27	5.27	5.437	80	
28	5.27	5.667	80	
29	5.27	5.624	80	
30	5.27	5.254	80	
31	5.27	5.328	80	
32	5.27	5.397	80	
33	5.27	5.308	80	
34	5.27	5.426	80	
35	5.27	5.382	80	
36	5.27	5.449	80	
37	5.27	5.253	80	
38	5.27	5.452	80	
39	5.27	5.683	80	
40	5.27	5.406	80	
41	5.27	5.552	80	
42	5.27	5.705	80	
43	5.27	5.373	80	
44	5.27	5.464	80	
45	5.27	5.68	80	
46	5.27	5.272	80	
47	5.27	5.619	80	

48	5.27	5.364	80	
49	5.27	5.697	80	
50	5.27	5.307	80	
51	5.27	5.416	80	
52	5.27	5.516	80	
53	5.27	5.294	80	*
54	5.27	5.684	80	
55	5.27	5.551	80	
56	5.27	5.297	80	*
57	5.27	5.659	80	
58	5.27	5.504	80	
59	5.27	5.309	80	
60	5.27	5.484	80	
61	5.27	5.541	80	
62	5.27	5.563	80	
63	5.27	5.341	80	
64	5.27	5.334	80	
65	5.27	5.312	80	
66	5.27	5.565	80	
67	5.27	5.487	80	
68	5.27	5.702	80	
69	5.27	5.572	80	
70	5.27	5.686	80	
71	5.27	5.643	80	
72	5.27	5.473	80	
73	5.27	5.369	80	
74	5.27	5.352	80	
75	5.27	5.663	80	
76	5.27	5.431	80	
77	5.27	5.31	80	
78	5.27	5.486	80	
79	5.27	5.631	80	
80	5.27	5.346	80	
81	5.27	5.277	80	
82	5.27	5.396	80	
83	5.27	5.69	80	
84	5.27	5.333	80	
85	5.27	5.466	80	
86	5.27	5.263	80	
87	5.27	5.467	80	
88	5.27	5.575	80	
89	5.27	5.695	80	
90	5.27	5.636	80	
91	5.27	5.598	80	
92	5.27	5.315	80	
93	5.27	5.314	80	
94	5.27	5.543	80	
95	5.27	5.666	80	
96	5.27	5.434	80	
97	5.27	5.633	80	
98	5.27	5.64	80	
99	5.27	5.557	80	
100	5.27	5.656	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.458	80	
2	5.27	5.426	80	
3	5.27	5.344	80	
4	5.27	5.329	80	
5	5.27	5.454	80	
6	5.27	5.567	80	
7	5.27	5.658	80	
8	5.27	5.276	80	
9	5.27	5.302	80	
10	5.27	5.281	80	*
11	5.27	5.478	80	
12	5.27	5.459	80	
13	5.27	5.669	80	
14	5.27	5.642	80	
15	5.27	5.525	80	
16	5.27	5.298	80	*
17	5.27	5.541	80	
18	5.27	5.66	80	
19	5.27	5.589	80	
20	5.27	5.427	80	
21	5.27	5.356	80	
22	5.27	5.579	80	
23	5.27	5.524	80	
24	5.27	5.314	80	
25	5.27	5.637	80	
26	5.27	5.465	80	
27	5.27	5.267	80	
28	5.27	5.436	80	
29	5.27	5.653	80	
30	5.27	5.505	80	
31	5.27	5.646	80	
32	5.27	5.453	80	
33	5.27	5.43	80	
34	5.27	5.704	80	
35	5.27	5.435	80	
36	5.27	5.65	80	
37	5.27	5.536	80	
38	5.27	5.443	80	
39	5.27	5.652	80	
40	5.27	5.477	80	
41	5.27	5.484	80	
42	5.27	5.594	80	
43	5.27	5.297	80	*
44	5.27	5.409	80	
45	5.27	5.695	80	
46	5.27	5.537	80	
47	5.27	5.42	80	

48	5.27	5.452	80	
49	5.27	5.523	80	
50	5.27	5.464	80	
51	5.27	5.496	80	
52	5.27	5.319	80	
53	5.27	5.405	80	
54	5.27	5.402	80	
55	5.27	5.59	80	
56	5.27	5.504	80	
57	5.27	5.662	80	
58	5.27	5.7	80	
59	5.27	5.312	80	
60	5.27	5.299	80	*
61	5.27	5.63	80	
62	5.27	5.661	80	
63	5.27	5.604	80	
64	5.27	5.639	80	
65	5.27	5.33	80	
66	5.27	5.438	80	
67	5.27	5.336	80	
68	5.27	5.698	80	
69	5.27	5.355	80	
70	5.27	5.558	80	
71	5.27	5.522	80	
72	5.27	5.46	80	
73	5.27	5.55	80	
74	5.27	5.445	80	
75	5.27	5.528	80	
76	5.27	5.359	80	
77	5.27	5.345	80	
78	5.27	5.466	80	
79	5.27	5.62	80	
80	5.27	5.256	80	
81	5.27	5.262	80	
82	5.27	5.451	80	
83	5.27	5.252	80	
84	5.27	5.268	80	
85	5.27	5.686	80	
86	5.27	5.697	80	
87	5.27	5.679	80	
88	5.27	5.611	80	
89	5.27	5.529	80	
90	5.27	5.442	80	
91	5.27	5.581	80	
92	5.27	5.4	80	
93	5.27	5.487	80	
94	5.27	5.556	80	
95	5.27	5.503	80	
96	5.27	5.72	80	
97	5.27	5.382	80	
98	5.27	5.49	80	
99	5.27	5.393	80	
100	5.27	5.473	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.457	80	
2	5.27	5.277	80	
3	5.27	5.7	80	
4	5.27	5.29	80	*
5	5.27	5.25	80	
6	5.27	5.286	80	*
7	5.27	5.398	80	
8	5.27	5.577	80	
9	5.27	5.621	80	
10	5.27	5.646	80	
11	5.27	5.567	80	
12	5.27	5.431	80	
13	5.27	5.422	80	
14	5.27	5.446	80	
15	5.27	5.659	80	
16	5.27	5.54	80	
17	5.27	5.488	80	
18	5.27	5.711	80	
19	5.27	5.65	80	
20	5.27	5.596	80	
21	5.27	5.334	80	
22	5.27	5.552	80	
23	5.27	5.672	80	
24	5.27	5.571	80	
25	5.27	5.724	80	
26	5.27	5.676	80	
27	5.27	5.407	80	
28	5.27	5.516	80	
29	5.27	5.324	80	
30	5.27	5.303	80	
31	5.27	5.517	80	
32	5.27	5.316	80	
33	5.27	5.609	80	
34	5.27	5.531	80	
35	5.27	5.315	80	
36	5.27	5.506	80	
37	5.27	5.584	80	
38	5.27	5.42	80	
39	5.27	5.597	80	
40	5.27	5.476	80	
41	5.27	5.678	80	
42	5.27	5.451	80	
43	5.27	5.339	80	
44	5.27	5.685	80	
45	5.27	5.562	80	
46	5.27	5.468	80	
47	5.27	5.664	80	

48	5.27	5.514	80	
49	5.27	5.482	80	
50	5.27	5.436	80	
51	5.27	5.695	80	
52	5.27	5.598	80	
53	5.27	5.329	80	
54	5.27	5.251	80	
55	5.27	5.637	80	
56	5.27	5.399	80	
57	5.27	5.674	80	
58	5.27	5.554	80	
59	5.27	5.375	80	
60	5.27	5.613	80	
61	5.27	5.55	80	
62	5.27	5.722	80	
63	5.27	5.335	80	
64	5.27	5.556	80	
65	5.27	5.404	80	
66	5.27	5.588	80	
67	5.27	5.714	80	
68	5.27	5.629	80	
69	5.27	5.424	80	
70	5.27	5.341	80	
71	5.27	5.697	80	
72	5.27	5.483	80	
73	5.27	5.484	80	
74	5.27	5.338	80	
75	5.27	5.327	80	
76	5.27	5.579	80	
77	5.27	5.593	80	
78	5.27	5.268	80	
79	5.27	5.258	80	
80	5.27	5.634	80	
81	5.27	5.653	80	
82	5.27	5.615	80	
83	5.27	5.568	80	
84	5.27	5.388	80	
85	5.27	5.599	80	
86	5.27	5.718	80	
87	5.27	5.669	80	
88	5.27	5.376	80	
89	5.27	5.35	80	
90	5.27	5.4	80	
91	5.27	5.374	80	
92	5.27	5.546	80	
93	5.27	5.46	80	
94	5.27	5.497	80	
95	5.27	5.675	80	
96	5.27	5.612	80	
97	5.27	5.605	80	
98	5.27	5.351	80	
99	5.27	5.325	80	
100	5.27	5.578	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.252	80	
2	5.27	5.656	80	
3	5.27	5.324	80	
4	5.27	5.425	80	
5	5.27	5.698	80	
6	5.27	5.619	80	
7	5.27	5.493	80	
8	5.27	5.351	80	
9	5.27	5.673	80	
10	5.27	5.461	80	
11	5.27	5.572	80	
12	5.27	5.583	80	
13	5.27	5.381	80	
14	5.27	5.721	80	
15	5.27	5.498	80	
16	5.27	5.489	80	
17	5.27	5.326	80	
18	5.27	5.375	80	
19	5.27	5.59	80	
20	5.27	5.333	80	
21	5.27	5.405	80	
22	5.27	5.401	80	
23	5.27	5.396	80	
24	5.27	5.541	80	
25	5.27	5.41	80	
26	5.27	5.557	80	
27	5.27	5.545	80	
28	5.27	5.699	80	
29	5.27	5.596	80	
30	5.27	5.581	80	
31	5.27	5.647	80	
32	5.27	5.687	80	
33	5.27	5.657	80	
34	5.27	5.644	80	
35	5.27	5.364	80	
36	5.27	5.716	80	
37	5.27	5.509	80	
38	5.27	5.294	80	*
39	5.27	5.417	80	
40	5.27	5.436	80	
41	5.27	5.263	80	
42	5.27	5.531	80	
43	5.27	5.303	80	
44	5.27	5.514	80	
45	5.27	5.386	80	
46	5.27	5.458	80	
47	5.27	5.273	80	

48	5.27	5.492	80	
49	5.27	5.287	80	*
50	5.27	5.304	80	
51	5.27	5.253	80	
52	5.27	5.415	80	
53	5.27	5.587	80	
54	5.27	5.501	80	
55	5.27	5.684	80	
56	5.27	5.43	80	
57	5.27	5.316	80	
58	5.27	5.297	80	*
59	5.27	5.62	80	
60	5.27	5.507	80	
61	5.27	5.607	80	
62	5.27	5.35	80	
63	5.27	5.578	80	
64	5.27	5.686	80	
65	5.27	5.465	80	
66	5.27	5.302	80	
67	5.27	5.69	80	
68	5.27	5.257	80	
69	5.27	5.599	80	
70	5.27	5.53	80	
71	5.27	5.625	80	
72	5.27	5.341	80	
73	5.27	5.332	80	
74	5.27	5.299	80	*
75	5.27	5.473	80	
76	5.27	5.569	80	
77	5.27	5.462	80	
78	5.27	5.265	80	
79	5.27	5.359	80	
80	5.27	5.315	80	
81	5.27	5.637	80	
82	5.27	5.472	80	
83	5.27	5.274	80	
84	5.27	5.305	80	
85	5.27	5.368	80	
86	5.27	5.289	80	*
87	5.27	5.379	80	
88	5.27	5.469	80	
89	5.27	5.54	80	
90	5.27	5.27	80	
91	5.27	5.481	80	
92	5.27	5.318	80	
93	5.27	5.623	80	
94	5.27	5.523	80	
95	5.27	5.31	80	
96	5.27	5.693	80	
97	5.27	5.378	80	
98	5.27	5.282	80	*
99	5.27	5.44	80	
100	5.27	5.593	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.364	80	
2	5.27	5.51	80	
3	5.27	5.414	80	
4	5.27	5.38	80	
5	5.27	5.632	80	
6	5.27	5.289	80	*
7	5.27	5.284	80	*
8	5.27	5.417	80	
9	5.27	5.4	80	
10	5.27	5.383	80	
11	5.27	5.646	80	
12	5.27	5.476	80	
13	5.27	5.322	80	
14	5.27	5.621	80	
15	5.27	5.693	80	
16	5.27	5.528	80	
17	5.27	5.699	80	
18	5.27	5.557	80	
19	5.27	5.598	80	
20	5.27	5.253	80	
21	5.27	5.35	80	
22	5.27	5.308	80	
23	5.27	5.595	80	
24	5.27	5.591	80	
25	5.27	5.355	80	
26	5.27	5.492	80	
27	5.27	5.464	80	
28	5.27	5.279	80	
29	5.27	5.254	80	
30	5.27	5.379	80	
31	5.27	5.499	80	
32	5.27	5.463	80	
33	5.27	5.39	80	
34	5.27	5.429	80	
35	5.27	5.717	80	
36	5.27	5.262	80	
37	5.27	5.382	80	
38	5.27	5.607	80	
39	5.27	5.257	80	
40	5.27	5.602	80	
41	5.27	5.587	80	
42	5.27	5.478	80	
43	5.27	5.606	80	
44	5.27	5.384	80	
45	5.27	5.56	80	
46	5.27	5.596	80	
47	5.27	5.689	80	

48	5.27	5.568	80	
49	5.27	5.3	80	*
50	5.27	5.63	80	
51	5.27	5.261	80	
52	5.27	5.286	80	*
53	5.27	5.529	80	
54	5.27	5.375	80	
55	5.27	5.468	80	
56	5.27	5.677	80	
57	5.27	5.534	80	
58	5.27	5.399	80	
59	5.27	5.421	80	
60	5.27	5.327	80	
61	5.27	5.569	80	
62	5.27	5.465	80	
63	5.27	5.466	80	
64	5.27	5.617	80	
65	5.27	5.272	80	
66	5.27	5.428	80	
67	5.27	5.508	80	
68	5.27	5.29	80	*
69	5.27	5.263	80	
70	5.27	5.432	80	
71	5.27	5.634	80	
72	5.27	5.292	80	*
73	5.27	5.547	80	
74	5.27	5.524	80	
75	5.27	5.664	80	
76	5.27	5.535	80	
77	5.27	5.265	80	
78	5.27	5.376	80	
79	5.27	5.315	80	
80	5.27	5.624	80	
81	5.27	5.471	80	
82	5.27	5.493	80	
83	5.27	5.694	80	
84	5.27	5.31	80	
85	5.27	5.504	80	
86	5.27	5.546	80	
87	5.27	5.491	80	
88	5.27	5.525	80	
89	5.27	5.656	80	
90	5.27	5.542	80	
91	5.27	5.615	80	
92	5.27	5.552	80	
93	5.27	5.381	80	
94	5.27	5.7	80	
95	5.27	5.495	80	
96	5.27	5.653	80	
97	5.27	5.682	80	
98	5.27	5.37	80	
99	5.27	5.609	80	
100	5.27	5.47	80	

--	--	--	--	--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.472	80	
2	5.27	5.448	80	
3	5.27	5.375	80	
4	5.27	5.626	80	
5	5.27	5.711	80	
6	5.27	5.673	80	
7	5.27	5.28	80	*
8	5.27	5.552	80	
9	5.27	5.677	80	
10	5.27	5.684	80	
11	5.27	5.623	80	
12	5.27	5.605	80	
13	5.27	5.335	80	
14	5.27	5.719	80	
15	5.27	5.352	80	
16	5.27	5.545	80	
17	5.27	5.397	80	
18	5.27	5.696	80	
19	5.27	5.635	80	
20	5.27	5.607	80	
21	5.27	5.629	80	
22	5.27	5.387	80	
23	5.27	5.661	80	
24	5.27	5.377	80	
25	5.27	5.578	80	
26	5.27	5.474	80	
27	5.27	5.648	80	
28	5.27	5.386	80	
29	5.27	5.409	80	
30	5.27	5.567	80	
31	5.27	5.649	80	
32	5.27	5.609	80	
33	5.27	5.438	80	
34	5.27	5.517	80	
35	5.27	5.295	80	*
36	5.27	5.252	80	
37	5.27	5.553	80	
38	5.27	5.583	80	
39	5.27	5.334	80	
40	5.27	5.509	80	
41	5.27	5.504	80	
42	5.27	5.366	80	
43	5.27	5.43	80	
44	5.27	5.513	80	
45	5.27	5.614	80	
46	5.27	5.486	80	
47	5.27	5.541	80	

48	5.27	5.512	80	
49	5.27	5.339	80	
50	5.27	5.534	80	
51	5.27	5.374	80	
52	5.27	5.557	80	
53	5.27	5.588	80	
54	5.27	5.62	80	
55	5.27	5.51	80	
56	5.27	5.38	80	
57	5.27	5.7	80	
58	5.27	5.533	80	
59	5.27	5.667	80	
60	5.27	5.262	80	
61	5.27	5.586	80	
62	5.27	5.466	80	
63	5.27	5.627	80	
64	5.27	5.331	80	
65	5.27	5.274	80	
66	5.27	5.411	80	
67	5.27	5.282	80	*
68	5.27	5.682	80	
69	5.27	5.611	80	
70	5.27	5.441	80	
71	5.27	5.531	80	
72	5.27	5.572	80	
73	5.27	5.604	80	
74	5.27	5.269	80	
75	5.27	5.479	80	
76	5.27	5.703	80	
77	5.27	5.683	80	
78	5.27	5.371	80	
79	5.27	5.702	80	
80	5.27	5.554	80	
81	5.27	5.437	80	
82	5.27	5.633	80	
83	5.27	5.261	80	
84	5.27	5.343	80	
85	5.27	5.309	80	
86	5.27	5.492	80	
87	5.27	5.424	80	
88	5.27	5.417	80	
89	5.27	5.464	80	
90	5.27	5.304	80	
91	5.27	5.646	80	
92	5.27	5.389	80	
93	5.27	5.701	80	
94	5.27	5.416	80	
95	5.27	5.615	80	
96	5.27	5.678	80	
97	5.27	5.538	80	
98	5.27	5.25	80	
99	5.27	5.532	80	
100	5.27	5.46	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.599	80	
2	5.27	5.523	80	
3	5.27	5.649	80	
4	5.27	5.652	80	
5	5.27	5.501	80	
6	5.27	5.531	80	
7	5.27	5.486	80	
8	5.27	5.554	80	
9	5.27	5.339	80	
10	5.27	5.444	80	
11	5.27	5.393	80	
12	5.27	5.7	80	
13	5.27	5.256	80	
14	5.27	5.675	80	
15	5.27	5.456	80	
16	5.27	5.395	80	
17	5.27	5.417	80	
18	5.27	5.704	80	
19	5.27	5.52	80	
20	5.27	5.374	80	
21	5.27	5.546	80	
22	5.27	5.378	80	
23	5.27	5.385	80	
24	5.27	5.617	80	
25	5.27	5.557	80	
26	5.27	5.549	80	
27	5.27	5.682	80	
28	5.27	5.473	80	
29	5.27	5.427	80	
30	5.27	5.286	80	*
31	5.27	5.632	80	
32	5.27	5.318	80	
33	5.27	5.698	80	
34	5.27	5.305	80	
35	5.27	5.667	80	
36	5.27	5.584	80	
37	5.27	5.467	80	
38	5.27	5.581	80	
39	5.27	5.527	80	
40	5.27	5.678	80	
41	5.27	5.285	80	*
42	5.27	5.314	80	
43	5.27	5.588	80	
44	5.27	5.398	80	
45	5.27	5.302	80	
46	5.27	5.492	80	
47	5.27	5.604	80	

48	5.27	5.437	80	
49	5.27	5.411	80	
50	5.27	5.67	80	
51	5.27	5.583	80	
52	5.27	5.511	80	
53	5.27	5.424	80	
54	5.27	5.303	80	
55	5.27	5.349	80	
56	5.27	5.377	80	
57	5.27	5.49	80	
58	5.27	5.31	80	
59	5.27	5.331	80	
60	5.27	5.429	80	
61	5.27	5.4	80	
62	5.27	5.54	80	
63	5.27	5.26	80	
64	5.27	5.587	80	
65	5.27	5.65	80	
66	5.27	5.313	80	
67	5.27	5.284	80	*
68	5.27	5.39	80	
69	5.27	5.714	80	
70	5.27	5.46	80	
71	5.27	5.392	80	
72	5.27	5.556	80	
73	5.27	5.568	80	
74	5.27	5.626	80	
75	5.27	5.672	80	
76	5.27	5.315	80	
77	5.27	5.342	80	
78	5.27	5.295	80	*
79	5.27	5.687	80	
80	5.27	5.288	80	*
81	5.27	5.654	80	
82	5.27	5.436	80	
83	5.27	5.278	80	
84	5.27	5.521	80	
85	5.27	5.391	80	
86	5.27	5.397	80	
87	5.27	5.658	80	
88	5.27	5.71	80	
89	5.27	5.48	80	
90	5.27	5.439	80	
91	5.27	5.646	80	
92	5.27	5.345	80	
93	5.27	5.639	80	
94	5.27	5.259	80	
95	5.27	5.723	80	
96	5.27	5.544	80	
97	5.27	5.542	80	
98	5.27	5.559	80	
99	5.27	5.512	80	
100	5.27	5.304	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.34	80	
2	5.27	5.685	80	
3	5.27	5.646	80	
4	5.27	5.677	80	
5	5.27	5.518	80	
6	5.27	5.263	80	
7	5.27	5.636	80	
8	5.27	5.549	80	
9	5.27	5.702	80	
10	5.27	5.314	80	
11	5.27	5.376	80	
12	5.27	5.267	80	
13	5.27	5.297	80	*
14	5.27	5.604	80	
15	5.27	5.438	80	
16	5.27	5.258	80	
17	5.27	5.71	80	
18	5.27	5.721	80	
19	5.27	5.603	80	
20	5.27	5.506	80	
21	5.27	5.709	80	
22	5.27	5.532	80	
23	5.27	5.317	80	
24	5.27	5.615	80	
25	5.27	5.494	80	
26	5.27	5.491	80	
27	5.27	5.264	80	
28	5.27	5.386	80	
29	5.27	5.643	80	
30	5.27	5.599	80	
31	5.27	5.46	80	
32	5.27	5.289	80	*
33	5.27	5.6	80	
34	5.27	5.683	80	
35	5.27	5.654	80	
36	5.27	5.255	80	
37	5.27	5.33	80	
38	5.27	5.625	80	
39	5.27	5.49	80	
40	5.27	5.527	80	
41	5.27	5.481	80	
42	5.27	5.375	80	
43	5.27	5.634	80	
44	5.27	5.567	80	
45	5.27	5.393	80	
46	5.27	5.301	80	
47	5.27	5.445	80	

48	5.27	5.596	80	
49	5.27	5.605	80	
50	5.27	5.343	80	
51	5.27	5.663	80	
52	5.27	5.548	80	
53	5.27	5.377	80	
54	5.27	5.57	80	
55	5.27	5.583	80	
56	5.27	5.473	80	
57	5.27	5.668	80	
58	5.27	5.587	80	
59	5.27	5.41	80	
60	5.27	5.329	80	
61	5.27	5.561	80	
62	5.27	5.364	80	
63	5.27	5.552	80	
64	5.27	5.374	80	
65	5.27	5.391	80	
66	5.27	5.519	80	
67	5.27	5.346	80	
68	5.27	5.704	80	
69	5.27	5.53	80	
70	5.27	5.485	80	
71	5.27	5.458	80	
72	5.27	5.59	80	
73	5.27	5.517	80	
74	5.27	5.425	80	
75	5.27	5.348	80	
76	5.27	5.382	80	
77	5.27	5.296	80	*
78	5.27	5.529	80	
79	5.27	5.368	80	
80	5.27	5.361	80	
81	5.27	5.528	80	
82	5.27	5.315	80	
83	5.27	5.47	80	
84	5.27	5.589	80	
85	5.27	5.324	80	
86	5.27	5.498	80	
87	5.27	5.513	80	
88	5.27	5.592	80	
89	5.27	5.451	80	
90	5.27	5.287	80	*
91	5.27	5.378	80	
92	5.27	5.72	80	
93	5.27	5.52	80	
94	5.27	5.601	80	
95	5.27	5.602	80	
96	5.27	5.691	80	
97	5.27	5.402	80	
98	5.27	5.703	80	
99	5.27	5.539	80	
100	5.27	5.303	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.462	80	
2	5.27	5.32	80	
3	5.27	5.505	80	
4	5.27	5.557	80	
5	5.27	5.576	80	
6	5.27	5.371	80	
7	5.27	5.437	80	
8	5.27	5.376	80	
9	5.27	5.372	80	
10	5.27	5.482	80	
11	5.27	5.411	80	
12	5.27	5.404	80	
13	5.27	5.344	80	
14	5.27	5.544	80	
15	5.27	5.347	80	
16	5.27	5.367	80	
17	5.27	5.394	80	
18	5.27	5.429	80	
19	5.27	5.35	80	
20	5.27	5.545	80	
21	5.27	5.608	80	
22	5.27	5.513	80	
23	5.27	5.598	80	
24	5.27	5.275	80	
25	5.27	5.553	80	
26	5.27	5.463	80	
27	5.27	5.419	80	
28	5.27	5.696	80	
29	5.27	5.416	80	
30	5.27	5.453	80	
31	5.27	5.443	80	
32	5.27	5.265	80	
33	5.27	5.702	80	
34	5.27	5.268	80	
35	5.27	5.546	80	
36	5.27	5.528	80	
37	5.27	5.654	80	
38	5.27	5.653	80	
39	5.27	5.586	80	
40	5.27	5.464	80	
41	5.27	5.392	80	
42	5.27	5.435	80	
43	5.27	5.714	80	
44	5.27	5.298	80	*
45	5.27	5.272	80	
46	5.27	5.537	80	
47	5.27	5.34	80	

48	5.27	5.479	80	
49	5.27	5.375	80	
50	5.27	5.45	80	
51	5.27	5.628	80	
52	5.27	5.665	80	
53	5.27	5.266	80	
54	5.27	5.607	80	
55	5.27	5.305	80	
56	5.27	5.584	80	
57	5.27	5.418	80	
58	5.27	5.566	80	
59	5.27	5.284	80	*
60	5.27	5.264	80	
61	5.27	5.502	80	
62	5.27	5.382	80	
63	5.27	5.542	80	
64	5.27	5.689	80	
65	5.27	5.428	80	
66	5.27	5.306	80	
67	5.27	5.363	80	
68	5.27	5.38	80	
69	5.27	5.556	80	
70	5.27	5.518	80	
71	5.27	5.722	80	
72	5.27	5.648	80	
73	5.27	5.677	80	
74	5.27	5.596	80	
75	5.27	5.467	80	
76	5.27	5.684	80	
77	5.27	5.425	80	
78	5.27	5.426	80	
79	5.27	5.699	80	
80	5.27	5.585	80	
81	5.27	5.511	80	
82	5.27	5.663	80	
83	5.27	5.444	80	
84	5.27	5.389	80	
85	5.27	5.636	80	
86	5.27	5.579	80	
87	5.27	5.613	80	
88	5.27	5.642	80	
89	5.27	5.427	80	
90	5.27	5.58	80	
91	5.27	5.656	80	
92	5.27	5.281	80	*
93	5.27	5.354	80	
94	5.27	5.341	80	
95	5.27	5.279	80	
96	5.27	5.638	80	
97	5.27	5.72	80	
98	5.27	5.66	80	
99	5.27	5.605	80	
100	5.27	5.514	80	

--

802.11ax(HE160) - 5250MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	76	1	698
2	62	1	858
3	74	1	718
4	70	1	758
5	59	1	898
6	92	1	578
7	61	1	878
8	89	1	598
9	70	1	758
10	68	1	778
11	95	1	558
12	61	1	878
13	89	1	598
14	83	1	638
15	63	1	838
16	102	1	518
17	67	1	798
18	63	1	838
19	70	1	758
20	68	1	778
21	67	1	798
22	58	1	918
23	18	1	3066
24	68	1	778
25	72	1	738
26	83	1	638
27	57	1	938
28	95	1	558
29	68	1	778
30	65	1	818

802.11ax(HE160) - 5250MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	25	4.1	229
2	24	4.5	205
3	25	4.4	168
4	28	1.5	197
5	29	1.6	177
6	29	2.2	164
7	24	2.3	206
8	24	3.3	202
9	26	2.9	188
10	27	2.5	189
11	29	4.6	170
12	28	1.9	213
13	29	3.8	154
14	25	2.9	230
15	25	2.2	161
16	25	2.6	172
17	24	2.4	189
18	28	3.9	156
19	24	3.4	165
20	28	4.7	203
21	25	2.4	155
22	28	2.8	222
23	28	1.8	161
24	25	1.9	214
25	24	2.2	185
26	27	4.9	164
27	27	1.1	183
28	28	4.6	184
29	28	3.7	194
30	28	1	224

802.11ax(HE160) - 5250MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	17	7.2	454
2	18	8.9	250
3	17	9.4	334
4	16	8.6	223
5	17	7.6	359
6	17	8.6	329
7	18	9	448
8	16	8	213
9	18	7.6	310
10	17	9.5	237
11	17	8.9	265
12	17	8.9	448
13	16	9.4	222
14	16	9.1	451
15	17	9.1	395
16	18	9.5	490
17	18	7.6	500
18	17	9.9	351
19	17	7.2	303
20	16	8.4	461
21	18	7.8	360
22	17	7.5	368
23	17	9.5	477
24	16	7.2	303
25	17	9.4	391
26	17	7.2	248
27	18	9.9	446
28	17	8.5	260
29	16	9.2	252
30	18	9.3	230


802.11ax(HE160) - 5250MHz

RADAR TYPE 4


Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	13	407
2	16	17.9	203
3	15	19.3	393
4	15	20	322
5	15	15	278
6	14	13.4	305
7	16	16.4	284
8	14	14.6	275
9	13	12.2	210
10	14	14.1	389
11	15	18.5	398
12	12	15.2	365
13	13	18.3	460
14	14	14.4	264
15	14	12.6	307
16	13	14.5	346
17	15	14.9	227
18	13	19	292
19	15	13.3	311
20	12	12.7	204
21	16	13.2	219
22	15	18.3	333
23	13	17.3	221
24	12	12.5	434
25	14	13.8	384
26	14	14.5	383
27	14	11	326
28	15	13.4	461
29	15	19.5	450
30	12	13.8	411

802.11ax(HE160) - 5250MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	15	1	5250
2	10	1	5250
3	17	1	5250
4	9	1	5250
5	5	1	5250
6	13	1	5250
7	5	1	5250
8	18	1	5250
9	20	1	5250
10	14	1	5250
11	13	2	5256.2
12	6	2	5253.4
13	9	2	5254.6
14	12	2	5255.8
15	13	2	5256.2
16	12	2	5255.8
17	8	2	5254.2
18	19	2	5258.6
19	13	2	5256.2
20	13	2	5256.2
21	9	3	5324.4
22	7	3	5325.2
23	9	3	5324.4
24	17	3	5321.2
25	18	3	5320.8
26	6	3	5325.6
27	20	3	5320
28	13	3	5322.8
29	16	3	5321.6
30	12	3	5323.2


TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 1							
Bursts in Trial: 14							
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)	
1	1	81.7	15			732.172	
2	1	92	15			69.904	
3	3	89.3	15	1491	1095	503.624	
4	1	89.2	15			770.461	
5	2	53.4	15	1555		580.469	
6	2	92.6	15	1112		631.236	
7	2	85.4	15	1534		326.413	
8	2	62.5	15	1968		628.16	
9	2	66.3	15	1737		119.807	
10	1	79.8	15			62.554	
11	3	86.3	15	1831	1890	452.571	
12	3	94.6	15	1525	1648	431.049	
13	2	82.2	15	1633		254.186	
14	2	55.7	15	1331		119.843	



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	53.2	10	1260		894.272
2	2	90.1	10	1610		949.98
3	3	85.6	10	1750	1368	487.53
4	2	60	10	1701		475.77
5	2	66	10	1237		412.7
6	3	99.4	10	1378	1490	534.94
7	1	73.7	10			59.96
8	2	51.2	10	1959		189.43
9	2	83.8	10	1557		90.76
10	1	90.4	10			136.22
11	3	99.8	10	1014	1299	725.2
12	2	57.2	10	1872		163



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 8						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.6	17	1547		1333.99
2	3	79.6	17	1904	1100	1372.32
3	1	95	17			951.64
4	2	93.5	17	1496		1147.86
5	2	67.7	17	1631		250.49
6	2	83.5	17	1988		468.1
7	1	87	17			1452.1
8	2	97.1	17	1774		188.3




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	67.1	9	1198		584.864
2	2	98.6	9	1071		209.023
3	2	69.8	9	1710		161.066
4	2	88.8	9	1933		530.219
5	2	77.8	9	1464		860.342
6	3	53.3	9	1000	1238	897.275
7	2	71.2	9	1483		331.068
8	3	60.7	9	1345	1121	77.562
9	2	70.3	9	1976		204.825
10	2	71.5	9	1755		517.638
11	2	71.8	9	1803		47.001
12	2	96.2	9	1941		562.954
13	3	92.9	9	1545	1699	639.477




TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 14

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	58.4	5	1427		834.632
2	2	89.3	5	1888		255.437
3	2	58.2	5	1316		459.614
4	3	74.2	5	1366	1672	298.221
5	1	96	5			754.809
6	2	55.7	5	1548		171.736
7	3	64.7	5	1080	1580	429.103
8	3	54.7	5	1927	1985	194.59
9	2	54.7	5	1937		41.487
10	3	79.1	5	1348	1655	242.444
11	2	67	5	1534		508.101
12	2	79.7	5	1593		150.919
13	2	55.8	5	1089		701.486
14	3	56.6	5	1599	1866	457.343



TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	79	13	1801	1058	513.825
2	3	67.6	13	1865	1682	550.503
3	3	61.7	13	1192	1838	530.056
4	1	66.7	13			740.299
5	1	52.7	13			375.822
6	2	90.3	13	1260		74.295
7	1	89.7	13			324.998
8	2	76.8	13	1248		133.022
9	3	50.1	13	1435	1064	392.225
10	3	63.3	13	1391	1222	703.528
11	2	92.2	13	1185		254.331
12	2	99.7	13	1553		329.354
13	3	57.2	13	1544	1878	609.177

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	63	5	1896	1456	630.177
2	2	50.9	5	1435		124.825
3	2	76.8	5	1389		146.14
4	2	96.4	5	1200		447.05
5	2	76.7	5	1786		300.44
6	1	79.6	5			283.01
7	1	97.9	5			727.99
8	1	75.3	5			72.59
9	2	86.9	5	1790		374.15
10	1	99	5			597.57
11	1	71.1	5			192.06
12	1	74.9	5			732.04
13	2	83	5	1546		540.36
14	2	81.1	5	1667		293.6
15	2	59.6	5	1608		432.9
16	2	97.7	5	1152		331.5

--


TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	78.7	18			651.591
2	2	93.3	18	1949		450.65
3	3	67	18	1407	1162	445.2
4	2	67.9	18	1310		498.4
5	3	60.2	18	1714	1736	633.61
6	3	85.8	18	1156	1232	628.74
7	2	92.3	18	1708		267.48
8	2	91.1	18	1524		472.74
9	2	96.3	18	1304		606.14
10	2	78.8	18	1624		702.28
11	2	65.9	18	1593		264.98
12	1	89.5	18			571.18
13	2	94.2	18	1987		199.77
14	2	71.5	18	1362		725.3
15	1	93.7	18			741.2
16	3	65.3	18	1914	1557	667.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	70.1	20	1050	1336	30.999
2	2	95.7	20	1545		1135.557
3	1	80.1	20			225.303
4	1	85.7	20			706.28
5	3	92.9	20	1293	1256	515.397
6	1	85.7	20			799.693
7	2	50.7	20	1765		1256.66
8	2	54.9	20	1012		1029.767
9	1	80.4	20			315.933

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	56.1	14	1355		135.108
2	1	57.7	14			278.294
3	3	55.3	14	1532	1114	162.082
4	1	57.8	14			554.303
5	1	87.3	14			243.584
6	1	69.8	14			464.965
7	3	82	14	1049	1026	539.246
8	2	68	14	1540		4.767
9	2	61	14	1514		462.488
10	2	100	14	1315		502.899
11	1	68.1	14			528.221
12	2	50.2	14	1953		179.092
13	1	92.5	14			0.493
14	2	59.9	14	1851		50.224
15	2	75.6	14	1143		622.665
16	2	68.4	14	1047		82.836
17	2	51.2	14	1472		322.737
18	2	78.8	14	1172		225.058
19	2	68	14	1761		528.579




TYPE 5 PARAMETER SHEET	Rohde & Schwarz Pulse Sequencer
-------------------------------	------------------------------------


Trial Number : 11

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	77	13	1534		314.288
2	2	79.4	13	1656		801.633
3	2	80.9	13	1630		121.846
4	1	86.3	13			899.389
5	1	54	13			312.182
6	2	90.3	13	1091		902.975
7	1	75.5	13			514.318
8	2	95	13	1052		381.822
9	3	99.5	13	1776	1604	819.935
10	1	61.4	13			678.288
11	2	85.3	13	1775		161.101
12	1	58	13			732.154
13	1	95.4	13			14.977



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	53.3	6	1079		537.19
2	3	78.4	6	1542	1368	363.32
3	3	79.2	6	1287	1702	661.96
4	2	54.4	6	1911		264
5	3	64.2	6	1845	1561	725.45
6	2	83.5	6	1793		305.48
7	2	50	6	1695		218.88
8	1	79.1	6			46.79
9	1	74.3	6			454.34
10	3	86.5	6	1934	1645	65.97
11	3	89.5	6	1786	1267	191.86
12	1	99.6	6			585.4
13	2	79.5	6	1171		576.63
14	2	82.1	6	1427		395.4
15	1	52.9	6			689.2
16	2	75.3	6	1902		636.7



TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 13							
Bursts in Trial: 16							
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)	
1	2	70.5	9	1935		99.409	
2	2	84.3	9	1453		370.42	
3	3	67	9	1576	1057	261.41	
4	3	91.6	9	1766	1155	29.37	
5	3	63.3	9	1203	1031	455.68	
6	3	77.8	9	1871	1713	318.46	
7	3	85.2	9	1364	1611	686.02	
8	3	97.2	9	1305	1863	273.18	
9	2	54.9	9	1463		507.69	
10	1	83.3	9			282.83	
11	3	78.2	9	1166	1731	444.4	
12	3	97.6	9	1985	1240	382.27	
13	2	60.3	9	1763		695.08	
14	2	84.7	9	1459		317.9	
15	2	54.7	9	1302		654.1	
16	3	74.8	9	1416	1093	584.4	


--

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 14

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	50	12	1429	1808	497.34
2	2	82.9	12	1386		53.034
3	2	84.6	12	1869		611.614
4	3	58.1	12	1638	1858	701.371
5	2	98.3	12	1741		180.839
6	2	86.9	12	1838		106.696
7	2	86.5	12	1080		361.033
8	3	53.8	12	1898	1839	268.93
9	2	57.7	12	1529		784.437
10	2	53.2	12	1580		844.364
11	1	88.3	12			520.411
12	2	66.8	12	1352		552.029
13	1	93.4	12			354.386
14	2	98	12	1951		576.343




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 20

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	75.2	13			187.721
2	1	51.1	13			314.736
3	1	54.8	13			328.38
4	1	84.2	13			586.83
5	3	66.9	13	1602	1012	368.01
6	3	53	13	1446	1636	532.49
7	2	75	13	1673		106.08
8	2	55.2	13	1241		228.16
9	2	52.9	13	1547		68.87
10	2	67.8	13	1282		492.79
11	2	95.7	13	1766		273.44
12	3	95.3	13	1117	1862	6.44
13	3	60.9	13	1274	1384	347.28
14	3	77.4	13	1672	1784	102.75
15	1	95.5	13			291.4
16	2	79.6	13	1109		202.96
17	2	77.9	13	1527		445.2
18	2	91.3	13	1011		60.2
19	1	67.3	13			220.9
20	3	99	13	1707	1361	99.1




TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 11

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	80.4	12	1819	1325	277.798
2	2	51.8	12	1766		338.601
3	1	70.9	12			961.892
4	2	95.7	12	1807		12.743
5	3	64.6	12	1485	1277	304.584
6	2	73.7	12	1911		585.315
7	1	73.5	12			683.995
8	1	61.2	12			205.976
9	2	61.7	12	1618		574.647
10	1	98.3	12			383.518
11	2	98.3	12	1555		786.509




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 11

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	74.7	8	1260	1782	4.556
2	1	75	8			1083.421
3	2	65.3	8	1860		741.222
4	1	82.8	8			175.003
5	3	85.7	8	1108	1869	397.164
6	2	96.9	8	1570		1041.815
7	1	51.4	8			69.645
8	2	57.3	8	1208		1046.436
9	3	94.8	8	1954	1388	605.127
10	1	52	8			426.918
11	2	58.1	8	1090		876.309




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 20

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	69	19	1734	1257	478.555
2	2	56.9	19	1979		508
3	2	70.8	19	1184		547.11
4	2	61.6	19	1687		169.63
5	1	53	19			589.78
6	2	90.2	19	1337		28.29
7	2	64.7	19	1516		589.8
8	3	58.8	19	1960	1664	268.57
9	2	51.1	19	1297		214.96
10	1	86.6	19			217.21
11	3	73.1	19	1916	1442	535.92
12	2	63	19	1492		496.73
13	1	68.7	19			143.4
14	3	72.7	19	1109	1361	232.13
15	1	97	19			340.75
16	1	94.7	19			534.97
17	2	97.6	19	1948		439.1
18	2	83.1	19	1576		118.1
19	2	97	19	1721		284.3
20	3	60.1	19	1074	1865	429.5




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 20

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	62.3	13	1865	1708	255.773
2	2	50.8	13	1690		116.559
3	1	51.9	13			231.02
4	2	90.7	13	1521		211.5
5	2	54.6	13	1088		514.15
6	2	57.8	13	1002		23.26
7	3	63.5	13	1801	1141	126.87
8	3	54.9	13	1519	1400	155.36
9	2	62.2	13	1395		122.37
10	3	78.9	13	1742	1932	448.64
11	1	59.7	13			451.51
12	3	53.9	13	1959	1578	105.28
13	1	86.3	13			370.25
14	1	82.7	13			95.75
15	3	74.5	13	1534	1548	194.57
16	2	53.1	13	1720		520.64
17	1	66.5	13			144.72
18	2	53.1	13	1726		553.9
19	2	50.4	13	1841		82.6
20	3	78.6	13	1230	1691	325.9



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	78.4	13			939.033
2	2	92.1	13	1914		746.06
3	2	65.2	13	1908		383.2
4	2	73.7	13	1318		546.65
5	2	88.3	13	1704		715.54
6	1	87.1	13			431.6
7	2	97.6	13	1760		756.67
8	1	61.2	13			1059.28
9	1	54.7	13			487
10	2	78.6	13	1832		1136.1

--

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 21

Bursts in Trial: 9


Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	64.3	9			544.592
2	1	54.1	9			1073.247
3	3	75	9	1033	1909	931.143
4	1	87.4	9			635.16
5	1	88.9	9			136.417
6	2	66.4	9	1688		29.463
7	1	85	9			1212.42
8	2	93.3	9	1797		1151.167
9	1	72.4	9			1253.233

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 22

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	67.7	7			455.266
2	3	66.9	7	1421	1870	631.893
3	1	81.2	7			18.156
4	1	71.5	7			858.669
5	2	77.2	7	1670		505.522
6	3	80.5	7	1610	1571	673.275
7	2	57.2	7	1945		115.918
8	2	52.9	7	1477		490.272
9	2	57	7	1841		52.355
10	1	52.6	7			135.148
11	3	70.9	7	1917	1381	615.521
12	2	56.9	7	1397		898.754
13	2	64	7	1771		711.977




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 24

Bursts in Trial: 9


Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	96.5	17	1967		658.406
2	3	81.7	17	1104	1969	802.797
3	2	90	17	1208		373.223
4	1	50.8	17			607.95
5	2	99.2	17	1749		371.817
6	2	57.7	17	1814		1222.183
7	1	78.1	17			207.3
8	1	99.6	17			818.867
9	2	55	17	1377		1231.633



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	65.1	18	1941	1601	182.275
2	3	66.6	18	1714	1745	590.121
3	3	73.9	18	1422	1059	77.812
4	1	92.7	18			361.543
5	3	97.9	18	1743	1277	444.544
6	3	70.6	18	1057	1432	394.765
7	3	72.9	18	1806	1572	41.556
8	3	76.7	18	1045	1252	178.427
9	3	74.8	18	1884	1457	460.088
10	3	54.3	18	1635	1731	596.769
11	2	56.1	18	1316		174.831
12	2	51	18	1977		118.952
13	2	67.8	18	1102		566.103
14	2	78.3	18	1195		361.024
15	2	87.1	18	1981		596.835
16	2	53.3	18	1675		610.016
17	2	92.5	18	2000		224.937
18	1	91.9	18			422.758
19	2	94.5	18	1157		29.579



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	80.3	13	1709		337.223
2	2	50.2	13	1584		469.623
3	3	71.5	13	1784	1808	390.147
4	1	84	13			339.04
5	1	50.2	13			255.473
6	2	63.7	13	1277		155.137
7	3	91.4	13	1333	1434	309.23
8	2	71.2	13	1885		455.563
9	3	72.8	13	1888	1205	601.417
10	3	92.6	13	1038	1224	344.14
11	2	91.4	13	1630		557.573
12	2	51.2	13	1681		259.497
13	3	98.9	13	1940	1682	399.4
14	2	87.5	13	1575		341.553
15	2	66.7	13	1494		29.587
16	2	54.3	13	1367		96
17	2	55.8	13	1683		636.733
18	2	92.1	13	1770		146.267




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 29

Bursts in Trial: 14

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	90.8	16	1722	1070	265.896
2	1	85.6	16			703.897
3	2	66.6	16	1420		74.044
4	1	82.8	16			56.671
5	2	58.5	16	1229		581.229
6	3	75.7	16	1146	1334	684.506
7	2	50.8	16	1287		24.573
8	3	68.8	16	1652	1024	722.49
9	1	85.8	16			440.667
10	1	72.4	16			434.604
11	1	66.6	16			228.581
12	2	92.5	16	1044		342.499
13	3	54.8	16	1726	1113	323.786
14	2	55.1	16	1663		639.843



TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 30

Bursts in Trial: 9

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	74.1	12			246.608
2	2	59.3	12	1794		574.137
3	1	85.9	12			1099.403
4	1	70.7	12			50.03
5	1	53.2	12			1230.237
6	3	96.5	12	1879	1804	920.893
7	2	63.3	12	1091		156.1
8	1	97.4	12			1210.867
9	1	69.9	12			1096.433

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.614	160	
2	5.25	5.521	160	
3	5.25	5.434	160	
4	5.25	5.681	160	
5	5.25	5.309	160	
6	5.25	5.629	160	
7	5.25	5.361	160	
8	5.25	5.575	160	*
9	5.25	5.626	160	
10	5.25	5.326	160	
11	5.25	5.284	160	
12	5.25	5.525	160	
13	5.25	5.302	160	
14	5.25	5.573	160	*
15	5.25	5.579	160	
16	5.25	5.615	160	
17	5.25	5.315	160	
18	5.25	5.603	160	
19	5.25	5.421	160	
20	5.25	5.663	160	
21	5.25	5.294	160	
22	5.25	5.699	160	
23	5.25	5.696	160	
24	5.25	5.648	160	
25	5.25	5.261	160	
26	5.25	5.273	160	
27	5.25	5.661	160	
28	5.25	5.45	160	
29	5.25	5.474	160	
30	5.25	5.366	160	
31	5.25	5.311	160	
32	5.25	5.703	160	
33	5.25	5.318	160	
34	5.25	5.531	160	
35	5.25	5.405	160	
36	5.25	5.564	160	*
37	5.25	5.367	160	
38	5.25	5.433	160	
39	5.25	5.562	160	*
40	5.25	5.489	160	
41	5.25	5.392	160	
42	5.25	5.542	160	
43	5.25	5.488	160	
44	5.25	5.583	160	
45	5.25	5.458	160	
46	5.25	5.39	160	
47	5.25	5.52	160	

48	5.25	5.511	160	
49	5.25	5.389	160	
50	5.25	5.494	160	
51	5.25	5.602	160	
52	5.25	5.275	160	
53	5.25	5.711	160	
54	5.25	5.619	160	
55	5.25	5.43	160	
56	5.25	5.688	160	
57	5.25	5.578	160	*
58	5.25	5.465	160	
59	5.25	5.686	160	
60	5.25	5.563	160	*
61	5.25	5.612	160	
62	5.25	5.327	160	
63	5.25	5.265	160	
64	5.25	5.401	160	
65	5.25	5.584	160	
66	5.25	5.372	160	
67	5.25	5.266	160	
68	5.25	5.717	160	
69	5.25	5.344	160	
70	5.25	5.691	160	
71	5.25	5.255	160	
72	5.25	5.656	160	
73	5.25	5.354	160	
74	5.25	5.493	160	
75	5.25	5.514	160	
76	5.25	5.262	160	
77	5.25	5.393	160	
78	5.25	5.606	160	
79	5.25	5.467	160	
80	5.25	5.299	160	
81	5.25	5.312	160	
82	5.25	5.332	160	
83	5.25	5.292	160	
84	5.25	5.517	160	
85	5.25	5.522	160	
86	5.25	5.722	160	
87	5.25	5.473	160	
88	5.25	5.62	160	
89	5.25	5.481	160	
90	5.25	5.608	160	
91	5.25	5.697	160	
92	5.25	5.587	160	
93	5.25	5.604	160	
94	5.25	5.613	160	
95	5.25	5.307	160	
96	5.25	5.509	160	
97	5.25	5.368	160	
98	5.25	5.515	160	
99	5.25	5.601	160	
100	5.25	5.475	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.359	160	
2	5.25	5.511	160	
3	5.25	5.524	160	
4	5.25	5.276	160	
5	5.25	5.5	160	
6	5.25	5.433	160	
7	5.25	5.29	160	
8	5.25	5.498	160	
9	5.25	5.709	160	
10	5.25	5.371	160	
11	5.25	5.644	160	
12	5.25	5.567	160	*
13	5.25	5.347	160	
14	5.25	5.297	160	
15	5.25	5.382	160	
16	5.25	5.27	160	
17	5.25	5.495	160	
18	5.25	5.488	160	
19	5.25	5.267	160	
20	5.25	5.453	160	
21	5.25	5.399	160	
22	5.25	5.346	160	
23	5.25	5.425	160	
24	5.25	5.716	160	
25	5.25	5.429	160	
26	5.25	5.388	160	
27	5.25	5.278	160	
28	5.25	5.513	160	
29	5.25	5.589	160	
30	5.25	5.621	160	
31	5.25	5.521	160	
32	5.25	5.681	160	
33	5.25	5.271	160	
34	5.25	5.479	160	
35	5.25	5.565	160	*
36	5.25	5.514	160	
37	5.25	5.447	160	
38	5.25	5.412	160	
39	5.25	5.273	160	
40	5.25	5.633	160	
41	5.25	5.649	160	
42	5.25	5.503	160	
43	5.25	5.437	160	
44	5.25	5.687	160	
45	5.25	5.325	160	
46	5.25	5.574	160	*
47	5.25	5.638	160	

48	5.25	5.667	160	
49	5.25	5.632	160	
50	5.25	5.372	160	
51	5.25	5.438	160	
52	5.25	5.268	160	
53	5.25	5.309	160	
54	5.25	5.623	160	
55	5.25	5.661	160	
56	5.25	5.345	160	
57	5.25	5.673	160	
58	5.25	5.512	160	
59	5.25	5.715	160	
60	5.25	5.695	160	
61	5.25	5.601	160	
62	5.25	5.289	160	
63	5.25	5.391	160	
64	5.25	5.361	160	
65	5.25	5.292	160	
66	5.25	5.663	160	
67	5.25	5.332	160	
68	5.25	5.462	160	
69	5.25	5.36	160	
70	5.25	5.259	160	
71	5.25	5.318	160	
72	5.25	5.618	160	
73	5.25	5.535	160	
74	5.25	5.358	160	
75	5.25	5.625	160	
76	5.25	5.698	160	
77	5.25	5.466	160	
78	5.25	5.637	160	
79	5.25	5.591	160	
80	5.25	5.516	160	
81	5.25	5.555	160	
82	5.25	5.492	160	
83	5.25	5.531	160	
84	5.25	5.475	160	
85	5.25	5.61	160	
86	5.25	5.578	160	*
87	5.25	5.613	160	
88	5.25	5.593	160	
89	5.25	5.329	160	
90	5.25	5.473	160	
91	5.25	5.545	160	
92	5.25	5.408	160	
93	5.25	5.711	160	
94	5.25	5.42	160	
95	5.25	5.357	160	
96	5.25	5.258	160	
97	5.25	5.62	160	
98	5.25	5.705	160	
99	5.25	5.51	160	
100	5.25	5.296	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.361	160	
2	5.25	5.294	160	
3	5.25	5.362	160	
4	5.25	5.683	160	
5	5.25	5.527	160	
6	5.25	5.427	160	
7	5.25	5.581	160	
8	5.25	5.593	160	
9	5.25	5.696	160	
10	5.25	5.411	160	
11	5.25	5.25	160	
12	5.25	5.335	160	
13	5.25	5.518	160	
14	5.25	5.536	160	
15	5.25	5.573	160	*
16	5.25	5.67	160	
17	5.25	5.721	160	
18	5.25	5.432	160	
19	5.25	5.483	160	
20	5.25	5.314	160	
21	5.25	5.556	160	
22	5.25	5.646	160	
23	5.25	5.464	160	
24	5.25	5.265	160	
25	5.25	5.576	160	*
26	5.25	5.675	160	
27	5.25	5.455	160	
28	5.25	5.69	160	
29	5.25	5.325	160	
30	5.25	5.587	160	
31	5.25	5.309	160	
32	5.25	5.262	160	
33	5.25	5.582	160	
34	5.25	5.641	160	
35	5.25	5.634	160	
36	5.25	5.417	160	
37	5.25	5.701	160	
38	5.25	5.283	160	
39	5.25	5.28	160	
40	5.25	5.647	160	
41	5.25	5.414	160	
42	5.25	5.468	160	
43	5.25	5.52	160	
44	5.25	5.505	160	
45	5.25	5.429	160	
46	5.25	5.433	160	
47	5.25	5.674	160	

48	5.25	5.597	160	
49	5.25	5.719	160	
50	5.25	5.577	160	*
51	5.25	5.369	160	
52	5.25	5.509	160	
53	5.25	5.45	160	
54	5.25	5.598	160	
55	5.25	5.428	160	
56	5.25	5.535	160	
57	5.25	5.344	160	
58	5.25	5.572	160	*
59	5.25	5.604	160	
60	5.25	5.357	160	
61	5.25	5.517	160	
62	5.25	5.717	160	
63	5.25	5.638	160	
64	5.25	5.607	160	
65	5.25	5.403	160	
66	5.25	5.321	160	
67	5.25	5.29	160	
68	5.25	5.454	160	
69	5.25	5.613	160	
70	5.25	5.677	160	
71	5.25	5.408	160	
72	5.25	5.629	160	
73	5.25	5.531	160	
74	5.25	5.278	160	
75	5.25	5.481	160	
76	5.25	5.716	160	
77	5.25	5.401	160	
78	5.25	5.473	160	
79	5.25	5.631	160	
80	5.25	5.372	160	
81	5.25	5.585	160	
82	5.25	5.608	160	
83	5.25	5.492	160	
84	5.25	5.622	160	
85	5.25	5.438	160	
86	5.25	5.612	160	
87	5.25	5.338	160	
88	5.25	5.72	160	
89	5.25	5.279	160	
90	5.25	5.347	160	
91	5.25	5.506	160	
92	5.25	5.284	160	
93	5.25	5.684	160	
94	5.25	5.285	160	
95	5.25	5.305	160	
96	5.25	5.395	160	
97	5.25	5.277	160	
98	5.25	5.271	160	
99	5.25	5.724	160	
100	5.25	5.552	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.597	160	
2	5.25	5.25	160	
3	5.25	5.568	160	*
4	5.25	5.655	160	
5	5.25	5.361	160	
6	5.25	5.692	160	
7	5.25	5.328	160	
8	5.25	5.667	160	
9	5.25	5.515	160	
10	5.25	5.592	160	
11	5.25	5.459	160	
12	5.25	5.565	160	*
13	5.25	5.554	160	
14	5.25	5.642	160	
15	5.25	5.615	160	
16	5.25	5.549	160	
17	5.25	5.586	160	
18	5.25	5.263	160	
19	5.25	5.564	160	*
20	5.25	5.409	160	
21	5.25	5.579	160	
22	5.25	5.494	160	
23	5.25	5.383	160	
24	5.25	5.292	160	
25	5.25	5.423	160	
26	5.25	5.447	160	
27	5.25	5.413	160	
28	5.25	5.715	160	
29	5.25	5.719	160	
30	5.25	5.652	160	
31	5.25	5.382	160	
32	5.25	5.349	160	
33	5.25	5.389	160	
34	5.25	5.673	160	
35	5.25	5.523	160	
36	5.25	5.482	160	
37	5.25	5.421	160	
38	5.25	5.375	160	
39	5.25	5.545	160	
40	5.25	5.257	160	
41	5.25	5.658	160	
42	5.25	5.548	160	
43	5.25	5.602	160	
44	5.25	5.64	160	
45	5.25	5.357	160	
46	5.25	5.717	160	
47	5.25	5.366	160	

48	5.25	5.716	160	
49	5.25	5.67	160	
50	5.25	5.534	160	
51	5.25	5.266	160	
52	5.25	5.42	160	
53	5.25	5.506	160	
54	5.25	5.671	160	
55	5.25	5.351	160	
56	5.25	5.625	160	
57	5.25	5.581	160	
58	5.25	5.478	160	
59	5.25	5.401	160	
60	5.25	5.27	160	
61	5.25	5.433	160	
62	5.25	5.723	160	
63	5.25	5.276	160	
64	5.25	5.451	160	
65	5.25	5.318	160	
66	5.25	5.303	160	
67	5.25	5.452	160	
68	5.25	5.39	160	
69	5.25	5.6	160	
70	5.25	5.502	160	
71	5.25	5.638	160	
72	5.25	5.463	160	
73	5.25	5.262	160	
74	5.25	5.661	160	
75	5.25	5.341	160	
76	5.25	5.491	160	
77	5.25	5.386	160	
78	5.25	5.353	160	
79	5.25	5.412	160	
80	5.25	5.522	160	
81	5.25	5.416	160	
82	5.25	5.307	160	
83	5.25	5.418	160	
84	5.25	5.479	160	
85	5.25	5.53	160	
86	5.25	5.644	160	
87	5.25	5.678	160	
88	5.25	5.657	160	
89	5.25	5.505	160	
90	5.25	5.273	160	
91	5.25	5.304	160	
92	5.25	5.629	160	
93	5.25	5.481	160	
94	5.25	5.557	160	
95	5.25	5.395	160	
96	5.25	5.595	160	
97	5.25	5.339	160	
98	5.25	5.335	160	
99	5.25	5.707	160	
100	5.25	5.322	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.531	160	
2	5.25	5.305	160	
3	5.25	5.317	160	
4	5.25	5.687	160	
5	5.25	5.252	160	
6	5.25	5.722	160	
7	5.25	5.397	160	
8	5.25	5.583	160	
9	5.25	5.601	160	
10	5.25	5.482	160	
11	5.25	5.277	160	
12	5.25	5.414	160	
13	5.25	5.273	160	
14	5.25	5.582	160	
15	5.25	5.267	160	
16	5.25	5.255	160	
17	5.25	5.633	160	
18	5.25	5.337	160	
19	5.25	5.348	160	
20	5.25	5.269	160	
21	5.25	5.66	160	
22	5.25	5.548	160	
23	5.25	5.293	160	
24	5.25	5.307	160	
25	5.25	5.512	160	
26	5.25	5.432	160	
27	5.25	5.54	160	
28	5.25	5.289	160	
29	5.25	5.586	160	
30	5.25	5.67	160	
31	5.25	5.474	160	
32	5.25	5.272	160	
33	5.25	5.411	160	
34	5.25	5.68	160	
35	5.25	5.256	160	
36	5.25	5.46	160	
37	5.25	5.568	160	*
38	5.25	5.625	160	
39	5.25	5.558	160	*
40	5.25	5.696	160	
41	5.25	5.621	160	
42	5.25	5.5	160	
43	5.25	5.276	160	
44	5.25	5.616	160	
45	5.25	5.649	160	
46	5.25	5.702	160	
47	5.25	5.33	160	

48	5.25	5.712	160	
49	5.25	5.554	160	
50	5.25	5.266	160	
51	5.25	5.433	160	
52	5.25	5.612	160	
53	5.25	5.462	160	
54	5.25	5.607	160	
55	5.25	5.28	160	
56	5.25	5.329	160	
57	5.25	5.694	160	
58	5.25	5.493	160	
59	5.25	5.613	160	
60	5.25	5.578	160	*
61	5.25	5.503	160	
62	5.25	5.475	160	
63	5.25	5.495	160	
64	5.25	5.604	160	
65	5.25	5.264	160	
66	5.25	5.682	160	
67	5.25	5.384	160	
68	5.25	5.378	160	
69	5.25	5.661	160	
70	5.25	5.286	160	
71	5.25	5.483	160	
72	5.25	5.326	160	
73	5.25	5.375	160	
74	5.25	5.453	160	
75	5.25	5.542	160	
76	5.25	5.299	160	
77	5.25	5.275	160	
78	5.25	5.437	160	
79	5.25	5.59	160	
80	5.25	5.314	160	
81	5.25	5.562	160	*
82	5.25	5.61	160	
83	5.25	5.417	160	
84	5.25	5.431	160	
85	5.25	5.55	160	
86	5.25	5.321	160	
87	5.25	5.484	160	
88	5.25	5.251	160	
89	5.25	5.645	160	
90	5.25	5.673	160	
91	5.25	5.595	160	
92	5.25	5.598	160	
93	5.25	5.288	160	
94	5.25	5.665	160	
95	5.25	5.706	160	
96	5.25	5.403	160	
97	5.25	5.637	160	
98	5.25	5.507	160	
99	5.25	5.412	160	
100	5.25	5.577	160	*

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.542	160	
2	5.25	5.484	160	
3	5.25	5.488	160	
4	5.25	5.373	160	
5	5.25	5.662	160	
6	5.25	5.594	160	
7	5.25	5.416	160	
8	5.25	5.312	160	
9	5.25	5.614	160	
10	5.25	5.305	160	
11	5.25	5.412	160	
12	5.25	5.332	160	
13	5.25	5.394	160	
14	5.25	5.361	160	
15	5.25	5.34	160	
16	5.25	5.378	160	
17	5.25	5.261	160	
18	5.25	5.342	160	
19	5.25	5.692	160	
20	5.25	5.664	160	
21	5.25	5.318	160	
22	5.25	5.5	160	
23	5.25	5.409	160	
24	5.25	5.386	160	
25	5.25	5.49	160	
26	5.25	5.364	160	
27	5.25	5.313	160	
28	5.25	5.411	160	
29	5.25	5.589	160	
30	5.25	5.618	160	
31	5.25	5.442	160	
32	5.25	5.6	160	
33	5.25	5.458	160	
34	5.25	5.672	160	
35	5.25	5.37	160	
36	5.25	5.51	160	
37	5.25	5.296	160	
38	5.25	5.644	160	
39	5.25	5.663	160	
40	5.25	5.455	160	
41	5.25	5.269	160	
42	5.25	5.653	160	
43	5.25	5.607	160	
44	5.25	5.59	160	
45	5.25	5.268	160	
46	5.25	5.547	160	
47	5.25	5.605	160	

48	5.25	5.657	160	
49	5.25	5.472	160	
50	5.25	5.263	160	
51	5.25	5.477	160	
52	5.25	5.689	160	
53	5.25	5.528	160	
54	5.25	5.266	160	
55	5.25	5.456	160	
56	5.25	5.39	160	
57	5.25	5.611	160	
58	5.25	5.338	160	
59	5.25	5.616	160	
60	5.25	5.681	160	
61	5.25	5.612	160	
62	5.25	5.508	160	
63	5.25	5.466	160	
64	5.25	5.649	160	
65	5.25	5.327	160	
66	5.25	5.333	160	
67	5.25	5.498	160	
68	5.25	5.437	160	
69	5.25	5.519	160	
70	5.25	5.523	160	
71	5.25	5.374	160	
72	5.25	5.683	160	
73	5.25	5.258	160	
74	5.25	5.41	160	
75	5.25	5.642	160	
76	5.25	5.622	160	
77	5.25	5.443	160	
78	5.25	5.499	160	
79	5.25	5.276	160	
80	5.25	5.328	160	
81	5.25	5.583	160	
82	5.25	5.576	160	*
83	5.25	5.302	160	
84	5.25	5.593	160	
85	5.25	5.444	160	
86	5.25	5.355	160	
87	5.25	5.563	160	*
88	5.25	5.299	160	
89	5.25	5.521	160	
90	5.25	5.516	160	
91	5.25	5.382	160	
92	5.25	5.538	160	
93	5.25	5.617	160	
94	5.25	5.504	160	
95	5.25	5.702	160	
96	5.25	5.56	160	*
97	5.25	5.335	160	
98	5.25	5.283	160	
99	5.25	5.573	160	*
100	5.25	5.489	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.55	160	
2	5.25	5.493	160	
3	5.25	5.444	160	
4	5.25	5.514	160	
5	5.25	5.295	160	
6	5.25	5.261	160	
7	5.25	5.703	160	
8	5.25	5.255	160	
9	5.25	5.472	160	
10	5.25	5.326	160	
11	5.25	5.684	160	
12	5.25	5.302	160	
13	5.25	5.454	160	
14	5.25	5.259	160	
15	5.25	5.638	160	
16	5.25	5.694	160	
17	5.25	5.508	160	
18	5.25	5.44	160	
19	5.25	5.518	160	
20	5.25	5.722	160	
21	5.25	5.629	160	
22	5.25	5.457	160	
23	5.25	5.377	160	
24	5.25	5.608	160	
25	5.25	5.322	160	
26	5.25	5.291	160	
27	5.25	5.505	160	
28	5.25	5.689	160	
29	5.25	5.473	160	
30	5.25	5.269	160	
31	5.25	5.458	160	
32	5.25	5.6	160	
33	5.25	5.369	160	
34	5.25	5.492	160	
35	5.25	5.274	160	
36	5.25	5.535	160	
37	5.25	5.577	160	*
38	5.25	5.39	160	
39	5.25	5.319	160	
40	5.25	5.353	160	
41	5.25	5.301	160	
42	5.25	5.706	160	
43	5.25	5.251	160	
44	5.25	5.318	160	
45	5.25	5.564	160	*
46	5.25	5.562	160	*
47	5.25	5.719	160	

48	5.25	5.557	160	
49	5.25	5.404	160	
50	5.25	5.704	160	
51	5.25	5.338	160	
52	5.25	5.375	160	
53	5.25	5.592	160	
54	5.25	5.311	160	
55	5.25	5.68	160	
56	5.25	5.61	160	
57	5.25	5.611	160	
58	5.25	5.417	160	
59	5.25	5.495	160	
60	5.25	5.365	160	
61	5.25	5.396	160	
62	5.25	5.456	160	
63	5.25	5.471	160	
64	5.25	5.379	160	
65	5.25	5.517	160	
66	5.25	5.503	160	
67	5.25	5.366	160	
68	5.25	5.331	160	
69	5.25	5.287	160	
70	5.25	5.532	160	
71	5.25	5.656	160	
72	5.25	5.647	160	
73	5.25	5.312	160	
74	5.25	5.268	160	
75	5.25	5.558	160	*
76	5.25	5.636	160	
77	5.25	5.341	160	
78	5.25	5.543	160	
79	5.25	5.579	160	
80	5.25	5.67	160	
81	5.25	5.388	160	
82	5.25	5.657	160	
83	5.25	5.467	160	
84	5.25	5.555	160	
85	5.25	5.387	160	
86	5.25	5.556	160	
87	5.25	5.659	160	
88	5.25	5.563	160	*
89	5.25	5.339	160	
90	5.25	5.551	160	
91	5.25	5.602	160	
92	5.25	5.475	160	
93	5.25	5.394	160	
94	5.25	5.363	160	
95	5.25	5.306	160	
96	5.25	5.655	160	
97	5.25	5.372	160	
98	5.25	5.26	160	
99	5.25	5.699	160	
100	5.25	5.386	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.276	160	
2	5.25	5.329	160	
3	5.25	5.573	160	*
4	5.25	5.634	160	
5	5.25	5.555	160	
6	5.25	5.654	160	
7	5.25	5.359	160	
8	5.25	5.363	160	
9	5.25	5.322	160	
10	5.25	5.485	160	
11	5.25	5.394	160	
12	5.25	5.655	160	
13	5.25	5.711	160	
14	5.25	5.403	160	
15	5.25	5.679	160	
16	5.25	5.704	160	
17	5.25	5.285	160	
18	5.25	5.443	160	
19	5.25	5.507	160	
20	5.25	5.344	160	
21	5.25	5.591	160	
22	5.25	5.653	160	
23	5.25	5.312	160	
24	5.25	5.668	160	
25	5.25	5.304	160	
26	5.25	5.372	160	
27	5.25	5.63	160	
28	5.25	5.613	160	
29	5.25	5.616	160	
30	5.25	5.382	160	
31	5.25	5.333	160	
32	5.25	5.449	160	
33	5.25	5.294	160	
34	5.25	5.257	160	
35	5.25	5.648	160	
36	5.25	5.707	160	
37	5.25	5.451	160	
38	5.25	5.404	160	
39	5.25	5.441	160	
40	5.25	5.299	160	
41	5.25	5.332	160	
42	5.25	5.488	160	
43	5.25	5.323	160	
44	5.25	5.508	160	
45	5.25	5.266	160	
46	5.25	5.697	160	
47	5.25	5.619	160	

48	5.25	5.428	160	
49	5.25	5.486	160	
50	5.25	5.516	160	
51	5.25	5.277	160	
52	5.25	5.572	160	*
53	5.25	5.53	160	
54	5.25	5.447	160	
55	5.25	5.62	160	
56	5.25	5.373	160	
57	5.25	5.313	160	
58	5.25	5.651	160	
59	5.25	5.375	160	
60	5.25	5.342	160	
61	5.25	5.695	160	
62	5.25	5.649	160	
63	5.25	5.47	160	
64	5.25	5.519	160	
65	5.25	5.718	160	
66	5.25	5.256	160	
67	5.25	5.602	160	
68	5.25	5.614	160	
69	5.25	5.607	160	
70	5.25	5.31	160	
71	5.25	5.719	160	
72	5.25	5.325	160	
73	5.25	5.494	160	
74	5.25	5.369	160	
75	5.25	5.631	160	
76	5.25	5.466	160	
77	5.25	5.708	160	
78	5.25	5.346	160	
79	5.25	5.72	160	
80	5.25	5.351	160	
81	5.25	5.336	160	
82	5.25	5.355	160	
83	5.25	5.652	160	
84	5.25	5.528	160	
85	5.25	5.523	160	
86	5.25	5.681	160	
87	5.25	5.422	160	
88	5.25	5.291	160	
89	5.25	5.637	160	
90	5.25	5.46	160	
91	5.25	5.334	160	
92	5.25	5.674	160	
93	5.25	5.448	160	
94	5.25	5.666	160	
95	5.25	5.598	160	
96	5.25	5.376	160	
97	5.25	5.56	160	*
98	5.25	5.709	160	
99	5.25	5.574	160	*
100	5.25	5.65	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.255	160	
2	5.25	5.574	160	*
3	5.25	5.571	160	*
4	5.25	5.531	160	
5	5.25	5.616	160	
6	5.25	5.69	160	
7	5.25	5.377	160	
8	5.25	5.624	160	
9	5.25	5.704	160	
10	5.25	5.392	160	
11	5.25	5.632	160	
12	5.25	5.357	160	
13	5.25	5.7	160	
14	5.25	5.601	160	
15	5.25	5.259	160	
16	5.25	5.541	160	
17	5.25	5.354	160	
18	5.25	5.515	160	
19	5.25	5.471	160	
20	5.25	5.378	160	
21	5.25	5.621	160	
22	5.25	5.313	160	
23	5.25	5.349	160	
24	5.25	5.6	160	
25	5.25	5.348	160	
26	5.25	5.26	160	
27	5.25	5.29	160	
28	5.25	5.491	160	
29	5.25	5.397	160	
30	5.25	5.413	160	
31	5.25	5.496	160	
32	5.25	5.595	160	
33	5.25	5.597	160	
34	5.25	5.53	160	
35	5.25	5.32	160	
36	5.25	5.519	160	
37	5.25	5.721	160	
38	5.25	5.443	160	
39	5.25	5.436	160	
40	5.25	5.598	160	
41	5.25	5.72	160	
42	5.25	5.482	160	
43	5.25	5.612	160	
44	5.25	5.268	160	
45	5.25	5.456	160	
46	5.25	5.687	160	
47	5.25	5.366	160	

48	5.25	5.576	160	*
49	5.25	5.702	160	
50	5.25	5.477	160	
51	5.25	5.497	160	
52	5.25	5.379	160	
53	5.25	5.322	160	
54	5.25	5.37	160	
55	5.25	5.498	160	
56	5.25	5.431	160	
57	5.25	5.649	160	
58	5.25	5.39	160	
59	5.25	5.564	160	*
60	5.25	5.328	160	
61	5.25	5.339	160	
62	5.25	5.715	160	
63	5.25	5.414	160	
64	5.25	5.51	160	
65	5.25	5.319	160	
66	5.25	5.618	160	
67	5.25	5.524	160	
68	5.25	5.382	160	
69	5.25	5.568	160	*
70	5.25	5.273	160	
71	5.25	5.657	160	
72	5.25	5.561	160	*
73	5.25	5.385	160	
74	5.25	5.325	160	
75	5.25	5.333	160	
76	5.25	5.713	160	
77	5.25	5.412	160	
78	5.25	5.543	160	
79	5.25	5.565	160	*
80	5.25	5.486	160	
81	5.25	5.346	160	
82	5.25	5.691	160	
83	5.25	5.353	160	
84	5.25	5.542	160	
85	5.25	5.59	160	
86	5.25	5.31	160	
87	5.25	5.444	160	
88	5.25	5.518	160	
89	5.25	5.494	160	
90	5.25	5.439	160	
91	5.25	5.585	160	
92	5.25	5.625	160	
93	5.25	5.604	160	
94	5.25	5.451	160	
95	5.25	5.365	160	
96	5.25	5.293	160	
97	5.25	5.251	160	
98	5.25	5.351	160	
99	5.25	5.352	160	
100	5.25	5.667	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.401	160	
2	5.25	5.669	160	
3	5.25	5.422	160	
4	5.25	5.6	160	
5	5.25	5.568	160	*
6	5.25	5.381	160	
7	5.25	5.315	160	
8	5.25	5.618	160	
9	5.25	5.383	160	
10	5.25	5.704	160	
11	5.25	5.479	160	
12	5.25	5.492	160	
13	5.25	5.259	160	
14	5.25	5.462	160	
15	5.25	5.566	160	*
16	5.25	5.514	160	
17	5.25	5.421	160	
18	5.25	5.303	160	
19	5.25	5.346	160	
20	5.25	5.68	160	
21	5.25	5.297	160	
22	5.25	5.328	160	
23	5.25	5.59	160	
24	5.25	5.623	160	
25	5.25	5.693	160	
26	5.25	5.481	160	
27	5.25	5.661	160	
28	5.25	5.579	160	
29	5.25	5.548	160	
30	5.25	5.721	160	
31	5.25	5.696	160	
32	5.25	5.535	160	
33	5.25	5.676	160	
34	5.25	5.325	160	
35	5.25	5.552	160	
36	5.25	5.344	160	
37	5.25	5.335	160	
38	5.25	5.431	160	
39	5.25	5.557	160	
40	5.25	5.418	160	
41	5.25	5.587	160	
42	5.25	5.403	160	
43	5.25	5.419	160	
44	5.25	5.356	160	
45	5.25	5.688	160	
46	5.25	5.486	160	
47	5.25	5.454	160	

48	5.25	5.28	160	
49	5.25	5.559	160	*
50	5.25	5.336	160	
51	5.25	5.269	160	
52	5.25	5.272	160	
53	5.25	5.318	160	
54	5.25	5.615	160	
55	5.25	5.463	160	
56	5.25	5.52	160	
57	5.25	5.271	160	
58	5.25	5.376	160	
59	5.25	5.546	160	
60	5.25	5.722	160	
61	5.25	5.456	160	
62	5.25	5.358	160	
63	5.25	5.494	160	
64	5.25	5.408	160	
65	5.25	5.717	160	
66	5.25	5.373	160	
67	5.25	5.624	160	
68	5.25	5.575	160	*
69	5.25	5.553	160	
70	5.25	5.724	160	
71	5.25	5.502	160	
72	5.25	5.291	160	
73	5.25	5.629	160	
74	5.25	5.43	160	
75	5.25	5.637	160	
76	5.25	5.488	160	
77	5.25	5.337	160	
78	5.25	5.491	160	
79	5.25	5.604	160	
80	5.25	5.512	160	
81	5.25	5.347	160	
82	5.25	5.31	160	
83	5.25	5.609	160	
84	5.25	5.465	160	
85	5.25	5.263	160	
86	5.25	5.564	160	*
87	5.25	5.683	160	
88	5.25	5.589	160	
89	5.25	5.388	160	
90	5.25	5.322	160	
91	5.25	5.558	160	*
92	5.25	5.299	160	
93	5.25	5.333	160	
94	5.25	5.319	160	
95	5.25	5.687	160	
96	5.25	5.312	160	
97	5.25	5.533	160	
98	5.25	5.432	160	
99	5.25	5.519	160	
100	5.25	5.405	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.48	160	
2	5.25	5.393	160	
3	5.25	5.497	160	
4	5.25	5.695	160	
5	5.25	5.502	160	
6	5.25	5.42	160	
7	5.25	5.327	160	
8	5.25	5.354	160	
9	5.25	5.496	160	
10	5.25	5.542	160	
11	5.25	5.631	160	
12	5.25	5.368	160	
13	5.25	5.329	160	
14	5.25	5.416	160	
15	5.25	5.675	160	
16	5.25	5.263	160	
17	5.25	5.366	160	
18	5.25	5.441	160	
19	5.25	5.351	160	
20	5.25	5.373	160	
21	5.25	5.271	160	
22	5.25	5.28	160	
23	5.25	5.429	160	
24	5.25	5.43	160	
25	5.25	5.501	160	
26	5.25	5.536	160	
27	5.25	5.312	160	
28	5.25	5.608	160	
29	5.25	5.322	160	
30	5.25	5.554	160	
31	5.25	5.36	160	
32	5.25	5.713	160	
33	5.25	5.667	160	
34	5.25	5.494	160	
35	5.25	5.611	160	
36	5.25	5.635	160	
37	5.25	5.574	160	*
38	5.25	5.683	160	
39	5.25	5.336	160	
40	5.25	5.571	160	*
41	5.25	5.515	160	
42	5.25	5.314	160	
43	5.25	5.632	160	
44	5.25	5.337	160	
45	5.25	5.485	160	
46	5.25	5.599	160	
47	5.25	5.467	160	

48	5.25	5.559	160	*
49	5.25	5.475	160	
50	5.25	5.505	160	
51	5.25	5.274	160	
52	5.25	5.63	160	
53	5.25	5.391	160	
54	5.25	5.537	160	
55	5.25	5.526	160	
56	5.25	5.551	160	
57	5.25	5.357	160	
58	5.25	5.671	160	
59	5.25	5.603	160	
60	5.25	5.326	160	
61	5.25	5.491	160	
62	5.25	5.438	160	
63	5.25	5.435	160	
64	5.25	5.41	160	
65	5.25	5.577	160	*
66	5.25	5.509	160	
67	5.25	5.534	160	
68	5.25	5.305	160	
69	5.25	5.359	160	
70	5.25	5.341	160	
71	5.25	5.612	160	
72	5.25	5.295	160	
73	5.25	5.269	160	
74	5.25	5.394	160	
75	5.25	5.358	160	
76	5.25	5.399	160	
77	5.25	5.575	160	*
78	5.25	5.321	160	
79	5.25	5.521	160	
80	5.25	5.585	160	
81	5.25	5.677	160	
82	5.25	5.479	160	
83	5.25	5.3	160	
84	5.25	5.532	160	
85	5.25	5.453	160	
86	5.25	5.381	160	
87	5.25	5.257	160	
88	5.25	5.253	160	
89	5.25	5.313	160	
90	5.25	5.492	160	
91	5.25	5.596	160	
92	5.25	5.562	160	*
93	5.25	5.565	160	*
94	5.25	5.317	160	
95	5.25	5.621	160	
96	5.25	5.645	160	
97	5.25	5.685	160	
98	5.25	5.5	160	
99	5.25	5.457	160	
100	5.25	5.687	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.38	160	
2	5.25	5.709	160	
3	5.25	5.324	160	
4	5.25	5.26	160	
5	5.25	5.351	160	
6	5.25	5.354	160	
7	5.25	5.521	160	
8	5.25	5.59	160	
9	5.25	5.674	160	
10	5.25	5.666	160	
11	5.25	5.527	160	
12	5.25	5.473	160	
13	5.25	5.299	160	
14	5.25	5.42	160	
15	5.25	5.436	160	
16	5.25	5.544	160	
17	5.25	5.721	160	
18	5.25	5.352	160	
19	5.25	5.32	160	
20	5.25	5.723	160	
21	5.25	5.699	160	
22	5.25	5.454	160	
23	5.25	5.405	160	
24	5.25	5.377	160	
25	5.25	5.722	160	
26	5.25	5.397	160	
27	5.25	5.37	160	
28	5.25	5.444	160	
29	5.25	5.535	160	
30	5.25	5.719	160	
31	5.25	5.696	160	
32	5.25	5.311	160	
33	5.25	5.523	160	
34	5.25	5.416	160	
35	5.25	5.382	160	
36	5.25	5.358	160	
37	5.25	5.34	160	
38	5.25	5.289	160	
39	5.25	5.33	160	
40	5.25	5.528	160	
41	5.25	5.624	160	
42	5.25	5.442	160	
43	5.25	5.681	160	
44	5.25	5.536	160	
45	5.25	5.274	160	
46	5.25	5.654	160	
47	5.25	5.321	160	

48	5.25	5.655	160	
49	5.25	5.591	160	
50	5.25	5.296	160	
51	5.25	5.272	160	
52	5.25	5.588	160	
53	5.25	5.586	160	
54	5.25	5.443	160	
55	5.25	5.449	160	
56	5.25	5.25	160	
57	5.25	5.47	160	
58	5.25	5.39	160	
59	5.25	5.383	160	
60	5.25	5.645	160	
61	5.25	5.712	160	
62	5.25	5.302	160	
63	5.25	5.338	160	
64	5.25	5.284	160	
65	5.25	5.664	160	
66	5.25	5.301	160	
67	5.25	5.642	160	
68	5.25	5.698	160	
69	5.25	5.541	160	
70	5.25	5.714	160	
71	5.25	5.569	160	*
72	5.25	5.522	160	
73	5.25	5.686	160	
74	5.25	5.409	160	
75	5.25	5.625	160	
76	5.25	5.372	160	
77	5.25	5.31	160	
78	5.25	5.72	160	
79	5.25	5.305	160	
80	5.25	5.356	160	
81	5.25	5.317	160	
82	5.25	5.481	160	
83	5.25	5.537	160	
84	5.25	5.691	160	
85	5.25	5.675	160	
86	5.25	5.483	160	
87	5.25	5.671	160	
88	5.25	5.677	160	
89	5.25	5.441	160	
90	5.25	5.487	160	
91	5.25	5.276	160	
92	5.25	5.381	160	
93	5.25	5.534	160	
94	5.25	5.716	160	
95	5.25	5.613	160	
96	5.25	5.287	160	
97	5.25	5.342	160	
98	5.25	5.319	160	
99	5.25	5.638	160	
100	5.25	5.329	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.358	160	
2	5.25	5.617	160	
3	5.25	5.701	160	
4	5.25	5.502	160	
5	5.25	5.575	160	*
6	5.25	5.386	160	
7	5.25	5.595	160	
8	5.25	5.546	160	
9	5.25	5.53	160	
10	5.25	5.463	160	
11	5.25	5.367	160	
12	5.25	5.643	160	
13	5.25	5.363	160	
14	5.25	5.389	160	
15	5.25	5.325	160	
16	5.25	5.693	160	
17	5.25	5.355	160	
18	5.25	5.408	160	
19	5.25	5.62	160	
20	5.25	5.697	160	
21	5.25	5.33	160	
22	5.25	5.286	160	
23	5.25	5.638	160	
24	5.25	5.458	160	
25	5.25	5.616	160	
26	5.25	5.673	160	
27	5.25	5.703	160	
28	5.25	5.369	160	
29	5.25	5.383	160	
30	5.25	5.516	160	
31	5.25	5.619	160	
32	5.25	5.444	160	
33	5.25	5.447	160	
34	5.25	5.253	160	
35	5.25	5.555	160	
36	5.25	5.466	160	
37	5.25	5.362	160	
38	5.25	5.559	160	*
39	5.25	5.277	160	
40	5.25	5.554	160	
41	5.25	5.622	160	
42	5.25	5.711	160	
43	5.25	5.723	160	
44	5.25	5.464	160	
45	5.25	5.352	160	
46	5.25	5.709	160	
47	5.25	5.717	160	

48	5.25	5.522	160	
49	5.25	5.418	160	
50	5.25	5.451	160	
51	5.25	5.334	160	
52	5.25	5.7	160	
53	5.25	5.345	160	
54	5.25	5.434	160	
55	5.25	5.512	160	
56	5.25	5.681	160	
57	5.25	5.547	160	
58	5.25	5.537	160	
59	5.25	5.339	160	
60	5.25	5.455	160	
61	5.25	5.296	160	
62	5.25	5.331	160	
63	5.25	5.39	160	
64	5.25	5.379	160	
65	5.25	5.58	160	
66	5.25	5.46	160	
67	5.25	5.67	160	
68	5.25	5.561	160	*
69	5.25	5.356	160	
70	5.25	5.713	160	
71	5.25	5.706	160	
72	5.25	5.467	160	
73	5.25	5.425	160	
74	5.25	5.397	160	
75	5.25	5.666	160	
76	5.25	5.393	160	
77	5.25	5.4	160	
78	5.25	5.661	160	
79	5.25	5.655	160	
80	5.25	5.37	160	
81	5.25	5.531	160	
82	5.25	5.415	160	
83	5.25	5.721	160	
84	5.25	5.5	160	
85	5.25	5.289	160	
86	5.25	5.598	160	
87	5.25	5.551	160	
88	5.25	5.276	160	
89	5.25	5.342	160	
90	5.25	5.644	160	
91	5.25	5.635	160	
92	5.25	5.618	160	
93	5.25	5.303	160	
94	5.25	5.718	160	
95	5.25	5.301	160	
96	5.25	5.631	160	
97	5.25	5.572	160	*
98	5.25	5.654	160	
99	5.25	5.534	160	
100	5.25	5.583	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.706	160	
2	5.25	5.263	160	
3	5.25	5.678	160	
4	5.25	5.607	160	
5	5.25	5.36	160	
6	5.25	5.499	160	
7	5.25	5.393	160	
8	5.25	5.302	160	
9	5.25	5.51	160	
10	5.25	5.579	160	
11	5.25	5.464	160	
12	5.25	5.444	160	
13	5.25	5.543	160	
14	5.25	5.517	160	
15	5.25	5.46	160	
16	5.25	5.552	160	
17	5.25	5.409	160	
18	5.25	5.671	160	
19	5.25	5.438	160	
20	5.25	5.668	160	
21	5.25	5.398	160	
22	5.25	5.516	160	
23	5.25	5.325	160	
24	5.25	5.603	160	
25	5.25	5.406	160	
26	5.25	5.32	160	
27	5.25	5.709	160	
28	5.25	5.361	160	
29	5.25	5.546	160	
30	5.25	5.662	160	
31	5.25	5.498	160	
32	5.25	5.351	160	
33	5.25	5.391	160	
34	5.25	5.585	160	
35	5.25	5.561	160	*
36	5.25	5.418	160	
37	5.25	5.502	160	
38	5.25	5.359	160	
39	5.25	5.569	160	*
40	5.25	5.555	160	
41	5.25	5.494	160	
42	5.25	5.421	160	
43	5.25	5.621	160	
44	5.25	5.669	160	
45	5.25	5.321	160	
46	5.25	5.67	160	
47	5.25	5.29	160	

48	5.25	5.425	160	
49	5.25	5.256	160	
50	5.25	5.333	160	
51	5.25	5.702	160	
52	5.25	5.47	160	
53	5.25	5.399	160	
54	5.25	5.454	160	
55	5.25	5.276	160	
56	5.25	5.286	160	
57	5.25	5.274	160	
58	5.25	5.458	160	
59	5.25	5.432	160	
60	5.25	5.472	160	
61	5.25	5.289	160	
62	5.25	5.654	160	
63	5.25	5.559	160	*
64	5.25	5.384	160	
65	5.25	5.629	160	
66	5.25	5.443	160	
67	5.25	5.636	160	
68	5.25	5.417	160	
69	5.25	5.532	160	
70	5.25	5.332	160	
71	5.25	5.477	160	
72	5.25	5.677	160	
73	5.25	5.298	160	
74	5.25	5.294	160	
75	5.25	5.582	160	
76	5.25	5.386	160	
77	5.25	5.676	160	
78	5.25	5.52	160	
79	5.25	5.618	160	
80	5.25	5.287	160	
81	5.25	5.27	160	
82	5.25	5.549	160	
83	5.25	5.565	160	*
84	5.25	5.307	160	
85	5.25	5.553	160	
86	5.25	5.471	160	
87	5.25	5.378	160	
88	5.25	5.314	160	
89	5.25	5.496	160	
90	5.25	5.449	160	
91	5.25	5.306	160	
92	5.25	5.595	160	
93	5.25	5.396	160	
94	5.25	5.694	160	
95	5.25	5.35	160	
96	5.25	5.413	160	
97	5.25	5.521	160	
98	5.25	5.619	160	
99	5.25	5.638	160	
100	5.25	5.363	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.373	160	
2	5.25	5.646	160	
3	5.25	5.267	160	
4	5.25	5.484	160	
5	5.25	5.545	160	
6	5.25	5.394	160	
7	5.25	5.664	160	
8	5.25	5.497	160	
9	5.25	5.498	160	
10	5.25	5.456	160	
11	5.25	5.337	160	
12	5.25	5.553	160	
13	5.25	5.389	160	
14	5.25	5.563	160	*
15	5.25	5.637	160	
16	5.25	5.639	160	
17	5.25	5.403	160	
18	5.25	5.604	160	
19	5.25	5.326	160	
20	5.25	5.525	160	
21	5.25	5.649	160	
22	5.25	5.413	160	
23	5.25	5.436	160	
24	5.25	5.38	160	
25	5.25	5.291	160	
26	5.25	5.322	160	
27	5.25	5.349	160	
28	5.25	5.345	160	
29	5.25	5.615	160	
30	5.25	5.461	160	
31	5.25	5.651	160	
32	5.25	5.325	160	
33	5.25	5.567	160	*
34	5.25	5.569	160	*
35	5.25	5.46	160	
36	5.25	5.486	160	
37	5.25	5.49	160	
38	5.25	5.369	160	
39	5.25	5.522	160	
40	5.25	5.688	160	
41	5.25	5.35	160	
42	5.25	5.421	160	
43	5.25	5.346	160	
44	5.25	5.681	160	
45	5.25	5.351	160	
46	5.25	5.48	160	
47	5.25	5.278	160	

48	5.25	5.564	160	*
49	5.25	5.265	160	
50	5.25	5.636	160	
51	5.25	5.692	160	
52	5.25	5.55	160	
53	5.25	5.384	160	
54	5.25	5.579	160	
55	5.25	5.582	160	
56	5.25	5.594	160	
57	5.25	5.473	160	
58	5.25	5.405	160	
59	5.25	5.598	160	
60	5.25	5.665	160	
61	5.25	5.352	160	
62	5.25	5.689	160	
63	5.25	5.368	160	
64	5.25	5.512	160	
65	5.25	5.28	160	
66	5.25	5.561	160	*
67	5.25	5.412	160	
68	5.25	5.717	160	
69	5.25	5.556	160	
70	5.25	5.441	160	
71	5.25	5.382	160	
72	5.25	5.505	160	
73	5.25	5.462	160	
74	5.25	5.527	160	
75	5.25	5.67	160	
76	5.25	5.58	160	
77	5.25	5.289	160	
78	5.25	5.653	160	
79	5.25	5.393	160	
80	5.25	5.302	160	
81	5.25	5.398	160	
82	5.25	5.603	160	
83	5.25	5.69	160	
84	5.25	5.321	160	
85	5.25	5.333	160	
86	5.25	5.281	160	
87	5.25	5.37	160	
88	5.25	5.491	160	
89	5.25	5.407	160	
90	5.25	5.684	160	
91	5.25	5.357	160	
92	5.25	5.702	160	
93	5.25	5.502	160	
94	5.25	5.532	160	
95	5.25	5.426	160	
96	5.25	5.673	160	
97	5.25	5.551	160	
98	5.25	5.536	160	
99	5.25	5.258	160	
100	5.25	5.262	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.474	160	
2	5.25	5.297	160	
3	5.25	5.312	160	
4	5.25	5.606	160	
5	5.25	5.299	160	
6	5.25	5.34	160	
7	5.25	5.471	160	
8	5.25	5.691	160	
9	5.25	5.442	160	
10	5.25	5.677	160	
11	5.25	5.414	160	
12	5.25	5.552	160	
13	5.25	5.51	160	
14	5.25	5.4	160	
15	5.25	5.514	160	
16	5.25	5.707	160	
17	5.25	5.262	160	
18	5.25	5.616	160	
19	5.25	5.538	160	
20	5.25	5.625	160	
21	5.25	5.31	160	
22	5.25	5.349	160	
23	5.25	5.437	160	
24	5.25	5.577	160	*
25	5.25	5.709	160	
26	5.25	5.702	160	
27	5.25	5.393	160	
28	5.25	5.569	160	*
29	5.25	5.646	160	
30	5.25	5.271	160	
31	5.25	5.269	160	
32	5.25	5.403	160	
33	5.25	5.483	160	
34	5.25	5.604	160	
35	5.25	5.289	160	
36	5.25	5.371	160	
37	5.25	5.41	160	
38	5.25	5.562	160	*
39	5.25	5.634	160	
40	5.25	5.635	160	
41	5.25	5.288	160	
42	5.25	5.571	160	*
43	5.25	5.56	160	*
44	5.25	5.7	160	
45	5.25	5.566	160	*
46	5.25	5.55	160	
47	5.25	5.281	160	

48	5.25	5.573	160	*
49	5.25	5.698	160	
50	5.25	5.626	160	
51	5.25	5.291	160	
52	5.25	5.39	160	
53	5.25	5.624	160	
54	5.25	5.53	160	
55	5.25	5.498	160	
56	5.25	5.304	160	
57	5.25	5.331	160	
58	5.25	5.667	160	
59	5.25	5.343	160	
60	5.25	5.672	160	
61	5.25	5.396	160	
62	5.25	5.286	160	
63	5.25	5.294	160	
64	5.25	5.385	160	
65	5.25	5.575	160	*
66	5.25	5.669	160	
67	5.25	5.429	160	
68	5.25	5.703	160	
69	5.25	5.298	160	
70	5.25	5.29	160	
71	5.25	5.489	160	
72	5.25	5.712	160	
73	5.25	5.687	160	
74	5.25	5.399	160	
75	5.25	5.618	160	
76	5.25	5.588	160	
77	5.25	5.631	160	
78	5.25	5.637	160	
79	5.25	5.502	160	
80	5.25	5.324	160	
81	5.25	5.663	160	
82	5.25	5.724	160	
83	5.25	5.333	160	
84	5.25	5.57	160	*
85	5.25	5.491	160	
86	5.25	5.674	160	
87	5.25	5.268	160	
88	5.25	5.435	160	
89	5.25	5.523	160	
90	5.25	5.711	160	
91	5.25	5.462	160	
92	5.25	5.602	160	
93	5.25	5.633	160	
94	5.25	5.659	160	
95	5.25	5.432	160	
96	5.25	5.425	160	
97	5.25	5.27	160	
98	5.25	5.61	160	
99	5.25	5.503	160	
100	5.25	5.42	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.524	160	
2	5.25	5.574	160	*
3	5.25	5.432	160	
4	5.25	5.472	160	
5	5.25	5.514	160	
6	5.25	5.605	160	
7	5.25	5.631	160	
8	5.25	5.707	160	
9	5.25	5.381	160	
10	5.25	5.534	160	
11	5.25	5.614	160	
12	5.25	5.31	160	
13	5.25	5.505	160	
14	5.25	5.38	160	
15	5.25	5.449	160	
16	5.25	5.655	160	
17	5.25	5.656	160	
18	5.25	5.409	160	
19	5.25	5.441	160	
20	5.25	5.491	160	
21	5.25	5.446	160	
22	5.25	5.632	160	
23	5.25	5.584	160	
24	5.25	5.635	160	
25	5.25	5.288	160	
26	5.25	5.513	160	
27	5.25	5.371	160	
28	5.25	5.568	160	*
29	5.25	5.434	160	
30	5.25	5.609	160	
31	5.25	5.718	160	
32	5.25	5.714	160	
33	5.25	5.316	160	
34	5.25	5.33	160	
35	5.25	5.533	160	
36	5.25	5.466	160	
37	5.25	5.558	160	*
38	5.25	5.28	160	
39	5.25	5.404	160	
40	5.25	5.44	160	
41	5.25	5.69	160	
42	5.25	5.295	160	
43	5.25	5.538	160	
44	5.25	5.563	160	*
45	5.25	5.392	160	
46	5.25	5.303	160	
47	5.25	5.281	160	

48	5.25	5.403	160	
49	5.25	5.474	160	
50	5.25	5.644	160	
51	5.25	5.685	160	
52	5.25	5.43	160	
53	5.25	5.261	160	
54	5.25	5.405	160	
55	5.25	5.488	160	
56	5.25	5.576	160	*
57	5.25	5.55	160	
58	5.25	5.42	160	
59	5.25	5.266	160	
60	5.25	5.53	160	
61	5.25	5.664	160	
62	5.25	5.391	160	
63	5.25	5.612	160	
64	5.25	5.458	160	
65	5.25	5.47	160	
66	5.25	5.354	160	
67	5.25	5.642	160	
68	5.25	5.4	160	
69	5.25	5.499	160	
70	5.25	5.324	160	
71	5.25	5.634	160	
72	5.25	5.717	160	
73	5.25	5.333	160	
74	5.25	5.541	160	
75	5.25	5.559	160	*
76	5.25	5.649	160	
77	5.25	5.643	160	
78	5.25	5.319	160	
79	5.25	5.395	160	
80	5.25	5.597	160	
81	5.25	5.463	160	
82	5.25	5.485	160	
83	5.25	5.686	160	
84	5.25	5.48	160	
85	5.25	5.49	160	
86	5.25	5.314	160	
87	5.25	5.398	160	
88	5.25	5.527	160	
89	5.25	5.57	160	*
90	5.25	5.356	160	
91	5.25	5.682	160	
92	5.25	5.311	160	
93	5.25	5.304	160	
94	5.25	5.683	160	
95	5.25	5.708	160	
96	5.25	5.308	160	
97	5.25	5.397	160	
98	5.25	5.621	160	
99	5.25	5.373	160	
100	5.25	5.279	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.273	160	
2	5.25	5.524	160	
3	5.25	5.449	160	
4	5.25	5.674	160	
5	5.25	5.532	160	
6	5.25	5.57	160	*
7	5.25	5.518	160	
8	5.25	5.608	160	
9	5.25	5.549	160	
10	5.25	5.665	160	
11	5.25	5.491	160	
12	5.25	5.567	160	*
13	5.25	5.563	160	*
14	5.25	5.701	160	
15	5.25	5.421	160	
16	5.25	5.503	160	
17	5.25	5.614	160	
18	5.25	5.566	160	*
19	5.25	5.617	160	
20	5.25	5.707	160	
21	5.25	5.649	160	
22	5.25	5.52	160	
23	5.25	5.324	160	
24	5.25	5.496	160	
25	5.25	5.682	160	
26	5.25	5.294	160	
27	5.25	5.269	160	
28	5.25	5.329	160	
29	5.25	5.42	160	
30	5.25	5.719	160	
31	5.25	5.43	160	
32	5.25	5.369	160	
33	5.25	5.293	160	
34	5.25	5.561	160	*
35	5.25	5.58	160	
36	5.25	5.276	160	
37	5.25	5.613	160	
38	5.25	5.556	160	
39	5.25	5.35	160	
40	5.25	5.349	160	
41	5.25	5.3	160	
42	5.25	5.307	160	
43	5.25	5.331	160	
44	5.25	5.45	160	
45	5.25	5.453	160	
46	5.25	5.459	160	
47	5.25	5.401	160	

48	5.25	5.387	160	
49	5.25	5.508	160	
50	5.25	5.64	160	
51	5.25	5.438	160	
52	5.25	5.409	160	
53	5.25	5.321	160	
54	5.25	5.535	160	
55	5.25	5.465	160	
56	5.25	5.398	160	
57	5.25	5.371	160	
58	5.25	5.46	160	
59	5.25	5.664	160	
60	5.25	5.487	160	
61	5.25	5.541	160	
62	5.25	5.279	160	
63	5.25	5.598	160	
64	5.25	5.582	160	
65	5.25	5.335	160	
66	5.25	5.63	160	
67	5.25	5.641	160	
68	5.25	5.537	160	
69	5.25	5.545	160	
70	5.25	5.596	160	
71	5.25	5.516	160	
72	5.25	5.384	160	
73	5.25	5.443	160	
74	5.25	5.621	160	
75	5.25	5.554	160	
76	5.25	5.638	160	
77	5.25	5.328	160	
78	5.25	5.458	160	
79	5.25	5.292	160	
80	5.25	5.594	160	
81	5.25	5.447	160	
82	5.25	5.498	160	
83	5.25	5.68	160	
84	5.25	5.557	160	
85	5.25	5.275	160	
86	5.25	5.523	160	
87	5.25	5.254	160	
88	5.25	5.427	160	
89	5.25	5.495	160	
90	5.25	5.315	160	
91	5.25	5.66	160	
92	5.25	5.262	160	
93	5.25	5.7	160	
94	5.25	5.708	160	
95	5.25	5.284	160	
96	5.25	5.406	160	
97	5.25	5.684	160	
98	5.25	5.574	160	*
99	5.25	5.653	160	
100	5.25	5.475	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.467	160	
2	5.25	5.445	160	
3	5.25	5.336	160	
4	5.25	5.613	160	
5	5.25	5.529	160	
6	5.25	5.35	160	
7	5.25	5.562	160	*
8	5.25	5.302	160	
9	5.25	5.69	160	
10	5.25	5.442	160	
11	5.25	5.307	160	
12	5.25	5.516	160	
13	5.25	5.322	160	
14	5.25	5.697	160	
15	5.25	5.476	160	
16	5.25	5.512	160	
17	5.25	5.678	160	
18	5.25	5.603	160	
19	5.25	5.394	160	
20	5.25	5.676	160	
21	5.25	5.283	160	
22	5.25	5.525	160	
23	5.25	5.458	160	
24	5.25	5.412	160	
25	5.25	5.571	160	*
26	5.25	5.459	160	
27	5.25	5.419	160	
28	5.25	5.25	160	
29	5.25	5.306	160	
30	5.25	5.338	160	
31	5.25	5.315	160	
32	5.25	5.552	160	
33	5.25	5.339	160	
34	5.25	5.662	160	
35	5.25	5.655	160	
36	5.25	5.361	160	
37	5.25	5.692	160	
38	5.25	5.632	160	
39	5.25	5.443	160	
40	5.25	5.366	160	
41	5.25	5.253	160	
42	5.25	5.509	160	
43	5.25	5.337	160	
44	5.25	5.33	160	
45	5.25	5.543	160	
46	5.25	5.663	160	
47	5.25	5.431	160	

48	5.25	5.367	160	
49	5.25	5.634	160	
50	5.25	5.553	160	
51	5.25	5.32	160	
52	5.25	5.577	160	*
53	5.25	5.619	160	
54	5.25	5.434	160	
55	5.25	5.624	160	
56	5.25	5.452	160	
57	5.25	5.546	160	
58	5.25	5.6	160	
59	5.25	5.52	160	
60	5.25	5.37	160	
61	5.25	5.358	160	
62	5.25	5.329	160	
63	5.25	5.542	160	
64	5.25	5.633	160	
65	5.25	5.38	160	
66	5.25	5.522	160	
67	5.25	5.363	160	
68	5.25	5.487	160	
69	5.25	5.672	160	
70	5.25	5.661	160	
71	5.25	5.488	160	
72	5.25	5.666	160	
73	5.25	5.581	160	
74	5.25	5.584	160	
75	5.25	5.706	160	
76	5.25	5.373	160	
77	5.25	5.649	160	
78	5.25	5.694	160	
79	5.25	5.258	160	
80	5.25	5.673	160	
81	5.25	5.285	160	
82	5.25	5.704	160	
83	5.25	5.699	160	
84	5.25	5.587	160	
85	5.25	5.612	160	
86	5.25	5.55	160	
87	5.25	5.566	160	*
88	5.25	5.695	160	
89	5.25	5.398	160	
90	5.25	5.53	160	
91	5.25	5.44	160	
92	5.25	5.641	160	
93	5.25	5.468	160	
94	5.25	5.364	160	
95	5.25	5.312	160	
96	5.25	5.478	160	
97	5.25	5.712	160	
98	5.25	5.561	160	*
99	5.25	5.535	160	
100	5.25	5.353	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.331	160	
2	5.25	5.308	160	
3	5.25	5.531	160	
4	5.25	5.293	160	
5	5.25	5.355	160	
6	5.25	5.669	160	
7	5.25	5.484	160	
8	5.25	5.574	160	*
9	5.25	5.617	160	
10	5.25	5.297	160	
11	5.25	5.627	160	
12	5.25	5.528	160	
13	5.25	5.252	160	
14	5.25	5.422	160	
15	5.25	5.326	160	
16	5.25	5.464	160	
17	5.25	5.578	160	*
18	5.25	5.4	160	
19	5.25	5.368	160	
20	5.25	5.559	160	*
21	5.25	5.471	160	
22	5.25	5.501	160	
23	5.25	5.321	160	
24	5.25	5.348	160	
25	5.25	5.447	160	
26	5.25	5.704	160	
27	5.25	5.387	160	
28	5.25	5.55	160	
29	5.25	5.511	160	
30	5.25	5.697	160	
31	5.25	5.276	160	
32	5.25	5.492	160	
33	5.25	5.637	160	
34	5.25	5.354	160	
35	5.25	5.424	160	
36	5.25	5.278	160	
37	5.25	5.385	160	
38	5.25	5.491	160	
39	5.25	5.61	160	
40	5.25	5.472	160	
41	5.25	5.622	160	
42	5.25	5.648	160	
43	5.25	5.479	160	
44	5.25	5.393	160	
45	5.25	5.486	160	
46	5.25	5.381	160	
47	5.25	5.692	160	

48	5.25	5.709	160	
49	5.25	5.685	160	
50	5.25	5.346	160	
51	5.25	5.359	160	
52	5.25	5.626	160	
53	5.25	5.676	160	
54	5.25	5.667	160	
55	5.25	5.488	160	
56	5.25	5.585	160	
57	5.25	5.545	160	
58	5.25	5.402	160	
59	5.25	5.684	160	
60	5.25	5.425	160	
61	5.25	5.251	160	
62	5.25	5.269	160	
63	5.25	5.554	160	
64	5.25	5.56	160	*
65	5.25	5.656	160	
66	5.25	5.397	160	
67	5.25	5.612	160	
68	5.25	5.371	160	
69	5.25	5.311	160	
70	5.25	5.548	160	
71	5.25	5.361	160	
72	5.25	5.52	160	
73	5.25	5.29	160	
74	5.25	5.522	160	
75	5.25	5.438	160	
76	5.25	5.316	160	
77	5.25	5.487	160	
78	5.25	5.369	160	
79	5.25	5.302	160	
80	5.25	5.37	160	
81	5.25	5.556	160	
82	5.25	5.42	160	
83	5.25	5.394	160	
84	5.25	5.466	160	
85	5.25	5.421	160	
86	5.25	5.254	160	
87	5.25	5.336	160	
88	5.25	5.49	160	
89	5.25	5.713	160	
90	5.25	5.427	160	
91	5.25	5.696	160	
92	5.25	5.569	160	*
93	5.25	5.659	160	
94	5.25	5.686	160	
95	5.25	5.618	160	
96	5.25	5.299	160	
97	5.25	5.396	160	
98	5.25	5.591	160	
99	5.25	5.341	160	
100	5.25	5.339	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.323	160	
2	5.25	5.479	160	
3	5.25	5.46	160	
4	5.25	5.294	160	
5	5.25	5.27	160	
6	5.25	5.627	160	
7	5.25	5.359	160	
8	5.25	5.251	160	
9	5.25	5.605	160	
10	5.25	5.339	160	
11	5.25	5.483	160	
12	5.25	5.299	160	
13	5.25	5.306	160	
14	5.25	5.531	160	
15	5.25	5.62	160	
16	5.25	5.385	160	
17	5.25	5.256	160	
18	5.25	5.504	160	
19	5.25	5.478	160	
20	5.25	5.71	160	
21	5.25	5.677	160	
22	5.25	5.561	160	*
23	5.25	5.508	160	
24	5.25	5.529	160	
25	5.25	5.43	160	
26	5.25	5.712	160	
27	5.25	5.449	160	
28	5.25	5.534	160	
29	5.25	5.63	160	
30	5.25	5.4	160	
31	5.25	5.664	160	
32	5.25	5.331	160	
33	5.25	5.462	160	
34	5.25	5.488	160	
35	5.25	5.399	160	
36	5.25	5.415	160	
37	5.25	5.308	160	
38	5.25	5.45	160	
39	5.25	5.376	160	
40	5.25	5.36	160	
41	5.25	5.431	160	
42	5.25	5.551	160	
43	5.25	5.693	160	
44	5.25	5.421	160	
45	5.25	5.518	160	
46	5.25	5.69	160	
47	5.25	5.274	160	

48	5.25	5.553	160	
49	5.25	5.391	160	
50	5.25	5.585	160	
51	5.25	5.587	160	
52	5.25	5.692	160	
53	5.25	5.611	160	
54	5.25	5.363	160	
55	5.25	5.495	160	
56	5.25	5.665	160	
57	5.25	5.403	160	
58	5.25	5.387	160	
59	5.25	5.343	160	
60	5.25	5.684	160	
61	5.25	5.472	160	
62	5.25	5.713	160	
63	5.25	5.563	160	*
64	5.25	5.296	160	
65	5.25	5.346	160	
66	5.25	5.526	160	
67	5.25	5.608	160	
68	5.25	5.672	160	
69	5.25	5.443	160	
70	5.25	5.598	160	
71	5.25	5.707	160	
72	5.25	5.622	160	
73	5.25	5.535	160	
74	5.25	5.56	160	*
75	5.25	5.279	160	
76	5.25	5.38	160	
77	5.25	5.344	160	
78	5.25	5.255	160	
79	5.25	5.499	160	
80	5.25	5.44	160	
81	5.25	5.722	160	
82	5.25	5.475	160	
83	5.25	5.595	160	
84	5.25	5.511	160	
85	5.25	5.7	160	
86	5.25	5.341	160	
87	5.25	5.412	160	
88	5.25	5.574	160	*
89	5.25	5.704	160	
90	5.25	5.601	160	
91	5.25	5.491	160	
92	5.25	5.514	160	
93	5.25	5.409	160	
94	5.25	5.716	160	
95	5.25	5.624	160	
96	5.25	5.709	160	
97	5.25	5.292	160	
98	5.25	5.507	160	
99	5.25	5.374	160	
100	5.25	5.39	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.587	160	
2	5.25	5.722	160	
3	5.25	5.635	160	
4	5.25	5.676	160	
5	5.25	5.545	160	
6	5.25	5.488	160	
7	5.25	5.72	160	
8	5.25	5.701	160	
9	5.25	5.69	160	
10	5.25	5.662	160	
11	5.25	5.599	160	
12	5.25	5.383	160	
13	5.25	5.541	160	
14	5.25	5.286	160	
15	5.25	5.704	160	
16	5.25	5.339	160	
17	5.25	5.543	160	
18	5.25	5.462	160	
19	5.25	5.322	160	
20	5.25	5.468	160	
21	5.25	5.41	160	
22	5.25	5.695	160	
23	5.25	5.302	160	
24	5.25	5.511	160	
25	5.25	5.507	160	
26	5.25	5.295	160	
27	5.25	5.3	160	
28	5.25	5.548	160	
29	5.25	5.694	160	
30	5.25	5.544	160	
31	5.25	5.382	160	
32	5.25	5.51	160	
33	5.25	5.551	160	
34	5.25	5.256	160	
35	5.25	5.335	160	
36	5.25	5.344	160	
37	5.25	5.502	160	
38	5.25	5.711	160	
39	5.25	5.524	160	
40	5.25	5.637	160	
41	5.25	5.347	160	
42	5.25	5.577	160	*
43	5.25	5.37	160	
44	5.25	5.327	160	
45	5.25	5.624	160	
46	5.25	5.372	160	
47	5.25	5.343	160	

48	5.25	5.415	160	
49	5.25	5.369	160	
50	5.25	5.471	160	
51	5.25	5.623	160	
52	5.25	5.363	160	
53	5.25	5.461	160	
54	5.25	5.585	160	
55	5.25	5.299	160	
56	5.25	5.687	160	
57	5.25	5.282	160	
58	5.25	5.493	160	
59	5.25	5.697	160	
60	5.25	5.497	160	
61	5.25	5.509	160	
62	5.25	5.542	160	
63	5.25	5.345	160	
64	5.25	5.409	160	
65	5.25	5.705	160	
66	5.25	5.342	160	
67	5.25	5.262	160	
68	5.25	5.494	160	
69	5.25	5.602	160	
70	5.25	5.597	160	
71	5.25	5.479	160	
72	5.25	5.683	160	
73	5.25	5.42	160	
74	5.25	5.379	160	
75	5.25	5.589	160	
76	5.25	5.708	160	
77	5.25	5.438	160	
78	5.25	5.621	160	
79	5.25	5.622	160	
80	5.25	5.265	160	
81	5.25	5.682	160	
82	5.25	5.473	160	
83	5.25	5.356	160	
84	5.25	5.481	160	
85	5.25	5.435	160	
86	5.25	5.407	160	
87	5.25	5.538	160	
88	5.25	5.408	160	
89	5.25	5.505	160	
90	5.25	5.384	160	
91	5.25	5.291	160	
92	5.25	5.521	160	
93	5.25	5.629	160	
94	5.25	5.495	160	
95	5.25	5.564	160	*
96	5.25	5.638	160	
97	5.25	5.485	160	
98	5.25	5.28	160	
99	5.25	5.678	160	
100	5.25	5.329	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.388	160	
2	5.25	5.549	160	
3	5.25	5.656	160	
4	5.25	5.524	160	
5	5.25	5.356	160	
6	5.25	5.599	160	
7	5.25	5.578	160	*
8	5.25	5.645	160	
9	5.25	5.706	160	
10	5.25	5.261	160	
11	5.25	5.448	160	
12	5.25	5.339	160	
13	5.25	5.635	160	
14	5.25	5.626	160	
15	5.25	5.434	160	
16	5.25	5.557	160	
17	5.25	5.314	160	
18	5.25	5.379	160	
19	5.25	5.504	160	
20	5.25	5.396	160	
21	5.25	5.537	160	
22	5.25	5.503	160	
23	5.25	5.648	160	
24	5.25	5.67	160	
25	5.25	5.41	160	
26	5.25	5.659	160	
27	5.25	5.311	160	
28	5.25	5.45	160	
29	5.25	5.693	160	
30	5.25	5.373	160	
31	5.25	5.438	160	
32	5.25	5.684	160	
33	5.25	5.328	160	
34	5.25	5.257	160	
35	5.25	5.252	160	
36	5.25	5.588	160	
37	5.25	5.668	160	
38	5.25	5.357	160	
39	5.25	5.493	160	
40	5.25	5.682	160	
41	5.25	5.426	160	
42	5.25	5.674	160	
43	5.25	5.618	160	
44	5.25	5.405	160	
45	5.25	5.625	160	
46	5.25	5.673	160	
47	5.25	5.363	160	

48	5.25	5.446	160	
49	5.25	5.425	160	
50	5.25	5.528	160	
51	5.25	5.544	160	
52	5.25	5.347	160	
53	5.25	5.683	160	
54	5.25	5.375	160	
55	5.25	5.559	160	*
56	5.25	5.251	160	
57	5.25	5.312	160	
58	5.25	5.29	160	
59	5.25	5.664	160	
60	5.25	5.465	160	
61	5.25	5.431	160	
62	5.25	5.581	160	
63	5.25	5.304	160	
64	5.25	5.593	160	
65	5.25	5.274	160	
66	5.25	5.707	160	
67	5.25	5.55	160	
68	5.25	5.662	160	
69	5.25	5.715	160	
70	5.25	5.466	160	
71	5.25	5.316	160	
72	5.25	5.416	160	
73	5.25	5.54	160	
74	5.25	5.583	160	
75	5.25	5.399	160	
76	5.25	5.53	160	
77	5.25	5.296	160	
78	5.25	5.512	160	
79	5.25	5.534	160	
80	5.25	5.653	160	
81	5.25	5.323	160	
82	5.25	5.404	160	
83	5.25	5.69	160	
84	5.25	5.295	160	
85	5.25	5.613	160	
86	5.25	5.335	160	
87	5.25	5.539	160	
88	5.25	5.47	160	
89	5.25	5.474	160	
90	5.25	5.453	160	
91	5.25	5.33	160	
92	5.25	5.501	160	
93	5.25	5.596	160	
94	5.25	5.597	160	
95	5.25	5.689	160	
96	5.25	5.509	160	
97	5.25	5.267	160	
98	5.25	5.393	160	
99	5.25	5.677	160	
100	5.25	5.456	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.43	160	
2	5.25	5.573	160	*
3	5.25	5.479	160	
4	5.25	5.339	160	
5	5.25	5.608	160	
6	5.25	5.544	160	
7	5.25	5.556	160	
8	5.25	5.669	160	
9	5.25	5.259	160	
10	5.25	5.277	160	
11	5.25	5.507	160	
12	5.25	5.473	160	
13	5.25	5.718	160	
14	5.25	5.642	160	
15	5.25	5.457	160	
16	5.25	5.409	160	
17	5.25	5.606	160	
18	5.25	5.702	160	
19	5.25	5.318	160	
20	5.25	5.389	160	
21	5.25	5.627	160	
22	5.25	5.689	160	
23	5.25	5.525	160	
24	5.25	5.696	160	
25	5.25	5.542	160	
26	5.25	5.697	160	
27	5.25	5.61	160	
28	5.25	5.634	160	
29	5.25	5.417	160	
30	5.25	5.632	160	
31	5.25	5.541	160	
32	5.25	5.63	160	
33	5.25	5.265	160	
34	5.25	5.44	160	
35	5.25	5.31	160	
36	5.25	5.309	160	
37	5.25	5.274	160	
38	5.25	5.553	160	
39	5.25	5.285	160	
40	5.25	5.333	160	
41	5.25	5.671	160	
42	5.25	5.619	160	
43	5.25	5.467	160	
44	5.25	5.699	160	
45	5.25	5.422	160	
46	5.25	5.605	160	
47	5.25	5.27	160	

48	5.25	5.464	160	
49	5.25	5.687	160	
50	5.25	5.529	160	
51	5.25	5.567	160	*
52	5.25	5.555	160	
53	5.25	5.694	160	
54	5.25	5.445	160	
55	5.25	5.386	160	
56	5.25	5.613	160	
57	5.25	5.388	160	
58	5.25	5.522	160	
59	5.25	5.396	160	
60	5.25	5.673	160	
61	5.25	5.584	160	
62	5.25	5.502	160	
63	5.25	5.655	160	
64	5.25	5.298	160	
65	5.25	5.447	160	
66	5.25	5.352	160	
67	5.25	5.426	160	
68	5.25	5.651	160	
69	5.25	5.592	160	
70	5.25	5.579	160	
71	5.25	5.36	160	
72	5.25	5.314	160	
73	5.25	5.56	160	*
74	5.25	5.262	160	
75	5.25	5.393	160	
76	5.25	5.616	160	
77	5.25	5.432	160	
78	5.25	5.491	160	
79	5.25	5.458	160	
80	5.25	5.677	160	
81	5.25	5.497	160	
82	5.25	5.415	160	
83	5.25	5.713	160	
84	5.25	5.451	160	
85	5.25	5.52	160	
86	5.25	5.275	160	
87	5.25	5.528	160	
88	5.25	5.535	160	
89	5.25	5.47	160	
90	5.25	5.448	160	
91	5.25	5.483	160	
92	5.25	5.628	160	
93	5.25	5.577	160	*
94	5.25	5.704	160	
95	5.25	5.554	160	
96	5.25	5.622	160	
97	5.25	5.391	160	
98	5.25	5.278	160	
99	5.25	5.437	160	
100	5.25	5.624	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.508	160	
2	5.25	5.355	160	
3	5.25	5.352	160	
4	5.25	5.304	160	
5	5.25	5.641	160	
6	5.25	5.678	160	
7	5.25	5.52	160	
8	5.25	5.665	160	
9	5.25	5.463	160	
10	5.25	5.387	160	
11	5.25	5.462	160	
12	5.25	5.458	160	
13	5.25	5.515	160	
14	5.25	5.359	160	
15	5.25	5.439	160	
16	5.25	5.621	160	
17	5.25	5.527	160	
18	5.25	5.36	160	
19	5.25	5.646	160	
20	5.25	5.278	160	
21	5.25	5.613	160	
22	5.25	5.357	160	
23	5.25	5.345	160	
24	5.25	5.377	160	
25	5.25	5.429	160	
26	5.25	5.688	160	
27	5.25	5.597	160	
28	5.25	5.317	160	
29	5.25	5.584	160	
30	5.25	5.514	160	
31	5.25	5.607	160	
32	5.25	5.58	160	
33	5.25	5.602	160	
34	5.25	5.379	160	
35	5.25	5.371	160	
36	5.25	5.719	160	
37	5.25	5.528	160	
38	5.25	5.545	160	
39	5.25	5.287	160	
40	5.25	5.299	160	
41	5.25	5.267	160	
42	5.25	5.614	160	
43	5.25	5.347	160	
44	5.25	5.384	160	
45	5.25	5.44	160	
46	5.25	5.447	160	
47	5.25	5.533	160	

48	5.25	5.518	160	
49	5.25	5.651	160	
50	5.25	5.474	160	
51	5.25	5.257	160	
52	5.25	5.593	160	
53	5.25	5.675	160	
54	5.25	5.695	160	
55	5.25	5.293	160	
56	5.25	5.629	160	
57	5.25	5.435	160	
58	5.25	5.395	160	
59	5.25	5.501	160	
60	5.25	5.573	160	*
61	5.25	5.713	160	
62	5.25	5.442	160	
63	5.25	5.266	160	
64	5.25	5.664	160	
65	5.25	5.724	160	
66	5.25	5.553	160	
67	5.25	5.592	160	
68	5.25	5.404	160	
69	5.25	5.539	160	
70	5.25	5.667	160	
71	5.25	5.489	160	
72	5.25	5.549	160	
73	5.25	5.704	160	
74	5.25	5.302	160	
75	5.25	5.609	160	
76	5.25	5.276	160	
77	5.25	5.6	160	
78	5.25	5.588	160	
79	5.25	5.416	160	
80	5.25	5.644	160	
81	5.25	5.4	160	
82	5.25	5.408	160	
83	5.25	5.685	160	
84	5.25	5.637	160	
85	5.25	5.427	160	
86	5.25	5.692	160	
87	5.25	5.262	160	
88	5.25	5.561	160	*
89	5.25	5.487	160	
90	5.25	5.582	160	
91	5.25	5.679	160	
92	5.25	5.495	160	
93	5.25	5.421	160	
94	5.25	5.604	160	
95	5.25	5.693	160	
96	5.25	5.372	160	
97	5.25	5.294	160	
98	5.25	5.261	160	
99	5.25	5.598	160	
100	5.25	5.49	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.554	160	
2	5.25	5.549	160	
3	5.25	5.551	160	
4	5.25	5.456	160	
5	5.25	5.327	160	
6	5.25	5.591	160	
7	5.25	5.609	160	
8	5.25	5.437	160	
9	5.25	5.337	160	
10	5.25	5.432	160	
11	5.25	5.427	160	
12	5.25	5.326	160	
13	5.25	5.612	160	
14	5.25	5.698	160	
15	5.25	5.486	160	
16	5.25	5.25	160	
17	5.25	5.645	160	
18	5.25	5.528	160	
19	5.25	5.296	160	
20	5.25	5.653	160	
21	5.25	5.422	160	
22	5.25	5.299	160	
23	5.25	5.61	160	
24	5.25	5.546	160	
25	5.25	5.416	160	
26	5.25	5.637	160	
27	5.25	5.723	160	
28	5.25	5.359	160	
29	5.25	5.449	160	
30	5.25	5.721	160	
31	5.25	5.372	160	
32	5.25	5.705	160	
33	5.25	5.377	160	
34	5.25	5.425	160	
35	5.25	5.498	160	
36	5.25	5.588	160	
37	5.25	5.691	160	
38	5.25	5.556	160	
39	5.25	5.368	160	
40	5.25	5.448	160	
41	5.25	5.656	160	
42	5.25	5.272	160	
43	5.25	5.722	160	
44	5.25	5.314	160	
45	5.25	5.501	160	
46	5.25	5.503	160	
47	5.25	5.707	160	

48	5.25	5.35	160	
49	5.25	5.629	160	
50	5.25	5.471	160	
51	5.25	5.278	160	
52	5.25	5.506	160	
53	5.25	5.568	160	*
54	5.25	5.487	160	
55	5.25	5.651	160	
56	5.25	5.494	160	
57	5.25	5.611	160	
58	5.25	5.614	160	
59	5.25	5.441	160	
60	5.25	5.704	160	
61	5.25	5.505	160	
62	5.25	5.264	160	
63	5.25	5.684	160	
64	5.25	5.462	160	
65	5.25	5.402	160	
66	5.25	5.71	160	
67	5.25	5.529	160	
68	5.25	5.342	160	
69	5.25	5.271	160	
70	5.25	5.673	160	
71	5.25	5.434	160	
72	5.25	5.409	160	
73	5.25	5.488	160	
74	5.25	5.302	160	
75	5.25	5.539	160	
76	5.25	5.636	160	
77	5.25	5.384	160	
78	5.25	5.489	160	
79	5.25	5.439	160	
80	5.25	5.27	160	
81	5.25	5.454	160	
82	5.25	5.324	160	
83	5.25	5.617	160	
84	5.25	5.558	160	*
85	5.25	5.423	160	
86	5.25	5.428	160	
87	5.25	5.485	160	
88	5.25	5.555	160	
89	5.25	5.348	160	
90	5.25	5.334	160	
91	5.25	5.57	160	*
92	5.25	5.279	160	
93	5.25	5.644	160	
94	5.25	5.602	160	
95	5.25	5.623	160	
96	5.25	5.671	160	
97	5.25	5.479	160	
98	5.25	5.289	160	
99	5.25	5.697	160	
100	5.25	5.572	160	*

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.493	160	
2	5.25	5.258	160	
3	5.25	5.672	160	
4	5.25	5.327	160	
5	5.25	5.703	160	
6	5.25	5.654	160	
7	5.25	5.41	160	
8	5.25	5.559	160	*
9	5.25	5.585	160	
10	5.25	5.34	160	
11	5.25	5.504	160	
12	5.25	5.272	160	
13	5.25	5.486	160	
14	5.25	5.366	160	
15	5.25	5.513	160	
16	5.25	5.439	160	
17	5.25	5.266	160	
18	5.25	5.496	160	
19	5.25	5.651	160	
20	5.25	5.334	160	
21	5.25	5.632	160	
22	5.25	5.608	160	
23	5.25	5.329	160	
24	5.25	5.629	160	
25	5.25	5.622	160	
26	5.25	5.487	160	
27	5.25	5.385	160	
28	5.25	5.357	160	
29	5.25	5.471	160	
30	5.25	5.421	160	
31	5.25	5.42	160	
32	5.25	5.54	160	
33	5.25	5.394	160	
34	5.25	5.375	160	
35	5.25	5.378	160	
36	5.25	5.594	160	
37	5.25	5.714	160	
38	5.25	5.28	160	
39	5.25	5.256	160	
40	5.25	5.507	160	
41	5.25	5.596	160	
42	5.25	5.264	160	
43	5.25	5.276	160	
44	5.25	5.57	160	*
45	5.25	5.636	160	
46	5.25	5.299	160	
47	5.25	5.593	160	

48	5.25	5.314	160	
49	5.25	5.261	160	
50	5.25	5.515	160	
51	5.25	5.369	160	
52	5.25	5.588	160	
53	5.25	5.333	160	
54	5.25	5.289	160	
55	5.25	5.396	160	
56	5.25	5.364	160	
57	5.25	5.465	160	
58	5.25	5.484	160	
59	5.25	5.395	160	
60	5.25	5.4	160	
61	5.25	5.405	160	
62	5.25	5.46	160	
63	5.25	5.582	160	
64	5.25	5.634	160	
65	5.25	5.577	160	*
66	5.25	5.653	160	
67	5.25	5.481	160	
68	5.25	5.627	160	
69	5.25	5.701	160	
70	5.25	5.335	160	
71	5.25	5.401	160	
72	5.25	5.58	160	
73	5.25	5.72	160	
74	5.25	5.407	160	
75	5.25	5.464	160	
76	5.25	5.377	160	
77	5.25	5.323	160	
78	5.25	5.665	160	
79	5.25	5.675	160	
80	5.25	5.603	160	
81	5.25	5.583	160	
82	5.25	5.506	160	
83	5.25	5.687	160	
84	5.25	5.716	160	
85	5.25	5.391	160	
86	5.25	5.444	160	
87	5.25	5.623	160	
88	5.25	5.435	160	
89	5.25	5.437	160	
90	5.25	5.576	160	*
91	5.25	5.292	160	
92	5.25	5.321	160	
93	5.25	5.288	160	
94	5.25	5.35	160	
95	5.25	5.3	160	
96	5.25	5.618	160	
97	5.25	5.516	160	
98	5.25	5.371	160	
99	5.25	5.318	160	
100	5.25	5.455	160	

--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.594	160	
2	5.25	5.601	160	
3	5.25	5.706	160	
4	5.25	5.321	160	
5	5.25	5.653	160	
6	5.25	5.439	160	
7	5.25	5.408	160	
8	5.25	5.46	160	
9	5.25	5.719	160	
10	5.25	5.409	160	
11	5.25	5.522	160	
12	5.25	5.581	160	
13	5.25	5.548	160	
14	5.25	5.436	160	
15	5.25	5.54	160	
16	5.25	5.514	160	
17	5.25	5.672	160	
18	5.25	5.515	160	
19	5.25	5.444	160	
20	5.25	5.35	160	
21	5.25	5.286	160	
22	5.25	5.614	160	
23	5.25	5.379	160	
24	5.25	5.677	160	
25	5.25	5.714	160	
26	5.25	5.713	160	
27	5.25	5.481	160	
28	5.25	5.664	160	
29	5.25	5.711	160	
30	5.25	5.359	160	
31	5.25	5.696	160	
32	5.25	5.595	160	
33	5.25	5.373	160	
34	5.25	5.529	160	
35	5.25	5.49	160	
36	5.25	5.675	160	
37	5.25	5.703	160	
38	5.25	5.612	160	
39	5.25	5.52	160	
40	5.25	5.709	160	
41	5.25	5.269	160	
42	5.25	5.335	160	
43	5.25	5.259	160	
44	5.25	5.372	160	
45	5.25	5.378	160	
46	5.25	5.324	160	
47	5.25	5.307	160	

48	5.25	5.555	160	
49	5.25	5.51	160	
50	5.25	5.337	160	
51	5.25	5.433	160	
52	5.25	5.272	160	
53	5.25	5.645	160	
54	5.25	5.544	160	
55	5.25	5.638	160	
56	5.25	5.694	160	
57	5.25	5.65	160	
58	5.25	5.688	160	
59	5.25	5.519	160	
60	5.25	5.388	160	
61	5.25	5.292	160	
62	5.25	5.298	160	
63	5.25	5.369	160	
64	5.25	5.572	160	*
65	5.25	5.613	160	
66	5.25	5.289	160	
67	5.25	5.652	160	
68	5.25	5.554	160	
69	5.25	5.533	160	
70	5.25	5.382	160	
71	5.25	5.702	160	
72	5.25	5.576	160	*
73	5.25	5.665	160	
74	5.25	5.464	160	
75	5.25	5.507	160	
76	5.25	5.346	160	
77	5.25	5.479	160	
78	5.25	5.596	160	
79	5.25	5.26	160	
80	5.25	5.391	160	
81	5.25	5.649	160	
82	5.25	5.553	160	
83	5.25	5.642	160	
84	5.25	5.707	160	
85	5.25	5.574	160	*
86	5.25	5.583	160	
87	5.25	5.271	160	
88	5.25	5.418	160	
89	5.25	5.636	160	
90	5.25	5.491	160	
91	5.25	5.366	160	
92	5.25	5.634	160	
93	5.25	5.393	160	
94	5.25	5.275	160	
95	5.25	5.441	160	
96	5.25	5.492	160	
97	5.25	5.545	160	
98	5.25	5.255	160	
99	5.25	5.701	160	
100	5.25	5.405	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.682	160	
2	5.25	5.259	160	
3	5.25	5.383	160	
4	5.25	5.294	160	
5	5.25	5.603	160	
6	5.25	5.442	160	
7	5.25	5.329	160	
8	5.25	5.712	160	
9	5.25	5.282	160	
10	5.25	5.651	160	
11	5.25	5.377	160	
12	5.25	5.592	160	
13	5.25	5.323	160	
14	5.25	5.58	160	
15	5.25	5.452	160	
16	5.25	5.37	160	
17	5.25	5.468	160	
18	5.25	5.402	160	
19	5.25	5.537	160	
20	5.25	5.424	160	
21	5.25	5.362	160	
22	5.25	5.623	160	
23	5.25	5.441	160	
24	5.25	5.559	160	*
25	5.25	5.462	160	
26	5.25	5.295	160	
27	5.25	5.42	160	
28	5.25	5.596	160	
29	5.25	5.679	160	
30	5.25	5.713	160	
31	5.25	5.407	160	
32	5.25	5.555	160	
33	5.25	5.434	160	
34	5.25	5.491	160	
35	5.25	5.354	160	
36	5.25	5.359	160	
37	5.25	5.495	160	
38	5.25	5.391	160	
39	5.25	5.655	160	
40	5.25	5.52	160	
41	5.25	5.617	160	
42	5.25	5.673	160	
43	5.25	5.702	160	
44	5.25	5.664	160	
45	5.25	5.437	160	
46	5.25	5.296	160	
47	5.25	5.467	160	

48	5.25	5.688	160	
49	5.25	5.344	160	
50	5.25	5.446	160	
51	5.25	5.41	160	
52	5.25	5.626	160	
53	5.25	5.492	160	
54	5.25	5.551	160	
55	5.25	5.445	160	
56	5.25	5.556	160	
57	5.25	5.447	160	
58	5.25	5.711	160	
59	5.25	5.618	160	
60	5.25	5.539	160	
61	5.25	5.517	160	
62	5.25	5.465	160	
63	5.25	5.657	160	
64	5.25	5.658	160	
65	5.25	5.703	160	
66	5.25	5.322	160	
67	5.25	5.478	160	
68	5.25	5.627	160	
69	5.25	5.633	160	
70	5.25	5.279	160	
71	5.25	5.593	160	
72	5.25	5.418	160	
73	5.25	5.661	160	
74	5.25	5.357	160	
75	5.25	5.345	160	
76	5.25	5.637	160	
77	5.25	5.546	160	
78	5.25	5.449	160	
79	5.25	5.7	160	
80	5.25	5.557	160	
81	5.25	5.426	160	
82	5.25	5.29	160	
83	5.25	5.253	160	
84	5.25	5.334	160	
85	5.25	5.373	160	
86	5.25	5.251	160	
87	5.25	5.489	160	
88	5.25	5.416	160	
89	5.25	5.262	160	
90	5.25	5.696	160	
91	5.25	5.547	160	
92	5.25	5.588	160	
93	5.25	5.25	160	
94	5.25	5.358	160	
95	5.25	5.709	160	
96	5.25	5.308	160	
97	5.25	5.583	160	
98	5.25	5.624	160	
99	5.25	5.46	160	
100	5.25	5.425	160	

--	--	--	--	--

802.11ax(HE160) - 5250MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.286	160	
2	5.25	5.304	160	
3	5.25	5.411	160	
4	5.25	5.72	160	
5	5.25	5.379	160	
6	5.25	5.605	160	
7	5.25	5.674	160	
8	5.25	5.714	160	
9	5.25	5.507	160	
10	5.25	5.442	160	
11	5.25	5.283	160	
12	5.25	5.68	160	
13	5.25	5.672	160	
14	5.25	5.65	160	
15	5.25	5.369	160	
16	5.25	5.532	160	
17	5.25	5.488	160	
18	5.25	5.387	160	
19	5.25	5.332	160	
20	5.25	5.254	160	
21	5.25	5.251	160	
22	5.25	5.305	160	
23	5.25	5.381	160	
24	5.25	5.599	160	
25	5.25	5.497	160	
26	5.25	5.632	160	
27	5.25	5.687	160	
28	5.25	5.314	160	
29	5.25	5.556	160	
30	5.25	5.613	160	
31	5.25	5.49	160	
32	5.25	5.66	160	
33	5.25	5.708	160	
34	5.25	5.355	160	
35	5.25	5.265	160	
36	5.25	5.375	160	
37	5.25	5.395	160	
38	5.25	5.335	160	
39	5.25	5.324	160	
40	5.25	5.515	160	
41	5.25	5.458	160	
42	5.25	5.664	160	
43	5.25	5.425	160	
44	5.25	5.669	160	
45	5.25	5.569	160	*
46	5.25	5.619	160	
47	5.25	5.416	160	

48	5.25	5.276	160	
49	5.25	5.466	160	
50	5.25	5.32	160	
51	5.25	5.623	160	
52	5.25	5.405	160	
53	5.25	5.356	160	
54	5.25	5.496	160	
55	5.25	5.358	160	
56	5.25	5.684	160	
57	5.25	5.306	160	
58	5.25	5.312	160	
59	5.25	5.617	160	
60	5.25	5.481	160	
61	5.25	5.434	160	
62	5.25	5.678	160	
63	5.25	5.461	160	
64	5.25	5.42	160	
65	5.25	5.437	160	
66	5.25	5.615	160	
67	5.25	5.339	160	
68	5.25	5.52	160	
69	5.25	5.624	160	
70	5.25	5.614	160	
71	5.25	5.723	160	
72	5.25	5.299	160	
73	5.25	5.686	160	
74	5.25	5.321	160	
75	5.25	5.378	160	
76	5.25	5.529	160	
77	5.25	5.644	160	
78	5.25	5.322	160	
79	5.25	5.422	160	
80	5.25	5.424	160	
81	5.25	5.353	160	
82	5.25	5.524	160	
83	5.25	5.363	160	
84	5.25	5.634	160	
85	5.25	5.403	160	
86	5.25	5.262	160	
87	5.25	5.492	160	
88	5.25	5.365	160	
89	5.25	5.525	160	
90	5.25	5.568	160	*
91	5.25	5.502	160	
92	5.25	5.327	160	
93	5.25	5.608	160	
94	5.25	5.574	160	*
95	5.25	5.421	160	
96	5.25	5.719	160	
97	5.25	5.656	160	
98	5.25	5.257	160	
99	5.25	5.549	160	
100	5.25	5.691	160	

--	--	--	--	--

802.11ax(HE20) - 5500MHz

RADAR TYPE 1

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	83	1	638
2	63	1	838
3	81	1	658
4	92	1	578
5	78	1	678
6	57	1	938
7	68	1	778
8	98	1	538
9	62	1	858
10	63	1	838
11	98	1	538
12	70	1	758
13	70	1	758
14	74	1	718
15	86	1	618
16	76	1	698
17	92	1	578
18	68	1	778
19	57	1	938
20	98	1	538
21	70	1	758
22	95	1	558
23	98	1	538
24	62	1	858
25	74	1	718
26	67	1	798
27	57	1	938
28	68	1	778
29	83	1	638
30	92	1	578

802.11ax(HE20) - 5500MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	26	4.6	208
2	27	4.7	167
3	24	3.7	161
4	25	2.7	189
5	23	3.4	221
6	28	3.2	186
7	27	1.3	190
8	26	2.5	203
9	24	4.4	189
10	28	1.5	183
11	26	3.9	183
12	25	3.3	197
13	25	3.1	229
14	23	4	211
15	27	2.6	193
16	28	3.1	230
17	26	1	183
18	28	3.6	228
19	25	1.4	188
20	28	1.2	227
21	27	2.1	177
22	29	3.8	186
23	24	2.3	181
24	28	2.1	227
25	23	3.3	171
26	28	4.8	154
27	24	2.2	192
28	29	2.7	224
29	29	3.2	209
30	26	1.5	207

802.11ax(HE20) - 5500MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	16	7.4	246
2	16	9.8	292
3	17	7.7	462
4	16	6.3	207
5	16	8.3	305
6	18	6.3	298
7	18	8.2	211
8	16	7.3	461
9	18	8.3	469
10	17	7.7	356
11	18	6.2	376
12	16	6.5	202
13	17	9.4	260
14	17	6.4	291
15	17	9.4	377
16	18	9.6	492
17	18	6.1	316
18	17	8.8	423
19	17	6.5	450
20	17	8.7	279
21	17	9.9	257
22	18	8.7	434
23	17	9.9	447
24	16	8.5	239
25	17	7.3	462
26	18	7.9	470
27	16	9	488
28	17	6.3	260
29	18	6.5	411
30	18	9.5	262

802.11ax(HE20) - 5500MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (µsec)	PRI (µs)
1	16	11.5	440
2	14	11.5	409
3	13	14	429
4	12	19.4	327
5	15	13.5	325
6	14	12.9	303
7	13	14.8	372
8	12	18	259
9	12	15.6	244
10	13	19.8	327
11	15	13.5	391
12	15	19.8	320
13	16	15.9	250
14	13	17.4	441
15	15	17.9	400
16	15	19.8	329
17	15	15.5	325
18	14	19.5	301
19	12	11.4	288
20	13	12	450
21	16	17.5	388
22	15	14.6	446
23	14	18.1	460
24	13	12.1	489
25	16	12.1	475
26	15	15.6	291
27	13	12.2	330
28	15	13.9	295
29	16	16.1	303
30	12	11.8	376


802.11ax(HE20) - 5500MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	12	1	5500
2	5	1	5500
3	8	1	5500
4	12	1	5500
5	15	1	5500
6	19	1	5500
7	16	1	5500
8	20	1	5500
9	11	1	5500
10	19	1	5500
11	15	2	5496
12	16	2	5496.4
13	5	2	5492
14	16	2	5496.4
15	12	2	5494.8
16	12	2	5494.8
17	5	2	5492
18	10	2	5494
19	9	2	5493.6
20	10	2	5494
21	10	3	5506
22	11	3	5505.6
23	19	3	5502.4
24	15	3	5504
25	11	3	5505.6
26	11	3	5505.6
27	14	3	5504.4
28	13	3	5504.8
29	13	3	5504.8
30	5	3	5508

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	79.4	12	1693		363.636
2	1	58.2	12			519.243
3	2	50.7	12	1738		486.036
4	2	99.4	12	1870		678.499
5	2	60.6	12	1008		311.002
6	2	73	12	1828		659.205
7	3	71.4	12	1350	1821	380.838
8	2	60.7	12	1019		143.612
9	3	93.4	12	1303	1092	326.845
10	2	96.9	12	1569		765.188
11	2	93.2	12	1433		180.371
12	2	74.7	12	1412		631.854
13	3	87.7	12	1003	1908	387.477



TYPE 5 PARAMETER SHEET	Rohde & Schwarz Pulse Sequencer
-------------------------------	------------------------------------

Trial Number : 2

Bursts in Trial: 10

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	75	5	1361		1163.97
2	1	67.9	5			1178.72
3	2	86.9	5	1526		858.17
4	1	59.3	5			644.7
5	1	74.6	5			429.87
6	1	53.8	5			831.74
7	2	89.4	5	1805		952.9
8	3	99.8	5	1843	1881	241.47
9	2	90	5	1562		1002.2
10	2	90.2	5	1166		668.6


--

TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 3

Bursts in Trial: 13

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	69.9	8	1402	1408	479.016
2	2	71.7	8	1037		715.243
3	1	72.1	8			172.166
4	2	80.7	8	1387		355.609
5	1	72.7	8			187.162
6	2	66.8	8	1500		479.635
7	2	73.9	8	1512		841.048
8	2	96.9	8	1543		642.312
9	2	66.4	8	1174		748.475
10	2	65.5	8	1272		617.598
11	1	97.2	8			356.171
12	3	89.3	8	1472	1946	775.654
13	2	51.9	8	1339		858.377




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 20

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	84	12			527.514
2	2	87.1	12	1637		170.936
3	3	76.7	12	1302	1412	250.64
4	2	79.6	12	1417		515.38
5	1	69.4	12			433.59
6	2	63.6	12	1624		574.08
7	1	67.2	12			472.63
8	2	61.8	12	1603		474.45
9	1	76.3	12			381.18
10	2	54.7	12	1843		290.71
11	2	84.8	12	1546		252.9
12	1	82.1	12			573.27
13	2	68.9	12	1518		479.56
14	3	78	12	1404	1075	487.28
15	1	65.9	12			363.67
16	2	69.3	12	1982		301.54
17	2	63	12	1642		302.16
18	1	92.6	12			58.7
19	3	84	12	1452	1781	421.3
20	3	76.8	12	1265	1842	421.9




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 5

Bursts in Trial: 12

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	58.3	15	1334		452.845
2	2	58.1	15	1264		610.49
3	3	68.4	15	1420	1514	942.17
4	1	67.1	15			416.98
5	2	57.5	15	1935		525.98
6	2	84	15	1901		461.53
7	2	53.7	15	1922		988.9
8	2	62.7	15	1738		413.98
9	3	57.2	15	1039	1093	524.69
10	2	70.7	15	1465		66.17
11	2	73.3	15	1350		37.4
12	3	91.3	15	1231	1774	756.3



TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	74.4	19	1749	1326	47.32
2	3	62.5	19	1747	1254	557.771
3	2	50.9	19	1836		125.102
4	2	60	19	1334		348.363
5	2	89	19	1346		597.564
6	2	57.9	19	1271		105.205
7	3	53.7	19	1946	1959	99.246
8	3	70	19	1989	1329	221.367
9	3	64	19	1720	1492	366.668
10	1	56.8	19			212.429
11	3	63.5	19	1128	1189	124.021
12	3	80.4	19	1868	1178	29.172
13	1	98.4	19			42.733
14	2	57.4	19	1696		472.544
15	1	50	19			280.425
16	1	76.1	19			501.526
17	1	51.7	19			31.237
18	2	95.5	19	1050		426.958
19	2	54.5	19	1949		129.779



TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer


Trial Number : 7

Bursts in Trial: 10

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	53.7	16	1315		44.676
2	3	75.2	16	1260	1278	752.29
3	2	51.8	16	1240		877.46
4	3	51.2	16	1846	1140	604.82
5	2	94.3	16	1216		1027.92
6	3	90.8	16	1088	1467	182.35
7	1	53	16			595.78
8	1	51.1	16			129.16
9	2	86.1	16	1188		1004.6
10	2	88.4	16	1407		320.9




TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	67.1	20	1097		256.444
2	2	90.4	20	1851		685.96
3	2	80.9	20	1476		159.66
4	2	94.6	20	1092		339.22
5	3	80.3	20	1586	1823	444
6	1	67.7	20			556.64
7	2	82.1	20	1605		722.46
8	2	60.2	20	1195		322.93
9	3	97.6	20	1855	1106	104.85
10	1	70.5	20			632.1
11	2	58	20	1828		424.03
12	2	68	20	1688		503.3
13	1	51.8	20			392.89
14	1	63.9	20			482.3
15	2	52.7	20	1076		544.1
16	2	99.3	20	1713		185.7



TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 9							
Bursts in Trial: 14							
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)	
1	1	62.7	11			578.934	
2	3	73.9	11	1960	1406	317.917	
3	2	60.1	11	1369		84.474	
4	2	78.4	11	1662		409.281	
5	2	84.9	11	1048		169.129	
6	3	81.3	11	1064	1776	311.536	
7	2	58.3	11	1831		486.983	
8	2	95.8	11	1684		377.21	
9	2	78.7	11	1424		752.867	
10	2	97	11	1060		703.624	
11	3	94.3	11	1424	1011	371.841	
12	3	58.3	11	1776	1795	683.829	
13	3	56.2	11	1854	1829	321.286	
14	3	91.9	11	1467	1791	609.943	

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	98.5	19	1515		71.899
2	3	53.4	19	1970	1379	506.871
3	1	65.4	19			465.982
4	2	78.3	19	1293		131.823
5	3	98	19	1025	1596	368.124
6	2	91.7	19	1286		108.745
7	1	63.7	19			355.916
8	2	86.8	19	1243		171.697
9	2	76.6	19	1032		194.068
10	3	88.8	19	1119	1913	426.849
11	3	73.6	19	1632	1923	174.641
12	3	56.4	19	1781	1151	92.402
13	1	72.3	19			486.793
14	3	86.7	19	1109	1572	191.094
15	2	61.7	19	1554		151.655
16	1	98	19			535.916
17	2	59.7	19	1685		505.337
18	1	60.1	19			308.458
19	2	59.7	19	1258		276.479




TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 11

Bursts in Trial: 16

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	63	15	1989	1517	142.22
2	2	73	15	1169		123.601
3	2	89.7	15	1890		43.21
4	1	92.6	15			241.01
5	1	71.1	15			86.43
6	1	61.6	15			618.88
7	3	51.9	15	1092	1333	52.97
8	2	51	15	1419		725.06
9	2	72.3	15	1150		49.4
10	2	84.3	15	1895		345.18
11	2	96.5	15	1120		478.5
12	3	94.2	15	1045	1690	438.98
13	2	80.5	15	1151		650.98
14	2	90.9	15	1266		714.9
15	2	64.9	15	1247		161.6
16	1	65.7	15			154




TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	57	16			340.028
2	2	62.9	16	1398		441.16
3	2	74.1	16	1695		192.81
4	2	65	16	1696		565.14
5	2	96.8	16	1094		182.96
6	1	86	16			230.48
7	2	96	16	1706		413.22
8	3	62.7	16	1189	1130	140.44
9	2	97.3	16	1298		297.77
10	1	83.7	16			242.91
11	3	96.9	16	1444	1295	734.57
12	2	97.7	16	1486		303.31
13	2	95.7	16	1036		432.1
14	3	86.5	16	1191	1601	345.8
15	3	61.7	16	1996	1829	276.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	53.1	5			209.295
2	1	74.5	5			133.957
3	1	85.5	5			722.353
4	2	94	5	1462		500.29
5	2	67.2	5	1912		25.307
6	2	92.2	5	1928		266.033
7	3	79.4	5	1148	1778	389.46
8	1	86.3	5			48.047
9	2	63.1	5	1382		1109.433

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	54.3	16	1156	1131	76.472
2	3	72	16	1637	1353	501.341
3	2	55.8	16	1594		128.112
4	2	91.1	16	1041		321.233
5	2	67.6	16	1234		363.544
6	2	58.2	16	1657		583.525
7	1	73.2	16			21.266
8	2	52	16	1050		552.277
9	2	74.4	16	1264		523.538
10	1	70.3	16			567.359
11	3	56	16	1859	1730	562.361
12	2	95.5	16	1474		502.092
13	2	78.7	16	1329		526.273
14	1	53.7	16			23.504
15	1	66.7	16			503.465
16	2	73.9	16	1455		183.516
17	1	59.1	16			500.337
18	1	56.1	16			340.158
19	2	57.3	16	1381		600.579



TYPE 5 PARAMETER SHEET Rohde & Schwarz
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 11

Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	65.9	12	1628	1080	549.539
2	2	67.4	12	1517		910.591
3	1	50.8	12			386.362
4	3	96.3	12	1428	1706	639.753
5	2	51.9	12	1991		760.344
6	3	94.3	12	1385	1908	14.225
7	2	80.2	12	1402		428.925
8	1	97.7	12			201.116
9	2	55.4	12	1678		1026.317
10	3	91.5	12	1687	1527	638.018
11	2	66.7	12	1971		677.309

