


### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63024G	47.02	54.00	-6.98	18.44	3	Horizontal	168	1.65	-	28.58	39.77	9.08	30.41
PK	10.64416G	56.92	74.00	-17.08	18.44	3	Horizontal	168	1.65	-	38.48	39.76	9.09	30.41

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.10	54.00	-5.90	9.27	3	Vertical	180	2.93	-	38.83	31.64	6.83	29.20
AV	5.4952G	101.13	Inf	-Inf	9.43	3	Vertical	180	2.93	-	91.70	31.78	6.85	29.20
PK	5.47G	60.08	68.20	-8.12	9.31	3	Vertical	180	2.93	-	50.77	31.68	6.83	29.20
PK	5.5034G	110.61	Inf	-Inf	9.45	3	Vertical	180	2.93	-	101.16	31.80	6.85	29.20

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	50.69	54.00	-3.31	9.26	3	Horizontal	61	1.01	-	41.43	31.63	6.83	29.20
AV	5.5012G	111.92	Inf	-Inf	9.45	3	Horizontal	61	1.01	-	102.47	31.80	6.85	29.20
PK	5.4662G	66.88	68.20	-1.32	9.29	3	Horizontal	61	1.01	-	57.59	31.66	6.83	29.20
PK	5.4964G	121.07	Inf	-Inf	9.44	3	Horizontal	61	1.01	-	111.63	31.79	6.85	29.20

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.996G	50.30	54.00	-3.70	18.99	3	Vertical	256	1.00	-	31.31	40.19	9.25	30.45
PK	10.99672G	59.64	74.00	-14.36	18.99	3	Vertical	256	1.00	-	40.65	40.19	9.25	30.45

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01408G	47.63	54.00	-6.37	18.97	3	Horizontal	239	1.43	-	28.66	40.16	9.26	30.45
PK	11.0168G	57.58	74.00	-16.42	18.96	3	Horizontal	239	1.43	-	38.62	40.15	9.26	30.45

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	47.61	54.00	-6.39	9.25	3	Vertical	0	2.75	-	38.36	31.62	6.83	29.20
AV	5.5854G	100.64	Inf	-Inf	9.53	3	Vertical	0	2.75	-	91.11	31.87	6.89	29.23
PK	5.4606G	57.09	68.20	-11.11	9.27	3	Vertical	0	2.75	-	47.82	31.64	6.83	29.20
PK	5.5854G	109.46	Inf	-Inf	9.53	3	Vertical	0	2.75	-	99.93	31.87	6.89	29.23
PK	5.7264G	57.26	68.20	-10.94	9.63	3	Vertical	0	2.75	-	47.63	31.95	6.96	29.28

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	52.59	54.00	-1.41	9.26	3	Horizontal	64	2.17	-	43.33	31.63	6.83	29.20
AV	5.5866G	115.33	Inf	-Inf	9.53	3	Horizontal	64	2.17	-	105.80	31.87	6.89	29.23
PK	5.4624G	63.46	68.20	-4.74	9.28	3	Horizontal	64	2.17	-	54.18	31.65	6.83	29.20
PK	5.5812G	124.51	Inf	-Inf	9.52	3	Horizontal	64	2.17	-	114.99	31.86	6.89	29.23
PK	5.7252G	58.81	68.20	-9.39	9.63	3	Horizontal	64	2.17	-	49.18	31.95	6.96	29.28

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15424G	52.95	54.00	-1.05	18.74	3	Vertical	255	1.00	-	34.21	39.85	9.32	30.43
PK	11.1644G	66.37	74.00	-7.63	18.73	3	Vertical	255	1.00	-	47.64	39.84	9.32	30.43



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15312G	47.72	54.00	-6.28	18.74	3	Horizontal	222	2.19	-	28.98	39.85	9.32	30.43
PK	11.15352G	57.89	74.00	-16.11	18.74	3	Horizontal	222	2.19	-	39.15	39.85	9.32	30.43

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7004G	97.48	Inf	-Inf	9.58	3	Vertical	132	2.91	-	87.90	31.90	6.95	29.27
PK	5.7056G	106.99	Inf	-Inf	9.59	3	Vertical	132	2.91	-	97.40	31.91	6.95	29.27
PK	5.726G	58.84	68.20	-9.36	9.63	3	Vertical	132	2.91	-	49.21	31.95	6.96	29.28

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	108.08	Inf	-Inf	9.58	3	Horizontal	65	2.09	-	98.50	31.90	6.95	29.27
PK	5.7008G	117.77	Inf	-Inf	9.58	3	Horizontal	65	2.09	-	108.19	31.90	6.95	29.27
PK	5.7264G	66.40	68.20	-1.80	9.63	3	Horizontal	65	2.09	-	56.77	31.95	6.96	29.28

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38168G	47.54	54.00	-6.46	18.90	3	Vertical	337	1.82	-	28.64	39.88	9.42	30.40
PK	11.38616G	57.90	74.00	-16.10	18.91	3	Vertical	337	1.82	-	38.99	39.89	9.42	30.40


### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39736G	47.64	54.00	-6.36	18.94	3	Horizontal	288	1.60	-	28.70	39.90	9.43	30.39
PK	11.4056G	57.68	74.00	-16.32	18.95	3	Horizontal	288	1.60	-	38.73	39.91	9.43	30.39

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.723G	104.29	Inf	-Inf	9.63	3	Vertical	192	3.00	-	94.66	31.95	6.96	29.28
PK	5.723G	113.43	Inf	-Inf	9.63	3	Vertical	192	3.00	-	103.80	31.95	6.96	29.28
PK	5.881G	58.77	68.20	-9.43	9.87	3	Vertical	192	3.00	-	48.90	32.16	7.04	29.33

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.721G	113.23	Inf	-Inf	9.62	3	Horizontal	73	2.10	-	103.61	31.94	6.96	29.28
PK	5.724G	121.89	Inf	-Inf	9.63	3	Horizontal	73	2.10	-	112.26	31.95	6.96	29.28
PK	5.933G	61.20	68.20	-7.00	10.05	3	Horizontal	73	2.10	-	51.15	32.33	7.07	29.35


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44008G	52.57	54.00	-1.43	19.00	3	Vertical	274	1.00	-	33.57	39.94	9.45	30.39
PK	11.43472G	67.67	74.00	-6.33	18.99	3	Vertical	274	1.00	-	48.68	39.93	9.45	30.39




**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43776G	50.86	54.00	-3.14	19.00	3	Horizontal	172	2.20	-	31.86	39.94	9.45	30.39
PK	11.43832G	63.89	74.00	-10.11	19.00	3	Horizontal	172	2.20	-	44.89	39.94	9.45	30.39

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2724G	100.69	Inf	-Inf	8.97	3	Vertical	20	2.60	-	91.72	31.36	6.80	29.19
AV	5.3628G	48.20	54.00	-5.80	8.81	3	Vertical	20	2.60	-	39.39	31.20	6.80	29.19
PK	5.2724G	108.94	Inf	-Inf	8.97	3	Vertical	20	2.60	-	99.97	31.36	6.80	29.19
PK	5.3568G	57.98	74.00	-16.02	8.76	3	Vertical	20	2.60	-	49.22	31.15	6.80	29.19

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2764G	110.96	Inf	-Inf	8.96	3	Horizontal	65	1.01	-	102.00	31.35	6.80	29.19
AV	5.3616G	52.87	54.00	-1.13	8.80	3	Horizontal	65	1.01	-	44.07	31.19	6.80	29.19
PK	5.2564G	120.92	Inf	-Inf	9.00	3	Horizontal	65	1.01	-	111.92	31.39	6.80	29.19
PK	5.3616G	62.60	74.00	-11.40	8.80	3	Horizontal	65	1.01	-	53.80	31.19	6.80	29.19

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5424G	56.62	68.20	-11.58	18.38	3	Vertical	131	2.27	-	38.24	39.74	9.04	30.40

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5264G	56.81	68.20	-11.39	18.38	3	Horizontal	216	2.34	-	38.43	39.73	9.04	30.39

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3052G	91.63	Inf	-Inf	8.89	3	Vertical	188	2.88	-	82.74	31.28	6.80	29.19
AV	5.3896G	47.71	54.00	-6.29	9.03	3	Vertical	188	2.88	-	38.68	31.42	6.80	29.19
PK	5.2968G	101.75	Inf	-Inf	8.92	3	Vertical	188	2.88	-	92.83	31.31	6.80	29.19
PK	5.4004G	58.15	74.00	-15.85	9.11	3	Vertical	188	2.88	-	49.04	31.50	6.80	29.19

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.306G	104.48	Inf	-Inf	8.89	3	Horizontal	68	1.01	-	95.59	31.28	6.80	29.19
AV	5.3512G	52.58	54.00	-1.42	8.72	3	Horizontal	68	1.01	-	43.86	31.11	6.80	29.19
PK	5.2964G	114.26	Inf	-Inf	8.92	3	Horizontal	68	1.01	-	105.34	31.31	6.80	29.19
PK	5.356G	63.35	74.00	-10.65	8.76	3	Horizontal	68	1.01	-	54.59	31.15	6.80	29.19

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6063G	46.21	54.00	-7.79	18.46	3	Vertical	40	1.85	-	27.75	39.79	9.07	30.40
PK	10.6287G	56.21	74.00	-17.79	18.44	3	Vertical	40	1.85	-	37.77	39.77	9.08	30.41



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.629G	46.35	54.00	-7.65	18.44	3	Horizontal	61	1.27	-	27.91	39.77	9.08	30.41
PK	10.6441G	55.98	74.00	-18.02	18.44	3	Horizontal	61	1.27	-	37.54	39.76	9.09	30.41

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.99	54.00	-6.01	9.26	3	Vertical	187	2.73	-	38.73	31.63	6.83	29.20
AV	5.5068G	97.23	Inf	-Inf	9.45	3	Vertical	187	2.73	-	87.78	31.80	6.85	29.20
PK	5.4688G	57.56	68.20	-10.64	9.31	3	Vertical	187	2.73	-	48.25	31.68	6.83	29.20
PK	5.4968G	106.67	Inf	-Inf	9.44	3	Vertical	187	2.73	-	97.23	31.79	6.85	29.20

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.73	54.00	-1.27	9.25	3	Horizontal	69	1.00	-	43.48	31.62	6.83	29.20
AV	5.5212G	108.61	Inf	-Inf	9.45	3	Horizontal	69	1.00	-	99.16	31.80	6.86	29.21
PK	5.4612G	66.76	68.20	-1.44	9.27	3	Horizontal	69	1.00	-	57.49	31.64	6.83	29.20
PK	5.5064G	116.74	Inf	-Inf	9.45	3	Horizontal	69	1.00	-	107.29	31.80	6.85	29.20

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0218G	46.59	54.00	-7.41	18.94	3	Vertical	284	2.11	-	27.65	40.13	9.26	30.45
PK	10.9979G	56.85	74.00	-17.15	19.00	3	Vertical	284	2.11	-	37.85	40.20	9.25	30.45

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0223G	46.70	54.00	-7.30	18.94	3	Horizontal	98	1.35	-	27.76	40.13	9.26	30.45
PK	11.0204G	56.48	74.00	-17.52	18.95	3	Horizontal	98	1.35	-	37.53	40.14	9.26	30.45

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	48.52	54.00	-5.48	9.26	3	Vertical	182	2.87	-	39.26	31.63	6.83	29.20
AV	5.5448G	103.20	Inf	-Inf	9.45	3	Vertical	182	2.87	-	93.75	31.80	6.87	29.22
PK	5.4656G	58.84	68.20	-9.36	9.29	3	Vertical	182	2.87	-	49.55	31.66	6.83	29.20
PK	5.5552G	112.94	Inf	-Inf	9.47	3	Vertical	182	2.87	-	103.47	31.81	6.88	29.22

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	52.92	54.00	-1.08	9.24	3	Horizontal	69	1.02	-	43.68	31.61	6.83	29.20
AV	5.5612G	112.45	Inf	-Inf	9.48	3	Horizontal	69	1.02	-	102.97	31.82	6.88	29.22
PK	5.4664G	62.91	68.20	-5.29	9.30	3	Horizontal	69	1.02	-	53.61	31.67	6.83	29.20
PK	5.536G	120.71	Inf	-Inf	9.46	3	Horizontal	69	1.02	-	111.25	31.80	6.87	29.21

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1233G	46.38	54.00	-7.62	18.76	3	Vertical	194	1.46	-	27.62	39.88	9.31	30.43
PK	11.0905G	56.31	74.00	-17.69	18.78	3	Vertical	194	1.46	-	37.53	39.93	9.29	30.44



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.094G	46.27	54.00	-7.73	18.77	3	Horizontal	19	1.11	-	27.50	39.92	9.29	30.44
PK	11.0865G	55.97	74.00	-18.03	18.79	3	Horizontal	19	1.11	-	37.18	39.94	9.29	30.44

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6564G	93.73	Inf	-Inf	9.41	3	Vertical	217	2.51	-	84.32	31.73	6.93	29.25
PK	5.6564G	103.97	Inf	-Inf	9.41	3	Vertical	217	2.51	-	94.56	31.73	6.93	29.25
PK	5.7696G	58.27	68.20	-9.93	9.69	3	Vertical	217	2.51	-	48.58	32.00	6.98	29.29

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6612G	109.29	Inf	-Inf	9.42	3	Horizontal	66	2.06	-	99.87	31.74	6.93	29.25
PK	5.6564G	117.77	Inf	-Inf	9.41	3	Horizontal	66	2.06	-	108.36	31.73	6.93	29.25
PK	5.7256G	66.92	68.20	-1.28	9.63	3	Horizontal	66	2.06	-	57.29	31.95	6.96	29.28

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3201G	46.53	54.00	-7.47	18.80	3	Vertical	196	1.63	-	27.73	39.82	9.39	30.41
PK	11.3401G	57.17	74.00	-16.83	18.84	3	Vertical	196	1.63	-	38.33	39.84	9.40	30.40


### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3188G	46.63	54.00	-7.37	18.80	3	Horizontal	175	2.43	-	27.83	39.82	9.39	30.41
PK	11.3503G	56.73	74.00	-17.27	18.86	3	Horizontal	175	2.43	-	37.87	39.85	9.41	30.40

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.13	54.00	-6.87	9.27	3	Vertical	203	2.91	-	37.86	31.64	6.83	29.20
AV	5.699G	99.18	Inf	-Inf	9.58	3	Vertical	203	2.91	-	89.60	31.90	6.95	29.27
PK	5.461G	57.32	68.20	-10.88	9.27	3	Vertical	203	2.91	-	48.05	31.64	6.83	29.20
PK	5.698G	108.39	Inf	-Inf	9.57	3	Vertical	203	2.91	-	98.82	31.89	6.95	29.27
PK	5.882G	57.91	68.20	-10.29	9.87	3	Vertical	203	2.91	-	48.04	32.16	7.04	29.33

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.35	54.00	-4.65	9.27	3	Horizontal	65	1.05	-	40.08	31.64	6.83	29.20
AV	5.701G	111.01	Inf	-Inf	9.58	3	Horizontal	65	1.05	-	101.43	31.90	6.95	29.27
PK	5.467G	59.16	68.20	-9.04	9.30	3	Horizontal	65	1.05	-	49.86	31.67	6.83	29.20
PK	5.696G	119.85	Inf	-Inf	9.56	3	Horizontal	65	1.05	-	110.29	31.88	6.95	29.27
PK	5.874G	61.01	68.20	-7.19	9.86	3	Horizontal	65	1.05	-	51.15	32.15	7.04	29.33


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42048G	52.34	54.00	-1.66	18.97	3	Vertical	270	1.00	-	33.37	39.92	9.44	30.39
PK	11.42008G	62.73	74.00	-11.27	18.97	3	Vertical	270	1.00	-	43.76	39.92	9.44	30.39




**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41384G	50.22	54.00	-3.78	18.96	3	Horizontal	174	2.20	-	31.26	39.91	9.44	30.39
PK	11.41632G	59.94	74.00	-14.06	18.97	3	Horizontal	174	2.20	-	40.97	39.92	9.44	30.39

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.43	54.00	-6.57	9.58	3	Vertical	216	2.87	-	37.85	31.99	6.77	29.18
AV	5.276G	90.49	Inf	-Inf	8.96	3	Vertical	216	2.87	-	81.53	31.35	6.80	29.19
AV	5.365G	46.78	54.00	-7.22	8.83	3	Vertical	216	2.87	-	37.95	31.22	6.80	29.19
PK	5.115G	55.75	74.00	-18.25	9.51	3	Vertical	216	2.87	-	46.24	31.93	6.76	29.18
PK	5.3G	99.00	Inf	-Inf	8.91	3	Vertical	216	2.87	-	90.09	31.30	6.80	29.19
PK	5.53G	56.07	68.20	-12.13	9.46	3	Vertical	216	2.87	-	46.61	31.80	6.87	29.21

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	49.93	54.00	-4.07	9.58	3	Horizontal	66	1.13	-	40.35	31.99	6.77	29.18
AV	5.281G	101.71	Inf	-Inf	8.95	3	Horizontal	66	1.13	-	92.76	31.34	6.80	29.19
AV	5.351G	52.26	54.00	-1.74	8.72	3	Horizontal	66	1.13	-	43.54	31.11	6.80	29.19
PK	5.132G	58.33	74.00	-15.67	9.55	3	Horizontal	66	1.13	-	48.78	31.96	6.77	29.18
PK	5.296G	111.01	Inf	-Inf	8.92	3	Horizontal	66	1.13	-	102.09	31.31	6.80	29.19
PK	5.366G	63.74	74.00	-10.26	8.84	3	Horizontal	66	1.13	-	54.90	31.23	6.80	29.19

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5502G	55.92	68.20	-12.28	18.40	3	Vertical	264	1.74	-	37.52	39.75	9.05	30.40

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5782G	56.62	68.20	-11.58	18.44	3	Horizontal	160	1.63	-	38.18	39.78	9.06	30.40

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.67	54.00	-6.33	9.27	3	Vertical	182	2.93	-	38.40	31.64	6.83	29.20
AV	5.54G	94.28	Inf	-Inf	9.46	3	Vertical	182	2.93	-	84.82	31.80	6.87	29.21
PK	5.466G	56.52	68.20	-11.68	9.29	3	Vertical	182	2.93	-	47.23	31.66	6.83	29.20
PK	5.54G	104.56	Inf	-Inf	9.46	3	Vertical	182	2.93	-	95.10	31.80	6.87	29.21
PK	5.78G	56.13	68.20	-12.07	9.69	3	Vertical	182	2.93	-	46.44	32.00	6.99	29.30

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.89	54.00	-1.11	9.25	3	Horizontal	63	2.15	-	43.64	31.62	6.83	29.20
AV	5.541G	104.03	Inf	-Inf	9.46	3	Horizontal	63	2.15	-	94.57	31.80	6.87	29.21
PK	5.463G	63.85	68.20	-4.35	9.28	3	Horizontal	63	2.15	-	54.57	31.65	6.83	29.20
PK	5.537G	112.71	Inf	-Inf	9.46	3	Horizontal	63	2.15	-	103.25	31.80	6.87	29.21
PK	5.772G	57.64	68.20	-10.56	9.70	3	Horizontal	63	2.15	-	47.94	32.00	6.99	29.29

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0108G	46.82	54.00	-7.18	18.97	3	Vertical	340	2.11	-	27.85	40.17	9.25	30.45
PK	11.0128G	56.25	74.00	-17.75	18.97	3	Vertical	340	2.11	-	37.28	40.16	9.26	30.45



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0382G	46.72	54.00	-7.28	18.92	3	Horizontal	157	2.39	-	27.80	40.09	9.27	30.44
PK	11.0348G	56.26	74.00	-17.74	18.92	3	Horizontal	157	2.39	-	37.34	40.10	9.27	30.45

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.48	54.00	-6.52	9.26	3	Vertical	184	3.00	-	38.22	31.63	6.83	29.20
AV	5.597G	96.52	Inf	-Inf	9.56	3	Vertical	184	3.00	-	86.96	31.89	6.90	29.23
PK	5.466G	55.74	68.20	-12.46	9.29	3	Vertical	184	3.00	-	46.45	31.66	6.83	29.20
PK	5.598G	104.48	Inf	-Inf	9.57	3	Vertical	184	3.00	-	94.91	31.90	6.90	29.23
PK	5.726G	58.58	68.20	-9.62	9.63	3	Vertical	184	3.00	-	48.95	31.95	6.96	29.28

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.434G	52.64	54.00	-1.36	9.19	3	Horizontal	63	2.18	-	43.45	31.57	6.82	29.20
AV	5.601G	106.88	Inf	-Inf	9.57	3	Horizontal	63	2.18	-	97.31	31.90	6.90	29.23
PK	5.47G	59.64	68.20	-8.56	9.31	3	Horizontal	63	2.18	-	50.33	31.68	6.83	29.20
PK	5.617G	115.32	Inf	-Inf	9.50	3	Horizontal	63	2.18	-	105.82	31.83	6.91	29.24
PK	5.726G	62.59	68.20	-5.61	9.63	3	Horizontal	63	2.18	-	52.96	31.95	6.96	29.28

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2428G	46.95	54.00	-7.05	18.74	3	Vertical	334	1.15	-	28.21	39.80	9.36	30.42
PK	11.2634G	57.56	74.00	-16.44	18.76	3	Vertical	334	1.15	-	38.80	39.80	9.37	30.41

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2054G	47.18	54.00	-6.82	18.72	3	Horizontal	131	2.43	-	28.46	39.80	9.34	30.42
PK	11.2232G	56.26	74.00	-17.74	18.73	3	Horizontal	131	2.43	-	37.53	39.80	9.35	30.42


### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.441G	47.13	54.00	-6.87	9.20	3	Vertical	199	2.90	-	37.93	31.58	6.82	29.20
AV	5.678G	96.26	Inf	-Inf	9.49	3	Vertical	199	2.90	-	86.77	31.81	6.94	29.26
PK	5.46G	56.22	68.20	-11.98	9.27	3	Vertical	199	2.90	-	46.95	31.64	6.83	29.20
PK	5.663G	106.72	Inf	-Inf	9.42	3	Vertical	199	2.90	-	97.30	31.75	6.93	29.26
PK	5.858G	59.29	68.20	-8.91	9.83	3	Vertical	199	2.90	-	49.46	32.12	7.03	29.32

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	49.81	54.00	-4.19	9.23	3	Horizontal	66	2.14	-	40.58	31.60	6.83	29.20
AV	5.681G	107.74	Inf	-Inf	9.50	3	Horizontal	66	2.14	-	98.24	31.82	6.94	29.26
PK	5.463G	60.05	68.20	-8.15	9.28	3	Horizontal	66	2.14	-	50.77	31.65	6.83	29.20
PK	5.696G	117.19	Inf	-Inf	9.56	3	Horizontal	66	2.14	-	107.63	31.88	6.95	29.27
PK	5.861G	66.58	68.20	-1.62	9.83	3	Horizontal	66	2.14	-	56.75	32.12	7.03	29.32


**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	51.28	54.00	-2.72	18.94	3	Vertical	258	1.00	-	32.34	39.90	9.43	30.39
PK	11.3998G	61.09	74.00	-12.91	18.94	3	Vertical	258	1.00	-	42.15	39.90	9.43	30.39




**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4154G	48.13	54.00	-5.87	18.97	3	Horizontal	37	1.00	-	29.16	39.92	9.44	30.39
PK	11.4028G	57.63	74.00	-16.37	18.94	3	Horizontal	37	1.00	-	38.69	39.90	9.43	30.39

802.11ax HEW160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	46.67	54.00	-7.33	9.56	3	Vertical	204	3.00	-	37.11	31.97	6.77	29.18
AV	5.2632G	88.29	Inf	-Inf	8.98	3	Vertical	204	3.00	-	79.31	31.37	6.80	29.19
AV	5.3868G	46.53	54.00	-7.47	9.00	3	Vertical	204	3.00	-	37.53	31.39	6.80	29.19
PK	5.1468G	57.91	74.00	-16.09	9.58	3	Vertical	204	3.00	-	48.33	31.99	6.77	29.18
PK	5.2632G	97.19	Inf	-Inf	8.98	3	Vertical	204	3.00	-	88.21	31.37	6.80	29.19
PK	5.5224G	55.71	68.20	-12.49	9.45	3	Vertical	204	3.00	-	46.26	31.80	6.86	29.21

802.11ax HEW160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	52.61	54.00	-1.39	9.58	3	Horizontal	59	1.16	-	43.03	31.99	6.77	29.18
AV	5.262G	99.01	Inf	-Inf	8.99	3	Horizontal	59	1.16	-	90.02	31.38	6.80	29.19
AV	5.3868G	51.51	54.00	-2.49	9.00	3	Horizontal	59	1.16	-	42.51	31.39	6.80	29.19
PK	5.1444G	67.01	74.00	-6.99	9.58	3	Horizontal	59	1.16	-	57.43	31.99	6.77	29.18
PK	5.2764G	108.94	Inf	-Inf	8.96	3	Horizontal	59	1.16	-	99.98	31.35	6.80	29.19
PK	5.364G	67.04	74.00	-6.96	8.82	3	Horizontal	59	1.16	-	58.22	31.21	6.80	29.19

802.11ax HEW160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5784G	55.74	68.20	-12.46	18.44	3	Vertical	354	1.59	-	37.30	39.78	9.06	30.40

802.11ax HEW160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4004G	55.71	68.20	-12.49	18.22	3	Horizontal	58	1.96	-	37.49	39.60	8.98	30.36

802.11ax HEW160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	45.67	54.00	-8.33	9.17	3	Vertical	181	2.90	-	36.50	31.56	6.81	29.20
AV	5.5448G	90.92	Inf	-Inf	9.45	3	Vertical	181	2.90	-	81.47	31.80	6.87	29.22
PK	5.4692G	55.75	68.20	-12.45	9.31	3	Vertical	181	2.90	-	46.44	31.68	6.83	29.20
PK	5.5496G	101.37	Inf	-Inf	9.45	3	Vertical	181	2.90	-	91.92	31.80	6.87	29.22
PK	5.8316G	56.34	68.20	-11.86	9.77	3	Vertical	181	2.90	-	46.57	32.06	7.02	29.31

802.11ax HEW160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.85	54.00	-4.15	9.26	3	Horizontal	63	2.17	-	40.59	31.63	6.83	29.20
AV	5.5868G	100.33	Inf	-Inf	9.53	3	Horizontal	63	2.17	-	90.80	31.87	6.89	29.23
PK	5.4644G	66.52	68.20	-1.68	9.29	3	Horizontal	63	2.17	-	57.23	31.66	6.83	29.20
PK	5.576G	109.51	Inf	-Inf	9.51	3	Horizontal	63	2.17	-	100.00	31.85	6.89	29.23
PK	5.7272G	61.61	68.20	-6.59	9.63	3	Horizontal	63	2.17	-	51.98	31.95	6.96	29.28

802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2376G	45.39	54.00	-8.61	18.74	3	Vertical	227	1.73	-	26.65	39.80	9.36	30.42
PK	11.118G	56.39	74.00	-17.61	18.75	3	Vertical	227	1.73	-	37.64	39.88	9.30	30.43



802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2384G	45.51	54.00	-8.49	18.74	3	Horizontal	94	1.17	-	26.77	39.80	9.36	30.42
PK	11.2G	56.54	74.00	-17.46	18.72	3	Horizontal	94	1.17	-	37.82	39.80	9.34	30.42



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.374G	72.85	74.00	-1.15	3	Horizontal	23	1.17	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3506G	52.97	54.00	-1.03	3	Horizontal	79	1.01	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3526G	52.93	54.00	-1.07	3	Horizontal	34	2.46	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.351G	52.38	54.00	-1.62	3	Horizontal	105	1.26	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.47G	67.04	68.20	-1.16	3	Horizontal	64	2.00	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7258G	66.66	68.20	-1.54	3	Horizontal	24	2.20	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.86G	67.01	68.20	-1.19	3	Horizontal	71	1.50	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.47G	66.64	68.20	-1.56	3	Horizontal	26	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.143G	48.62	54.00	-5.38	3	Vertical	137	2.90	-
5260MHz	Pass	AV	5.251G	111.59	Inf	-Inf	3	Vertical	137	2.90	-
5260MHz	Pass	AV	5.35G	48.56	54.00	-5.44	3	Vertical	137	2.90	-
5260MHz	Pass	PK	5.1454G	59.69	74.00	-14.31	3	Vertical	137	2.90	-
5260MHz	Pass	PK	5.251G	120.08	Inf	-Inf	3	Vertical	137	2.90	-
5260MHz	Pass	PK	5.3512G	59.93	74.00	-14.07	3	Vertical	137	2.90	-
5260MHz	Pass	AV	5.1454G	52.69	54.00	-1.31	3	Horizontal	34	2.07	-
5260MHz	Pass	AV	5.2558G	117.48	Inf	-Inf	3	Horizontal	34	2.07	-
5260MHz	Pass	AV	5.386G	52.22	54.00	-1.78	3	Horizontal	34	2.07	-
5260MHz	Pass	PK	5.146G	63.24	74.00	-10.76	3	Horizontal	34	2.07	-
5260MHz	Pass	PK	5.2666G	128.64	Inf	-Inf	3	Horizontal	34	2.07	-
5260MHz	Pass	PK	5.3506G	66.01	74.00	-7.99	3	Horizontal	34	2.07	-
5260MHz	Pass	PK	10.5192G	64.86	68.20	-3.34	3	Vertical	215	1.50	-
5260MHz	Pass	PK	10.5207G	60.75	68.20	-7.45	3	Horizontal	209	1.50	-
5300MHz	Pass	AV	5.2912G	102.55	Inf	-Inf	3	Vertical	244	1.07	-
5300MHz	Pass	AV	5.3996G	45.88	54.00	-8.12	3	Vertical	244	1.07	-
5300MHz	Pass	PK	5.2916G	112.93	Inf	-Inf	3	Vertical	244	1.07	-
5300MHz	Pass	PK	5.3892G	59.39	74.00	-14.61	3	Vertical	244	1.07	-
5300MHz	Pass	AV	5.3076G	115.27	Inf	-Inf	3	Horizontal	78	1.02	-
5300MHz	Pass	AV	5.3544G	52.85	54.00	-1.15	3	Horizontal	78	1.02	-
5300MHz	Pass	PK	5.3008G	126.41	Inf	-Inf	3	Horizontal	78	1.02	-
5300MHz	Pass	PK	5.3504G	65.54	74.00	-8.46	3	Horizontal	78	1.02	-
5300MHz	Pass	AV	10.6038G	48.27	54.00	-5.73	3	Vertical	132	1.90	-
5300MHz	Pass	PK	10.609G	60.91	74.00	-13.09	3	Vertical	132	1.90	-
5300MHz	Pass	AV	10.6011G	49.69	54.00	-4.31	3	Horizontal	178	2.38	-
5300MHz	Pass	PK	10.6052G	61.54	74.00	-12.46	3	Horizontal	178	2.38	-
5320MHz	Pass	AV	5.3172G	99.76	Inf	-Inf	3	Vertical	164	2.71	-
5320MHz	Pass	AV	5.3508G	45.74	54.00	-8.26	3	Vertical	164	2.71	-
5320MHz	Pass	PK	5.3174G	111.44	Inf	-Inf	3	Vertical	164	2.71	-
5320MHz	Pass	PK	5.3652G	58.26	74.00	-15.74	3	Vertical	164	2.71	-
5320MHz	Pass	AV	5.3262G	111.25	Inf	-Inf	3	Horizontal	79	1.01	-
5320MHz	Pass	AV	5.3506G	52.97	54.00	-1.03	3	Horizontal	79	1.01	-
5320MHz	Pass	PK	5.3252G	122.78	Inf	-Inf	3	Horizontal	79	1.01	-
5320MHz	Pass	PK	5.3516G	68.86	74.00	-5.14	3	Horizontal	79	1.01	-
5320MHz	Pass	AV	10.6428G	46.28	54.00	-7.72	3	Vertical	214	1.65	-
5320MHz	Pass	PK	10.6436G	58.55	74.00	-15.45	3	Vertical	214	1.65	-
5320MHz	Pass	AV	10.6398G	45.73	54.00	-8.27	3	Horizontal	137	2.97	-
5320MHz	Pass	PK	10.6592G	58.50	74.00	-15.50	3	Horizontal	137	2.97	-
5500MHz	Pass	AV	5.4592G	45.94	54.00	-8.06	3	Vertical	179	2.90	-
5500MHz	Pass	AV	5.5074G	101.52	Inf	-Inf	3	Vertical	179	2.90	-
5500MHz	Pass	PK	5.465G	57.53	68.20	-10.67	3	Vertical	179	2.90	-
5500MHz	Pass	PK	5.509G	112.32	Inf	-Inf	3	Vertical	179	2.90	-
5500MHz	Pass	AV	5.4502G	49.44	54.00	-4.56	3	Horizontal	64	2.00	-
5500MHz	Pass	AV	5.5072G	109.77	Inf	-Inf	3	Horizontal	64	2.00	-
5500MHz	Pass	PK	5.47G	67.04	68.20	-1.16	3	Horizontal	64	2.00	-
5500MHz	Pass	PK	5.4974G	121.44	Inf	-Inf	3	Horizontal	64	2.00	-
5500MHz	Pass	AV	11.00312G	47.72	54.00	-6.28	3	Vertical	252	1.00	-
5500MHz	Pass	PK	11.00316G	60.49	74.00	-13.51	3	Vertical	252	1.00	-
5500MHz	Pass	AV	10.99128G	45.69	54.00	-8.31	3	Horizontal	242	1.46	-
5500MHz	Pass	PK	10.99976G	57.97	74.00	-16.03	3	Horizontal	242	1.46	-
5580MHz	Pass	AV	5.439G	45.73	54.00	-8.27	3	Vertical	54	3.00	-
5580MHz	Pass	AV	5.5872G	103.22	Inf	-Inf	3	Vertical	54	3.00	-
5580MHz	Pass	PK	5.4678G	57.47	68.20	-10.73	3	Vertical	54	3.00	-
5580MHz	Pass	PK	5.586G	113.97	Inf	-Inf	3	Vertical	54	3.00	-
5580MHz	Pass	PK	5.7288G	57.60	68.20	-10.60	3	Vertical	54	3.00	-
5580MHz	Pass	AV	5.4588G	51.26	54.00	-2.74	3	Horizontal	59	2.26	-
5580MHz	Pass	AV	5.5806G	115.33	Inf	-Inf	3	Horizontal	59	2.26	-
5580MHz	Pass	PK	5.466G	59.83	68.20	-8.37	3	Horizontal	59	2.26	-
5580MHz	Pass	PK	5.5806G	125.10	Inf	-Inf	3	Horizontal	59	2.26	-
5580MHz	Pass	PK	5.7276G	59.36	68.20	-8.84	3	Horizontal	59	2.26	-



RSE TX above 1GHz\_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	11.1535G	52.76	54.00	-1.24	3	Vertical	252	1.00	-
5580MHz	Pass	PK	11.1459G	70.05	74.00	-3.95	3	Vertical	252	1.00	-
5580MHz	Pass	AV	11.1617G	47.16	54.00	-6.84	3	Horizontal	105	1.10	-
5580MHz	Pass	PK	11.149G	59.05	74.00	-14.95	3	Horizontal	105	1.10	-
5700MHz	Pass	AV	5.7044G	95.84	Inf	-Inf	3	Vertical	3	3.00	-
5700MHz	Pass	PK	5.7052G	106.62	Inf	-Inf	3	Vertical	3	3.00	-
5700MHz	Pass	PK	5.7576G	57.86	68.20	-10.34	3	Vertical	3	3.00	-
5700MHz	Pass	AV	5.7076G	106.67	Inf	-Inf	3	Horizontal	46	2.24	-
5700MHz	Pass	PK	5.708G	118.80	Inf	-Inf	3	Horizontal	46	2.24	-
5700MHz	Pass	PK	5.726G	66.43	68.20	-1.77	3	Horizontal	46	2.24	-
5700MHz	Pass	AV	11.39712G	45.27	54.00	-8.73	3	Vertical	101	1.24	-
5700MHz	Pass	PK	11.39568G	57.71	74.00	-16.29	3	Vertical	101	1.24	-
5700MHz	Pass	AV	11.39608G	45.14	54.00	-8.86	3	Horizontal	75	1.22	-
5700MHz	Pass	PK	11.3824G	58.12	74.00	-15.88	3	Horizontal	75	1.22	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.713G	105.27	Inf	-Inf	3	Vertical	186	2.72	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.713G	116.00	Inf	-Inf	3	Vertical	186	2.72	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.961G	58.33	68.20	-9.87	3	Vertical	186	2.72	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	111.94	Inf	-Inf	3	Horizontal	41	2.21	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.721G	124.62	Inf	-Inf	3	Horizontal	41	2.21	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	59.78	68.20	-8.42	3	Horizontal	41	2.21	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4398G	52.76	54.00	-1.24	3	Vertical	258	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4363G	69.42	74.00	-4.58	3	Vertical	258	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44456G	47.83	54.00	-6.17	3	Horizontal	208	2.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44608G	62.19	74.00	-11.81	3	Horizontal	208	2.99	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.1488G	46.00	54.00	-8.00	3	Vertical	136	3.00	-
5270MHz	Pass	AV	5.2844G	101.35	Inf	-Inf	3	Vertical	136	3.00	-
5270MHz	Pass	AV	5.3852G	46.48	54.00	-7.52	3	Vertical	136	3.00	-
5270MHz	Pass	PK	5.15G	57.54	74.00	-16.46	3	Vertical	136	3.00	-
5270MHz	Pass	PK	5.2832G	113.15	Inf	-Inf	3	Vertical	136	3.00	-
5270MHz	Pass	PK	5.3624G	57.56	74.00	-16.44	3	Vertical	136	3.00	-
5270MHz	Pass	AV	5.1434G	49.74	54.00	-4.26	3	Horizontal	69	1.12	-
5270MHz	Pass	AV	5.2538G	112.52	Inf	-Inf	3	Horizontal	69	1.12	-
5270MHz	Pass	AV	5.3654G	52.34	54.00	-1.66	3	Horizontal	69	1.12	-
5270MHz	Pass	PK	5.147G	59.68	74.00	-14.32	3	Horizontal	69	1.12	-
5270MHz	Pass	PK	5.255G	119.60	Inf	-Inf	3	Horizontal	69	1.12	-
5270MHz	Pass	PK	5.3702G	62.53	74.00	-11.47	3	Horizontal	69	1.12	-
5270MHz	Pass	PK	10.5218G	59.71	68.20	-8.49	3	Vertical	144	2.59	-
5270MHz	Pass	PK	10.5444G	58.87	68.20	-9.33	3	Horizontal	181	2.18	-
5310MHz	Pass	AV	5.3058G	95.61	Inf	-Inf	3	Vertical	147	2.91	-
5310MHz	Pass	AV	5.3538G	45.46	54.00	-8.54	3	Vertical	147	2.91	-
5310MHz	Pass	AV	5.46G	44.53	54.00	-9.47	3	Vertical	147	2.91	-
5310MHz	Pass	PK	5.307G	106.50	Inf	-Inf	3	Vertical	147	2.91	-
5310MHz	Pass	PK	5.3514G	59.57	74.00	-14.43	3	Vertical	147	2.91	-
5310MHz	Pass	PK	5.46G	56.30	74.00	-17.70	3	Vertical	147	2.91	-
5310MHz	Pass	AV	5.3076G	103.79	Inf	-Inf	3	Horizontal	34	2.46	-
5310MHz	Pass	AV	5.3526G	52.93	54.00	-1.07	3	Horizontal	34	2.46	-
5310MHz	Pass	AV	5.46G	45.52	54.00	-8.48	3	Horizontal	34	2.46	-
5310MHz	Pass	PK	5.301G	115.89	Inf	-Inf	3	Horizontal	34	2.46	-
5310MHz	Pass	PK	5.35G	68.56	74.00	-5.44	3	Horizontal	34	2.46	-
5310MHz	Pass	PK	5.46G	56.02	74.00	-17.98	3	Horizontal	34	2.46	-
5310MHz	Pass	AV	10.6014G	46.40	54.00	-7.60	3	Vertical	136	1.96	-
5310MHz	Pass	PK	10.6198G	57.93	74.00	-16.07	3	Vertical	136	1.96	-
5310MHz	Pass	AV	10.6015G	44.49	54.00	-9.51	3	Horizontal	11	1.01	-
5310MHz	Pass	PK	10.6087G	56.51	74.00	-17.49	3	Horizontal	11	1.01	-
5510MHz	Pass	AV	5.4584G	46.00	54.00	-8.00	3	Vertical	128	2.47	-
5510MHz	Pass	AV	5.4986G	97.50	Inf	-Inf	3	Vertical	128	2.47	-
5510MHz	Pass	PK	5.4692G	65.24	68.20	-2.96	3	Vertical	128	2.47	-
5510MHz	Pass	PK	5.5004G	107.43	Inf	-Inf	3	Vertical	128	2.47	-
5510MHz	Pass	AV	5.4578G	49.70	54.00	-4.30	3	Horizontal	53	2.39	-
5510MHz	Pass	AV	5.4968G	105.41	Inf	-Inf	3	Horizontal	53	2.39	-
5510MHz	Pass	PK	5.4674G	66.33	68.20	-1.87	3	Horizontal	53	2.39	-



RSE TX above 1GHz\_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	5.525G	115.42	Inf	-Inf	3	Horizontal	53	2.39	-
5510MHz	Pass	AV	11.02904G	45.00	54.00	-9.00	3	Vertical	323	2.13	-
5510MHz	Pass	PK	11.03592G	57.10	74.00	-16.90	3	Vertical	323	2.13	-
5510MHz	Pass	AV	11.0132G	45.04	54.00	-8.96	3	Horizontal	61	2.26	-
5510MHz	Pass	PK	11.03632G	57.20	74.00	-16.80	3	Horizontal	61	2.26	-
5550MHz	Pass	AV	5.4444G	46.33	54.00	-7.67	3	Vertical	43	3.00	-
5550MHz	Pass	AV	5.5434G	102.81	Inf	-Inf	3	Vertical	43	3.00	-
5550MHz	Pass	PK	5.469G	59.40	68.20	-8.80	3	Vertical	43	3.00	-
5550MHz	Pass	PK	5.5452G	114.59	Inf	-Inf	3	Vertical	43	3.00	-
5550MHz	Pass	AV	5.46G	49.35	54.00	-4.65	3	Horizontal	30	2.51	-
5550MHz	Pass	AV	5.5404G	111.32	Inf	-Inf	3	Horizontal	30	2.51	-
5550MHz	Pass	PK	5.4672G	66.38	68.20	-1.82	3	Horizontal	30	2.51	-
5550MHz	Pass	PK	5.5398G	119.01	Inf	-Inf	3	Horizontal	30	2.51	-
5550MHz	Pass	AV	11.098G	52.25	54.00	-1.75	3	Vertical	268	1.00	-
5550MHz	Pass	PK	11.0998G	68.36	74.00	-5.64	3	Vertical	268	1.00	-
5550MHz	Pass	AV	11.0816G	45.95	54.00	-8.05	3	Horizontal	136	1.72	-
5550MHz	Pass	PK	11.1046G	60.17	74.00	-13.83	3	Horizontal	136	1.72	-
5670MHz	Pass	AV	5.6844G	99.98	Inf	-Inf	3	Vertical	184	2.99	-
5670MHz	Pass	PK	5.6856G	112.79	Inf	-Inf	3	Vertical	184	2.99	-
5670MHz	Pass	PK	5.73G	60.19	68.20	-8.01	3	Vertical	184	2.99	-
5670MHz	Pass	AV	5.661G	107.69	Inf	-Inf	3	Horizontal	24	2.20	-
5670MHz	Pass	PK	5.6784G	117.92	Inf	-Inf	3	Horizontal	24	2.20	-
5670MHz	Pass	PK	5.7258G	66.66	68.20	-1.54	3	Horizontal	24	2.20	-
5670MHz	Pass	AV	11.3352G	46.65	54.00	-7.35	3	Vertical	258	1.77	-
5670MHz	Pass	PK	11.3395G	62.29	74.00	-11.71	3	Vertical	258	1.77	-
5670MHz	Pass	AV	11.3615G	44.80	54.00	-9.20	3	Horizontal	236	1.50	-
5670MHz	Pass	PK	11.3524G	57.29	74.00	-16.71	3	Horizontal	236	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	44.46	54.00	-9.54	3	Vertical	215	1.19	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	93.93	Inf	-Inf	3	Vertical	215	1.19	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.469G	55.70	68.20	-12.50	3	Vertical	215	1.19	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.693G	104.04	Inf	-Inf	3	Vertical	215	1.19	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.943G	58.21	68.20	-9.99	3	Vertical	215	1.19	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	45.91	54.00	-8.09	3	Horizontal	41	2.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.696G	108.74	Inf	-Inf	3	Horizontal	41	2.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.465G	57.39	68.20	-10.81	3	Horizontal	41	2.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.697G	119.18	Inf	-Inf	3	Horizontal	41	2.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.898G	61.19	68.20	-7.01	3	Horizontal	41	2.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4119G	52.21	54.00	-1.79	3	Vertical	252	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4078G	68.15	74.00	-5.85	3	Vertical	252	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.3995G	46.36	54.00	-7.64	3	Horizontal	207	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4212G	59.16	74.00	-14.84	3	Horizontal	207	3.00	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.148G	45.92	54.00	-8.08	3	Vertical	41	2.26	-
5290MHz	Pass	AV	5.322G	88.21	Inf	-Inf	3	Vertical	41	2.26	-
5290MHz	Pass	AV	5.419G	45.65	54.00	-8.35	3	Vertical	41	2.26	-
5290MHz	Pass	PK	5.079G	56.68	74.00	-17.32	3	Vertical	41	2.26	-
5290MHz	Pass	PK	5.326G	99.74	Inf	-Inf	3	Vertical	41	2.26	-
5290MHz	Pass	PK	5.496G	56.35	68.20	-11.85	3	Vertical	41	2.26	-
5290MHz	Pass	AV	5.124G	48.13	54.00	-5.87	3	Horizontal	105	1.26	-
5290MHz	Pass	AV	5.293G	101.37	Inf	-Inf	3	Horizontal	105	1.26	-
5290MHz	Pass	AV	5.351G	52.38	54.00	-1.62	3	Horizontal	105	1.26	-
5290MHz	Pass	PK	5.145G	58.97	74.00	-15.03	3	Horizontal	105	1.26	-
5290MHz	Pass	PK	5.262G	113.06	Inf	-Inf	3	Horizontal	105	1.26	-
5290MHz	Pass	PK	5.46G	58.18	68.20	-10.02	3	Horizontal	105	1.26	-
5290MHz	Pass	PK	10.57748G	57.01	68.20	-11.19	3	Vertical	141	1.92	-
5290MHz	Pass	PK	10.59344G	57.14	68.20	-11.06	3	Horizontal	237	1.05	-
5530MHz	Pass	AV	5.46G	48.24	54.00	-5.76	3	Vertical	185	2.62	-
5530MHz	Pass	AV	5.504G	96.77	Inf	-Inf	3	Vertical	185	2.62	-
5530MHz	Pass	PK	5.466G	64.30	68.20	-3.90	3	Vertical	185	2.62	-
5530MHz	Pass	PK	5.5G	106.43	Inf	-Inf	3	Vertical	185	2.62	-
5530MHz	Pass	PK	5.772G	56.97	68.20	-11.23	3	Vertical	185	2.62	-
5530MHz	Pass	AV	5.456G	52.54	54.00	-1.46	3	Horizontal	69	1.00	-



RSE TX above 1GHz\_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5530MHz	Pass	AV	5.545G	105.50	Inf	-Inf	3	Horizontal	69	1.00	-
5530MHz	Pass	PK	5.466G	66.82	68.20	-1.38	3	Horizontal	69	1.00	-
5530MHz	Pass	PK	5.493G	117.88	Inf	-Inf	3	Horizontal	69	1.00	-
5530MHz	Pass	PK	5.731G	58.92	68.20	-9.28	3	Horizontal	69	1.00	-
5530MHz	Pass	AV	11.0602G	45.83	54.00	-8.17	3	Vertical	0	1.77	-
5530MHz	Pass	PK	11.0438G	57.34	74.00	-16.66	3	Vertical	0	1.77	-
5530MHz	Pass	AV	11.0542G	45.79	54.00	-8.21	3	Horizontal	86	1.39	-
5530MHz	Pass	PK	11.0416G	57.36	74.00	-16.64	3	Horizontal	86	1.39	-
5610MHz	Pass	AV	5.434G	46.14	54.00	-7.86	3	Vertical	325	2.69	-
5610MHz	Pass	AV	5.582G	97.11	Inf	-Inf	3	Vertical	325	2.69	-
5610MHz	Pass	PK	5.469G	56.26	68.20	-11.94	3	Vertical	325	2.69	-
5610MHz	Pass	PK	5.585G	107.61	Inf	-Inf	3	Vertical	325	2.69	-
5610MHz	Pass	PK	5.725G	59.62	68.20	-8.58	3	Vertical	325	2.69	-
5610MHz	Pass	AV	5.434G	51.01	54.00	-2.99	3	Horizontal	29	2.18	-
5610MHz	Pass	AV	5.578G	104.35	Inf	-Inf	3	Horizontal	29	2.18	-
5610MHz	Pass	PK	5.468G	61.78	68.20	-6.42	3	Horizontal	29	2.18	-
5610MHz	Pass	PK	5.646G	115.64	Inf	-Inf	3	Horizontal	29	2.18	-
5610MHz	Pass	PK	5.79G	66.67	68.20	-1.53	3	Horizontal	29	2.18	-
5610MHz	Pass	AV	11.2384G	47.16	54.00	-6.84	3	Vertical	257	1.25	-
5610MHz	Pass	PK	11.1572G	61.42	74.00	-12.58	3	Vertical	257	1.25	-
5610MHz	Pass	AV	11.2532G	46.05	54.00	-7.95	3	Horizontal	270	1.50	-
5610MHz	Pass	PK	11.1884G	57.16	74.00	-16.84	3	Horizontal	270	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.44G	45.47	54.00	-8.53	3	Vertical	328	2.95	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.667G	98.59	Inf	-Inf	3	Vertical	328	2.95	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.463G	55.85	68.20	-12.35	3	Vertical	328	2.95	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.681G	106.74	Inf	-Inf	3	Vertical	328	2.95	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	59.25	68.20	-8.95	3	Vertical	328	2.95	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.442G	47.52	54.00	-6.48	3	Horizontal	71	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	101.98	Inf	-Inf	3	Horizontal	71	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.42	68.20	-8.78	3	Horizontal	71	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.677G	113.67	Inf	-Inf	3	Horizontal	71	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	67.01	68.20	-1.19	3	Horizontal	71	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3128G	50.81	54.00	-3.19	3	Vertical	256	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3156G	68.36	74.00	-5.64	3	Vertical	256	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3056G	45.74	54.00	-8.26	3	Horizontal	106	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3104G	56.80	74.00	-17.20	3	Horizontal	106	1.50	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.133G	50.94	54.00	-3.06	3	Vertical	22	2.55	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.183G	90.12	Inf	-Inf	3	Vertical	22	2.55	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.372G	49.46	54.00	-4.54	3	Vertical	22	2.55	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.133G	71.04	74.00	-2.96	3	Vertical	22	2.55	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.259G	100.08	Inf	-Inf	3	Vertical	22	2.55	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.376G	67.26	74.00	-6.74	3	Vertical	22	2.55	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.133G	51.01	54.00	-2.99	3	Horizontal	23	1.17	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.183G	101.47	Inf	-Inf	3	Horizontal	23	1.17	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.352G	52.02	54.00	-1.98	3	Horizontal	23	1.17	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.133G	70.11	74.00	-3.89	3	Horizontal	23	1.17	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.248G	108.03	Inf	-Inf	3	Horizontal	23	1.17	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.374G	72.85	74.00	-1.15	3	Horizontal	23	1.17	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50404G	56.67	68.20	-11.53	3	Vertical	37	1.50	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.48408G	56.67	68.20	-11.53	3	Horizontal	229	1.50	-
5570MHz	Pass	AV	5.457G	45.89	54.00	-8.11	3	Vertical	143	2.72	-
5570MHz	Pass	AV	5.498G	91.32	Inf	-Inf	3	Vertical	143	2.72	-
5570MHz	Pass	PK	5.467G	62.36	68.20	-5.84	3	Vertical	143	2.72	-
5570MHz	Pass	PK	5.499G	101.12	Inf	-Inf	3	Vertical	143	2.72	-
5570MHz	Pass	PK	5.727G	60.27	68.20	-7.93	3	Vertical	143	2.72	-
5570MHz	Pass	AV	5.445G	47.35	54.00	-6.65	3	Horizontal	26	1.50	-
5570MHz	Pass	AV	5.502G	96.99	Inf	-Inf	3	Horizontal	26	1.50	-
5570MHz	Pass	PK	5.47G	66.64	68.20	-1.56	3	Horizontal	26	1.50	-
5570MHz	Pass	PK	5.501G	110.83	Inf	-Inf	3	Horizontal	26	1.50	-
5570MHz	Pass	PK	5.725G	61.91	68.20	-6.29	3	Horizontal	26	1.50	-
5570MHz	Pass	AV	11.1256G	44.46	54.00	-9.54	3	Vertical	99	2.92	-




## RSE TX above 1GHz\_Beamforming

## Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5570MHz	Pass	PK	11.14304G	56.99	74.00	-17.01	3	Vertical	99	2.92	-
5570MHz	Pass	AV	11.13248G	44.39	54.00	-9.61	3	Horizontal	281	1.50	-
5570MHz	Pass	PK	11.11136G	57.17	74.00	-16.83	3	Horizontal	281	1.50	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	48.62	54.00	-5.38	9.58	3	Vertical	137	2.90	-	39.04	31.99	6.77	29.18
AV	5.251G	111.59	Inf	-Inf	9.01	3	Vertical	137	2.90	-	102.58	31.40	6.80	29.19
AV	5.351G	48.56	54.00	-5.44	8.71	3	Vertical	137	2.90	-	39.85	31.10	6.80	29.19
PK	5.1454G	59.69	74.00	-14.31	9.58	3	Vertical	137	2.90	-	50.11	31.99	6.77	29.18
PK	5.251G	120.08	Inf	-Inf	9.01	3	Vertical	137	2.90	-	111.07	31.40	6.80	29.19
PK	5.3512G	59.93	74.00	-14.07	8.72	3	Vertical	137	2.90	-	51.21	31.11	6.80	29.19



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	52.69	54.00	-1.31	9.58	3	Horizontal	34	2.07	-	43.11	31.99	6.77	29.18
AV	5.2558G	117.48	Inf	-Inf	9.00	3	Horizontal	34	2.07	-	108.48	31.39	6.80	29.19
AV	5.386G	52.22	54.00	-1.78	9.00	3	Horizontal	34	2.07	-	43.22	31.39	6.80	29.19
PK	5.146G	63.24	74.00	-10.76	9.58	3	Horizontal	34	2.07	-	53.66	31.99	6.77	29.18
PK	5.2666G	128.64	Inf	-Inf	8.98	3	Horizontal	34	2.07	-	119.66	31.37	6.80	29.19
PK	5.3506G	66.01	74.00	-7.99	8.71	3	Horizontal	34	2.07	-	57.30	31.10	6.80	29.19

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5192G	64.86	68.20	-3.34	18.36	3	Vertical	215	1.50	-	46.50	39.72	9.03	30.39

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5207G	60.75	68.20	-7.45	18.36	3	Horizontal	209	1.50	-	42.39	39.72	9.03	30.39

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2912G	102.55	Inf	-Inf	8.93	3	Vertical	244	1.07	-	93.62	31.32	6.80	29.19
AV	5.3996G	45.88	54.00	-8.12	9.11	3	Vertical	244	1.07	-	36.77	31.50	6.80	29.19
PK	5.2916G	112.93	Inf	-Inf	8.93	3	Vertical	244	1.07	-	104.00	31.32	6.80	29.19
PK	5.3892G	59.39	74.00	-14.61	9.02	3	Vertical	244	1.07	-	50.37	31.41	6.80	29.19

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	115.27	Inf	-Inf	8.88	3	Horizontal	78	1.02	-	106.39	31.27	6.80	29.19
AV	5.3544G	52.85	54.00	-1.15	8.75	3	Horizontal	78	1.02	-	44.10	31.14	6.80	29.19
PK	5.3008G	126.41	Inf	-Inf	8.91	3	Horizontal	78	1.02	-	117.50	31.30	6.80	29.19
PK	5.3504G	65.54	74.00	-8.46	8.71	3	Horizontal	78	1.02	-	56.83	31.10	6.80	29.19

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6038G	48.27	54.00	-5.73	18.47	3	Vertical	132	1.90	-	29.80	39.80	9.07	30.40
PK	10.609G	60.91	74.00	-13.09	18.46	3	Vertical	132	1.90	-	42.45	39.79	9.07	30.40

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6011G	49.69	54.00	-4.31	18.47	3	Horizontal	178	2.38	-	31.22	39.80	9.07	30.40
PK	10.6052G	61.54	74.00	-12.46	18.46	3	Horizontal	178	2.38	-	43.08	39.79	9.07	30.40

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3172G	99.76	Inf	-Inf	8.84	3	Vertical	164	2.71	-	90.92	31.23	6.80	29.19
AV	5.3508G	45.74	54.00	-8.26	8.72	3	Vertical	164	2.71	-	37.02	31.11	6.80	29.19
PK	5.3174G	111.44	Inf	-Inf	8.84	3	Vertical	164	2.71	-	102.60	31.23	6.80	29.19
PK	5.3652G	58.26	74.00	-15.74	8.83	3	Vertical	164	2.71	-	49.43	31.22	6.80	29.19



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3262G	111.25	Inf	-Inf	8.81	3	Horizontal	79	1.01	-	102.44	31.20	6.80	29.19
AV	5.3506G	52.97	54.00	-1.03	8.71	3	Horizontal	79	1.01	-	44.26	31.10	6.80	29.19
PK	5.3252G	122.78	Inf	-Inf	8.81	3	Horizontal	79	1.01	-	113.97	31.20	6.80	29.19
PK	5.3516G	68.86	74.00	-5.14	8.72	3	Horizontal	79	1.01	-	60.14	31.11	6.80	29.19

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6428G	46.28	54.00	-7.72	18.44	3	Vertical	214	1.65	-	27.84	39.76	9.09	30.41
PK	10.6436G	58.55	74.00	-15.45	18.44	3	Vertical	214	1.65	-	40.11	39.76	9.09	30.41

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6398G	45.73	54.00	-8.27	18.44	3	Horizontal	137	2.97	-	27.29	39.76	9.09	30.41
PK	10.6592G	58.50	74.00	-15.50	18.43	3	Horizontal	137	2.97	-	40.07	39.74	9.10	30.41

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	45.94	54.00	-8.06	9.27	3	Vertical	179	2.90	-	36.67	31.64	6.83	29.20
AV	5.5074G	101.52	Inf	-Inf	9.45	3	Vertical	179	2.90	-	92.07	31.80	6.85	29.20
PK	5.465G	57.53	68.20	-10.67	9.29	3	Vertical	179	2.90	-	48.24	31.66	6.83	29.20
PK	5.509G	112.32	Inf	-Inf	9.45	3	Vertical	179	2.90	-	102.87	31.80	6.85	29.20

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4502G	49.44	54.00	-4.56	9.23	3	Horizontal	64	2.00	-	40.21	31.60	6.83	29.20
AV	5.5072G	109.77	Inf	-Inf	9.45	3	Horizontal	64	2.00	-	100.32	31.80	6.85	29.20
PK	5.47G	67.04	68.20	-1.16	9.31	3	Horizontal	64	2.00	-	57.73	31.68	6.83	29.20
PK	5.4974G	121.44	Inf	-Inf	9.44	3	Horizontal	64	2.00	-	112.00	31.79	6.85	29.20

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00312G	47.72	54.00	-6.28	18.99	3	Vertical	252	1.00	-	28.73	40.19	9.25	30.45
PK	11.00316G	60.49	74.00	-13.51	18.99	3	Vertical	252	1.00	-	41.50	40.19	9.25	30.45

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99128G	45.69	54.00	-8.31	18.98	3	Horizontal	242	1.46	-	26.71	40.18	9.25	30.45
PK	10.99976G	57.97	74.00	-16.03	19.00	3	Horizontal	242	1.46	-	38.97	40.20	9.25	30.45

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.439G	45.73	54.00	-8.27	9.20	3	Vertical	54	3.00	-	36.53	31.58	6.82	29.20
AV	5.5872G	103.22	Inf	-Inf	9.53	3	Vertical	54	3.00	-	93.69	31.87	6.89	29.23
PK	5.4678G	57.47	68.20	-10.73	9.30	3	Vertical	54	3.00	-	48.17	31.67	6.83	29.20
PK	5.586G	113.97	Inf	-Inf	9.53	3	Vertical	54	3.00	-	104.44	31.87	6.89	29.23
PK	5.7288G	57.60	68.20	-10.60	9.64	3	Vertical	54	3.00	-	47.96	31.96	6.96	29.28



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	51.26	54.00	-2.74	9.27	3	Horizontal	59	2.26	-	41.99	31.64	6.83	29.20
AV	5.5806G	115.33	Inf	-Inf	9.52	3	Horizontal	59	2.26	-	105.81	31.86	6.89	29.23
PK	5.466G	59.83	68.20	-8.37	9.29	3	Horizontal	59	2.26	-	50.54	31.66	6.83	29.20
PK	5.5806G	125.10	Inf	-Inf	9.52	3	Horizontal	59	2.26	-	115.58	31.86	6.89	29.23
PK	5.7276G	59.36	68.20	-8.84	9.64	3	Horizontal	59	2.26	-	49.72	31.96	6.96	29.28

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1535G	52.76	54.00	-1.24	18.74	3	Vertical	252	1.00	-	34.02	39.85	9.32	30.43
PK	11.1459G	70.05	74.00	-3.95	18.74	3	Vertical	252	1.00	-	51.31	39.85	9.32	30.43

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1617G	47.16	54.00	-6.84	18.73	3	Horizontal	105	1.10	-	28.43	39.84	9.32	30.43
PK	11.149G	59.05	74.00	-14.95	18.74	3	Horizontal	105	1.10	-	40.31	39.85	9.32	30.43

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7044G	95.84	Inf	-Inf	9.59	3	Vertical	3	3.00	-	86.25	31.91	6.95	29.27
PK	5.7052G	106.62	Inf	-Inf	9.59	3	Vertical	3	3.00	-	97.03	31.91	6.95	29.27
PK	5.7576G	57.86	68.20	-10.34	9.69	3	Vertical	3	3.00	-	48.17	32.00	6.98	29.29

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7076G	106.67	Inf	-Inf	9.60	3	Horizontal	46	2.24	-	97.07	31.92	6.95	29.27
PK	5.708G	118.80	Inf	-Inf	9.60	3	Horizontal	46	2.24	-	109.20	31.92	6.95	29.27
PK	5.726G	66.43	68.20	-1.77	9.63	3	Horizontal	46	2.24	-	56.80	31.95	6.96	29.28

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39712G	45.27	54.00	-8.73	18.94	3	Vertical	101	1.24	-	26.33	39.90	9.43	30.39
PK	11.39568G	57.71	74.00	-16.29	18.94	3	Vertical	101	1.24	-	38.77	39.90	9.43	30.39

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39608G	45.14	54.00	-8.86	18.94	3	Horizontal	75	1.22	-	26.20	39.90	9.43	30.39
PK	11.3824G	58.12	74.00	-15.88	18.90	3	Horizontal	75	1.22	-	39.22	39.88	9.42	30.40

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.713G	105.27	Inf	-Inf	9.62	3	Vertical	186	2.72	-	95.65	31.93	6.96	29.27
PK	5.713G	116.00	Inf	-Inf	9.62	3	Vertical	186	2.72	-	106.38	31.93	6.96	29.27
PK	5.961G	58.33	68.20	-9.87	10.10	3	Vertical	186	2.72	-	48.23	32.38	7.08	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	111.94	Inf	-Inf	9.62	3	Horizontal	41	2.21	-	102.32	31.94	6.96	29.28
PK	5.721G	124.62	Inf	-Inf	9.62	3	Horizontal	41	2.21	-	115.00	31.94	6.96	29.28
PK	5.852G	59.78	68.20	-8.42	9.81	3	Horizontal	41	2.21	-	49.97	32.10	7.03	29.32

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4398G	52.76	54.00	-1.24	19.00	3	Vertical	258	1.75	-	33.76	39.94	9.45	30.39
PK	11.4363G	69.42	74.00	-4.58	19.00	3	Vertical	258	1.75	-	50.42	39.94	9.45	30.39

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44456G	47.83	54.00	-6.17	19.00	3	Horizontal	208	2.99	-	28.83	39.94	9.45	30.39
PK	11.44608G	62.19	74.00	-11.81	19.01	3	Horizontal	208	2.99	-	43.18	39.95	9.45	30.39

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	46.00	54.00	-8.00	9.59	3	Vertical	136	3.00	-	36.41	32.00	6.77	29.18
AV	5.2844G	101.35	Inf	-Inf	8.94	3	Vertical	136	3.00	-	92.41	31.33	6.80	29.19
AV	5.3852G	46.48	54.00	-7.52	8.99	3	Vertical	136	3.00	-	37.49	31.38	6.80	29.19
PK	5.15G	57.54	74.00	-16.46	9.60	3	Vertical	136	3.00	-	47.94	32.00	6.78	29.18
PK	5.2832G	113.15	Inf	-Inf	8.94	3	Vertical	136	3.00	-	104.21	31.33	6.80	29.19
PK	5.3624G	57.56	74.00	-16.44	8.81	3	Vertical	136	3.00	-	48.75	31.20	6.80	29.19

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	49.74	54.00	-4.26	9.58	3	Horizontal	69	1.12	-	40.16	31.99	6.77	29.18
AV	5.2538G	112.52	Inf	-Inf	9.00	3	Horizontal	69	1.12	-	103.52	31.39	6.80	29.19
AV	5.3654G	52.34	54.00	-1.66	8.83	3	Horizontal	69	1.12	-	43.51	31.22	6.80	29.19
PK	5.147G	59.68	74.00	-14.32	9.58	3	Horizontal	69	1.12	-	50.10	31.99	6.77	29.18
PK	5.255G	119.60	Inf	-Inf	9.00	3	Horizontal	69	1.12	-	110.60	31.39	6.80	29.19
PK	5.3702G	62.53	74.00	-11.47	8.87	3	Horizontal	69	1.12	-	53.66	31.26	6.80	29.19

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5218G	59.71	68.20	-8.49	18.36	3	Vertical	144	2.59	-	41.35	39.72	9.03	30.39

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5444G	58.87	68.20	-9.33	18.38	3	Horizontal	181	2.18	-	40.49	39.74	9.04	30.40

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3058G	95.61	Inf	-Inf	8.89	3	Vertical	147	2.91	-	86.72	31.28	6.80	29.19
AV	5.3538G	45.46	54.00	-8.54	8.74	3	Vertical	147	2.91	-	36.72	31.13	6.80	29.19
AV	5.46G	44.53	54.00	-9.47	9.27	3	Vertical	147	2.91	-	35.26	31.64	6.83	29.20
PK	5.307G	106.50	Inf	-Inf	8.88	3	Vertical	147	2.91	-	97.62	31.27	6.80	29.19
PK	5.3514G	59.57	74.00	-14.43	8.72	3	Vertical	147	2.91	-	50.85	31.11	6.80	29.19
PK	5.46G	56.30	74.00	-17.70	9.27	3	Vertical	147	2.91	-	47.03	31.64	6.83	29.20



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	103.79	Inf	-Inf	8.88	3	Horizontal	34	2.46	-	94.91	31.27	6.80	29.19
AV	5.3526G	52.93	54.00	-1.07	8.73	3	Horizontal	34	2.46	-	44.20	31.12	6.80	29.19
AV	5.46G	45.52	54.00	-8.48	9.27	3	Horizontal	34	2.46	-	36.25	31.64	6.83	29.20
PK	5.301G	115.89	Inf	-Inf	8.91	3	Horizontal	34	2.46	-	106.98	31.30	6.80	29.19
PK	5.35G	68.56	74.00	-5.44	8.71	3	Horizontal	34	2.46	-	59.85	31.10	6.80	29.19
PK	5.46G	56.02	74.00	-17.98	9.27	3	Horizontal	34	2.46	-	46.75	31.64	6.83	29.20

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6014G	46.40	54.00	-7.60	18.47	3	Vertical	136	1.96	-	27.93	39.80	9.07	30.40
PK	10.6198G	57.93	74.00	-16.07	18.46	3	Vertical	136	1.96	-	39.47	39.78	9.08	30.40

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6015G	44.49	54.00	-9.51	18.47	3	Horizontal	11	1.01	-	26.02	39.80	9.07	30.40
PK	10.6087G	56.51	74.00	-17.49	18.46	3	Horizontal	11	1.01	-	38.05	39.79	9.07	30.40

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.00	54.00	-8.00	9.26	3	Vertical	128	2.47	-	36.74	31.63	6.83	29.20
AV	5.4986G	97.50	Inf	-Inf	9.44	3	Vertical	128	2.47	-	88.06	31.79	6.85	29.20
PK	5.4692G	65.24	68.20	-2.96	9.31	3	Vertical	128	2.47	-	55.93	31.68	6.83	29.20
PK	5.5004G	107.43	Inf	-Inf	9.45	3	Vertical	128	2.47	-	97.98	31.80	6.85	29.20

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	49.70	54.00	-4.30	9.26	3	Horizontal	53	2.39	-	40.44	31.63	6.83	29.20
AV	5.4968G	105.41	Inf	-Inf	9.44	3	Horizontal	53	2.39	-	95.97	31.79	6.85	29.20
PK	5.4674G	66.33	68.20	-1.87	9.30	3	Horizontal	53	2.39	-	57.03	31.67	6.83	29.20
PK	5.525G	115.42	Inf	-Inf	9.45	3	Horizontal	53	2.39	-	105.97	31.80	6.86	29.21

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02904G	45.00	54.00	-9.00	18.92	3	Vertical	323	2.13	-	26.08	40.11	9.26	30.45
PK	11.03592G	57.10	74.00	-16.90	18.92	3	Vertical	323	2.13	-	38.18	40.09	9.27	30.44

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0132G	45.04	54.00	-8.96	18.97	3	Horizontal	61	2.26	-	26.07	40.16	9.26	30.45
PK	11.03632G	57.20	74.00	-16.80	18.92	3	Horizontal	61	2.26	-	38.28	40.09	9.27	30.44

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	46.33	54.00	-7.67	9.21	3	Vertical	43	3.00	-	37.12	31.59	6.82	29.20
AV	5.5434G	102.81	Inf	-Inf	9.46	3	Vertical	43	3.00	-	93.35	31.80	6.87	29.21
PK	5.469G	59.40	68.20	-8.80	9.31	3	Vertical	43	3.00	-	50.09	31.68	6.83	29.20
PK	5.5452G	114.59	Inf	-Inf	9.45	3	Vertical	43	3.00	-	105.14	31.80	6.87	29.22



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.35	54.00	-4.65	9.27	3	Horizontal	30	2.51	-	40.08	31.64	6.83	29.20
AV	5.5404G	111.32	Inf	-Inf	9.46	3	Horizontal	30	2.51	-	101.86	31.80	6.87	29.21
PK	5.4672G	66.38	68.20	-1.82	9.30	3	Horizontal	30	2.51	-	57.08	31.67	6.83	29.20
PK	5.5398G	119.01	Inf	-Inf	9.46	3	Horizontal	30	2.51	-	109.55	31.80	6.87	29.21

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.098G	52.25	54.00	-1.75	18.76	3	Vertical	268	1.00	-	33.49	39.91	9.29	30.44
PK	11.0998G	68.36	74.00	-5.64	18.75	3	Vertical	268	1.00	-	49.61	39.90	9.29	30.44

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0816G	45.95	54.00	-8.05	18.81	3	Horizontal	136	1.72	-	27.14	39.96	9.29	30.44
PK	11.1046G	60.17	74.00	-13.83	18.76	3	Horizontal	136	1.72	-	41.41	39.90	9.30	30.44

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6844G	99.98	Inf	-Inf	9.52	3	Vertical	184	2.99	-	90.46	31.84	6.94	29.26
PK	5.6856G	112.79	Inf	-Inf	9.52	3	Vertical	184	2.99	-	103.27	31.84	6.94	29.26
PK	5.73G	60.19	68.20	-8.01	9.64	3	Vertical	184	2.99	-	50.55	31.96	6.96	29.28

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.661G	107.69	Inf	-Inf	9.42	3	Horizontal	24	2.20	-	98.27	31.74	6.93	29.25
PK	5.6784G	117.92	Inf	-Inf	9.49	3	Horizontal	24	2.20	-	108.43	31.81	6.94	29.26
PK	5.7258G	66.66	68.20	-1.54	9.63	3	Horizontal	24	2.20	-	57.03	31.95	6.96	29.28

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3352G	46.65	54.00	-7.35	18.84	3	Vertical	258	1.77	-	27.81	39.84	9.40	30.40
PK	11.3395G	62.29	74.00	-11.71	18.84	3	Vertical	258	1.77	-	43.45	39.84	9.40	30.40

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3615G	44.80	54.00	-9.20	18.87	3	Horizontal	236	1.50	-	25.93	39.86	9.41	30.40
PK	11.3524G	57.29	74.00	-16.71	18.86	3	Horizontal	236	1.50	-	38.43	39.85	9.41	30.40

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.46	54.00	-9.54	9.27	3	Vertical	215	1.19	-	35.19	31.64	6.83	29.20
AV	5.692G	93.93	Inf	-Inf	9.55	3	Vertical	215	1.19	-	84.38	31.87	6.95	29.27
PK	5.469G	55.70	68.20	-12.50	9.31	3	Vertical	215	1.19	-	46.39	31.68	6.83	29.20
PK	5.693G	104.04	Inf	-Inf	9.55	3	Vertical	215	1.19	-	94.49	31.87	6.95	29.27
PK	5.943G	58.21	68.20	-9.99	10.09	3	Vertical	215	1.19	-	48.12	32.37	7.07	29.35



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.91	54.00	-8.09	9.27	3	Horizontal	41	2.15	-	36.64	31.64	6.83	29.20
AV	5.696G	108.74	Inf	-Inf	9.56	3	Horizontal	41	2.15	-	99.18	31.88	6.95	29.27
PK	5.465G	57.39	68.20	-10.81	9.29	3	Horizontal	41	2.15	-	48.10	31.66	6.83	29.20
PK	5.697G	119.18	Inf	-Inf	9.57	3	Horizontal	41	2.15	-	109.61	31.89	6.95	29.27
PK	5.898G	61.19	68.20	-7.01	9.91	3	Horizontal	41	2.15	-	51.28	32.20	7.05	29.34

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4119G	52.21	54.00	-1.79	18.96	3	Vertical	252	1.00	-	33.25	39.91	9.44	30.39
PK	11.4078G	68.15	74.00	-5.85	18.95	3	Vertical	252	1.00	-	49.20	39.91	9.43	30.39

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3995G	46.36	54.00	-7.64	18.94	3	Horizontal	207	3.00	-	27.42	39.90	9.43	30.39
PK	11.4212G	59.16	74.00	-14.84	18.97	3	Horizontal	207	3.00	-	40.19	39.92	9.44	30.39

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	45.92	54.00	-8.08	9.59	3	Vertical	41	2.26	-	36.33	32.00	6.77	29.18
AV	5.322G	88.21	Inf	-Inf	8.82	3	Vertical	41	2.26	-	79.39	31.21	6.80	29.19
AV	5.419G	45.65	54.00	-8.35	9.15	3	Vertical	41	2.26	-	36.50	31.54	6.81	29.20
PK	5.079G	56.68	74.00	-17.32	9.30	3	Vertical	41	2.26	-	47.38	31.73	6.74	29.17
PK	5.326G	99.74	Inf	-Inf	8.81	3	Vertical	41	2.26	-	90.93	31.20	6.80	29.19
PK	5.496G	56.35	68.20	-11.85	9.43	3	Vertical	41	2.26	-	46.92	31.78	6.85	29.20

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.124G	48.13	54.00	-5.87	9.53	3	Horizontal	105	1.26	-	38.60	31.95	6.76	29.18
AV	5.293G	101.37	Inf	-Inf	8.92	3	Horizontal	105	1.26	-	92.45	31.31	6.80	29.19
AV	5.351G	52.38	54.00	-1.62	8.72	3	Horizontal	105	1.26	-	43.66	31.11	6.80	29.19
PK	5.145G	58.97	74.00	-15.03	9.58	3	Horizontal	105	1.26	-	49.39	31.99	6.77	29.18
PK	5.262G	113.06	Inf	-Inf	8.99	3	Horizontal	105	1.26	-	104.07	31.38	6.80	29.19
PK	5.46G	58.18	68.20	-10.02	9.27	3	Horizontal	105	1.26	-	48.91	31.64	6.83	29.20

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57748G	57.01	68.20	-11.19	18.44	3	Vertical	141	1.92	-	38.57	39.78	9.06	30.40

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59344G	57.14	68.20	-11.06	18.46	3	Horizontal	237	1.05	-	38.68	39.79	9.07	30.40

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.24	54.00	-5.76	9.27	3	Vertical	185	2.62	-	38.97	31.64	6.83	29.20
AV	5.504G	96.77	Inf	-Inf	9.45	3	Vertical	185	2.62	-	87.32	31.80	6.85	29.20
PK	5.466G	64.30	68.20	-3.90	9.29	3	Vertical	185	2.62	-	55.01	31.66	6.83	29.20
PK	5.5G	106.43	Inf	-Inf	9.45	3	Vertical	185	2.62	-	96.98	31.80	6.85	29.20
PK	5.772G	56.97	68.20	-11.23	9.70	3	Vertical	185	2.62	-	47.27	32.00	6.99	29.29



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.54	54.00	-1.46	9.25	3	Horizontal	69	1.00	-	43.29	31.62	6.83	29.20
AV	5.545G	105.50	Inf	-Inf	9.45	3	Horizontal	69	1.00	-	96.05	31.80	6.87	29.22
PK	5.466G	66.82	68.20	-1.38	9.29	3	Horizontal	69	1.00	-	57.53	31.66	6.83	29.20
PK	5.493G	117.88	Inf	-Inf	9.42	3	Horizontal	69	1.00	-	108.46	31.77	6.85	29.20
PK	5.731G	58.92	68.20	-9.28	9.65	3	Horizontal	69	1.00	-	49.27	31.96	6.97	29.28

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0602G	45.83	54.00	-8.17	18.86	3	Vertical	0	1.77	-	26.97	40.02	9.28	30.44
PK	11.0438G	57.34	74.00	-16.66	18.90	3	Vertical	0	1.77	-	38.44	40.07	9.27	30.44

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0542G	45.79	54.00	-8.21	18.87	3	Horizontal	86	1.39	-	26.92	40.04	9.27	30.44
PK	11.0416G	57.36	74.00	-16.64	18.91	3	Horizontal	86	1.39	-	38.45	40.08	9.27	30.44

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.434G	46.14	54.00	-7.86	9.19	3	Vertical	325	2.69	-	36.95	31.57	6.82	29.20
AV	5.582G	97.11	Inf	-Inf	9.52	3	Vertical	325	2.69	-	87.59	31.86	6.89	29.23
PK	5.469G	56.26	68.20	-11.94	9.31	3	Vertical	325	2.69	-	46.95	31.68	6.83	29.20
PK	5.585G	107.61	Inf	-Inf	9.53	3	Vertical	325	2.69	-	98.08	31.87	6.89	29.23
PK	5.725G	59.62	68.20	-8.58	9.63	3	Vertical	325	2.69	-	49.99	31.95	6.96	29.28

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.434G	51.01	54.00	-2.99	9.19	3	Horizontal	29	2.18	-	41.82	31.57	6.82	29.20
AV	5.578G	104.35	Inf	-Inf	9.52	3	Horizontal	29	2.18	-	94.83	31.86	6.89	29.23
PK	5.468G	61.78	68.20	-6.42	9.30	3	Horizontal	29	2.18	-	52.48	31.67	6.83	29.20
PK	5.646G	115.64	Inf	-Inf	9.39	3	Horizontal	29	2.18	-	106.25	31.72	6.92	29.25
PK	5.75G	66.67	68.20	-1.53	9.68	3	Horizontal	29	2.18	-	56.99	32.00	6.97	29.29

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2384G	47.16	54.00	-6.84	18.74	3	Vertical	257	1.25	-	28.42	39.80	9.36	30.42
PK	11.1572G	61.42	74.00	-12.58	18.73	3	Vertical	257	1.25	-	42.69	39.84	9.32	30.43

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2532G	46.05	54.00	-7.95	18.75	3	Horizontal	270	1.50	-	27.30	39.80	9.36	30.41
PK	11.1884G	57.16	74.00	-16.84	18.72	3	Horizontal	270	1.50	-	38.44	39.81	9.33	30.42

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.44G	45.47	54.00	-8.53	9.20	3	Vertical	328	2.95	-	36.27	31.58	6.82	29.20
AV	5.667G	98.59	Inf	-Inf	9.44	3	Vertical	328	2.95	-	89.15	31.77	6.93	29.26
PK	5.463G	55.85	68.20	-12.35	9.28	3	Vertical	328	2.95	-	46.57	31.65	6.83	29.20
PK	5.681G	106.74	Inf	-Inf	9.50	3	Vertical	328	2.95	-	97.24	31.82	6.94	29.26
PK	5.854G	59.25	68.20	-8.95	9.82	3	Vertical	328	2.95	-	49.43	32.11	7.03	29.32



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.442G	47.52	54.00	-6.48	9.20	3	Horizontal	71	1.50	-	38.32	31.58	6.82	29.20
AV	5.678G	101.98	Inf	-Inf	9.49	3	Horizontal	71	1.50	-	92.49	31.81	6.94	29.26
PK	5.462G	59.42	68.20	-8.78	9.28	3	Horizontal	71	1.50	-	50.14	31.65	6.83	29.20
PK	5.677G	113.67	Inf	-Inf	9.49	3	Horizontal	71	1.50	-	104.18	31.81	6.94	29.26
PK	5.86G	67.01	68.20	-1.19	9.83	3	Horizontal	71	1.50	-	57.18	32.12	7.03	29.32

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3128G	50.81	54.00	-3.19	18.79	3	Vertical	256	1.00	-	32.02	39.81	9.39	30.41
PK	11.3156G	68.36	74.00	-5.64	18.80	3	Vertical	256	1.00	-	49.56	39.82	9.39	30.41

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3056G	45.74	54.00	-8.26	18.79	3	Horizontal	106	1.50	-	26.95	39.81	9.39	30.41
PK	11.3104G	56.80	74.00	-17.20	18.79	3	Horizontal	106	1.50	-	38.01	39.81	9.39	30.41

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.133G	50.94	54.00	-3.06	9.56	3	Vertical	22	2.55	-	41.38	31.97	6.77	29.18
AV	5.183G	90.12	Inf	-Inf	9.48	3	Vertical	22	2.55	-	80.64	31.87	6.79	29.18
AV	5.372G	49.46	54.00	-4.54	8.89	3	Vertical	22	2.55	-	40.57	31.28	6.80	29.19
PK	5.133G	71.04	74.00	-2.96	9.56	3	Vertical	22	2.55	-	61.48	31.97	6.77	29.18
PK	5.259G	100.08	Inf	-Inf	8.99	3	Vertical	22	2.55	-	91.09	31.38	6.80	29.19
PK	5.376G	67.26	74.00	-6.74	8.92	3	Vertical	22	2.55	-	58.34	31.31	6.80	29.19

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.133G	51.01	54.00	-2.99	9.56	3	Horizontal	23	1.17	-	41.45	31.97	6.77	29.18
AV	5.183G	101.47	Inf	-Inf	9.48	3	Horizontal	23	1.17	-	91.99	31.87	6.79	29.18
AV	5.352G	52.02	54.00	-1.98	8.73	3	Horizontal	23	1.17	-	43.29	31.12	6.80	29.19
PK	5.133G	70.11	74.00	-3.89	9.56	3	Horizontal	23	1.17	-	60.55	31.97	6.77	29.18
PK	5.248G	108.03	Inf	-Inf	9.04	3	Horizontal	23	1.17	-	98.99	31.42	6.80	29.18
PK	5.374G	72.85	74.00	-1.15	8.90	3	Horizontal	23	1.17	-	63.95	31.29	6.80	29.19

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50404G	56.67	68.20	-11.53	18.34	3	Vertical	37	1.50	-	38.33	39.70	9.03	30.39

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.15-5.25GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48408G	56.67	68.20	-11.53	18.31	3	Horizontal	229	1.50	-	38.36	39.68	9.02	30.39

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	45.89	54.00	-8.11	9.26	3	Vertical	143	2.72	-	36.63	31.63	6.83	29.20
AV	5.498G	91.32	Inf	-Inf	9.44	3	Vertical	143	2.72	-	81.88	31.79	6.85	29.20
PK	5.467G	62.36	68.20	-5.84	9.30	3	Vertical	143	2.72	-	53.06	31.67	6.83	29.20
PK	5.499G	101.12	Inf	-Inf	9.45	3	Vertical	143	2.72	-	91.67	31.80	6.85	29.20
PK	5.727G	60.27	68.20	-7.93	9.63	3	Vertical	143	2.72	-	50.64	31.95	6.96	29.28



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	47.35	54.00	-6.65	9.21	3	Horizontal	26	1.50	-	38.14	31.59	6.82	29.20
AV	5.502G	96.99	Inf	-Inf	9.45	3	Horizontal	26	1.50	-	87.54	31.80	6.85	29.20
PK	5.47G	66.64	68.20	-1.56	9.31	3	Horizontal	26	1.50	-	57.33	31.68	6.83	29.20
PK	5.501G	110.83	Inf	-Inf	9.45	3	Horizontal	26	1.50	-	101.38	31.80	6.85	29.20
PK	5.725G	61.91	68.20	-6.29	9.63	3	Horizontal	26	1.50	-	52.28	31.95	6.96	29.28

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1256G	44.46	54.00	-9.54	18.75	3	Vertical	99	2.92	-	25.71	39.87	9.31	30.43
PK	11.14304G	56.99	74.00	-17.01	18.74	3	Vertical	99	2.92	-	38.25	39.86	9.31	30.43

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13248G	44.39	54.00	-9.61	18.75	3	Horizontal	281	1.50	-	25.64	39.87	9.31	30.43
PK	11.11136G	57.17	74.00	-16.83	18.76	3	Horizontal	281	1.50	-	38.41	39.89	9.30	30.43

# 1. Photographs of Radiated Emissions Test Configuration

For radiated emissions above 1GHz

Front view



Rear view



————THE END————