


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
U-NII-2A

802.11ax HE40																																																																																																																																																																													
CH 54(Open) (9kHz ~ 150kHz)	CH 54(Open) (150kHz ~ 30MHz)																																																																																																																																																																												
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; font-size: 8px; margin-top: 10px;">Date: 2023-08-24</div> <table border="1" style="width:100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>0.01</td><td>47.70</td><td>29.94</td><td>17.76</td><td>127.72</td><td>-88.02</td><td>100</td><td>243</td><td>QP</td><td>Open</td></tr> <tr><td>2</td><td>0.03</td><td>59.54</td><td>40.35</td><td>19.19</td><td>119.13</td><td>-59.59</td><td>100</td><td>188</td><td>QP</td><td>Open</td></tr> <tr><td>3</td><td>0.04</td><td>43.35</td><td>23.96</td><td>19.39</td><td>115.04</td><td>-71.69</td><td>100</td><td>281</td><td>QP</td><td>Open</td></tr> <tr><td>4</td><td>0.06</td><td>39.32</td><td>20.26</td><td>19.06</td><td>111.84</td><td>-72.52</td><td>100</td><td>294</td><td>QP</td><td>Open</td></tr> <tr><td>5</td><td>0.09</td><td>35.22</td><td>16.86</td><td>18.36</td><td>108.22</td><td>-73.00</td><td>100</td><td>280</td><td>QP</td><td>Open</td></tr> <tr><td>6</td><td>0.11</td><td>32.89</td><td>14.64</td><td>18.25</td><td>106.04</td><td>-73.95</td><td>100</td><td>265</td><td>QP</td><td>Open</td></tr> </tbody> </table>	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	0.01	47.70	29.94	17.76	127.72	-88.02	100	243	QP	Open	2	0.03	59.54	40.35	19.19	119.13	-59.59	100	188	QP	Open	3	0.04	43.35	23.96	19.39	115.04	-71.69	100	281	QP	Open	4	0.06	39.32	20.26	19.06	111.84	-72.52	100	294	QP	Open	5	0.09	35.22	16.86	18.36	108.22	-73.00	100	280	QP	Open	6	0.11	32.89	14.64	18.25	106.04	-73.95	100	265	QP	Open	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 8px;"> TÜV Rheinland Taiwan Ltd. No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 </div> </div> <div style="text-align: right; font-size: 8px; margin-top: 10px;">Date: 2023-08-24</div> <table border="1" style="width:100%; border-collapse: collapse; font-size: 8px; margin-top: 10px;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Read</th> <th>Limit</th> <th>Over</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> <th>Note</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>0.15</td><td>48.23</td><td>30.10</td><td>18.13</td><td>104.00</td><td>-55.85</td><td>100</td><td>247</td><td>QP</td><td>Open</td></tr> <tr><td>2</td><td>0.30</td><td>45.86</td><td>27.12</td><td>18.74</td><td>98.08</td><td>-52.22</td><td>100</td><td>254</td><td>QP</td><td>Open</td></tr> <tr><td>3</td><td>0.75</td><td>42.91</td><td>23.95</td><td>18.96</td><td>70.05</td><td>-27.14</td><td>100</td><td>315</td><td>QP</td><td>Open</td></tr> <tr><td>4</td><td>9.52</td><td>35.49</td><td>14.13</td><td>21.36</td><td>69.50</td><td>-34.01</td><td>100</td><td>29</td><td>QP</td><td>Open</td></tr> <tr><td>5</td><td>15.88</td><td>35.70</td><td>13.74</td><td>21.96</td><td>69.50</td><td>-33.80</td><td>100</td><td>304</td><td>QP</td><td>Open</td></tr> <tr><td>6</td><td>25.07</td><td>35.85</td><td>13.56</td><td>22.29</td><td>69.50</td><td>-33.65</td><td>100</td><td>241</td><td>QP</td><td>Open</td></tr> </tbody> </table>	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1	0.15	48.23	30.10	18.13	104.00	-55.85	100	247	QP	Open	2	0.30	45.86	27.12	18.74	98.08	-52.22	100	254	QP	Open	3	0.75	42.91	23.95	18.96	70.05	-27.14	100	315	QP	Open	4	9.52	35.49	14.13	21.36	69.50	-34.01	100	29	QP	Open	5	15.88	35.70	13.74	21.96	69.50	-33.80	100	304	QP	Open	6	25.07	35.85	13.56	22.29	69.50	-33.65	100	241	QP	Open
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																																																																																																																																				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																																																																																						
1	0.01	47.70	29.94	17.76	127.72	-88.02	100	243	QP	Open																																																																																																																																																																			
2	0.03	59.54	40.35	19.19	119.13	-59.59	100	188	QP	Open																																																																																																																																																																			
3	0.04	43.35	23.96	19.39	115.04	-71.69	100	281	QP	Open																																																																																																																																																																			
4	0.06	39.32	20.26	19.06	111.84	-72.52	100	294	QP	Open																																																																																																																																																																			
5	0.09	35.22	16.86	18.36	108.22	-73.00	100	280	QP	Open																																																																																																																																																																			
6	0.11	32.89	14.64	18.25	106.04	-73.95	100	265	QP	Open																																																																																																																																																																			
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																																																																																																																																				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																																																																																																						
1	0.15	48.23	30.10	18.13	104.00	-55.85	100	247	QP	Open																																																																																																																																																																			
2	0.30	45.86	27.12	18.74	98.08	-52.22	100	254	QP	Open																																																																																																																																																																			
3	0.75	42.91	23.95	18.96	70.05	-27.14	100	315	QP	Open																																																																																																																																																																			
4	9.52	35.49	14.13	21.36	69.50	-34.01	100	29	QP	Open																																																																																																																																																																			
5	15.88	35.70	13.74	21.96	69.50	-33.80	100	304	QP	Open																																																																																																																																																																			
6	25.07	35.85	13.56	22.29	69.50	-33.65	100	241	QP	Open																																																																																																																																																																			

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-2A
802.11ax HE40
CH 54 (Horizontal)
CH 54 (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq MHz	Level dBuV/m	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level Factor	dBuV	Line	Limit					
1	56.19	23.67	38.86	-7.19	48.00	-16.33	480	330	QP	Horizontal	
2	152.22	31.94	39.21	-7.27	43.50	-11.56	280	185	QP	Horizontal	
3	208.48	31.43	41.43	-10.00	43.50	-12.07	100	107	QP	Horizontal	
4	279.29	31.61	38.68	-7.07	46.00	-14.39	100	118	QP	Horizontal	
5	598.42	33.72	33.99	-0.27	46.00	-12.28	117	360	QP	Horizontal	
6	915.61	38.35	33.66	4.69	46.00	-7.65	136	360	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq MHz	Level dBuV/m	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level Factor	dBuV	Line	Limit					
1	38.00	33.42	42.32	-8.90	48.00	-6.58	180	160	QP	Vertical	
2	66.86	35.88	45.00	-9.28	48.00	-4.28	180	131	QP	Vertical	
3	184.23	29.92	38.53	-8.61	43.50	-13.58	100	301	QP	Vertical	
4	244.37	31.04	39.14	-8.10	46.00	-14.96	100	49	QP	Vertical	
5	844.80	34.71	30.99	3.72	46.00	-11.29	200	346	QP	Vertical	
6	923.37	35.54	30.66	4.88	46.00	-10.46	180	299	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	18530.00	46.02	49.15	-3.13	68.20	-22.18	130	359 Peak	Horizontal
2	15780.00	51.51	47.35	4.16	54.00	-2.49	130	359 Average	Horizontal
3	15780.00	62.82	58.66	4.16	74.00	-11.18	130	359 Peak	Horizontal
4	21040.00	50.38	49.93	0.45	74.00	-23.62	136	85 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	18530.00	45.43	48.56	-3.13	68.20	-22.77	271	352 Peak	Vertical
2	15779.00	49.17	45.01	4.16	54.00	-4.83	271	352 Average	Vertical
3	15779.00	60.04	55.88	4.16	74.00	-13.96	271	352 Peak	Vertical
4	21040.00	52.62	52.17	0.45	74.00	-21.38	160	12 Peak	Vertical


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	18690.00	49.37	52.24	-2.87	68.20	-18.83	400	22 Peak	Horizontal
2	15900.00	50.40	46.04	4.36	54.00	-3.60	104	60 Average	Horizontal
3	15900.00	61.90	57.54	4.36	74.00	-12.10	104	60 Peak	Horizontal
4	21200.00	50.63	49.98	0.65	74.00	-23.37	176	43 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	18690.00	46.87	49.74	-2.87	68.20	-21.33	100	139 Peak	Vertical
2	15900.00	46.25	41.89	4.36	54.00	-7.75	261	36 Average	Vertical
3	15900.00	55.98	51.62	4.36	74.00	-18.62	261	36 Peak	Vertical
4	21200.00	52.26	51.61	0.65	74.00	-21.74	200	1 Peak	Vertical


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	18648.00	48.94	51.76	-2.82	74.00	-25.06	300	33 Peak	Horizontal
2	15960.00	48.65	44.20	4.45	54.00	-5.35	100	58 Average	Horizontal
3	15960.00	57.63	53.18	4.45	74.00	-16.37	100	58 Peak	Horizontal
4	21280.00	51.24	50.49	0.75	74.00	-22.76	163	115 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	18648.00	47.79	50.61	-2.82	74.00	-26.21	200	336 Peak	Vertical
2	15960.00	51.95	47.50	4.45	74.00	-22.05	200	336 Peak	Vertical
3	21280.00	51.72	50.97	0.75	74.00	-22.28	199	360 Peak	Vertical


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10530.00	51.15	54.28	-3.13	68.28	-17.05	300	311 Peak	Horizontal	
2	15780.00	50.30	46.14	4.16	74.00	-23.70	151	360 Peak	Horizontal	
3	21040.00	49.08	48.63	0.45	74.00	-24.92	172	360 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10530.00	49.10	52.23	-3.13	68.20	-19.10	300	310 Peak	Vertical	
2	15780.00	49.94	45.78	4.16	74.00	-24.06	290	61 Peak	Vertical	
3	21040.00	49.27	48.82	0.45	74.00	-24.73	100	328 Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dBuV/m	dB	cm	deg			
dBuV	dBuV/m	dB	cm	deg			
53.41	68.20	-17.66	300	2	Peak	Horizontal	
44.45	54.00	-5.19	134	360	Average	Horizontal	
60.77	74.00	-8.87	134	360	Peak	Horizontal	
47.81	74.00	-25.54	149	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dBuV/m	dB	cm	deg			
dBuV	dBuV/m	dB	cm	deg			
48.09	68.20	-20.11	200	308	Peak	Vertical	
43.21	54.00	-6.43	294	43	Average	Vertical	
59.94	74.00	-9.70	294	43	Peak	Vertical	
48.55	74.00	-24.80	200	3	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	10640.00	49.51	52.33	-2.82	74.00	-24.49	100	62	Peak	Horizontal	
2	15960.00	55.59	51.14	4.45	74.00	-18.41	100	89	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	10640.00	45.94	48.76	-2.82	74.00	-28.06	400	317	Peak	Vertical	
2	15960.00	48.72	44.27	4.45	74.00	-25.28	100	68	Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10540.00	49.75	52.82	-3.07	68.20	-18.45	300	6 Peak	Horizontal
2	15810.00	47.26	43.03	4.23	54.00	-6.74	129	357 Average	Horizontal
3	15810.00	55.53	51.30	4.23	74.00	-18.47	129	357 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10540.00	46.89	49.96	-3.07	68.20	-21.31	300	319 Peak	Vertical
2	15810.00	52.98	48.75	4.23	74.00	-21.02	400	29 Peak	Vertical


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10620.00	48.37	51.21	-2.84	74.00	-25.63	300	316 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10620.00	45.30	48.14	-2.84	74.00	-28.70	200	309 Peak	Vertical	


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10580.00	49.16	52.09	-2.93	68.20	-19.04	300	29 Peak	Horizontal
2	15870.00	47.79	43.47	4.32	54.00	-6.21	100	296 Average	Horizontal
3	15870.00	58.27	53.95	4.32	74.00	-15.73	100	296 Peak	Horizontal
4	21160.00	50.45	49.85	0.60	74.00	-23.55	176	38 Peak	Horizontal




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10580.00	45.29	48.22	-2.93	68.20	-22.91	300	362 Peak	Vertical
2	15870.00	45.16	40.84	4.32	54.00	-8.84	376	36 Average	Vertical
3	15870.00	55.58	51.26	4.32	74.00	-18.42	376	36 Peak	Vertical
4	21160.00	50.03	49.43	0.60	74.00	-23.97	190	133 Peak	Vertical

U-NII-2C




802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	16748.00	65.61	58.96	6.65	68.20	-2.59	200	223	Peak	Horizontal	
2	22320.00	49.07	47.04	2.03	74.00	-24.93	100	335	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	16748.00	59.08	52.43	6.65	68.20	-9.12	200	336	Peak	Vertical	
2	22320.00	51.05	49.02	2.03	74.00	-22.15	200	354	Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 17180.00	62.91	55.99	6.92	68.20	-5.29	200	18 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 17180.00	60.60	53.68	6.92	68.20	-7.60	300	43 Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16590.00	67.04	60.75	6.29	68.20	-1.16	100	61 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16590.00	54.83	48.54	6.29	68.20	-13.37	300	310 Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16748.00	66.22	59.57	6.65	68.20	-1.98	100	72 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16748.00	52.89	46.24	6.65	68.20	-15.31	200	340 Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 17180.00	65.28	58.36	6.92	68.20	-2.92	175	22 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 17898.00	61.50	54.59	6.91	68.20	-6.70	280	329 Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16530.00	65.05	58.81	6.24	68.20	-3.15	100	296 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16530.00	54.58	48.34	6.24	68.20	-13.62	300	313 Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16650.00	64.04	57.72	6.32	68.20	-4.16	100	71 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16650.00	58.94	52.62	6.32	68.20	-9.26	200	331 Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11340.00	41.91	43.63	-1.72	74.00	-32.09	100	7 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11340.00	43.44	45.16	-1.72	74.00	-30.56	139	360 Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16590.00	63.91	57.78	6.13	68.20	-4.29	100	71 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 16601.00	56.29	50.18	6.11	68.20	-11.91	400	32 Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11228.00	42.74	44.72	-1.98	74.00	-31.26	200	344 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11228.00	41.57	43.55	-1.98	74.00	-32.43	300	277 Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)

