







802.11g / Ant. 2 / 2412 MHz





802.11g / Ant. 2 / 2437 MHz





802.11g / Ant. 2 / 2462 MHz





802.11ax (20 MHz) / Ant. 2 / 2412 MHz





802.11ax (20 MHz) / Ant. 2 / 2437 MHz





802.11ax (20 MHz) / Ant. 2 / 2462 MHz





802.11ax (40 MHz) / Ant. 2 / 2422 MHz




802.11ax (40 MHz) / Ant. 2 / 2437 MHz




802.11ax (40 MHz) / Ant. 2 / 2452 MHz




802.11b / Ant. 1 / 2412 MHz (Band Edge)




802.11b / Ant. 1 / 2462 MHz (Band Edge)




802.11g / Ant. 1 / 2412 MHz (Band Edge)




802.11g / Ant. 1 / 2462 MHz (Band Edge)




802.11ax (20 MHz) / Ant. 1 / 2412 MHz (Band Edge)




802.11ax (20 MHz) / Ant. 1 / 2462 MHz (Band Edge)




802.11ax (40 MHz) / Ant. 1 / 2422 MHz (Band Edge)




802.11ax (40 MHz) / Ant. 1 / 2452 MHz (Band Edge)




802.11b / Ant. 2 / 2412 MHz (Band Edge)




802.11b / Ant. 2 / 2462 MHz (Band Edge)




802.11g / Ant. 2 / 2412 MHz (Band Edge)




802.11g / Ant. 2 / 2462 MHz (Band Edge)




802.11ax (20 MHz) / Ant. 2 / 2412 MHz (Band Edge)




802.11ax (20 MHz) / Ant. 2 / 2462 MHz (Band Edge)



802.11ax (40 MHz) / Ant. 2 / 2422 MHz (Band Edge)




802.11ax (40 MHz) / Ant. 2 / 2452 MHz (Band Edge)



Appendix F. Test Result of Transmitter Radiated Spurious Emission


30 MHz ~ 1 GHz

Mode 1: EUT 1 + Adapter



Mode 2: EUT 1 + PoE

Site :HC-CB02
 Condition :3m Horizontal
 Mode :LF_ax40_TX_2422MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	108.764	31.79	43.50	-11.71	37.54	-5.75	QP
2	155.567	31.68	43.50	-11.82	34.23	-2.55	QP
3	249.996	35.50	46.00	-10.50	39.23	-3.73	QP
4	320.952	34.00	46.00	-12.00	35.35	-1.35	QP
5	416.000	28.16	46.00	-17.84	27.16	1.00	QP
6	624.998	34.14	46.00	-11.86	28.42	5.72	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LF_ax40_TX_2422MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	46.393	37.12	40.00	-2.88	38.85	-1.73	QP
2	249.996	29.10	46.00	-16.90	32.83	-3.73	QP
3	320.806	34.89	46.00	-11.11	36.26	-1.37	QP
4	419.116	28.03	46.00	-17.97	26.91	1.12	QP
5	723.259	33.49	46.00	-12.51	26.10	7.39	QP
6	949.754	32.76	46.00	-13.24	22.09	10.67	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Mode 3: EUT 2 + Adapter

Site :HC-CB02
 Condition :3m Horizontal
 Mode :LF_ax40_TX_2437MHz
 Test By :Gary Liao




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	79.955	16.77	46.00	-23.23	23.60	-6.83	QP
2	241.266	24.50	46.00	-21.50	28.48	-3.98	QP
3	431.774	23.83	46.00	-22.17	22.25	1.58	QP
4	604.143	28.92	46.00	-17.08	23.31	5.61	QP
5	789.995	28.94	46.00	-17.06	20.48	8.46	QP
6	951.403	31.47	46.00	-14.53	20.75	10.72	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LF_ax40_TX_2437MHz
 Test By :Gary Liao




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	107.794	23.71	43.50	-19.79	29.69	-5.98	QP
2	232.051	22.45	46.00	-23.55	27.36	-4.91	QP
3	389.094	27.95	46.00	-18.05	27.51	0.44	QP
4	562.918	28.00	46.00	-18.00	23.83	4.17	QP
5	725.878	28.77	46.00	-17.23	21.31	7.46	QP
6	898.538	31.58	46.00	-14.42	21.95	9.63	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Mode 4: EUT 2 + PoE

Site :HC-CB02
 Condition :3m Horizontal
 Mode :LF_ax40_TX_2437MHz
 Test By :Gary Liao




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	39.652	32.17	40.00	-7.83	34.42	-2.25	QP
2	144.218	35.13	43.50	-8.37	37.97	-2.84	QP
3	212.457	29.14	43.50	-14.36	35.11	-5.97	QP
4	249.996	38.92	46.00	-7.08	42.65	-3.73	QP
5	374.981	27.61	46.00	-18.39	27.60	0.01	QP
6	739.022	29.79	46.00	-16.21	22.05	7.74	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LF_ax40_TX_2437MHz
 Test By :Gary Liao







No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	39.555	37.91	40.00	-2.09	40.19	-2.28	QP
2	86.018	30.85	40.00	-9.15	39.11	-8.26	QP
3	101.877	30.29	43.50	-13.21	37.19	-6.90	QP
4	249.996	34.32	46.00	-11.68	38.05	-3.73	QP
5	342.534	29.83	46.00	-16.17	30.84	-1.01	QP
6	783.302	31.61	46.00	-14.39	23.17	8.44	QP

Note:


1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz

Mode 1: EUT 1



Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2412MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	47.30	74.00	-26.70	61.98	-14.68	Peak
2	7236.000	49.31	74.00	-24.69	57.26	-7.95	Peak
3	9648.000	50.32	74.00	-23.68	54.80	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2412MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	53.40	54.00	-0.60	68.08	-14.68	Average
2	4824.000	56.50	74.00	-17.50	71.18	-14.68	Peak
3	7236.000	47.40	74.00	-26.60	55.35	-7.95	Peak
4	9648.000	50.00	74.00	-24.00	54.48	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2385.900	50.98	74.00	-23.02	39.09	11.89	Peak
2	2436.300	106.05	-----	-----	93.90	12.15	Peak
3	2492.600	51.68	74.00	-22.32	39.23	12.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2386.000	36.67	54.00	-17.33	24.78	11.89	Average
2	2436.300	103.53	-----	-----	91.38	12.15	Average
3	2499.200	37.18	54.00	-16.82	24.69	12.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2374.200	53.83	74.00	-20.17	42.00	11.83	Peak
2	2436.300	115.17	-----	-----	103.02	12.15	Peak
3	2496.800	54.67	74.00	-19.33	42.20	12.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2385.300	40.58	54.00	-13.42	28.70	11.88	Average
2	2436.300	111.36	-----	-----	99.21	12.15	Average
3	2498.600	39.83	54.00	-14.17	27.34	12.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	48.85	74.00	-25.15	63.33	-14.48	Peak
2	7311.000	47.91	74.00	-26.09	55.79	-7.88	Peak
3	9748.000	49.39	74.00	-24.61	53.67	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	53.21	54.00	-0.79	67.69	-14.48	Average
2	4874.000	53.74	74.00	-20.26	68.22	-14.48	Peak
3	7311.000	47.84	74.00	-26.16	55.72	-7.88	Peak
4	9748.000	49.44	74.00	-24.56	53.72	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2463.000	105.15	81.30	23.85	92.85	12.30	Peak
2	2490.900	53.03	74.00	-20.97	40.59	12.44	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.800	102.50	81.30	21.20	90.20	12.30	Average
2	2491.000	39.92	74.00	-34.08	27.48	12.44	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.300	114.15	81.30	32.85	101.86	12.29	Peak
2	2499.400	54.77	74.00	-19.23	42.28	12.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.300	111.56	81.30	30.26	99.27	12.29	Average
2	2499.800	45.34	74.00	-28.66	32.85	12.49	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2462MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	47.39	74.00	-26.61	61.67	-14.28	Peak
2	7386.000	49.49	74.00	-24.51	57.28	-7.79	Peak
3	9848.000	50.50	74.00	-23.50	54.58	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2462MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	53.72	54.00	-0.28	68.00	-14.28	Average
2	4924.000	56.57	74.00	-17.43	70.85	-14.28	Peak
3	7386.000	47.92	74.00	-26.08	55.71	-7.79	Peak
4	9848.000	50.78	74.00	-23.22	54.86	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2412MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.700	63.21	74.00	-10.79	51.30	11.91	Peak
2	2410.700	110.39	-----	-----	98.37	12.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2412MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	45.09	54.00	-8.91	33.18	11.91	Average
2	2411.100	100.59	-----	-----	88.57	12.02	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.000	68.99	74.00	-5.01	57.08	11.91	Peak
2	2411.200	118.73	-----	-----	106.71	12.02	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	53.54	54.00	-0.46	41.63	11.91	Average
2	2410.500	107.89	-----	-----	95.87	12.02	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	43.95	74.00	-30.05	58.63	-14.68	Peak
2	7236.000	49.22	74.00	-24.78	57.17	-7.95	Peak
3	9648.000	50.14	74.00	-23.86	54.62	-4.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	51.25	74.00	-22.75	65.93	-14.68	Peak
2	7236.000	49.79	74.00	-24.21	57.74	-7.95	Peak
3	9648.000	49.38	74.00	-24.62	53.86	-4.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.800	59.94	74.00	-14.06	48.04	11.90	Peak
2	2438.800	114.69	-----	-----	102.52	12.17	Peak
3	2489.800	64.45	74.00	-9.55	52.01	12.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.500	43.62	54.00	-10.38	31.71	11.91	Average
2	2438.000	104.46	-----	-----	92.29	12.17	Average
3	2484.300	45.54	54.00	-8.46	33.13	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2386.900	71.82	74.00	-2.18	59.93	11.89	Peak
2	2438.000	121.78	-----	-----	109.61	12.17	Peak
3	2488.300	70.59	74.00	-3.41	58.16	12.43	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.800	53.36	54.00	-0.64	41.45	11.91	Average
2	2438.100	110.14	-----	-----	97.97	12.17	Average
3	2483.700	50.77	54.00	-3.23	38.36	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	44.80	74.00	-29.20	59.28	-14.48	Peak
2	7311.000	53.69	74.00	-20.31	61.57	-7.88	Peak
3	9748.000	49.12	74.00	-24.88	53.40	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	52.71	74.00	-21.29	67.19	-14.48	Peak
2	7311.000	53.80	74.00	-20.20	61.68	-7.88	Peak
3	9748.000	48.25	74.00	-25.75	52.53	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.000	112.52	-----	-----	100.23	12.29	Peak
2	2484.200	60.48	74.00	-13.52	48.07	12.41	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.000	102.78	-----	-----	90.49	12.29	Average
2	2483.600	46.25	54.00	-7.75	33.85	12.40	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2460.300	119.34	74.00	-5.87	107.06	12.28	Peak
2	2483.600	68.13	74.00	-5.87	55.73	12.40	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2460.300	109.17	74.00	-0.37	96.88	12.29	Average
2	2483.600	53.63	74.00	-0.37	41.23	12.40	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	44.13	74.00	-29.87	58.41	-14.28	Peak
2	7386.000	50.74	74.00	-23.26	58.53	-7.79	Peak
3	9848.000	49.91	74.00	-24.09	53.99	-4.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2462MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	51.40	74.00	-22.60	65.68	-14.28	Peak
2	7386.000	50.84	74.00	-23.16	58.63	-7.79	Peak
3	9848.000	50.06	74.00	-23.94	54.14	-4.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.400	65.52	74.00	-8.48	53.61	11.91	Peak
2	2413.800	112.20	-----	-----	100.16	12.04	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.300	46.03	54.00	-7.97	34.12	11.91	Average
2	2411.100	99.55	-----	-----	87.53	12.02	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.841	72.32	74.00	-1.68	60.41	11.91	Peak
2	2415.507	119.12	-----	-----	107.07	12.05	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.551	53.45	54.00	-0.55	41.54	11.91	Average
2	2412.609	105.80	-----	-----	93.77	12.03	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	42.91	74.00	-31.09	57.59	-14.68	Peak
2	7236.000	47.57	74.00	-26.43	55.52	-7.95	Peak
3	9648.000	49.01	74.00	-24.99	53.49	-4.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2412MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	48.46	74.00	-25.54	63.14	-14.68	Peak
2	7236.000	47.38	74.00	-26.62	55.33	-7.95	Peak
3	9648.000	48.72	74.00	-25.28	53.20	-4.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.300	59.83	74.00	-14.17	47.94	11.89	Peak
2	2436.600	115.51	-----	-----	103.36	12.15	Peak
3	2490.900	60.14	74.00	-13.86	47.70	12.44	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.900	43.11	54.00	-10.89	31.20	11.91	Average
2	2436.300	103.11	-----	-----	90.96	12.15	Average
3	2484.500	43.43	54.00	-10.57	31.02	12.41	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.102	71.42	74.00	-2.58	59.53	11.89	Peak
2	2435.217	123.06	-----	-----	110.91	12.15	Peak
3	2486.522	66.79	74.00	-7.21	54.38	12.41	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	52.96	54.00	-1.04	41.05	11.91	Average
2	2434.927	108.32	-----	-----	96.17	12.15	Average
3	2483.600	48.72	54.00	-5.28	36.32	12.40	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	44.62	74.00	-29.38	59.10	-14.48	Peak
2	7311.000	53.93	74.00	-20.07	61.81	-7.88	Peak
3	9748.000	49.17	74.00	-24.83	53.45	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	52.17	74.00	-21.83	66.65	-14.48	Peak
2	7311.000	53.81	74.00	-20.19	61.69	-7.88	Peak
3	9748.000	48.06	74.00	-25.94	52.34	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2462MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.800	114.06	74.00	-9.82	101.78	12.28	Peak
2	2484.500	64.18	74.00	-9.82	51.77	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2462MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.800	101.08	74.00	-6.95	88.78	12.30	Average
2	2484.600	47.05	74.00	-6.95	34.64	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2462MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.014	120.07	74.00	-5.05	107.78	12.29	Peak
2	2483.333	68.95	74.00	-5.05	56.55	12.40	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2462MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.014	107.93	74.00	-0.52	95.64	12.29	Average
2	2483.700	53.48	74.00	-0.52	41.07	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2462MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	44.61	74.00	-29.39	58.89	-14.28	Peak
2	7386.000	50.02	74.00	-23.98	57.81	-7.79	Peak
3	9848.000	50.25	74.00	-23.75	54.33	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2462MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	51.21	74.00	-22.79	65.49	-14.28	Peak
2	7386.000	51.47	74.00	-22.53	59.26	-7.79	Peak
3	9848.000	49.38	74.00	-24.62	53.46	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2422MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.200	57.61	74.00	-16.39	45.71	11.90	Peak
2	2425.000	109.00	-----	-----	96.90	12.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2422MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	44.51	54.00	-9.49	32.60	11.91	Average
2	2420.200	95.79	-----	-----	83.72	12.07	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2422MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.130	66.58	74.00	-7.42	54.67	11.91	Peak
2	2421.304	115.37	-----	-----	103.30	12.07	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2422MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.841	53.76	54.00	-0.24	41.85	11.91	Average
2	2421.014	103.83	-----	-----	91.76	12.07	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2422MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	42.01	74.00	-31.99	56.61	-14.60	Peak
2	7266.000	47.01	74.00	-26.99	54.94	-7.93	Peak
3	9688.000	48.65	74.00	-25.35	53.05	-4.40	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2422MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	44.55	74.00	-29.45	59.15	-14.60	Peak
2	7266.000	48.13	74.00	-25.87	56.06	-7.93	Peak
3	9688.000	49.10	74.00	-24.90	53.50	-4.40	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.600	58.22	74.00	-15.78	46.32	11.90	Peak
2	2435.000	110.76	74.00	36.76	98.61	12.15	Peak
3	2491.500	60.09	74.00	-13.91	47.65	12.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	42.91	54.00	-11.09	31.00	11.91	Average
2	2435.100	98.53	54.00	44.53	86.38	12.15	Average
3	2483.700	45.11	54.00	-8.89	32.70	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	67.62	74.00	-6.38	55.71	11.91	Peak
2	2434.927	118.59	74.00	44.59	106.44	12.15	Peak
3	2483.623	67.72	74.00	-6.28	55.32	12.40	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2437MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	53.34	54.00	-0.66	41.43	11.91	Average
2	2434.927	105.54	54.00	51.54	93.39	12.15	Average
3	2483.333	51.83	54.00	-2.17	39.43	12.40	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	42.22	74.00	-31.78	56.70	-14.48	Peak
2	7311.000	47.28	74.00	-26.72	55.16	-7.88	Peak
3	9748.000	48.42	74.00	-25.58	52.70	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2437MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	42.12	74.00	-31.88	56.60	-14.48	Peak
2	7311.000	46.64	74.00	-27.36	54.52	-7.88	Peak
3	9748.000	48.18	74.00	-25.82	52.46	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2452MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2447.500	110.03	-----	-----	97.81	12.22	Peak
2	2484.700	61.53	74.00	-12.47	49.12	12.41	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2452MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2450.100	97.04	-----	-----	84.82	12.22	Average
2	2484.400	48.00	54.00	-6.00	35.59	12.41	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2452MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2448.841	115.99	-----	-----	103.68	12.22	Peak
2	2485.362	64.39	74.00	-9.61	51.98	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2452MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2451.449	104.26	-----	-----	92.02	12.24	Average
2	2484.203	53.44	54.00	-0.56	41.03	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2452MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	43.03	74.00	-30.97	57.39	-14.36	Peak
2	7356.000	47.22	74.00	-26.78	55.05	-7.83	Peak
3	9808.000	49.24	74.00	-24.76	53.40	-4.16	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2452MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	47.12	74.00	-26.88	61.48	-14.36	Peak
2	7356.000	47.87	74.00	-26.13	55.70	-7.83	Peak
3	9808.000	49.24	74.00	-24.76	53.40	-4.16	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Mode 2: EUT 2

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2374.100	49.04	74.00	-24.96	37.21	11.83	Peak
2	2414.800	98.83	-----	-----	86.79	12.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2382.100	36.60	54.00	-17.40	24.73	11.87	Average
2	2413.800	96.26	-----	-----	84.22	12.04	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.600	54.53	74.00	-19.47	42.63	11.90	Peak
2	2411.200	115.00	-----	-----	102.98	12.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.300	43.96	54.00	-10.04	32.05	11.91	Average
2	2411.300	112.39	-----	-----	100.37	12.02	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	51.02	74.00	-22.98	65.70	-14.68	Peak
2	7236.000	49.27	74.00	-24.73	57.22	-7.95	Peak
3	9648.000	51.25	74.00	-22.75	55.73	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	53.16	54.00	-0.84	67.84	-14.68	Average
2	4824.000	55.48	74.00	-18.52	70.16	-14.68	Peak
3	7236.000	50.86	74.00	-23.14	58.81	-7.95	Peak
4	9648.000	50.86	74.00	-23.14	55.34	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2379.900	49.53	74.00	-24.47	37.67	11.86	Peak
2	2438.000	100.21	-----	-----	88.04	12.17	Peak
3	2489.200	50.19	74.00	-23.81	37.75	12.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2386.300	36.70	54.00	-17.30	24.81	11.89	Average
2	2438.000	97.67	-----	-----	85.50	12.17	Average
3	2500.000	37.57	54.00	-16.43	25.08	12.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2437MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.600	53.77	74.00	-20.23	41.86	11.91	Peak
2	2436.300	114.74	-----	-----	102.59	12.15	Peak
3	2483.700	53.59	74.00	-20.41	41.18	12.41	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2437MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.300	43.75	54.00	-10.25	31.85	11.90	Average
2	2435.300	112.11	-----	-----	99.96	12.15	Average
3	2492.800	41.93	54.00	-12.07	29.48	12.45	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2437MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	51.11	74.00	-22.89	65.59	-14.48	Peak
2	7311.000	48.82	74.00	-25.18	56.70	-7.88	Peak
3	9748.000	49.59	74.00	-24.41	53.87	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2437MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	53.84	54.00	-0.16	68.32	-14.48	Average
2	4874.000	55.24	74.00	-18.76	69.72	-14.48	Peak
3	7311.000	48.60	74.00	-25.40	56.48	-7.88	Peak
4	9748.000	50.19	74.00	-23.81	54.47	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2459.400	96.01	81.30	14.71	83.74	12.27	Peak
2	2499.700	50.00	74.00	-24.00	37.51	12.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2459.800	92.98	81.30	11.68	80.71	12.27	Average
2	2485.400	37.55	54.00	-16.45	25.14	12.41	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.200	113.21	81.30	31.91	100.92	12.29	Peak
2	2498.900	54.21	74.00	-19.79	41.72	12.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2460.300	110.60	81.30	29.30	98.31	12.29	Average
2	2499.300	43.63	54.00	-10.37	31.14	12.49	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :b_TX_2462MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	50.59	74.00	-23.41	64.87	-14.28	Peak
2	7386.000	49.52	74.00	-24.48	57.31	-7.79	Peak
3	9848.000	50.51	74.00	-23.49	54.59	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :b_TX_2462MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	53.39	54.00	-0.61	67.67	-14.28	Average
2	4924.000	54.91	74.00	-19.09	69.19	-14.28	Peak
3	7386.000	49.25	74.00	-24.75	57.04	-7.79	Peak
4	9848.000	49.98	74.00	-24.02	54.06	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.500	59.99	74.00	-14.01	48.08	11.91	Peak
2	2413.300	104.10	-----	-----	92.07	12.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.300	42.22	54.00	-11.78	30.32	11.90	Average
2	2413.000	94.33	-----	-----	82.30	12.03	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2412MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.800	73.80	74.00	-0.20	61.89	11.91	Peak
2	2410.700	117.77	-----	-----	105.75	12.02	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2412MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	52.73	54.00	-1.27	40.82	11.91	Average
2	2411.100	108.30	-----	-----	96.28	12.02	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2412MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	48.11	74.00	-25.89	62.79	-14.68	Peak
2	7236.000	51.83	74.00	-22.97	58.98	-7.95	Peak
3	9648.000	51.67	74.00	-22.33	56.15	-4.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2412MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	50.77	74.00	-23.23	65.45	-14.68	Peak
2	7236.000	51.55	74.00	-22.45	59.50	-7.95	Peak
3	9648.000	51.48	74.00	-22.52	55.96	-4.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.