


Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2437MHz
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	57.71	74.00	-16.29	45.80	11.91	Peak
2	2436.000	106.00	-----	-----	93.85	12.15	Peak
3	2487.000	55.03	74.00	-18.97	42.61	12.42	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2437MHz
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.800	41.02	54.00	-12.98	29.11	11.91	Average
2	2436.000	96.49	-----	-----	84.34	12.15	Average
3	2486.900	40.17	54.00	-13.83	27.75	12.42	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2437MHz
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.200	70.69	74.00	-3.31	58.80	11.89	Peak
2	2436.100	119.52	-----	-----	107.37	12.15	Peak
3	2485.500	69.46	74.00	-4.54	57.05	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2437MHz
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2385.900	53.07	54.00	-0.93	41.18	11.89	Average
2	2435.900	110.46	-----	-----	98.31	12.15	Average
3	2486.100	53.05	54.00	-0.95	40.64	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	49.12	74.00	-24.88	63.60	-14.48	Peak
2	7311.000	52.34	74.00	-21.66	60.22	-7.88	Peak
3	9748.000	50.43	74.00	-23.57	54.71	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	53.04	74.00	-20.96	67.52	-14.48	Peak
2	7311.000	53.28	74.00	-20.72	61.16	-7.88	Peak
3	9748.000	50.53	74.00	-23.47	54.81	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2462MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2463.400	103.54	-----	-----	91.24	12.30	Peak
2	2490.600	59.80	74.00	-14.20	47.36	12.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2462MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2463.800	94.26	-----	-----	81.96	12.30	Average
2	2484.300	40.81	54.00	-13.19	28.40	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2463.400	118.96	-----	-----	106.66	12.30	Peak
2	2483.800	69.96	74.00	-4.04	57.55	12.41	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2463.500	109.56	-----	-----	97.26	12.30	Average
2	2483.700	52.61	54.00	-1.39	40.20	12.41	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :g_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	46.33	74.00	-27.67	60.61	-14.28	Peak
2	7386.000	52.25	74.00	-21.75	60.04	-7.79	Peak
3	9848.000	50.69	74.00	-23.31	54.77	-4.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :g_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	42.56	54.00	-11.44	56.84	-14.28	Average
2	4924.000	54.35	74.00	-19.65	68.63	-14.28	Peak
3	7386.000	52.04	74.00	-21.96	59.83	-7.79	Peak
4	9848.000	50.76	74.00	-23.24	54.84	-4.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.400	59.15	74.00	-14.85	47.24	11.91	Peak
2	2408.500	104.80	-----	-----	92.79	12.01	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.300	41.41	54.00	-12.59	29.51	11.90	Average
2	2411.200	92.33	-----	-----	80.31	12.02	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.200	72.48	74.00	-1.52	60.58	11.90	Peak
2	2411.200	119.56	-----	-----	107.54	12.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2412MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.800	52.30	54.00	-1.70	40.39	11.91	Average
2	2411.300	103.25	-----	-----	91.23	12.02	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2412MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	44.44	74.00	-29.56	59.12	-14.68	Peak
2	7236.000	48.94	74.00	-25.06	56.89	-7.95	Peak
3	9648.000	50.49	74.00	-23.51	54.97	-4.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2412MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	48.69	74.00	-25.31	63.37	-14.68	Peak
2	7236.000	48.78	74.00	-25.22	56.73	-7.95	Peak
3	9648.000	50.56	74.00	-23.44	55.04	-4.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2437MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2383.000	59.80	74.00	-14.20	47.92	11.88	Peak
2	2436.400	109.03	-----	-----	96.88	12.15	Peak
3	2491.700	59.22	74.00	-14.78	46.78	12.44	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2437MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.000	42.34	54.00	-11.66	30.43	11.91	Average
2	2436.500	95.86	-----	-----	83.71	12.15	Average
3	2484.000	41.87	54.00	-12.13	29.46	12.41	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.000	71.66	74.00	-2.34	59.75	11.91	Peak
2	2438.800	120.59	-----	-----	108.42	12.17	Peak
3	2483.900	72.02	74.00	-1.98	59.61	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.000	53.24	54.00	-0.76	41.33	11.91	Average
2	2436.500	105.84	-----	-----	93.69	12.15	Average
3	2483.800	53.59	54.00	-0.41	41.18	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	47.69	74.00	-26.31	62.17	-14.48	Peak
2	7311.000	51.88	74.00	-22.12	59.76	-7.88	Peak
3	9748.000	49.78	74.00	-24.22	54.06	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	52.63	74.00	-21.37	67.11	-14.48	Peak
2	7311.000	52.53	74.00	-21.47	60.41	-7.88	Peak
3	9748.000	49.78	74.00	-24.22	54.06	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.800	104.82	81.30	23.52	92.53	12.29	Peak
2	2484.900	53.41	74.00	-20.59	41.00	12.41	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2464.300	91.90	81.30	10.60	79.60	12.30	Average
2	2483.900	39.79	54.00	-14.21	27.38	12.41	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.200	119.93	81.30	38.63	107.64	12.29	Peak
2	2483.800	66.70	74.00	-7.30	54.29	12.41	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2462MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.400	104.15	81.30	22.85	91.86	12.29	Average
2	2483.600	51.57	54.00	-2.43	39.17	12.40	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_2462MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	46.58	74.00	-27.42	60.86	-14.28	Peak
2	7386.000	49.71	74.00	-24.29	57.50	-7.79	Peak
3	9848.000	50.87	74.00	-23.13	54.95	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_2462MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	50.64	74.00	-23.36	64.92	-14.28	Peak
2	7386.000	50.20	74.00	-23.80	57.99	-7.79	Peak
3	9848.000	51.25	74.00	-22.75	55.33	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2422MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2383.500	53.34	74.00	-20.66	41.46	11.88	Peak
2	2423.100	101.78	-----	-----	89.69	12.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2422MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.000	40.09	54.00	-13.91	28.18	11.91	Average
2	2425.100	90.85	-----	-----	78.75	12.10	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2422MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.900	65.80	74.00	-8.20	53.89	11.91	Peak
2	2420.300	115.75	-----	-----	103.68	12.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2422MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	53.47	54.00	-0.53	41.56	11.91	Average
2	2422.800	104.35	-----	-----	92.27	12.08	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2422MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	43.80	74.00	-30.20	58.40	-14.60	Peak
2	7266.000	48.21	74.00	-25.79	56.14	-7.93	Peak
3	9688.000	49.90	74.00	-24.10	54.30	-4.40	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2422MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	45.18	74.00	-28.82	59.78	-14.60	Peak
2	7266.000	48.42	74.00	-25.58	56.35	-7.93	Peak
3	9688.000	50.16	74.00	-23.84	54.56	-4.40	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.500	54.29	74.00	-19.71	42.38	11.91	Peak
2	2433.700	104.21	-----	-----	92.06	12.15	Peak
3	2484.600	55.49	74.00	-18.51	43.08	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.500	39.72	54.00	-14.28	27.81	11.91	Average
2	2436.200	93.06	-----	-----	80.91	12.15	Average
3	2484.500	39.17	54.00	-14.83	26.76	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2385.200	69.15	74.00	-4.85	57.27	11.88	Peak
2	2438.000	117.22	-----	-----	105.05	12.17	Peak
3	2485.400	70.04	74.00	-3.96	57.63	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2437MHz
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.000	53.87	54.00	-0.13	41.97	11.90	Average
2	2437.800	105.74	-----	-----	93.57	12.17	Average
3	2485.100	53.02	54.00	-0.98	40.61	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2437MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	44.17	74.00	-29.83	58.65	-14.48	Peak
2	7311.000	49.80	74.00	-24.20	57.68	-7.88	Peak
3	9748.000	50.15	74.00	-23.85	54.43	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2437MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	48.16	74.00	-25.84	62.64	-14.48	Peak
2	7311.000	49.18	74.00	-24.82	57.06	-7.88	Peak
3	9748.000	49.54	74.00	-24.46	53.82	-4.28	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2452MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2450.600	102.67	-----	-----	90.45	12.22	Peak
2	2488.100	52.94	74.00	-21.06	40.51	12.43	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2452MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2450.200	91.76	-----	-----	79.54	12.22	Average
2	2485.800	38.95	54.00	-15.05	26.54	12.41	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2452MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2452.600	116.77	-----	-----	104.52	12.25	Peak
2	2483.700	64.74	74.00	-9.26	52.33	12.41	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2452MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2450.400	105.30	-----	-----	93.08	12.22	Average
2	2483.700	53.79	54.00	-0.21	41.38	12.41	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_2452MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	45.13	74.00	-28.87	59.49	-14.36	Peak
2	7356.000	48.77	74.00	-25.23	56.60	-7.83	Peak
3	9808.000	50.72	74.00	-23.28	54.88	-4.16	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_2452MHz
 Test By :Gary



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	48.39	74.00	-25.61	62.75	-14.36	Peak
2	7356.000	48.74	74.00	-25.26	56.57	-7.83	Peak
3	9808.000	50.14	74.00	-23.86	54.30	-4.16	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Appendix G. Test Result of Radiated Emissions Co-location

30 MHz ~ 1 GHz:

Mode 1: EUT 1 + Adapter: WiFi 2.4 GHz + WiFi 5 GHz + Bluetooth LE function




Mode 2: EUT 1 + PoE: WiFi 2.4 GHz + WiFi 5 GHz + Bluetooth LE function



Mode 3: EUT 2 + PoE: WiFi 2.4 GHz + WiFi 5 GHz + Bluetooth LE function


Site :HC-CB02
 Condition :3m Horizontal
 Mode :LF_Co-location_WIFI 2.4G+5G+BLE
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	157.846	30.99	43.50	-12.51	35.29	-4.30	QP
2	249.996	36.24	46.00	-9.76	42.12	-5.88	QP
3	321.291	31.45	46.00	-14.55	35.11	-3.66	QP
4	413.732	31.92	46.00	-14.08	33.58	-1.66	QP
5	499.965	32.16	46.00	-13.84	31.89	0.27	QP
6	655.747	28.69	46.00	-17.31	25.44	3.25	QP

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LF_Co-location_WIFI 2.4G+5G+BLE
 Test By :Gary




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	66.569	33.16	40.00	-6.84	38.11	-4.95	QP
2	158.040	30.22	43.50	-13.28	34.55	-4.33	QP
3	249.996	34.46	46.00	-11.54	40.34	-5.88	QP
4	388.293	33.98	46.00	-12.02	38.03	-4.05	QP
5	499.965	32.73	46.00	-13.27	32.46	0.27	QP
6	599.972	28.92	46.00	-17.08	26.31	2.61	QP

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.
 5. The other emission levels were very low against the limit.

Above 1 GHz:

Mode 1: EUT 1: WiFi 2.4 GHz + WiFi 5 GHz + Bluetooth LE function



Mode 2: EUT 2: WiFi 2.4 GHz + WiFi 5 GHz + Bluetooth LE function

