



For Straddle Channels:

Spectrum plot value of power


802.11a / Ant. 1 / 5720 MHz (U-NII-2C)




802.11a / Ant. 1 / 5720 MHz (U-NII-3)




802.11a / Ant. 2 / 5720 MHz (U-NII-2C)




802.11a / Ant. 2 / 5720 MHz (U-NII-3)



802.11a / Ant. 3 / 5720 MHz (U-NII-2C)




802.11a / Ant. 3 / 5720 MHz (U-NII-3)




Spectrum plot value of power


802.11ax (20 MHz) / Ant. 1 / 5720 MHz (U-NII-2C)




802.11ax (20 MHz) / Ant. 1 / 5720 MHz (U-NII-3)




802.11ax (20 MHz) / Ant. 2 / 5720 MHz (U-NII-2C)




802.11ax (20 MHz) / Ant. 2 / 5720 MHz (U-NII-3)



802.11ax (20 MHz) / Ant. 3 / 5720 MHz (U-NII-2C)




802.11ax (20 MHz) / Ant. 3 / 5720 MHz (U-NII-3)




Spectrum plot value of power


802.11ax (40 MHz) / Ant. 1 / 5710 MHz (U-NII-2C)




802.11ax (40 MHz) / Ant. 1 / 5710 MHz (U-NII-3)




802.11ax (40 MHz) / Ant. 2 / 5710 MHz (U-NII-2C)




802.11ax (40 MHz) / Ant. 2 / 5710 MHz (U-NII-3)



802.11ax (40 MHz) / Ant. 3 / 5710 MHz (U-NII-2C)




802.11ax (40 MHz) / Ant. 3 / 5710 MHz (U-NII-3)




Spectrum plot value of power


802.11ax (80 MHz) / Ant. 1 / 5690 MHz (U-NII-2C)




802.11ax (80 MHz) / Ant. 1 / 5690 MHz (U-NII-3)




802.11ax (80 MHz) / Ant. 2 / 5690 MHz (U-NII-2C)




802.11ax (80 MHz) / Ant. 2 / 5690 MHz (U-NII-3)



802.11ax (80 MHz) / Ant. 3 / 5690 MHz (U-NII-2C)




802.11ax (80 MHz) / Ant. 3 / 5690 MHz (U-NII-3)




Spectrum plot value of power

802.11ax (160 MHz) / Ant. 1 / 5250 MHz (U-NII-2C)




Date: 15.DEC.2023 14:24:57

802.11ax (160 MHz) / Ant. 1 / 5250 MHz (U-NII-3)




Date: 15.DEC.2023 14:25:00

802.11ax (160 MHz) / Ant. 2 / 5250 MHz (U-NII-2C)




Date: 15.DEC.2023 14:25:59

802.11ax (160 MHz) / Ant. 2 / 5250 MHz (U-NII-3)




Date: 15.DEC.2023 14:26:01

802.11ax (160 MHz) / Ant. 3 / 5250 MHz (U-NII-2C)



Date: 15.DEC.2023 14:27:19

802.11ax (160 MHz) / Ant. 3 / 5250 MHz (U-NII-3)



Date: 15.DEC.2023 14:27:22

Appendix D. Test Result of Maximum Power Spectral Density

Modulation	Frequency (MHz)	Power Spectral Density (dBm/MHz)		Limit (dBm/MHz)	Result
		Ant. 1 + Ant. 2 + Ant. 3	Total		
802.11a	5180	11.190	11.374	12.60	Pass
	5220	11.360	11.544	12.60	Pass
	5240	10.960	11.144	12.60	Pass
	5260	6.350	6.534	6.60	Pass
	5300	6.220	6.404	6.60	Pass
	5320	6.270	6.454	6.60	Pass
	5500	6.350	6.534	6.60	Pass
	5580	6.390	6.574	6.60	Pass
	5700	6.200	6.384	6.60	Pass
	5720 (U-NII-2C)	6.210	6.394	6.60	Pass
Modulation	Frequency (MHz)	Power Spectral Density (dBm/500kHz)		Limit (dBm/500kHz)	Result
		Ant. 1 + Ant. 2 + Ant. 3	Total		
802.11a	5720 (U-NII-3)	2.030	2.214	25.60	Pass
	5745	10.550	10.734	25.60	Pass
	5785	9.290	9.474	25.60	Pass
	5825	9.570	9.754	25.60	Pass

Modulation	Frequency (MHz)	Power Spectral Density (dBm/MHz)		Limit (dBm/MHz)	Result
		Ant. 1 + Ant. 2 + Ant. 3	Total		
802.11ax (20 MHz)	5180	9.240	10.020	12.60	Pass
	5220	11.460	12.240	12.60	Pass
	5240	11.580	12.360	12.60	Pass
	5260	5.800	6.580	6.60	Pass
	5300	5.720	6.500	6.60	Pass
	5320	5.730	6.510	6.60	Pass
	5500	5.620	6.400	6.60	Pass
	5580	5.550	6.330	6.60	Pass
	5700	5.570	6.350	6.60	Pass
	5720 (U-NII-2C)	5.700	6.480	6.60	Pass
Modulation	Frequency (MHz)	Power Spectral Density (dBm/500kHz)		Limit (dBm/500kHz)	Result
		Ant. 1 + Ant. 2 + Ant. 3	Total		
802.11ax (20 MHz)	5720 (U-NII-3)	2.080	2.860	25.60	Pass
	5745	8.850	9.630	25.60	Pass
	5785	8.830	9.610	25.60	Pass
	5825	9.090	9.870	25.60	Pass

Note: Total power spectral density = power spectral density + duty factor, and the duty factor refer to section 2.3.

Modulation	Frequency (MHz)	Power Spectral Density (dBm/MHz)		Limit (dBm/MHz)	Result
		Ant. 1 + Ant. 2 + Ant. 3	Total		
802.11ax (40 MHz)	5190	5.610	6.751	12.60	Pass
	5230	7.810	8.951	12.60	Pass
	5270	5.090	6.231	6.60	Pass
	5310	4.540	5.681	6.60	Pass
	5510	5.210	6.351	6.60	Pass
	5550	5.270	6.411	6.60	Pass
	5670	5.390	6.531	6.60	Pass
	5710 (U-NII-2C)	5.120	6.261	6.60	Pass
Modulation	Frequency (MHz)	Power Spectral Density (dBm/500kHz)		Limit (dBm/500kHz)	Result
		Ant. 1 + Ant. 2 + Ant. 3	Total		
802.11ax (40 MHz)	5710 (U-NII-3)	-0.440	0.701	25.60	Pass
	5755	8.310	9.451	25.60	Pass
	5795	9.260	10.401	25.60	Pass


Modulation	Frequency (MHz)	Power Spectral Density (dBm/MHz)		Limit (dBm/MHz)	Result
		Ant. 1 + Ant. 2 + Ant. 3	Total		
802.11ax (80 MHz)	5210	-1.960	-1.153	12.60	Pass
	5290	-2.990	-2.183	6.60	Pass
	5530	1.940	2.747	6.60	Pass
	5610	4.270	5.077	6.60	Pass
	5690 (U-NII-2C)	5.590	6.397	6.60	Pass
Modulation	Frequency (MHz)	Power Spectral Density (dBm/500kHz)		Limit (dBm/500kHz)	Result
		Ant. 1 + Ant. 2 + Ant. 3	Total		
802.11ax (80 MHz)	5690 (U-NII-3)	-0.250	0.557	25.60	Pass
	5775	2.110	2.917	25.60	Pass

Modulation	Frequency (MHz)	Power Spectral Density (dBm/500kHz)		Limit (dBm/500kHz)	Result
		Ant. 1 + Ant. 2 + Ant. 3	Total		
802.11ax (160 MHz)	5250 (U-NII-2C)	-4.550	-3.773	12.60	Pass
	5250 (U-NII-3)	-4.550	-3.773	6.60	Pass
	5570	-2.230	-1.453	6.60	Pass

Note: Total power spectral density = power spectral density + duty factor, and the duty factor refer to section 2.3.


Spectrum plot of worst value

802.11a / Ant. 1 + Ant. 2 + Ant. 3 / 5220 MHz (U-NII-1)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
11.36	6.66	7.13	7.01


802.11a / Ant. 1 + Ant. 2 + Ant. 3 / 5260 MHz (U-NII-2A)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
6.35	1.73	1.94	2.02


Spectrum plot of worst value

802.11a / Ant. 1 + Ant. 2 + Ant. 3 / 5580 MHz (U-NII-2C)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
6.39	2.24	1.66	1.72


802.11a / Ant. 1 + Ant. 2 + Ant. 3 / 5745 MHz (U-NII-3)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
10.55	6.08	5.65	6.07


Spectrum plot of worst value

802.11ax (20 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5240 MHz (U-NII-1)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
11.58	7.11	7.38	6.99


802.11ax (20 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5260 MHz (U-NII-2A)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
5.80	1.15	1.63	1.45


Spectrum plot of worst value

802.11ax (20 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5720 MHz (U-NII-2C)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
2.08	-2.48	-2.90	-1.92


802.11ax (20 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5825 MHz (U-NII-3)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
9.09	5.04	4.70	4.71


Spectrum plot of worst value

802.11ax (40 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5230 MHz (U-NII-1)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
7.81	2.90	3.45	3.33


802.11ax (40 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5270 MHz (U-NII-2A)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
5.09	0.58	0.49	0.55


Spectrum plot of worst value

802.11ax (40 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5670 MHz (U-NII-2C)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
5.39	0.67	1.07	1.37


802.11ax (40 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5795 MHz (U-NII-3)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
9.26	5.12	4.49	4.92


Spectrum plot of worst value

802.11ax (80 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5210 MHz (U-NII-1)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
-1.96	-6.46	-6.47	-6.27


802.11ax (80 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5290 MHz (U-NII-2A)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
-2.99	-7.66	-7.57	-7.66


Spectrum plot of worst value

802.11ax (80 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5690 MHz (U-NII-2C)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
-0.25	-4.93	-4.58	-4.78


802.11ax (80 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5775 MHz (U-NII-3)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
2.11	-1.93	-2.28	-2.09


Spectrum plot of worst value

802.11ax (160 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5250 MHz (U-NII-1 and U-NII-2A)



Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
-4.55	-9.12	-8.90	-8.63

802.11ax (160 MHz) / Ant. 1 + Ant. 2 + Ant. 3 / 5570 MHz (U-NII-2C)




Sum (dBm/RBW)	Ant 1 (dBm/RBW)	Ant 2 (dBm/RBW)	Ant 3 (dBm/RBW)
-2.23	-6.30	-7.15	-6.80

Appendix E. Test Result of Transmitter Radiated Spurious Emission


30 MHz ~ 1 GHz

Mode 1: EUT 1 + Adapter



Mode 2: EUT 1 + PoE

Site :HC-CB02
 Condition :3m Horizontal
 Mode :LF_ax160_TX_5570MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	166.576	33.83	43.50	-9.67	36.71	-2.88	QP
2	249.996	37.59	46.00	-8.41	41.32	-3.73	QP
3	320.321	35.99	46.00	-10.01	37.38	-1.39	QP
4	374.981	31.65	46.00	-14.35	31.64	0.01	QP
5	417.176	33.59	46.00	-12.41	32.54	1.05	QP
6	703.035	34.09	46.00	-11.91	27.13	6.96	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LF_ax160_TX_5570MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	40.670	36.41	40.00	-3.59	38.66	-2.25	QP
2	165.315	31.95	43.50	-11.55	34.78	-2.83	QP
3	249.996	33.52	46.00	-12.48	37.25	-3.73	QP
4	321.582	33.85	46.00	-12.15	35.18	-1.33	QP
5	500.014	28.15	46.00	-17.85	25.19	2.96	QP
6	729.079	33.33	46.00	-12.67	25.81	7.52	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Mode 3: EUT 2 + Adapter


Site :HC-CB02
 Condition :3m Horizontal
 Mode :LF_ax40_TX_5230MHz
 Test By :Gary Liao



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	79.955	16.77	40.00	-23.23	23.60	-6.83	Peak
2	261.442	25.56	46.00	-20.44	28.80	-3.24	Peak
3	413.150	25.04	46.00	-20.96	24.16	0.88	Peak
4	566.410	28.54	46.00	-17.46	24.23	4.31	Peak
5	747.315	29.21	46.00	-16.79	21.29	7.92	Peak
6	941.994	30.63	46.00	-15.37	20.10	10.53	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LF_ax40_TX_5230MHz
 Test By :Gary Liao




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	101.586	23.12	43.50	-20.38	30.05	-6.93	Peak
2	199.265	23.33	43.50	-20.17	29.34	-6.01	Peak
3	327.984	23.61	46.00	-22.39	24.72	-1.11	Peak
4	490.265	32.28	46.00	-13.72	29.45	2.83	Peak
5	729.564	28.72	46.00	-17.28	21.19	7.53	Peak
6	941.218	30.89	46.00	-15.11	20.39	10.50	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.
 5. The other emission levels were very low against the limit.

Mode 4: EUT 2 + PoE


Site :HC-CB02
 Condition :3m Horizontal
 Mode :LF_ax40_TX_5230MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	39.458	32.56	40.00	-7.44	34.88	-2.32	QP
2	145.770	35.72	43.50	-7.78	38.57	-2.85	QP
3	249.996	39.75	46.00	-6.25	43.48	-3.73	QP
4	300.000	32.06	46.00	-13.94	34.13	-2.07	QP
5	374.981	28.51	46.00	-17.49	28.50	0.01	QP
6	718.652	34.21	46.00	-11.79	26.94	7.27	QP

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LF_ax40_TX_5230MHz
 Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	39.652	37.13	40.00	-2.87	39.38	-2.25	QP
2	86.018	30.24	40.00	-9.76	38.50	-8.26	QP
3	146.061	29.14	43.50	-14.36	31.93	-2.79	QP
4	175.452	26.82	43.50	-16.68	30.31	-3.49	QP
5	249.996	35.02	46.00	-10.98	38.75	-3.73	QP
6	780.101	33.26	46.00	-12.74	24.84	8.42	QP

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.
 5. The other emission levels were very low against the limit.

Above 1 GHz Mode 1: EUT 1


Site :HC-CB02
Condition :3m Horizontal
Mode :a_TX_5180MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5140.250	57.64	74.00	-16.36	34.18	23.46	Peak
2	5180.600	114.52	-----	-----	91.03	23.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :a_TX_5180MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5139.950	47.98	54.00	-6.02	24.52	23.46	Average
2	5180.600	105.03	-----	-----	81.54	23.49	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :a_TX_5180MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	63.96	74.00	-10.04	40.49	23.47	Peak
2	5181.950	123.85	-----	-----	100.36	23.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :a_TX_5180MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5140.100	53.24	54.00	-0.76	29.78	23.46	Average
2	5181.200	113.64	-----	-----	90.15	23.49	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5180MHz
 Test by :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	10360.000	65.62	68.20	-2.58	69.10	-3.48	Peak
2	15540.000	53.70	74.00	-20.30	50.78	2.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5180MHz
 Test by :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	10360.000	63.69	68.20	-4.51	67.17	-3.48	Peak
2	15540.000	46.36	54.00	-7.64	43.44	2.92	Average
3	15540.000	57.41	74.00	-16.59	54.49	2.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5220MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5142.500	60.14	74.00	-13.86	36.67	23.47	Peak
2	5222.600	117.76	-----	-----	94.24	23.52	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5220MHz
 Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5142.200	47.42	54.00	-6.58	23.95	23.47	Average
2	5221.850	108.25	-----	-----	84.73	23.52	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5220MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5140.550	67.42	74.00	-6.58	43.96	23.46	Peak
2	5220.950	124.54	-----	-----	101.02	23.52	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5220MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	53.22	54.00	-0.78	29.75	23.47	Average
2	5220.650	114.99	-----	-----	91.47	23.52	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5220MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	65.53	68.20	-2.67	68.94	-3.41	Peak
2	15660.000	53.45	74.00	-20.55	50.55	2.90	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5220MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	64.34	68.20	-3.86	67.75	-3.41	Peak
2	15660.000	53.91	74.00	-20.09	51.01	2.90	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5142.050	61.42	74.00	-12.58	37.95	23.47	Peak
2	5242.400	121.01	-----	-----	97.48	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5082.650	44.24	54.00	-9.76	20.81	23.43	Average
2	5241.950	111.24	-----	-----	87.71	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.250	70.47	74.00	-3.53	47.00	23.47	Peak
2	5238.950	127.89	-----	-----	104.36	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.550	49.77	54.00	-4.23	26.30	23.47	Average
2	5239.100	117.48	-----	-----	93.95	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5240MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	66.62	68.20	-1.58	69.99	-3.37	Peak
2	15720.000	53.70	74.00	-20.30	50.81	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5240MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	65.69	68.20	-2.51	69.06	-3.37	Peak
2	15720.000	46.33	54.00	-7.67	43.44	2.89	Average
3	15720.000	57.41	74.00	-16.59	54.52	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5262.300	120.82	-----	-----	97.27	23.55	Peak
2	5352.300	67.06	74.00	-6.94	43.45	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5262.300	110.93	-----	-----	87.38	23.55	Average
2	5356.500	47.42	54.00	-6.58	23.81	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5258.850	128.62	-----	-----	105.07	23.55	Peak
2	5359.350	72.85	74.00	-1.15	49.23	23.62	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5259.000	118.43	-----	-----	94.88	23.55	Average
2	5353.950	52.45	54.00	-1.55	28.84	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5260MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10520.000	66.90	68.20	-1.30	70.23	-3.33	Peak
2	15780.000	53.38	74.00	-20.62	50.50	2.88	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5260MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10520.000	66.94	68.20	-1.26	70.27	-3.33	Peak
2	15780.000	53.64	74.00	-20.36	50.76	2.88	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5300MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5301.450	116.88	-----	-----	93.31	23.57	Peak
2	5351.550	63.64	74.00	-10.36	40.03	23.61	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5300MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5301.750	107.28	-----	-----	83.71	23.57	Average
2	5352.150	44.50	54.00	-9.50	20.89	23.61	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5300MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5299.500	125.23	-----	-----	101.66	23.57	Peak
2	5350.650	69.80	74.00	-4.20	46.19	23.61	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5300MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5299.200	115.41	-----	-----	91.84	23.57	Average
2	5350.200	52.70	54.00	-1.30	29.09	23.61	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5300MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10600.000	50.17	54.00	-3.83	53.38	-3.21	Average
2	10600.000	65.77	74.00	-8.23	68.98	-3.21	Peak
3	15900.000	52.31	74.00	-21.69	49.45	2.86	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5300MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10600.000	50.17	54.00	-3.83	53.38	-3.21	Average
2	10600.000	64.24	74.00	-9.76	67.45	-3.21	Peak
3	15900.000	51.86	74.00	-22.14	49.00	2.86	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5320MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5322.750	114.66	-----	-----	91.07	23.59	Peak
2	5351.700	62.35	74.00	-11.65	38.74	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5320MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5322.000	105.05	-----	-----	81.46	23.59	Average
2	5352.150	46.23	54.00	-7.77	22.62	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5320MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5321.550	123.16	-----	-----	99.57	23.59	Peak
2	5351.850	70.24	74.00	-3.76	46.63	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5320MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5321.550	112.91	-----	-----	89.32	23.59	Average
2	5440.050	53.77	54.00	-0.23	30.11	23.66	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5320MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10640.000	49.36	54.00	-4.64	52.50	-3.14	Average
2	10640.000	63.49	74.00	-10.51	66.63	-3.14	Peak
3	15960.000	52.46	74.00	-21.54	49.61	2.85	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5320MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10640.000	49.64	54.00	-4.36	52.78	-3.14	Average
2	10640.000	62.18	74.00	-11.82	90.76	-28.58	Peak
3	15960.000	52.84	74.00	-21.16	49.99	2.85	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5500MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	57.79	74.00	-16.21	34.11	23.68	Peak
2	5468.250	60.43	68.20	-7.77	36.75	23.68	Peak
3	5498.000	113.83	-----	-----	98.13	23.70	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5500MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	48.25	54.00	-5.75	24.57	23.68	Average
2	5498.000	103.82	-----	-----	80.12	23.70	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5500MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5452.675	61.63	74.00	-12.37	37.96	23.67	Peak
2	5461.425	67.51	68.20	-0.69	43.83	23.68	Peak
3	5501.150	119.84	-----	-----	96.14	23.70	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5500MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	50.39	54.00	-3.61	26.71	23.68	Average
2	5500.975	110.36	-----	-----	86.66	23.70	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5500MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	51.58	74.00	-22.42	54.15	-2.57	Peak
2	16500.000	58.56	68.20	-9.64	56.52	2.04	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5500MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	50.51	74.00	-23.49	53.08	-2.57	Peak
2	16500.000	59.78	68.20	-8.42	57.74	2.04	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5580MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5445.850	55.98	74.00	-18.02	32.32	23.66	Peak
2	5469.825	56.23	68.20	-11.97	32.55	23.68	Peak
3	5577.975	118.93	-----	-----	94.98	23.95	Peak
4	5747.025	58.91	68.20	-9.29	34.43	24.48	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5580MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	44.48	54.00	-9.52	20.80	23.68	Average
2	5578.325	108.92	-----	-----	84.97	23.95	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5580MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5412.425	61.13	74.00	-12.87	37.48	23.65	Peak
2	5466.675	62.62	68.20	-5.58	38.94	23.68	Peak
3	5581.650	126.39	68.20	58.19	102.43	23.96	Peak
4	5742.125	60.93	68.20	-7.27	36.46	24.47	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5580MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	53.25	54.00	-0.75	29.57	23.68	Average
2	5582.000	116.61	68.20	48.41	92.65	23.96	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5580MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	51.88	74.00	-22.12	54.19	-2.31	Peak
2	16740.000	58.56	68.20	-9.64	56.84	1.72	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5580MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	50.51	74.00	-23.49	52.82	-2.31	Peak
2	16740.000	59.78	68.20	-8.42	58.06	1.72	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5700MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5697.675	114.14	-----	-----	89.82	24.32	Peak
2	5726.725	60.26	68.20	-7.94	35.84	24.42	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5700MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5701.000	122.42	-----	-----	98.09	24.33	Peak
2	5731.450	67.39	68.20	-0.81	42.96	24.43	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5700MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	52.10	74.00	-21.90	54.01	-1.91	Peak
2	17100.000	59.05	68.20	-9.15	60.96	-1.91	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5700MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	50.30	74.00	-23.70	52.21	-1.91	Peak
2	17100.000	59.78	68.20	-8.42	58.33	1.45	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5720MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11440.000	51.12	74.00	-22.88	52.95	-1.83	Peak
2	17160.000	58.62	68.20	-9.58	57.13	1.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5720MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11440.000	50.97	74.00	-23.03	52.80	-1.83	Peak
2	17160.000	59.45	68.20	-8.75	57.96	1.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5745MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5644.500	56.62	68.20	-11.58	32.46	24.16	Peak
2	5654.000	56.65	71.17	-14.52	32.46	24.19	Peak
3	5724.750	90.71	121.63	-30.92	66.31	24.40	Peak
4	5744.500	117.43	-----	-----	92.95	24.48	Peak
5	5850.500	58.23	107.02	-48.79	33.37	24.86	Peak
6	5923.750	56.63	69.13	-12.50	31.60	25.03	Peak
7	6015.500	57.26	68.20	-10.94	31.90	25.36	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5745MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5644.000	60.88	68.20	-7.32	36.72	24.16	Peak
2	5654.000	65.78	71.17	-5.39	41.59	24.19	Peak
3	5724.750	100.55	121.63	-21.08	76.15	24.40	Peak
4	5744.000	127.00	-----	-----	102.52	24.48	Peak
5	5853.750	60.51	113.65	-53.14	35.69	24.82	Peak
6	5920.500	58.50	71.54	-13.04	33.47	25.03	Peak
7	5936.750	58.68	68.20	-9.52	33.60	25.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5745MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	53.83	74.00	-20.17	55.58	-1.75	Peak
2	17235.000	66.31	68.20	-1.89	64.77	1.54	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5745MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	51.60	74.00	-22.40	53.35	-1.75	Peak
2	17235.000	67.31	68.20	-0.89	65.77	1.54	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5785MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5644.000	56.28	68.20	-11.92	32.12	24.16	Peak
2	5652.250	55.11	69.87	-14.76	30.94	24.17	Peak
3	5724.750	66.82	121.63	-54.81	42.42	24.40	Peak
4	5784.500	117.30	-----	-----	92.70	24.60	Peak
5	5855.750	63.81	110.59	-46.78	38.99	24.82	Peak
6	5922.500	56.34	70.06	-13.72	31.31	25.03	Peak
7	5957.750	57.35	68.20	-10.85	32.21	25.14	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5785MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5625.000	60.28	68.20	-7.92	36.18	24.10	Peak
2	5654.500	58.81	71.54	-12.73	34.62	24.19	Peak
3	5723.500	75.45	118.78	-43.33	51.05	24.40	Peak
4	5783.500	126.31	-----	-----	101.72	24.59	Peak
5	5854.000	74.22	113.00	-38.06	49.40	24.02	Peak
6	5921.000	59.50	71.17	-11.67	34.47	25.03	Peak
7	5943.250	59.73	68.20	-8.47	34.62	25.11	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.