



Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5610MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5440.775	64.71	74.00	-9.29	41.05	23.66	Peak
2	5465.275	66.61	68.20	-1.59	42.94	23.67	Peak
3	5616.125	116.82	-----	-----	92.75	24.07	Peak
4	5725.675	68.11	68.20	-0.09	43.69	24.42	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5610MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5449.875	53.24	54.00	-0.76	29.58	23.66	Average
2	5611.050	106.95	-----	-----	82.90	24.05	Average

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5610MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.325	58.32	74.00	-15.68	34.64	23.68	Peak
2	5463.350	57.74	68.20	-10.46	34.07	23.67	Peak
3	5619.625	105.26	-----	-----	81.19	24.07	Peak
4	5747.375	57.92	68.20	-10.28	33.44	24.48	Peak

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5610MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5409.975	45.92	54.00	-8.08	22.28	23.64	Average
2	5614.550	93.46	-----	-----	69.40	24.06	Average

- Note:
1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5610MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	50.46	74.00	-23.54	52.67	-2.21	Peak
2	16830.000	52.47	68.20	-15.73	50.87	1.60	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5610MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	50.38	74.00	-23.62	52.59	-2.21	Peak
2	16830.000	51.87	68.20	-16.33	50.27	1.60	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5690MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11380.000	52.62	74.00	-21.38	54.56	-1.94	Peak
2	17070.000	64.39	68.20	-3.81	62.96	1.43	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5690MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11380.000	52.57	74.00	-21.43	54.51	-1.94	Peak
2	17070.000	62.26	68.20	-5.94	60.83	1.43	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5250MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5130.500	63.80	74.00	-10.20	40.33	23.47	Peak
2	5245.400	109.08	-----	-----	85.55	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5250MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5145.350	53.40	54.00	-0.60	29.93	23.47	Average
2	5245.850	98.64	-----	-----	75.11	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5250MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5143.550	57.66	74.00	-16.34	34.19	23.47	Peak
2	5248.550	101.72	-----	-----	78.19	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5250MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5130.200	47.50	54.00	-6.50	24.03	23.47	Average
2	5248.400	89.40	-----	-----	65.87	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5250MHz
 Test By :Gary



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10500.000	50.32	68.20	-17.88	53.68	-3.36	Peak
2	15750.000	53.26	74.00	-20.74	50.37	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5250MHz
 Test By :Gary



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10500.000	50.02	68.20	-18.18	53.38	-3.36	Peak
2	15750.000	53.11	74.00	-20.89	50.22	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5570MHz
 Test By :Gary



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5441.300	62.66	74.00	-11.34	39.00	23.66	Peak
2	5465.625	62.50	68.20	-5.70	38.83	23.67	Peak
3	5546.475	110.94	-----	-----	87.09	23.85	Peak
4	5726.375	67.55	68.20	-0.65	43.13	24.42	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5570MHz
 Test By :Gary



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5450.225	49.61	54.00	-4.39	25.94	23.67	Average
2	5576.400	91.84	-----	-----	67.89	23.95	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5570MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5449.875	56.28	74.00	-17.72	32.62	23.66	Peak
2	5465.800	55.66	68.20	-12.54	31.99	23.67	Peak
3	5574.300	98.19	-----	-----	74.26	23.93	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5570MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5450.050	46.85	54.00	-7.15	23.18	23.67	Average
2	5564.325	85.88	-----	-----	61.98	23.90	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5570MHz
 Test By :Gary



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11140.000	50.38	74.00	-23.62	52.72	-2.34	Peak
2	16710.000	53.43	68.20	-14.77	51.67	1.76	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5570MHz
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11140.000	50.45	74.00	-23.55	52.79	-2.34	Peak
2	16710.000	53.77	68.20	-14.43	52.01	1.76	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Appendix F. Test Result of Radiated Emissions Co-location

30 MHz ~ 1 GHz:

Mode 1: EUT 1 + Adapter: WiFi 2.4 GHz + WiFi 5 GHz + Buletooth LE function




Mode 2: EUT 1 + PoE: WiFi 2.4 GHz + WiFi 5 GHz + Buletooth LE function



Mode 3: EUT 2 + PoE: WiFi 2.4 GHz + WiFi 5 GHz + Buletooth LE function


Site :HC-CB02
 Condition :3m Horizontal
 Mode :LF_Co-location_WiFi 2.4G+5G+BLE
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	157.846	30.99	43.50	-12.51	35.29	-4.30	QP
2	249.996	36.24	46.00	-9.76	42.12	-5.88	QP
3	321.291	31.45	46.00	-14.55	35.11	-3.66	QP
4	413.732	31.92	46.00	-14.08	33.58	-1.66	QP
5	499.965	32.16	46.00	-13.84	31.89	0.27	QP
6	655.747	28.69	46.00	-17.31	25.44	3.25	QP

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LF_Co-location_WiFi 2.4G+5G+BLE
 Test By :Gary




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	66.569	33.16	40.00	-6.84	38.11	-4.95	QP
2	158.040	30.22	43.50	-13.28	34.55	-4.33	QP
3	249.996	34.46	46.00	-11.54	40.34	-5.88	QP
4	388.293	33.98	46.00	-12.02	38.83	-4.05	QP
5	499.965	32.73	46.00	-13.27	32.46	0.27	QP
6	599.972	28.92	46.00	-17.08	26.31	2.61	QP

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The emission under 30MHz was not included since the emission levels are very low against the limit.
 5. The other emission levels were very low against the limit.

Above 1 GHz:

Mode 1: EUT 1: WiFi 2.4 GHz + WiFi 5 GHz + Buletooth LE function



Mode 2: EUT 2: WiFi 2.4 GHz + WiFi 5 GHz + Buletooth LE function

