




802.11ax / 20 MHz / MCS0 / 2412 MHz / Ch1




802.11ax / 20 MHz / MCS0 / 2437 MHz / Ch6




802.11ax / 20 MHz / MCS0 / 2462 MHz / Ch11




802.11ax / 40 MHz / MCS0 / 2422 MHz / Ch3



802.11ax / 40 MHz / MCS0 / 2437 MHz / Ch6




802.11ax / 40 MHz / MCS0 / 2452 MHz / Ch9




Appendix E. Test Result of Antenna Port Conducted Emission


802.11b / 20 MHz / 1M / 2412 MHz / Ch1 (Ref.)




802.11b / 20 MHz / 1M / 2412 MHz / Ch1




802.11b / 20 MHz / 1M / 2437 MHz / Ch6 (Ref.)




802.11b / 20 MHz / 1M / 2437 MHz / Ch6




802.11b/ 20 MHz / 1M / 2462 MHz / Ch11 (Ref.)




802.11b / 20 MHz / 1M / 2462 MHz / Ch11




802.11g / 20 MHz / 6M / 2412 MHz / Ch1 (Ref.)




802.11g / 20 MHz / 6M / 2412 MHz / Ch1




802.11g / 20 MHz / 6M / 2437 MHz / Ch6 (Ref.)




802.11g / 20 MHz / 6M / 2437 MHz / Ch6




802.11g / 20 MHz / 6M / 2462 MHz / Ch11 (Ref.)




802.11g / 20 MHz / 6M / 2462 MHz / Ch11




802.11ax / 20MHz / MCS0 / 2412 MHz / Ch1 (Ref.)




802.11ax / 20 MHz / MCS0 / 2412 MHz / Ch1




802.11ax / 20MHz / MCS0 / 2437 MHz / Ch6 (Ref.)




802.11ax / 20 MHz / MCS0 / 2437 MHz / Ch6




802.11ax / 20 MHz / MCS0 / 2462 MHz / Ch11 (Ref.)




802.11ax / 20 MHz / MCS0 / 2462 MHz / Ch11




802.11ax / 40 MHz / MCS0 / 2422 MHz / Ch3 (Ref.)




802.11ax / 40 MHz / MCS0 / 2422 MHz / Ch3




802.11ax / 40 MHz / MCS0 / 2437 MHz / Ch6 (Ref.)




802.11ax / 40 MHz / MCS0 / 2437 MHz / Ch6




802.11ax / 40 MHz / MCS0 / 2452 MHz / Ch9 (Ref.)




802.11ax / 40 MHz / MCS0 / 2452 MHz / Ch9




802.11b/20MHz/1M/2412MHz/Ch1(Band Edge)




802.11b/20MHz/1M/2437MHz/Ch6(Band Edge)




802.11b/20MHz/1M/2462MHz/Ch11(Band Edge)




802.11g/20MHz/6M/2412MHz/Ch1(Band Edge)




802.11g/20MHz/6M/2437MHz/Ch6(Band Edge)




802.11g/20MHz/6M/2462MHz/Ch11(Band Edge)




802.11ax / 20 MHz / MCS0 / 2412 MHz / Ch1 (Band Edge)




802.11ax / 20 MHz / MCS0 / 2437 MHz / Ch6 (Band Edge)




802.11ax / 20 MHz / MCS0 / 2462 MHz / Ch11 (Band Edge)




802.11ax / 40 MHz / MCS0 / 2422 MHz / Ch3 (Band Edge)



802.11ax / 40 MHz / MCS0 / 2437 MHz / Ch6 (Band Edge)



802.11ax / 40 MHz / MCS0 / 2452 MHz / Ch9 (Band Edge)




Appendix F. Test Result of Transmitter Radiated Spurious Emission

30 MHz ~ 1 GHz

Mode 1: EUT 1 + Adapter

Site : HC-CB04
Condition : 3m Horizontal
Mode : LF_ax40_TX_2437MHz
Test By : Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	94.360	31.50	43.50	-12.00	39.96	-8.46	QP
2	139.222	36.54	43.50	-6.96	40.24	-3.70	QP
3	249.996	33.80	46.00	-12.20	38.30	-4.50	QP
4	477.995	33.39	46.00	-12.61	31.61	1.78	QP
5	518.298	32.69	46.00	-13.31	30.04	2.65	QP
6	906.541	32.77	46.00	-13.23	23.87	8.90	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site : HC-CB04
Condition : 3m Vertical
Mode : LF_ax40_TX_2437MHz
Test By : Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	102.023	39.40	43.50	-4.10	46.75	-7.35	QP
2	208.868	30.55	43.50	-12.95	37.35	-6.80	QP
3	249.996	33.78	46.00	-12.22	38.28	-4.50	QP
4	383.371	28.05	46.00	-17.95	28.52	-0.47	QP
5	518.250	33.98	46.00	-12.02	31.34	2.64	QP
6	853.530	30.80	46.00	-15.20	22.40	8.40	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Mode 2: EUT 1 + PoE

Site :HC-CB04
 Condition :3m Horizontal
 Mode :LF_ax40_TX_2437MHz
 Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	113.275	36.56	43.50	-6.94	42.57	-6.01	QP
2	176.810	35.34	43.50	-8.16	39.66	-4.32	QP
3	231.566	32.02	46.00	-13.98	37.55	-5.53	QP
4	454.763	26.86	46.00	-19.14	25.35	1.51	QP
5	558.747	28.61	46.00	-17.39	25.35	3.26	QP
6	685.769	31.57	46.00	-14.43	25.69	5.88	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m Vertical
 Mode :LF_ax40_TX_2437MHz
 Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	94.360	40.10	43.50	-3.40	48.56	-8.46	QP
2	151.541	33.09	43.50	-10.41	36.13	-3.04	QP
3	277.884	31.30	46.00	-14.70	34.61	-3.31	QP
4	482.311	28.75	46.00	-17.25	26.91	1.84	QP
5	566.653	27.85	46.00	-18.15	24.38	3.47	QP
6	845.625	31.02	46.00	-14.98	22.72	8.30	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Mode 3: EUT 2 + Adapter

Site :HC-CB04
 Condition :3m ,Horizontal
 Mode :LF_b_TX_2412MHz
 Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	66.569	32.50	40.00	-7.50	36.82	-4.32	QP
2	127.873	30.96	43.50	-12.54	35.89	-4.93	QP
3	249.996	29.75	46.00	-16.25	34.25	-4.50	QP
4	457.479	32.42	46.00	-13.58	30.90	1.52	QP
5	610.545	33.15	46.00	-12.85	28.41	4.74	QP
6	761.477	35.24	46.00	-10.76	27.76	7.48	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m ,Vertical
 Mode :LF_b_TX_2412MHz
 Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	71.807	34.18	40.00	-5.82	39.37	-5.19	QP
2	249.996	30.73	46.00	-15.27	35.23	-4.50	QP
3	404.129	30.11	46.00	-15.89	30.16	-0.05	QP
4	500.590	30.74	46.00	-15.26	27.44	3.30	QP
5	703.083	32.24	46.00	-13.76	26.08	6.16	QP
6	862.163	35.99	46.00	-10.01	27.46	8.53	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Mode 4: EUT 3 + Adapter

Site :HC-CB04
Condition :3m ,Horizontal
Mode :LF_b_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	60.846	36.08	40.00	-3.92	39.24	-3.16	QP
2	249.996	35.11	46.00	-10.89	39.61	-4.50	QP
3	443.414	33.43	46.00	-12.57	32.21	1.22	QP
4	510.150	33.87	46.00	-12.13	31.40	2.47	QP
5	687.563	35.57	46.00	-10.43	29.66	5.91	QP
6	754.008	34.93	46.00	-11.07	27.59	7.34	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :LF_b_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	79.955	36.21	40.00	-3.79	43.80	-7.59	QP
2	210.420	37.76	43.50	-5.74	44.55	-6.79	QP
3	302.085	34.94	46.00	-11.06	37.57	-2.63	QP
4	497.734	35.82	46.00	-10.18	33.73	2.09	QP
5	659.239	39.06	46.00	-6.94	33.59	5.47	QP
6	807.067	39.47	46.00	-6.53	31.63	7.84	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Above 1 GHz**Mode 1: EUT 1 + Adapter**

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2385.000	49.21	74.00	-24.79	38.80	10.41	Peak
2	2414.800	104.89	-----	-----	94.36	10.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2385.200	43.70	54.00	-10.30	33.29	10.41	Average
2	2413.800	102.45	-----	-----	91.93	10.52	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2386.800	54.11	74.00	-19.89	43.69	10.42	Peak
2	2411.200	113.17	-----	-----	102.65	10.52	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2387.200	49.79	54.00	-4.21	39.37	10.42	Average
2	2411.300	110.66	-----	-----	100.14	10.52	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	50.48	74.00	-23.52	68.24	-17.76	Peak
2	7236.000	59.02	74.00	-14.98	71.80	-12.78	Peak
3	9648.000	52.75	74.00	-21.25	61.84	-9.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	53.84	54.00	-0.16	71.60	-17.76	Average
2	4824.000	55.72	74.00	-18.28	73.48	-17.76	Peak
3	7236.000	59.50	74.00	-14.50	72.28	-12.78	Peak
4	9648.000	51.36	74.00	-22.64	60.45	-9.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2379.100	45.12	74.00	-28.88	34.73	10.39	Peak
2	2436.300	104.39	-----	-----	93.78	10.61	Peak
3	2493.400	42.49	74.00	-31.51	31.66	10.83	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2379.100	34.46	54.00	-19.54	24.07	10.39	Average
2	2436.300	101.80	-----	-----	91.19	10.61	Average
3	2493.400	31.55	54.00	-22.45	20.72	10.83	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2379.900	51.27	74.00	-22.73	40.88	10.39	Peak
2	2438.000	111.16	-----	-----	100.55	10.61	Peak
3	2483.700	51.49	74.00	-22.51	40.69	10.80	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2380.000	40.86	54.00	-13.14	30.47	10.39	Average
2	2437.800	108.62	-----	-----	98.01	10.61	Average
3	2483.700	41.12	54.00	-12.88	30.32	10.80	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	49.90	74.00	-24.10	67.52	-17.62	Peak
2	7311.000	53.27	54.00	-0.73	65.93	-12.66	Average
3	7311.000	57.47	74.00	-16.53	70.13	-12.66	Peak
4	9748.000	55.95	74.00	-18.05	64.93	-8.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	52.09	54.00	-1.91	69.71	-17.62	Average
2	4874.000	54.29	74.00	-19.71	71.91	-17.62	Peak
3	7311.000	53.19	54.00	-0.81	65.85	-12.66	Average
4	7311.000	57.48	74.00	-16.52	70.14	-12.66	Peak
5	9748.000	55.86	74.00	-18.14	64.84	-8.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2461.200	100.57	-----	-----	89.86	10.71	Peak
2	2486.500	42.33	74.00	-31.67	31.52	10.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2461.300	97.96	-----	-----	87.25	10.71	Average
2	2489.200	31.53	54.00	-22.47	20.72	10.81	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2463.000	109.36	-----	-----	98.64	10.72	Peak
2	2491.000	51.83	74.00	-22.17	41.00	10.83	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2462.800	106.82	-----	-----	96.10	10.72	Average
2	2484.700	43.20	54.00	-10.80	32.39	10.81	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	47.14	74.00	-26.86	64.63	-17.49	Peak
2	7386.000	49.86	54.00	-4.14	62.39	-12.53	Average
3	7386.000	55.16	74.00	-18.84	67.69	-12.53	Peak
4	9848.000	52.22	74.00	-21.78	61.07	-8.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	51.06	74.00	-22.94	68.55	-17.49	Peak
2	7386.000	53.71	54.00	-0.29	66.24	-12.53	Average
3	7386.000	57.99	74.00	-16.01	70.52	-12.53	Peak
4	9848.000	54.44	74.00	-19.56	63.29	-8.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.400	63.39	74.00	-10.61	52.95	10.44	Peak
2	2413.000	107.44	-----	-----	96.92	10.52	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.100	45.52	54.00	-8.48	35.10	10.42	Average
2	2412.700	98.65	-----	-----	88.13	10.52	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.600	69.32	74.00	-4.68	58.88	10.44	Peak
2	2415.600	111.97	74.00	-4.68	101.44	10.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	52.12	54.00	-1.88	41.68	10.44	Average
2	2410.700	102.76	74.00	-1.88	92.25	10.51	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	39.48	74.00	-34.52	57.24	-17.76	Peak
2	7236.000	50.05	74.00	-23.95	62.83	-12.78	Peak
3	9648.000	46.41	74.00	-27.59	55.50	-9.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	42.50	74.00	-31.50	60.26	-17.76	Peak
2	7236.000	48.93	74.00	-25.07	61.71	-12.78	Peak
3	9648.000	46.29	74.00	-27.71	55.38	-9.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.500	63.17	74.00	-10.83	52.73	10.44	Peak
2	2435.300	107.84	-----	-----	97.23	10.61	Peak
3	2486.800	58.01	74.00	-15.99	47.20	10.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	45.22	54.00	-8.78	34.78	10.44	Average
2	2435.600	98.36	-----	-----	87.75	10.61	Average
3	2485.100	39.18	54.00	-14.82	28.37	10.81	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.300	67.48	74.00	-6.52	57.06	10.42	Peak
2	2432.700	114.94	-----	-----	104.34	10.60	Peak
3	2484.000	72.90	74.00	-1.10	62.10	10.80	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2387.500	48.46	54.00	-5.54	38.04	10.42	Average
2	2437.800	105.27	-----	-----	94.66	10.61	Average
3	2483.600	49.81	54.00	-4.19	39.02	10.79	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	43.37	74.00	-30.63	60.99	-17.62	Peak
2	7311.000	51.05	54.00	-2.95	63.71	-12.66	Average
3	7311.000	66.12	74.00	-7.88	78.78	-12.66	Peak
4	9748.000	52.17	74.00	-21.83	61.15	-8.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	47.12	74.00	-26.88	64.74	-17.62	Peak
2	7311.000	53.64	54.00	-0.36	66.30	-12.66	Average
3	7311.000	68.15	74.00	-5.85	80.81	-12.66	Peak
4	9748.000	52.19	74.00	-21.81	61.17	-8.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2460.900	103.66	-----	-----	92.95	10.71	Peak
2	2484.500	61.22	74.00	-12.78	50.41	10.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Ling Chen



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2460.400	94.02	-----	-----	83.32	10.70	Average
2	2483.800	42.60	54.00	-11.40	31.80	10.80	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.