


Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2463.200	112.08	-----	-----	101.36	10.72	Peak
2	2483.700	70.31	74.00	-3.69	59.51	10.80	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2463.000	102.52	-----	-----	91.80	10.72	Average
2	2483.600	52.18	54.00	-1.82	41.39	10.79	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	40.53	74.00	-33.47	58.02	-17.49	Peak
2	7386.000	41.40	54.00	-12.60	53.93	-12.53	Average
3	7386.000	56.70	74.00	-17.30	69.23	-12.53	Peak
4	9848.000	46.72	74.00	-27.28	55.57	-8.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	42.46	74.00	-31.54	59.95	-17.49	Peak
2	7386.000	44.52	54.00	-9.48	57.05	-12.53	Average
3	7386.000	60.38	74.00	-13.62	72.91	-12.53	Peak
4	9848.000	47.25	74.00	-26.75	56.10	-8.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.200	64.75	74.00	-9.25	54.33	10.42	Peak
2	2409.800	108.85	-----	-----	98.34	10.51	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.900	47.57	54.00	-6.43	37.13	10.44	Average
2	2412.600	93.68	-----	-----	83.16	10.52	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.000	70.87	74.00	-3.13	60.45	10.42	Peak
2	2413.500	111.94	-----	-----	101.42	10.52	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.700	53.29	54.00	-0.71	42.87	10.42	Average
2	2411.100	101.56	-----	-----	91.04	10.52	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2412MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	41.31	74.00	-32.69	59.07	-17.76	Peak
2	7236.000	51.05	74.00	-22.95	63.83	-12.78	Peak
3	9648.000	47.17	74.00	-26.83	56.26	-9.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2412MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	42.74	74.00	-31.26	60.50	-17.76	Peak
2	7236.000	49.50	74.00	-24.50	62.28	-12.78	Peak
3	9648.000	47.46	74.00	-26.54	56.55	-9.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.700	63.39	74.00	-10.61	52.95	10.44	Peak
2	2437.500	108.46	-----	-----	97.87	10.59	Peak
3	2483.600	56.52	74.00	-17.48	45.71	10.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.700	45.75	54.00	-8.25	35.31	10.44	Average
2	2437.500	93.24	-----	-----	82.63	10.61	Average
3	2483.600	39.58	54.00	-14.42	28.79	10.79	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.500	71.61	74.00	-2.39	61.19	10.42	Peak
2	2438.800	114.93	-----	-----	104.32	10.61	Peak
3	2484.000	70.29	74.00	-3.71	59.49	10.80	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.000	49.45	54.00	-4.55	39.03	10.42	Average
2	2436.100	100.09	-----	-----	89.48	10.61	Average
3	2483.600	49.66	54.00	-4.34	38.87	10.79	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	42.16	74.00	-31.84	59.78	-17.62	Peak
2	7311.000	51.22	54.00	-2.78	63.88	-12.66	Average
3	7311.000	66.34	74.00	-7.66	79.00	-12.66	Peak
4	9748.000	51.35	74.00	-22.65	60.33	-8.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	42.52	74.00	-31.48	60.14	-17.62	Peak
2	7311.000	53.74	54.00	-0.26	66.40	-12.66	Average
3	7311.000	69.24	74.00	-4.76	81.90	-12.66	Peak
4	9748.000	49.92	74.00	-24.08	58.90	-8.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2462MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2456.400	104.93	-----	-----	94.24	10.69	Peak
2	2483.700	61.14	74.00	-12.86	50.34	10.80	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2462MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.100	89.36	-----	-----	78.65	10.71	Average
2	2483.600	43.29	54.00	-10.71	32.50	10.79	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2462MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.800	113.20	-----	-----	102.48	10.72	Peak
2	2486.900	72.49	74.00	-1.51	61.68	10.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2462MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.700	97.69	-----	-----	86.97	10.72	Average
2	2484.600	53.17	54.00	-0.83	42.36	10.81	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	39.46	74.00	-34.54	56.95	-17.49	Peak
2	7386.000	50.93	74.00	-23.07	63.46	-12.53	Peak
3	9848.000	46.10	74.00	-27.90	54.95	-8.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	40.35	74.00	-33.65	57.84	-17.49	Peak
2	7386.000	44.22	54.00	-9.78	56.75	-12.53	Average
3	7386.000	60.08	74.00	-13.92	72.61	-12.53	Peak
4	9848.000	46.59	74.00	-27.41	55.44	-8.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.000	62.22	74.00	-11.78	51.80	10.42	Peak
2	2423.700	103.14	-----	-----	92.58	10.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.100	47.76	54.00	-6.24	37.34	10.42	Average
2	2421.300	91.77	-----	-----	81.21	10.56	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2387.500	65.88	74.00	-8.12	55.46	10.42	Peak
2	2417.700	108.14	-----	-----	97.61	10.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.36	54.00	-0.64	42.92	10.44	Average
2	2420.200	96.93	-----	-----	86.38	10.55	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	39.17	74.00	-34.83	56.87	-17.70	Peak
2	7266.000	46.07	74.00	-27.93	58.80	-12.73	Peak
3	9688.000	45.57	74.00	-28.43	54.62	-9.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	39.74	74.00	-34.26	57.44	-17.70	Peak
2	7266.000	46.17	74.00	-27.83	58.90	-12.73	Peak
3	9688.000	46.54	74.00	-27.46	55.59	-9.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2384.500	62.31	74.00	-11.69	51.90	10.41	Peak
2	2435.000	104.44	-----	-----	93.83	10.61	Peak
3	2488.600	55.23	74.00	-18.77	44.42	10.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	48.52	54.00	-5.48	38.08	10.44	Average
2	2435.000	93.18	-----	-----	82.57	10.61	Average
3	2483.600	41.92	54.00	-12.08	31.13	10.79	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2374.600	66.82	74.00	-7.18	56.46	10.36	Peak
2	2438.500	110.60	-----	-----	99.99	10.61	Peak
3	2487.400	69.46	74.00	-4.54	58.65	10.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.300	52.74	54.00	-1.26	42.32	10.42	Average
2	2436.000	99.82	-----	-----	89.21	10.61	Average
3	2486.300	53.82	54.00	-0.18	43.01	10.81	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	39.59	74.00	-34.41	57.21	-17.62	Peak
2	7311.000	51.40	74.00	-22.60	64.06	-12.66	Peak
3	9748.000	45.62	74.00	-28.38	54.60	-8.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	41.87	74.00	-32.13	59.49	-17.62	Peak
2	7311.000	52.44	74.00	-21.56	65.10	-12.66	Peak
3	9748.000	46.61	74.00	-27.39	55.59	-8.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2447.600	101.80	-----	-----	91.14	10.66	Peak
2	2484.300	56.69	74.00	-17.31	45.88	10.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2449.900	90.29	-----	-----	79.63	10.66	Average
2	2484.100	44.99	54.00	-9.01	34.19	10.80	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2448.500	108.79	-----	-----	98.13	10.66	Peak
2	2492.700	67.65	74.00	-6.35	56.82	10.83	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2451.100	97.62	-----	-----	86.95	10.67	Average
2	2485.300	53.30	54.00	-0.70	42.49	10.81	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4904.000	40.13	74.00	-33.87	57.67	-17.54	Peak
2	7356.000	47.46	74.00	-26.54	60.03	-12.57	Peak
3	9808.000	45.34	74.00	-28.66	54.24	-8.90	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2452MHz
Test By :Ling Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4904.000	40.12	74.00	-33.88	57.66	-17.54	Peak
2	7356.000	50.34	74.00	-23.66	62.91	-12.57	Peak
3	9808.000	45.75	74.00	-28.25	54.65	-8.90	Peak

Note:


1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Appendix G. Test Result of Radiated Emissions Co-location

WiFi 2.4 GHz + WiFi 5 GHz + Bluetooth LE + WWAN LTE + Halow

30 MHz ~ 1 GHz:

Site :HC-CB04
Condition :3m Horizontal
Mode :LF_co-location_WiFi_2.4G+WiFi_5G+BLE+LTE+Halow
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	73.550	34.37	40.00	-5.63	40.28	-5.91	QP
2	176.487	27.05	43.50	-16.45	31.31	-4.26	QP
3	268.396	38.62	46.00	-7.38	42.37	-3.75	QP
4	418.523	34.01	46.00	-11.99	33.73	0.28	QP
5	511.520	32.16	46.00	-13.84	29.66	2.50	QP
6	926.623	38.33	46.00	-7.67	29.04	9.29	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m Vertical
Mode :LF_co-location_WiFi_2.4G+WiFi_5G+BLE+LTE+Halow
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	95.236	37.17	43.50	-6.33	45.55	-8.38	QP
2	215.616	41.96	43.50	-1.54	48.55	-6.59	QP
3	330.220	30.39	46.00	-15.61	32.16	-1.77	QP
4	492.258	30.86	46.00	-15.14	28.84	2.02	QP
5	601.500	35.26	46.00	-10.74	30.67	4.59	QP
6	942.519	34.28	46.00	-11.72	24.74	9.54	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz:


Site :HC-CB04
Condition :3m ,Horizontal
Mode :Co-location_WIFI_2.4G+WIFI_5G+BLE+LTE+HaLow
Test By :Cyril Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	1848.000	29.88	74.00	-44.12	55.24	-25.36	Peak
2	2772.000	32.57	74.00	-41.43	55.72	-23.15	Peak
3	3696.000	36.49	74.00	-37.51	57.30	-20.81	Peak
4	3760.000	38.20	74.00	-35.80	58.78	-20.58	Peak
5	4874.000	53.71	74.00	-20.29	71.33	-17.62	Peak
6	4960.000	39.29	74.00	-34.71	56.69	-17.40	Peak
7	5640.000	38.97	74.00	-35.03	55.85	-16.88	Peak
8	7311.000	51.86	54.00	-2.14	64.52	-12.66	Average
9	7311.000	66.56	74.00	-7.44	79.22	-12.66	Peak
10	7440.000	45.00	74.00	-29.00	57.44	-12.44	Peak
11	7520.000	45.35	74.00	-28.65	57.68	-12.33	Peak
12	9748.000	57.22	74.00	-16.78	66.20	-8.98	Peak
13	9920.000	47.98	74.00	-26.02	56.75	-8.77	Peak
14	11550.000	53.35	74.00	-20.65	59.39	-6.04	Peak
15	17325.000	50.97	74.00	-23.03	54.23	-3.26	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :Co-location_WIFI_2.4G+WIFI_5G+BLE+LTE+HaLow
Test By :Cyril Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	1848.000	29.87	74.00	-44.13	55.23	-25.36	Peak
2	2772.000	32.78	74.00	-41.22	55.93	-23.15	Peak
3	3696.000	37.26	74.00	-36.74	58.07	-20.81	Peak
4	3760.000	41.83	74.00	-32.17	62.41	-20.58	Peak
5	4874.000	51.92	74.00	-22.08	69.54	-17.62	Peak
6	4960.000	39.35	74.00	-34.65	56.75	-17.40	Peak
7	5640.000	39.10	74.00	-34.90	55.98	-16.88	Peak
8	7311.000	40.81	54.00	-13.19	53.47	-12.66	Average
9	7311.000	68.44	74.00	-5.56	81.10	-12.66	Peak
10	7440.000	45.34	74.00	-28.66	57.78	-12.44	Peak
11	7520.000	45.84	74.00	-28.16	58.17	-12.33	Peak
12	9748.000	58.23	74.00	-15.77	67.21	-8.98	Peak
13	9920.000	47.16	74.00	-26.84	55.93	-8.77	Peak
14	11550.000	53.88	74.00	-20.12	59.92	-6.04	Peak
15	17325.000	51.70	74.00	-22.30	54.96	-3.26	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.