


5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64328G	44.56	74.00	-29.44	59.65	3	Vertical	291	1.90	-	38.10	12.35	65.54
AV	10.63972G	31.01	54.00	-22.99	46.10	3	Vertical	291	1.90	-	38.10	12.35	65.54
PK	15.95344G	44.44	74.00	-29.56	52.53	3	Vertical	29	1.05	-	37.55	16.65	62.29
AV	15.95052G	31.13	54.00	-22.87	39.22	3	Vertical	29	1.05	-	37.55	16.65	62.29

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64404G	45.03	74.00	-28.97	60.12	3	Horizontal	216	1.17	-	38.10	12.35	65.54
AV	10.63984G	30.89	54.00	-23.11	45.98	3	Horizontal	216	1.17	-	38.10	12.35	65.54
PK	15.96496G	43.75	74.00	-30.25	51.85	3	Horizontal	113	2.23	-	37.54	16.66	62.30
AV	15.95G	30.27	54.00	-23.73	38.36	3	Horizontal	113	2.23	-	37.55	16.65	62.29

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
 SET 23
 15\21\24\22.5\23
 6.77\5.90\3.09\3.68\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	61.85	74.00	-12.15	55.18	3	Vertical	23	1.94	23	34.60	6.96	34.89
AV	5.4561G	49.55	54.00	-4.45	42.88	3	Vertical	23	1.94	23	34.60	6.96	34.89
PK	5.4666G	67.81	68.20	-0.39	61.14	3	Vertical	23	1.94	23	34.60	6.97	34.90
PK	5.5059G	124.66	Inf	-Inf	117.95	3	Vertical	23	1.94	23	34.60	7.01	34.90
AV	5.4973G	112.12	Inf	-Inf	105.42	3	Vertical	23	1.94	23	34.60	7.00	34.90

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00508G	45.67	74.00	-28.33	60.71	3	Vertical	220	2.80	-	38.31	12.55	65.90
AV	10.9912G	32.61	54.00	-21.39	47.67	3	Vertical	220	2.80	-	38.29	12.55	65.90
PK	16.50364G	45.00	68.20	-23.20	52.14	3	Vertical	214	2.71	-	37.92	17.00	62.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99924G	46.69	74.00	-27.31	61.75	3	Horizontal	271	2.57	-	38.30	12.55	65.91
AV	10.9932G	32.59	54.00	-21.41	47.65	3	Horizontal	271	2.57	-	38.29	12.55	65.90
PK	16.49852G	45.42	68.20	-22.78	52.58	3	Horizontal	161	2.52	-	37.90	17.00	62.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 6.32\5.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.45	74.00	-12.55	54.78	3	Vertical	18	1.87	30	34.60	6.96	34.89
AV	5.45904G	48.84	54.00	-5.16	42.17	3	Vertical	18	1.87	30	34.60	6.96	34.89
PK	5.4696G	61.93	68.20	-6.27	55.26	3	Vertical	18	1.87	30	34.60	6.97	34.90
PK	5.58096G	128.54	Inf	-Inf	121.92	3	Vertical	18	1.87	30	34.48	7.08	34.94
AV	5.5816G	117.20	Inf	-Inf	110.59	3	Vertical	18	1.87	30	34.47	7.08	34.94
PK	5.73424G	60.21	68.20	-7.99	53.85	3	Vertical	18	1.87	30	34.20	7.17	35.01

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16436G	46.35	74.00	-27.65	60.78	3	Vertical	320	2.66	-	38.53	12.64	65.60
AV	11.1632G	32.73	54.00	-21.27	47.16	3	Vertical	320	2.66	-	38.53	12.64	65.60
PK	16.74212G	46.88	68.20	-21.32	52.94	3	Vertical	285	1.48	-	38.93	17.15	62.14

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16624G	46.41	74.00	-27.59	60.83	3	Horizontal	345	1.59	-	38.53	12.64	65.59
AV	11.16268G	32.85	54.00	-21.15	47.28	3	Horizontal	345	1.59	-	38.53	12.64	65.60
PK	16.7364G	47.01	68.20	-21.19	53.10	3	Horizontal	115	2.59	-	38.91	17.14	62.14

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
 SET 21
 15\21\24\22.5\22\21.5\21
 7.14\5.58\9.52\1.51\1.05\0.41\5.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7025G	122.65	Inf	-Inf	116.30	3	Vertical	16	2.04	21	34.20	7.15	35.00
AV	5.7016G	110.33	Inf	-Inf	103.98	3	Vertical	16	2.04	21	34.20	7.15	35.00
PK	5.731G	62.76	68.20	-5.44	56.40	3	Vertical	16	2.04	21	34.20	7.17	35.01

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39556G	46.80	74.00	-27.20	60.50	3	Vertical	80	1.53	-	38.69	12.77	65.16
AV	11.40292G	33.29	54.00	-20.71	46.95	3	Vertical	80	1.53	-	38.71	12.77	65.14
PK	17.09732G	47.74	68.20	-20.46	52.45	3	Vertical	188	2.15	-	40.19	17.36	62.26

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40484G	46.68	74.00	-27.32	60.34	3	Horizontal	79	2.53	-	38.71	12.77	65.14
AV	11.4038G	33.25	54.00	-20.75	46.91	3	Horizontal	79	2.53	-	38.71	12.77	65.14
PK	17.09356G	47.99	68.20	-20.21	52.70	3	Horizontal	319	1.82	-	40.19	17.36	62.26

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 SET 30
 24\30
 6.73\6.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	59.00	74.00	-15.00	52.34	3	Vertical	20	1.92	30	34.60	6.95	34.89
AV	5.4527G	47.43	54.00	-6.57	40.77	3	Vertical	20	1.92	30	34.60	6.95	34.89
PK	5.46566G	58.74	68.20	-9.46	52.07	3	Vertical	20	1.92	30	34.60	6.97	34.90
PK	5.7119G	127.30	Inf	-Inf	120.94	3	Vertical	20	1.92	30	34.20	7.16	35.00
AV	5.72108G	116.98	Inf	-Inf	110.63	3	Vertical	20	1.92	30	34.20	7.16	35.01
PK	5.98838G	59.88	68.20	-8.32	53.04	3	Vertical	20	1.92	30	34.68	7.29	35.13

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44616G	46.83	74.00	-27.17	60.25	3	Vertical	346	1.34	-	38.84	12.80	65.06
AV	11.43572G	33.33	54.00	-20.67	46.81	3	Vertical	346	1.34	-	38.81	12.79	65.08
PK	17.1554G	47.32	68.20	-20.88	51.85	3	Vertical	81	1.49	-	40.37	17.39	62.29

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43384G	47.85	74.00	-26.15	61.35	3	Horizontal	242	2.67	-	38.80	12.79	65.09
AV	11.43496G	33.42	54.00	-20.58	46.91	3	Horizontal	242	2.67	-	38.80	12.79	65.08
PK	17.1534G	47.02	68.20	-21.18	51.55	3	Horizontal	239	1.60	-	40.36	17.39	62.28

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30
24\28\30
4.55\4.23\2.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65456G	68.62	71.57	-2.95	62.08	3	Vertical	21	1.97	30	34.38	7.13	34.97
PK	5.74424G	128.41	Inf	-Inf	122.06	3	Vertical	21	1.97	30	34.20	7.17	35.02
AV	5.74576G	117.27	Inf	-Inf	110.92	3	Vertical	21	1.97	30	34.20	7.17	35.02
PK	5.9331G	59.34	68.20	-8.86	52.61	3	Vertical	21	1.97	30	34.57	7.27	35.11

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.482G	45.42	74.00	-28.58	58.64	3	Vertical	242	1.27	-	38.95	12.82	64.99
AV	11.4852G	32.49	54.00	-21.51	45.70	3	Vertical	242	1.27	-	38.96	12.82	64.99
PK	17.22976G	47.23	68.20	-20.97	51.46	3	Vertical	194	1.09	-	40.65	17.44	62.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4908G	45.61	74.00	-28.39	58.80	3	Horizontal	213	2.97	-	38.97	12.82	64.98
AV	11.48396G	32.50	54.00	-21.50	45.72	3	Horizontal	213	2.97	-	38.95	12.82	64.99
PK	17.23568G	46.95	68.20	-21.25	51.15	3	Horizontal	124	1.58	-	40.68	17.44	62.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30
24\30
8.20\8.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.16	68.20	-8.04	53.61	3	Vertical	20	1.80	30	34.40	7.12	34.97
PK	5.781G	128.16	Inf	-Inf	121.74	3	Vertical	20	1.80	30	34.27	7.19	35.04
AV	5.784G	116.77	Inf	-Inf	110.35	3	Vertical	20	1.80	30	34.27	7.19	35.04
PK	5.9332G	59.80	68.20	-8.40	53.07	3	Vertical	20	1.80	30	34.57	7.27	35.11

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.566G	46.07	74.00	-27.93	59.00	3	Vertical	357	2.21	-	39.20	12.86	64.99
AV	11.5704G	32.60	54.00	-21.40	45.52	3	Vertical	357	2.21	-	39.21	12.86	64.99
PK	17.36488G	48.37	68.20	-19.83	51.77	3	Vertical	114	1.72	-	41.45	17.52	62.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57056G	45.91	74.00	-28.09	58.83	3	Horizontal	120	1.89	-	39.21	12.86	64.99
AV	11.5738G	32.78	54.00	-21.22	45.68	3	Horizontal	120	1.89	-	39.22	12.87	64.99
PK	17.36108G	47.95	68.20	-20.25	51.37	3	Horizontal	169	2.79	-	41.43	17.52	62.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
 SET 30
 24\28\30
 3.26\3.90\3.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64108G	63.70	68.20	-4.50	57.15	3	Vertical	21	2.05	30	34.40	7.12	34.97
PK	5.82652G	128.37	Inf	-Inf	121.92	3	Vertical	21	2.05	30	34.30	7.21	35.06
AV	5.82614G	117.21	Inf	-Inf	110.76	3	Vertical	21	2.05	30	34.30	7.21	35.06
PK	5.925G	64.44	68.20	-3.76	57.73	3	Vertical	21	2.05	30	34.55	7.26	35.10

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65196G	45.42	74.00	-28.58	58.19	3	Vertical	212	2.79	-	39.35	12.91	65.03
AV	11.65272G	31.85	54.00	-22.15	44.62	3	Vertical	212	2.79	-	39.35	12.91	65.03
PK	17.47984G	51.27	68.20	-16.93	53.84	3	Vertical	58	1.94	-	42.26	17.59	62.42

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6536G	45.21	74.00	-28.79	57.98	3	Horizontal	288	2.27	-	39.35	12.91	65.03
AV	11.64324G	31.90	54.00	-22.10	44.69	3	Horizontal	288	2.27	-	39.34	12.90	65.03
PK	17.47872G	50.25	68.20	-17.95	52.83	3	Horizontal	319	1.32	-	42.25	17.59	62.42

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 SET 21
 15\21\24\22.5\22\16\19\20.5\21
 6.87\1.51\19.84\10.93\8.62\6.57\4.82\2.25\1.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	65.60	74.00	-8.40	59.60	3	Vertical	18	2.13	21	34.10	6.75	34.85
AV	5.14872G	52.68	54.00	-1.32	46.68	3	Vertical	18	2.13	21	34.10	6.75	34.85
PK	5.1792G	120.35	Inf	-Inf	114.39	3	Vertical	18	2.13	21	34.04	6.78	34.86
AV	5.19852G	108.06	Inf	-Inf	102.12	3	Vertical	18	2.13	21	34.00	6.80	34.86

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39888G	57.11	68.20	-11.09	72.66	3	Vertical	192	1.80	21	37.90	12.22	65.67
PK	15.55784G	62.43	74.00	-11.57	70.08	3	Vertical	108	1.80	21	38.17	16.26	62.08
AV	15.558G	49.17	54.00	-4.83	56.82	3	Vertical	108	1.80	21	38.17	16.26	62.08

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39624G	56.94	68.20	-11.26	72.49	3	Horizontal	68	1.82	21	37.90	12.22	65.67
PK	15.56504G	62.62	74.00	-11.38	70.30	3	Horizontal	129	1.80	21	38.14	16.27	62.09
AV	15.55808G	49.12	54.00	-4.88	56.77	3	Horizontal	129	1.80	21	38.17	16.26	62.08

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
 SET 24
 24\25\24.5\24
 0.66\ -2.78\ -1.02\ 0.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1403G	65.36	74.00	-8.64	59.39	3	Vertical	16	2.08	24	34.08	6.74	34.85
AV	5.14992G	53.41	54.00	-0.59	47.41	3	Vertical	16	2.08	24	34.10	6.75	34.85
PK	5.23078G	122.66	Inf	-Inf	116.70	3	Vertical	16	2.08	24	34.00	6.82	34.86
AV	5.23078G	111.18	Inf	-Inf	105.22	3	Vertical	16	2.08	24	34.00	6.82	34.86
PK	5.35298G	60.21	74.00	-13.79	53.72	3	Vertical	16	2.08	24	34.49	6.88	34.88
AV	5.35168G	47.85	54.00	-6.15	41.35	3	Vertical	16	2.08	24	34.50	6.88	34.88

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44096G	56.26	68.20	-11.94	71.63	3	Vertical	169	1.80	24	37.94	12.24	65.55
PK	15.65184G	62.61	74.00	-11.39	70.34	3	Vertical	173	1.80	24	38.05	16.35	62.13
AV	15.66824G	48.78	54.00	-5.22	56.48	3	Vertical	173	1.80	24	38.07	16.37	62.14

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4508G	56.97	68.20	-11.23	72.29	3	Horizontal	233	1.39	24	37.95	12.25	65.52
PK	15.6612G	63.12	74.00	-10.88	70.84	3	Horizontal	135	1.80	24	38.06	16.36	62.14
AV	15.6792G	48.72	54.00	-5.28	56.41	3	Horizontal	135	1.80	24	38.08	16.38	62.15

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
 SET 23.5
 15\21\24\22.5\23\23.5
 6.85\5.84\0.20\4.12\3.26\1.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	61.98	74.00	-12.02	56.00	3	Vertical	24	1.80	23.5	34.09	6.74	34.85
AV	5.14512G	48.50	54.00	-5.50	42.51	3	Vertical	24	1.80	23.5	34.09	6.75	34.85
PK	5.27588G	122.03	Inf	-Inf	115.90	3	Vertical	24	1.80	23.5	34.16	6.84	34.87
AV	5.26608G	109.66	Inf	-Inf	103.60	3	Vertical	24	1.80	23.5	34.10	6.83	34.87
PK	5.35484G	64.85	74.00	-9.15	58.36	3	Vertical	24	1.80	23.5	34.49	6.88	34.88
AV	5.35568G	52.15	54.00	-1.85	45.66	3	Vertical	24	1.80	23.5	34.49	6.88	34.88

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54328G	45.42	68.20	-22.78	60.52	3	Vertical	175	2.78	-	38.04	12.30	65.44
PK	15.80736G	45.52	74.00	-28.48	53.72	3	Vertical	209	1.40	-	37.51	16.51	62.22
AV	15.8022G	31.76	54.00	-22.24	39.97	3	Vertical	209	1.40	-	37.50	16.50	62.21

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54048G	45.59	68.20	-22.61	60.68	3	Horizontal	261	2.05	-	38.04	12.30	65.43
PK	15.8042G	45.50	74.00	-28.50	53.71	3	Horizontal	123	1.32	-	37.50	16.50	62.21
AV	15.811G	31.82	54.00	-22.18	40.02	3	Horizontal	123	1.32	-	37.51	16.51	62.22

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 SET 20
 15\21\18\19.5\20\20.5\20
 6.61\ -4.29\5.35\3.88\1.84\ -0.14\2.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3004G	120.33	Inf	-Inf	114.05	3	Vertical	18	1.99	20	34.30	6.85	34.87
AV	5.30892G	108.08	Inf	-Inf	101.76	3	Vertical	18	1.99	20	34.34	6.85	34.87
PK	5.35G	68.97	74.00	-5.03	62.48	3	Vertical	18	1.99	20	34.50	6.87	34.88
AV	5.35G	51.68	54.00	-2.32	45.19	3	Vertical	18	1.99	20	34.50	6.87	34.88

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61452G	44.31	74.00	-29.69	59.38	3	Vertical	123	2.57	-	38.10	12.34	65.51
AV	10.61972G	31.16	54.00	-22.84	46.23	3	Vertical	123	2.57	-	38.10	12.34	65.51
PK	15.9342G	44.08	74.00	-29.92	52.16	3	Vertical	151	1.30	-	37.57	16.63	62.28
AV	15.92156G	30.75	54.00	-23.25	38.83	3	Vertical	151	1.30	-	37.58	16.62	62.28

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62008G	44.48	74.00	-29.52	59.55	3	Horizontal	239	2.52	-	38.10	12.34	65.51
AV	10.61984G	31.25	54.00	-22.75	46.32	3	Horizontal	239	2.52	-	38.10	12.34	65.51
PK	15.92776G	43.98	74.00	-30.02	52.06	3	Horizontal	19	2.54	-	37.57	16.63	62.28
AV	15.92152G	30.73	54.00	-23.27	38.81	3	Horizontal	19	2.54	-	37.58	16.62	62.28

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 SET 20
 15\21\18\19.5\20\24\22\20
 6.74\ -0.70\0.66\4.10\3.66\ -17.94\ -3.01\3.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45756G	61.01	74.00	-12.99	54.34	3	Vertical	22	1.98	20	34.60	6.96	34.89
AV	5.45804G	48.90	54.00	-5.10	42.23	3	Vertical	22	1.98	20	34.60	6.96	34.89
PK	5.46836G	64.43	68.20	-3.77	57.76	3	Vertical	22	1.98	20	34.60	6.97	34.90
PK	5.50676G	119.64	Inf	-Inf	112.93	3	Vertical	22	1.98	20	34.60	7.01	34.90
AV	5.50808G	106.87	Inf	-Inf	100.16	3	Vertical	22	1.98	20	34.60	7.01	34.90

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0228G	44.69	74.00	-29.31	59.68	3	Vertical	351	2.69	-	38.32	12.56	65.87
AV	11.01008G	31.34	54.00	-22.66	46.36	3	Vertical	351	2.69	-	38.31	12.56	65.89
PK	16.5324G	44.34	68.20	-23.86	51.33	3	Vertical	7	2.67	-	38.06	17.02	62.07

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0106G	45.10	74.00	-28.90	60.12	3	Horizontal	245	2.41	-	38.31	12.56	65.89
AV	11.01G	31.53	54.00	-22.47	46.55	3	Horizontal	245	2.41	-	38.31	12.56	65.89
PK	16.52828G	45.04	68.20	-23.16	52.05	3	Horizontal	132	1.14	-	38.04	17.02	62.07

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
 SET 24.5
 24\28\26\25\24.5
 2.69\ -12.61\ -5.33\ -0.96\ 1.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	60.49	74.00	-13.51	54.00	3	Vertical	24	1.80	24.5	34.50	6.87	34.88
AV	5.35G	48.67	54.00	-5.33	42.18	3	Vertical	24	1.80	24.5	34.50	6.87	34.88
PK	5.458G	65.32	74.00	-8.68	58.65	3	Vertical	24	1.80	24.5	34.60	6.96	34.89
AV	5.458G	52.24	54.00	-1.76	45.57	3	Vertical	24	1.80	24.5	34.60	6.96	34.89
PK	5.4688G	66.15	68.20	-2.05	59.48	3	Vertical	24	1.80	24.5	34.60	6.97	34.90
PK	5.5484G	122.75	Inf	-Inf	116.02	3	Vertical	24	1.80	24.5	34.60	7.05	34.92
AV	5.5476G	110.50	Inf	-Inf	103.77	3	Vertical	24	1.80	24.5	34.60	7.05	34.92
PK	5.7444G	60.27	68.20	-7.93	53.92	3	Vertical	24	1.80	24.5	34.20	7.17	35.02

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1032G	45.75	74.00	-28.25	60.44	3	Vertical	243	2.76	-	38.41	12.61	65.71
AV	11.10192G	32.49	54.00	-21.51	47.20	3	Vertical	243	2.76	-	38.40	12.61	65.72
PK	16.64724G	45.55	68.20	-22.65	51.98	3	Vertical	144	2.70	-	38.59	17.09	62.11

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09708G	46.87	74.00	-27.13	61.60	3	Horizontal	125	1.22	-	38.40	12.60	65.73
AV	11.10192G	32.56	54.00	-21.44	47.27	3	Horizontal	125	1.22	-	38.40	12.61	65.72
PK	16.6502G	45.36	68.20	-22.84	51.78	3	Horizontal	165	1.76	-	38.60	17.09	62.11

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 SET 22
 15\21\24\22.5\22
 8.77\6.26\ -10.66\ -3.64\0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66056G	123.69	Inf	-Inf	117.18	3	Vertical	20	2.03	22	34.36	7.13	34.98
AV	5.66024G	109.25	Inf	-Inf	102.74	3	Vertical	20	2.03	22	34.36	7.13	34.98
PK	5.7284G	67.48	68.20	-0.72	61.13	3	Vertical	20	2.03	22	34.20	7.16	35.01

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34796G	47.25	74.00	-26.75	61.16	3	Vertical	311	2.40	-	38.60	12.74	65.25
AV	11.34712G	33.36	54.00	-20.64	47.28	3	Vertical	311	2.40	-	38.59	12.74	65.25
PK	17.00212G	47.99	68.20	-20.21	52.91	3	Vertical	140	1.47	-	40.00	17.30	62.22

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.348G	46.51	74.00	-27.49	60.42	3	Horizontal	147	1.70	-	38.60	12.74	65.25
AV	11.34908G	33.39	54.00	-20.61	47.30	3	Horizontal	147	1.70	-	38.60	12.74	65.25
PK	17.0196G	47.88	68.20	-20.32	52.76	3	Horizontal	68	2.90	-	40.04	17.31	62.23

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 SET 26.5
 24\30\27\25.5\26\29.5\28\27.5\26\26.5
 6.45\ -3.76\ -0.05\ 6.03\ 4.53\ -3.10\ -2.92\ -0.55\ 5.33\ 1.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	61.52	74.00	-12.48	54.85	3	Vertical	19	1.99	-	34.60	6.96	34.89
PK	5.4604G	61.48	68.20	-6.72	54.81	3	Vertical	19	1.99	-	34.60	6.96	34.89
AV	5.46G	50.32	54.00	-3.68	43.65	3	Vertical	19	1.99	-	34.60	6.96	34.89
PK	5.70168G	125.86	Inf	-Inf	119.51	3	Vertical	19	1.99	-	34.20	7.15	35.00
AV	5.70064G	114.62	Inf	-Inf	108.27	3	Vertical	19	1.99	-	34.20	7.15	35.00
PK	5.85248G	66.83	68.20	-1.37	60.36	3	Vertical	19	1.99	-	34.31	7.23	35.07

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 26.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41456G	46.92	74.00	-27.08	60.52	3	Vertical	37	2.00	-	38.74	12.78	65.12
AV	11.41076G	32.86	54.00	-21.14	46.48	3	Vertical	37	2.00	-	38.73	12.78	65.13
PK	17.1224G	46.37	68.20	-21.83	51.00	3	Vertical	253	2.33	-	40.27	17.37	62.27

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 26.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41708G	46.45	74.00	-27.55	60.04	3	Horizontal	148	2.28	-	38.75	12.78	65.12
AV	11.41084G	32.92	54.00	-21.08	46.54	3	Horizontal	148	2.28	-	38.73	12.78	65.13
PK	17.1318G	46.84	68.20	-21.36	51.44	3	Horizontal	96	2.37	-	40.30	17.38	62.28

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
 SET 25.5
 24\30\27\25.5\26\25.5
 5.01\10.87\13.13\0.66\3.93\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64736G	68.05	68.20	-0.15	61.50	3	Vertical	22	1.97	25.5	34.40	7.12	34.97
PK	5.75572G	125.79	Inf	-Inf	119.42	3	Vertical	22	1.97	25.5	34.21	7.18	35.02
AV	5.74492G	112.95	Inf	-Inf	106.60	3	Vertical	22	1.97	25.5	34.20	7.17	35.02
PK	5.92672G	59.95	68.20	-8.25	53.24	3	Vertical	22	1.97	25.5	34.55	7.26	35.10

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50796G	45.86	74.00	-28.14	58.97	3	Vertical	122	1.36	-	39.02	12.83	64.96
AV	11.5098G	32.55	54.00	-21.45	45.65	3	Vertical	122	1.36	-	39.03	12.83	64.96
PK	17.26516G	45.83	68.20	-22.37	49.87	3	Vertical	156	1.71	-	40.83	17.46	62.33

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50444G	45.99	74.00	-28.01	59.11	3	Horizontal	266	2.56	-	39.01	12.83	64.96
AV	11.5072G	32.49	54.00	-21.51	45.60	3	Horizontal	266	2.56	-	39.02	12.83	64.96
PK	17.2736G	45.78	68.20	-22.42	49.78	3	Horizontal	77	1.82	-	40.87	17.46	62.33

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
 SET 26
 24\30\27\25.5\26\29.5\28\27.5\26
 8.12\ -3.00\ -2.32\6.52\4.94\ -2.43\ -4.56\ -1.82\4.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64876G	62.68	68.20	-5.52	56.13	3	Vertical	21	2.05	26	34.40	7.12	34.97
PK	5.79628G	124.85	Inf	-Inf	118.40	3	Vertical	21	2.05	26	34.29	7.20	35.04
AV	5.79628G	112.80	Inf	-Inf	106.35	3	Vertical	21	2.05	26	34.29	7.20	35.04
PK	5.9262G	63.58	68.20	-4.62	56.87	3	Vertical	21	2.05	26	34.55	7.26	35.10

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58356G	45.37	74.00	-28.63	58.25	3	Vertical	224	1.21	-	39.25	12.87	65.00
AV	11.5802G	31.92	54.00	-22.08	44.81	3	Vertical	224	1.21	-	39.24	12.87	65.00
PK	17.37628G	47.85	68.20	-20.35	51.17	3	Vertical	222	1.27	-	41.53	17.53	62.38

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59888G	45.57	74.00	-28.43	58.40	3	Horizontal	227	1.84	-	39.30	12.88	65.01
AV	11.58008G	32.07	54.00	-21.93	44.96	3	Horizontal	227	1.84	-	39.24	12.87	65.00
PK	17.39004G	47.76	68.20	-20.44	50.98	3	Horizontal	214	1.55	-	41.63	17.53	62.38

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
 SET 17.5
 15\21\18\16.5\17\17.5
 5.22\3.98\0.59\3.39\2.57\1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	66.03	74.00	-7.97	60.06	3	Vertical	15	2.15	17.5	34.08	6.74	34.85
AV	5.14984G	52.65	54.00	-1.35	46.65	3	Vertical	15	2.15	17.5	34.10	6.75	34.85
PK	5.22984G	114.07	Inf	-Inf	108.12	3	Vertical	15	2.15	17.5	34.00	6.81	34.86
AV	5.2004G	102.29	Inf	-Inf	96.35	3	Vertical	15	2.15	17.5	34.00	6.80	34.86
PK	5.36488G	59.22	74.00	-14.78	52.75	3	Vertical	15	2.15	17.5	34.47	6.88	34.88
AV	5.36904G	47.67	54.00	-6.33	41.21	3	Vertical	15	2.15	17.5	34.46	6.88	34.88

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38672G	56.44	68.20	-11.76	72.04	3	Vertical	246	1.80	17.5	37.89	12.21	65.70
PK	15.55368G	62.91	74.00	-11.09	70.55	3	Vertical	14	1.05	17.5	38.19	16.25	62.08
AV	15.554G	49.52	54.00	-4.48	57.17	3	Vertical	14	1.05	17.5	38.18	16.25	62.08

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39744G	56.87	68.20	-11.33	72.42	3	Horizontal	79	1.80	17.5	37.90	12.22	65.67
PK	15.6652G	62.68	74.00	-11.32	70.38	3	Horizontal	88	1.80	17.5	38.07	16.37	62.14
AV	15.55496G	49.55	54.00	-4.45	57.20	3	Horizontal	88	1.80	17.5	38.18	16.25	62.08

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
 SET 20
 10\16\19\20.5\20
 6.48\6.07\3.58\0.99\1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13864G	60.94	74.00	-13.06	54.97	3	Vertical	15	2.12	20	34.08	6.74	34.85
AV	5.13576G	49.47	54.00	-4.53	43.51	3	Vertical	15	2.12	20	34.07	6.74	34.85
PK	5.2612G	117.60	Inf	-Inf	111.57	3	Vertical	15	2.12	20	34.07	6.83	34.87
AV	5.2708G	105.31	Inf	-Inf	99.22	3	Vertical	15	2.12	20	34.12	6.84	34.87
PK	5.35208G	67.29	74.00	-6.71	60.79	3	Vertical	15	2.12	20	34.50	6.88	34.88
AV	5.35112G	52.69	54.00	-1.31	46.19	3	Vertical	15	2.12	20	34.50	6.88	34.88

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5894G	45.39	68.20	-22.81	60.46	3	Vertical	156	2.45	-	38.09	12.32	65.48
PK	15.86024G	44.43	74.00	-29.57	52.55	3	Vertical	209	1.74	-	37.56	16.56	62.24
AV	15.86828G	31.48	54.00	-22.52	39.59	3	Vertical	209	1.74	-	37.57	16.57	62.25

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57296G	45.50	68.20	-22.70	60.58	3	Horizontal	292	1.93	-	38.07	12.32	65.47
PK	15.86728G	45.06	74.00	-28.94	53.17	3	Horizontal	21	2.13	-	37.57	16.57	62.25
AV	15.86584G	31.70	54.00	-22.30	39.81	3	Horizontal	21	2.13	-	37.57	16.57	62.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
 SET 20
 15\21\18\19.5\20\20.5\20
 5.43\ -2.01\2.91\1.21\0.53\ -0.51\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45992G	64.93	74.00	-9.07	58.26	3	Vertical	20	1.96	20	34.60	6.96	34.89
AV	5.45912G	53.76	54.00	-0.24	47.09	3	Vertical	20	1.96	20	34.60	6.96	34.89
PK	5.4692G	66.86	68.20	-1.34	60.19	3	Vertical	20	1.96	20	34.60	6.97	34.90
PK	5.54952G	116.18	Inf	-Inf	109.45	3	Vertical	20	1.96	20	34.60	7.05	34.92
AV	5.53896G	103.84	Inf	-Inf	97.12	3	Vertical	20	1.96	20	34.60	7.04	34.92

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0644G	45.09	74.00	-28.91	59.93	3	Vertical	349	2.45	-	38.36	12.59	65.79
AV	11.06776G	31.93	54.00	-22.07	46.75	3	Vertical	349	2.45	-	38.37	12.59	65.78
PK	16.5948G	46.22	68.20	-21.98	52.88	3	Vertical	257	2.16	-	38.37	17.06	62.09

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05136G	45.24	74.00	-28.76	60.12	3	Horizontal	180	1.07	-	38.35	12.58	65.81
AV	11.069G	32.20	54.00	-21.80	47.02	3	Horizontal	180	1.07	-	38.37	12.59	65.78
PK	16.58312G	46.46	68.20	-21.74	53.18	3	Horizontal	139	1.92	-	38.32	17.05	62.09

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 SET 22.5
 15\21\24\22.5\23\22.5
 6.52\5.37\3.94\2.30\0.28\3.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45544G	61.60	74.00	-12.40	54.93	3	Vertical	21	2.02	22.5	34.60	6.96	34.89
AV	5.4564G	50.36	54.00	-3.64	43.69	3	Vertical	21	2.02	22.5	34.60	6.96	34.89
PK	5.46856G	62.85	68.20	-5.35	56.18	3	Vertical	21	2.02	22.5	34.60	6.97	34.90
PK	5.578G	119.12	Inf	-Inf	112.49	3	Vertical	21	2.02	22.5	34.49	7.08	34.94
AV	5.60904G	106.59	Inf	-Inf	100.04	3	Vertical	21	2.02	22.5	34.40	7.10	34.95
PK	5.7316G	65.01	68.20	-3.19	58.65	3	Vertical	21	2.02	22.5	34.20	7.17	35.01

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2118G	47.10	74.00	-26.90	61.35	3	Vertical	116	1.16	-	38.59	12.67	65.51
AV	11.21964G	33.50	54.00	-20.50	47.74	3	Vertical	116	1.16	-	38.58	12.67	65.49
PK	16.82752G	47.16	68.20	-21.04	52.94	3	Vertical	76	2.08	-	39.18	17.20	62.16

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22936G	46.56	74.00	-27.44	60.78	3	Horizontal	181	2.05	-	38.57	12.68	65.47
AV	11.22248G	33.62	54.00	-20.38	47.86	3	Horizontal	181	2.05	-	38.58	12.67	65.49
PK	16.82216G	47.25	68.20	-20.95	53.05	3	Horizontal	11	2.04	-	39.17	17.19	62.16

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 24.5
24\28\26\25\24.5
3.70\12.51\6.38\0.91\0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45048G	61.90	74.00	-12.10	55.24	3	Vertical	21	1.93	24.5	34.60	6.95	34.89
AV	5.45912G	50.75	54.00	-3.25	44.08	3	Vertical	21	1.93	24.5	34.60	6.96	34.89
PK	5.46776G	62.00	68.20	-6.20	55.33	3	Vertical	21	1.93	24.5	34.60	6.97	34.90
PK	5.71112G	119.90	Inf	-Inf	113.54	3	Vertical	21	1.93	24.5	34.20	7.16	35.00
AV	5.67992G	108.60	Inf	-Inf	102.17	3	Vertical	21	1.93	24.5	34.28	7.14	34.99
PK	5.85032G	67.64	68.20	-0.56	61.18	3	Vertical	21	1.93	24.5	34.30	7.23	35.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38028G	47.91	74.00	-26.09	61.68	3	Vertical	175	2.83	-	38.66	12.76	65.19
AV	11.37616G	33.87	54.00	-20.13	47.66	3	Vertical	175	2.83	-	38.65	12.76	65.20
PK	17.07572G	46.79	68.20	-21.41	51.54	3	Vertical	306	1.93	-	40.15	17.35	62.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3742G	47.06	74.00	-26.94	60.85	3	Horizontal	192	2.52	-	38.65	12.76	65.20
AV	11.3826G	33.88	54.00	-20.12	47.63	3	Horizontal	192	2.52	-	38.67	12.76	65.18
PK	17.07636G	46.82	68.20	-21.38	51.57	3	Horizontal	174	2.85	-	40.15	17.35	62.25

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




14/07/2023

EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.96	68.20	-0.24	61.41	3	Vertical	24	1.78	-	34.40	7.12	34.97
PK	5.765G	121.92	Inf	-Inf	115.54	3	Vertical	24	1.78	-	34.23	7.18	35.03
AV	5.766G	109.55	Inf	-Inf	103.17	3	Vertical	24	1.78	-	34.23	7.18	35.03
PK	5.926G	63.66	68.20	-4.54	56.95	3	Vertical	24	1.78	-	34.55	7.26	35.10

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5468G	46.58	74.00	-27.42	59.57	3	Vertical	206	1.05	-	39.14	12.85	64.98
AV	11.5451G	32.48	54.00	-21.52	45.47	3	Vertical	206	1.05	-	39.14	12.85	64.98
PK	17.33332G	47.80	68.20	-20.40	51.43	3	Vertical	21	2.94	-	41.23	17.50	62.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54502G	46.13	74.00	-27.87	59.12	3	Horizontal	197	1.81	-	39.14	12.85	64.98
AV	11.54452G	32.46	54.00	-21.54	45.46	3	Horizontal	197	1.81	-	39.13	12.85	64.98
PK	17.335G	47.28	68.20	-20.92	50.89	3	Horizontal	180	2.80	-	41.25	17.50	62.36

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
 SET 17
 15\19\17
 3.28\0.23\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	66.69	74.00	-7.31	60.72	3	Vertical	18	2.05	17	34.08	6.74	34.85
AV	5.14824G	53.88	54.00	-0.12	47.88	3	Vertical	18	2.05	17	34.10	6.75	34.85
PK	5.24856G	111.72	Inf	-Inf	105.76	3	Vertical	18	2.05	17	34.00	6.82	34.86
AV	5.22864G	99.85	Inf	-Inf	93.90	3	Vertical	18	2.05	17	34.00	6.81	34.86
PK	5.36856G	62.95	74.00	-11.05	56.49	3	Vertical	18	2.05	17	34.46	6.88	34.88
AV	5.36928G	51.31	54.00	-2.69	44.85	3	Vertical	18	2.05	17	34.46	6.88	34.88

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3448G	56.54	68.20	-11.66	72.33	3	Vertical	99	1.79	17	37.84	12.19	65.82
PK	15.6076G	62.44	74.00	-11.56	70.23	3	Vertical	215	1.80	17	38.01	16.31	62.11
AV	15.67384G	49.34	54.00	-4.66	57.04	3	Vertical	215	1.80	17	38.07	16.37	62.14

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38608G	56.46	68.20	-11.74	72.06	3	Horizontal	264	1.80	17	37.89	12.21	65.70
PK	15.63G	62.11	74.00	-11.89	69.87	3	Horizontal	360	1.88	17	38.03	16.33	62.12
AV	15.68024G	49.53	54.00	-4.47	57.22	3	Horizontal	360	1.88	17	38.08	16.38	62.15

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 18
15\19\17\18
3.66\ -1.61\0.64\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45948G	65.73	74.00	-8.27	59.06	3	Vertical	19	2.04	18	34.60	6.96	34.89
AV	5.44904G	53.83	54.00	-0.17	47.17	3	Vertical	19	2.04	18	34.60	6.95	34.89
PK	5.46992G	64.85	68.20	-3.35	58.18	3	Vertical	19	2.04	18	34.60	6.97	34.90
PK	5.53904G	111.96	Inf	-Inf	105.24	3	Vertical	19	2.04	18	34.60	7.04	34.92
AV	5.58008G	100.07	Inf	-Inf	93.45	3	Vertical	19	2.04	18	34.48	7.08	34.94
PK	5.73128G	63.15	68.20	-5.05	56.79	3	Vertical	19	2.04	18	34.20	7.17	35.01

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14336G	45.61	74.00	-28.39	60.13	3	Vertical	97	1.74	-	38.49	12.63	65.64
AV	11.13568G	32.25	54.00	-21.75	46.81	3	Vertical	97	1.74	-	38.47	12.62	65.65
PK	16.71536G	47.11	68.20	-21.09	53.26	3	Vertical	39	1.16	-	38.85	17.13	62.13

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13868G	45.35	74.00	-28.65	59.89	3	Horizontal	267	2.65	-	38.48	12.63	65.65
AV	11.1312G	32.38	54.00	-21.62	46.96	3	Horizontal	267	2.65	-	38.46	12.62	65.66
PK	16.7198G	46.68	68.20	-21.52	52.82	3	Horizontal	193	2.18	-	38.86	17.13	62.13