




Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	QP	34.85M	36.19	40.00	-3.81	Vertical

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	34.85M	36.19	40.00	-3.81	-9.43	3	Vertical	261	1.00	"Worst"	45.62	21.63	1.00	32.06
QP	55.22M	35.20	40.00	-4.80	-17.90	3	Vertical	0	1.00	-	53.10	13.22	1.10	32.22
QP	73.65M	28.31	40.00	-11.69	-18.18	3	Vertical	242	2.00	-	46.49	12.53	1.27	31.98
QP	90.14M	30.09	43.50	-13.41	-15.63	3	Vertical	2	1.25	-	45.72	15.12	1.30	32.05
QP	170.65M	26.14	43.50	-17.36	-14.44	3	Vertical	360	1.00	-	40.58	15.79	1.75	31.98
QP	874.87M	37.25	46.00	-8.75	-0.71	3	Vertical	182	1.25	-	37.96	26.27	4.10	31.08

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	36.79M	30.73	40.00	-9.27	-10.36	3	Horizontal	287	2.00	-	41.09	20.72	1.00	32.08
QP	54.25M	30.69	40.00	-9.31	-17.77	3	Horizontal	260	3.00	-	48.46	13.35	1.10	32.22
QP	73.65M	25.31	40.00	-14.69	-18.18	3	Horizontal	116	3.00	-	43.49	12.53	1.27	31.98
QP	93.05M	27.66	43.50	-15.84	-14.99	3	Horizontal	92	2.00	-	42.65	15.75	1.36	32.10
QP	437.4M	31.20	46.00	-14.80	-6.08	3	Horizontal	170	1.00	-	37.28	22.50	2.87	31.45
QP	875.84M	37.13	46.00	-8.87	-0.69	3	Horizontal	216	1.50	"Worst"	37.82	26.29	4.10	31.08




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.45576G	53.97	54.00	-0.03	3	Vertical	111	1.05	27

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
 SET 23
 15\21\24\22.5\23\23.5\23
 6.98\6.37\ -2.42\3.69\1.87\ -0.02\1.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	63.75	74.00	-10.25	57.95	3	Vertical	277	1.05	23	32.91	5.45	32.56
AV	5.1478G	52.36	54.00	-1.64	46.57	3	Vertical	277	1.05	23	32.90	5.45	32.56
PK	5.1777G	119.45	Inf	-Inf	113.70	3	Vertical	277	1.05	23	32.90	5.48	32.63
AV	5.1776G	110.42	Inf	-Inf	104.67	3	Vertical	277	1.05	23	32.90	5.48	32.63

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
 SET 23
 23
 6.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	59.68	74.00	-14.32	53.89	3	Horizontal	96	1.93	23	32.90	5.45	32.56
AV	5.1499G	47.83	54.00	-6.17	42.04	3	Horizontal	96	1.93	23	32.90	5.45	32.56
PK	5.1787G	109.02	Inf	-Inf	103.27	3	Horizontal	96	1.93	23	32.90	5.48	32.63
AV	5.1791G	100.45	Inf	-Inf	94.70	3	Horizontal	96	1.93	23	32.90	5.48	32.63

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3572G	52.66	68.20	-15.54	48.71	3	Vertical	359	1.80	23	38.86	8.11	43.02
PK	15.55674G	54.18	74.00	-19.82	47.96	3	Vertical	310	1.80	23	38.62	10.14	42.54
AV	15.52114G	40.99	54.00	-13.01	34.66	3	Vertical	310	1.80	23	38.79	10.13	42.59

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35125G	52.54	68.20	-15.66	48.60	3	Horizontal	34	1.85	23	38.85	8.11	43.02
PK	15.52821G	53.28	74.00	-20.72	46.97	3	Horizontal	297	1.90	23	38.76	10.13	42.58
AV	15.52354G	40.94	54.00	-13.06	34.61	3	Horizontal	297	1.90	23	38.78	10.13	42.58

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
 SET 25.5
 24\28\26\25\25.5
 4.95\ -7.63\ -3.43\ 1.59\ 0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14932G	65.50	74.00	-8.50	59.71	3	Vertical	301	1.07	25.5	32.90	5.45	32.56
AV	5.15G	53.75	54.00	-0.25	47.96	3	Vertical	301	1.07	25.5	32.90	5.45	32.56
PK	5.20308G	122.43	Inf	-Inf	116.71	3	Vertical	301	1.07	25.5	32.91	5.50	32.69
AV	5.19314G	113.34	Inf	-Inf	107.62	3	Vertical	301	1.07	25.5	32.90	5.49	32.67

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
 SET 25.5
 25.5
 6.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14792G	59.17	74.00	-14.83	53.38	3	Horizontal	48	1.84	25.5	32.90	5.45	32.56
AV	5.1496G	47.82	54.00	-6.18	42.03	3	Horizontal	48	1.84	25.5	32.90	5.45	32.56
PK	5.19608G	111.47	Inf	-Inf	105.74	3	Horizontal	48	1.84	25.5	32.90	5.50	32.67
AV	5.19594G	102.55	Inf	-Inf	96.82	3	Horizontal	48	1.84	25.5	32.90	5.50	32.67

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40064G	53.85	68.20	-14.35	49.86	3	Vertical	4	2.87	25.5	38.90	8.12	43.03
PK	15.61479G	52.90	74.00	-21.10	46.84	3	Vertical	198	2.57	25.5	38.37	10.17	42.48
AV	15.58338G	40.58	54.00	-13.42	34.46	3	Vertical	198	2.57	25.5	38.48	10.15	42.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41147G	53.10	68.20	-15.10	49.09	3	Horizontal	35	1.84	25.5	38.92	8.12	43.03
PK	15.59433G	52.94	74.00	-21.06	46.85	3	Horizontal	228	1.80	25.5	38.43	10.16	42.50
AV	15.58202G	40.56	54.00	-13.44	34.43	3	Horizontal	228	1.80	25.5	38.49	10.15	42.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 5.99\4.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	60.87	74.00	-13.13	55.07	3	Vertical	301	1.09	30	32.91	5.45	32.56
AV	5.14822G	49.36	54.00	-4.64	43.57	3	Vertical	301	1.09	30	32.90	5.45	32.56
PK	5.23844G	124.94	Inf	-Inf	119.21	3	Vertical	301	1.09	30	32.98	5.52	32.77
AV	5.24312G	115.47	Inf	-Inf	109.74	3	Vertical	301	1.09	30	32.99	5.52	32.78
PK	5.35102G	58.70	74.00	-15.30	52.96	3	Vertical	301	1.09	30	33.20	5.58	33.04
AV	5.35G	47.72	54.00	-6.28	41.99	3	Vertical	301	1.09	30	33.20	5.57	33.04

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
 SET 30
 30
 7.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13106G	58.28	74.00	-15.72	52.43	3	Horizontal	49	1.91	30	32.94	5.43	32.52
AV	5.14978G	46.61	54.00	-7.39	40.82	3	Horizontal	49	1.91	30	32.90	5.45	32.56
PK	5.2361G	113.03	Inf	-Inf	107.31	3	Horizontal	49	1.91	30	32.97	5.52	32.77
AV	5.2361G	103.99	Inf	-Inf	98.27	3	Horizontal	49	1.91	30	32.97	5.52	32.77
PK	5.35544G	57.01	74.00	-16.99	51.26	3	Horizontal	49	1.91	30	33.22	5.58	33.05
AV	5.36142G	46.58	54.00	-7.42	40.81	3	Horizontal	49	1.91	30	33.25	5.58	33.06

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46741G	52.12	68.20	-16.08	47.99	3	Vertical	360	1.80	30	39.03	8.14	43.04
PK	15.72108G	53.14	74.00	-20.86	47.03	3	Vertical	41	2.38	30	38.26	10.20	42.35
AV	15.72052G	40.62	54.00	-13.38	34.51	3	Vertical	41	2.38	30	38.26	10.20	42.35

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47984G	53.06	68.20	-15.14	48.90	3	Horizontal	268	1.80	30	39.06	8.14	43.04
PK	15.71169G	54.20	74.00	-19.80	48.12	3	Horizontal	1	1.78	30	38.24	10.20	42.36
AV	15.71816G	40.68	54.00	-13.32	34.59	3	Horizontal	1	1.78	30	38.25	10.20	42.36

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
 SET 30
 24\28\30
 4.18\2.57\2.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.87	74.00	-14.13	54.08	3	Vertical	53	1.05	30	32.90	5.45	32.56
AV	5.14976G	48.37	54.00	-5.63	42.58	3	Vertical	53	1.05	30	32.90	5.45	32.56
PK	5.25558G	124.41	Inf	-Inf	118.67	3	Vertical	53	1.05	30	33.02	5.53	32.81
AV	5.25532G	115.64	Inf	-Inf	109.90	3	Vertical	53	1.05	30	33.02	5.53	32.81
PK	5.35022G	62.11	74.00	-11.89	56.37	3	Vertical	53	1.05	30	33.20	5.58	33.04
AV	5.35022G	51.43	54.00	-2.57	45.69	3	Vertical	53	1.05	30	33.20	5.58	33.04

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
 SET 30
 30
 7.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	57.51	74.00	-16.49	51.72	3	Horizontal	50	2.03	30	32.90	5.45	32.56
AV	5.14976G	46.61	54.00	-7.39	40.82	3	Horizontal	50	2.03	30	32.90	5.45	32.56
PK	5.25688G	113.67	Inf	-Inf	107.93	3	Horizontal	50	2.03	30	33.03	5.53	32.82
AV	5.26104G	105.01	Inf	-Inf	99.27	3	Horizontal	50	2.03	30	33.04	5.53	32.83
PK	5.37882G	58.67	74.00	-15.33	52.86	3	Horizontal	50	2.03	30	33.32	5.59	33.10
AV	5.35152G	46.93	54.00	-7.07	41.18	3	Horizontal	50	2.03	30	33.21	5.58	33.04

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53379G	52.45	68.20	-15.75	48.16	3	Vertical	348	1.76	30	39.17	8.16	43.04
PK	15.79275G	53.78	74.00	-20.22	47.34	3	Vertical	282	2.95	30	38.48	10.23	42.27
AV	15.7601G	41.14	54.00	-12.86	34.85	3	Vertical	282	2.95	30	38.38	10.22	42.31

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50154G	52.53	68.20	-15.67	48.32	3	Horizontal	38	1.80	30	39.10	8.15	43.04
PK	15.76014G	53.70	74.00	-20.30	47.41	3	Horizontal	1	1.80	30	38.38	10.22	42.31
AV	15.7601G	41.09	54.00	-12.91	34.80	3	Horizontal	1	1.80	30	38.38	10.22	42.31

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
 SET 26
 24\30\27\25.5\26\26.5\26
 6.07\6.76\3.48\3.75\2.29\0.93\2.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30392G	122.83	Inf	-Inf	117.01	3	Vertical	298	1.11	26	33.20	5.55	32.93
AV	5.30448G	114.10	Inf	-Inf	108.28	3	Vertical	298	1.11	26	33.20	5.55	32.93
PK	5.35208G	64.96	74.00	-9.04	59.21	3	Vertical	298	1.11	26	33.21	5.58	33.04
AV	5.35292G	51.83	54.00	-2.17	46.08	3	Vertical	298	1.11	26	33.21	5.58	33.04

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
 SET 26
 26
 7.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29664G	111.11	Inf	-Inf	105.28	3	Horizontal	46	1.50	26	33.19	5.55	32.91
AV	5.2965G	102.00	Inf	-Inf	96.17	3	Horizontal	46	1.50	26	33.19	5.55	32.91
PK	5.35292G	58.78	74.00	-15.22	53.03	3	Horizontal	46	1.50	26	33.21	5.58	33.04
AV	5.35432G	46.95	54.00	-7.05	41.20	3	Horizontal	46	1.50	26	33.22	5.58	33.05

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61327G	53.73	74.00	-20.27	49.30	3	Vertical	4	2.59	26	39.30	8.18	43.05
AV	10.60296G	41.52	54.00	-12.48	37.09	3	Vertical	4	2.59	26	39.30	8.18	43.05
PK	15.88058G	54.32	74.00	-19.68	47.65	3	Vertical	76	1.80	26	38.58	10.26	42.17
AV	15.90975G	41.78	54.00	-12.22	35.05	3	Vertical	76	1.80	26	38.59	10.27	42.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60261G	52.45	74.00	-21.55	48.02	3	Horizontal	258	1.89	26	39.30	8.18	43.05
AV	10.60188G	40.49	54.00	-13.51	36.06	3	Horizontal	258	1.89	26	39.30	8.18	43.05
PK	15.89381G	54.01	74.00	-19.99	47.31	3	Horizontal	111	1.80	26	38.59	10.26	42.15
AV	15.91243G	41.76	54.00	-12.24	35.03	3	Horizontal	111	1.80	26	38.59	10.27	42.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
 SET 23.5
 15\21\24\22.5\23\23.5
 6.94\5.86\0.58\4.50\3.28\1.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3167G	120.11	Inf	-Inf	114.31	3	Vertical	249	1.33	23.5	33.20	5.56	32.96
AV	5.3167G	110.79	Inf	-Inf	104.99	3	Vertical	249	1.33	23.5	33.20	5.56	32.96
PK	5.3502G	64.15	74.00	-9.85	58.41	3	Vertical	249	1.33	23.5	33.20	5.58	33.04
AV	5.3507G	52.24	54.00	-1.76	46.50	3	Vertical	249	1.33	23.5	33.20	5.58	33.04

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
 SET 23.5
 23.5
 6.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	110.02	Inf	-Inf	104.22	3	Horizontal	50	1.75	23.5	33.20	5.56	32.96
AV	5.3167G	100.84	Inf	-Inf	95.04	3	Horizontal	50	1.75	23.5	33.20	5.56	32.96
PK	5.3505G	60.06	74.00	-13.94	54.32	3	Horizontal	50	1.75	23.5	33.20	5.58	33.04
AV	5.3504G	47.92	54.00	-6.08	42.18	3	Horizontal	50	1.75	23.5	33.20	5.58	33.04

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63221G	54.07	74.00	-19.93	49.64	3	Vertical	5	1.87	23.5	39.30	8.19	43.06
AV	10.63369G	41.84	54.00	-12.16	37.41	3	Vertical	5	1.87	23.5	39.30	8.19	43.06
PK	15.97199G	54.02	74.00	-19.98	47.26	3	Vertical	62	2.15	23.5	38.53	10.29	42.06
AV	15.97754G	42.03	54.00	-11.97	35.28	3	Vertical	62	2.15	23.5	38.52	10.29	42.06

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63513G	52.99	74.00	-21.01	48.56	3	Horizontal	259	1.79	23.5	39.30	8.19	43.06
AV	10.63788G	40.70	54.00	-13.30	36.27	3	Horizontal	259	1.79	23.5	39.30	8.19	43.06
PK	15.94749G	54.42	74.00	-19.58	47.68	3	Horizontal	343	1.80	23.5	38.55	10.28	42.09
AV	15.97854G	42.03	54.00	-11.97	35.27	3	Horizontal	343	1.80	23.5	38.52	10.29	42.05

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
 SET 24.5
 24\28\26\25\24.5
 3.74\ -14.69\ -8.89\ -1.46\ 1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4583G	61.86	74.00	-12.14	55.83	3	Vertical	308	1.19	24.5	33.72	5.60	33.29
AV	5.4585G	49.86	54.00	-4.14	43.83	3	Vertical	308	1.19	24.5	33.72	5.60	33.29
PK	5.4688G	66.70	68.20	-1.50	60.68	3	Vertical	308	1.19	24.5	33.74	5.60	33.32
PK	5.4992G	119.36	Inf	-Inf	113.35	3	Vertical	308	1.19	24.5	33.80	5.60	33.39
AV	5.4992G	110.71	Inf	-Inf	104.70	3	Vertical	308	1.19	24.5	33.80	5.60	33.39

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
 SET 24.5
 24.5
 6.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4573G	59.46	74.00	-14.54	53.44	3	Horizontal	48	1.45	24.5	33.71	5.60	33.29
AV	5.4567G	47.14	54.00	-6.86	41.12	3	Horizontal	48	1.45	24.5	33.71	5.60	33.29
PK	5.4668G	59.53	68.20	-8.67	53.51	3	Horizontal	48	1.45	24.5	33.73	5.60	33.31
PK	5.4969G	109.83	Inf	-Inf	103.82	3	Horizontal	48	1.45	24.5	33.79	5.60	33.38
AV	5.4971G	101.00	Inf	-Inf	94.99	3	Horizontal	48	1.45	24.5	33.79	5.60	33.38

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99497G	53.55	74.00	-20.45	48.95	3	Vertical	1	2.32	24.5	39.40	8.30	43.10
AV	11.00056G	40.93	54.00	-13.07	36.33	3	Vertical	1	2.32	24.5	39.40	8.30	43.10
PK	16.51379G	56.39	68.20	-11.81	47.77	3	Vertical	29	2.95	24.5	39.60	10.63	41.61

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99033G	53.10	74.00	-20.90	48.50	3	Horizontal	35	2.40	24.5	39.40	8.30	43.10
AV	10.99125G	40.98	54.00	-13.02	36.38	3	Horizontal	35	2.40	24.5	39.40	8.30	43.10
PK	16.5165G	56.64	68.20	-11.56	48.02	3	Horizontal	249	1.80	24.5	39.60	10.64	41.62

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 6.60\6.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	58.18	74.00	-15.82	52.22	3	Vertical	68	1.09	30	33.58	5.60	33.22
PK	5.46992G	59.02	68.20	-9.18	53.00	3	Vertical	68	1.09	30	33.74	5.60	33.32
AV	5.45808G	47.36	54.00	-6.64	41.33	3	Vertical	68	1.09	30	33.72	5.60	33.29
PK	5.57392G	121.12	Inf	-Inf	114.93	3	Vertical	68	1.09	30	34.00	5.60	33.41
AV	5.57904G	111.74	Inf	-Inf	105.53	3	Vertical	68	1.09	30	34.02	5.60	33.41
PK	5.73648G	59.52	68.20	-8.68	53.04	3	Vertical	68	1.09	30	34.27	5.67	33.46

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
 SET 30
 30
 7.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45552G	58.93	74.00	-15.07	52.91	3	Horizontal	57	1.54	30	33.71	5.60	33.29
AV	5.42096G	47.00	54.00	-7.00	41.07	3	Horizontal	57	1.54	30	33.53	5.60	33.20
PK	5.46864G	57.87	68.20	-10.33	51.85	3	Horizontal	57	1.54	30	33.74	5.60	33.32
PK	5.58096G	112.46	Inf	-Inf	106.25	3	Horizontal	57	1.54	30	34.02	5.60	33.41
AV	5.58096G	104.16	Inf	-Inf	97.95	3	Horizontal	57	1.54	30	34.02	5.60	33.41
PK	5.73264G	59.17	68.20	-9.03	52.69	3	Horizontal	57	1.54	30	34.27	5.67	33.46

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1608G	60.08	74.00	-13.92	55.69	3	Vertical	42	1.49	30	39.20	8.35	43.16
AV	11.16192G	46.98	54.00	-7.02	42.59	3	Vertical	42	1.49	30	39.20	8.35	43.16
PK	16.73884G	57.22	68.20	-10.98	48.35	3	Vertical	161	1.80	30	39.92	10.78	41.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15812G	55.50	74.00	-18.50	51.11	3	Horizontal	132	1.80	30	39.20	8.35	43.16
AV	11.1616G	42.11	54.00	-11.89	37.72	3	Horizontal	132	1.80	30	39.20	8.35	43.16
PK	16.75994G	56.63	68.20	-11.57	47.71	3	Horizontal	64	1.80	30	39.98	10.79	41.85

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
 SET 23.5
 24\23\23.5
 -0.18\3.94\2.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6977G	116.12	Inf	-Inf	109.72	3	Vertical	101	1.06	23.5	34.20	5.65	33.45
AV	5.6978G	106.81	Inf	-Inf	100.41	3	Vertical	101	1.06	23.5	34.20	5.65	33.45
PK	5.7265G	66.06	68.20	-2.14	59.60	3	Vertical	101	1.06	23.5	34.25	5.66	33.45

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
 SET 23.5
 23.5
 5.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6966G	109.13	Inf	-Inf	102.74	3	Horizontal	61	1.61	23.5	34.19	5.65	33.45
AV	5.6958G	99.58	Inf	-Inf	93.18	3	Horizontal	61	1.61	23.5	34.19	5.65	33.44
PK	5.727G	62.42	68.20	-5.78	55.96	3	Horizontal	61	1.61	23.5	34.25	5.66	33.45

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39644G	53.15	74.00	-20.85	48.79	3	Vertical	37	1.46	23.5	39.20	8.42	43.26
AV	11.39576G	40.66	54.00	-13.34	36.30	3	Vertical	37	1.46	23.5	39.20	8.42	43.26
PK	17.09525G	56.69	68.20	-11.51	46.87	3	Vertical	347	1.65	23.5	40.88	11.01	42.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4036G	53.18	74.00	-20.82	48.82	3	Horizontal	130	1.79	23.5	39.20	8.42	43.26
AV	11.39836G	40.30	54.00	-13.70	35.94	3	Horizontal	130	1.79	23.5	39.20	8.42	43.26
PK	17.1024G	56.81	68.20	-11.39	46.95	3	Horizontal	346	1.80	23.5	40.91	11.02	42.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 SET 30
 24\30
 7.06\7.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45054G	57.35	74.00	-16.65	51.32	3	Vertical	135	2.16	30	33.70	5.60	33.27
AV	5.45594G	46.93	54.00	-7.07	40.91	3	Vertical	135	2.16	30	33.71	5.60	33.29
PK	5.46458G	57.85	68.20	-10.35	51.83	3	Vertical	135	2.16	30	33.73	5.60	33.31
PK	5.7173G	117.35	Inf	-Inf	110.91	3	Vertical	135	2.16	30	34.23	5.66	33.45
AV	5.7173G	108.74	Inf	-Inf	102.30	3	Vertical	135	2.16	30	34.23	5.66	33.45
PK	5.95706G	61.09	68.20	-7.11	53.62	3	Vertical	135	2.16	30	35.21	5.78	33.52

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 SET 30
 30
 6.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45108G	58.16	74.00	-15.84	52.13	3	Horizontal	61	1.64	30	33.70	5.60	33.27
AV	5.45G	46.73	54.00	-7.27	40.70	3	Horizontal	61	1.64	30	33.70	5.60	33.27
PK	5.46242G	56.86	68.20	-11.34	50.84	3	Horizontal	61	1.64	30	33.72	5.60	33.30
PK	5.72108G	112.10	Inf	-Inf	105.65	3	Horizontal	61	1.64	30	34.24	5.66	33.45
AV	5.72108G	103.50	Inf	-Inf	97.05	3	Horizontal	61	1.64	30	34.24	5.66	33.45
PK	5.909G	61.32	68.20	-6.88	54.12	3	Horizontal	61	1.64	30	34.95	5.75	33.50

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42713G	52.86	74.00	-21.14	48.50	3	Vertical	37	1.44	30	39.20	8.43	43.27
AV	11.43552G	39.69	54.00	-14.31	35.33	3	Vertical	37	1.44	30	39.20	8.43	43.27
PK	17.14258G	57.19	68.20	-11.01	47.18	3	Vertical	173	1.80	30	41.03	11.04	42.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4207G	51.99	74.00	-22.01	47.63	3	Horizontal	173	1.80	30	39.20	8.43	43.27
AV	11.42162G	39.41	54.00	-14.59	35.05	3	Horizontal	173	1.80	30	39.20	8.43	43.27
PK	17.17702G	56.57	68.20	-11.63	46.42	3	Horizontal	50	2.10	30	41.13	11.07	42.05

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30
24\30
6.31\5.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55576G	62.57	68.20	-5.63	56.46	3	Vertical	130	1.11	30	33.92	5.60	33.41
PK	5.74196G	119.08	Inf	-Inf	112.59	3	Vertical	130	1.11	30	34.28	5.67	33.46
AV	5.74196G	109.95	Inf	-Inf	103.46	3	Vertical	130	1.11	30	34.28	5.67	33.46
PK	5.9293G	60.02	68.20	-8.18	52.69	3	Vertical	130	1.11	30	35.08	5.76	33.51

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
 SET 30
 30
 7.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5664G	59.66	68.20	-8.54	53.50	3	Horizontal	95	1.77	30	33.97	5.60	33.41
PK	5.74006G	110.96	Inf	-Inf	104.47	3	Horizontal	95	1.77	30	34.28	5.67	33.46
AV	5.74006G	102.22	Inf	-Inf	95.73	3	Horizontal	95	1.77	30	34.28	5.67	33.46
PK	5.92854G	61.07	68.20	-7.13	53.75	3	Horizontal	95	1.77	30	35.07	5.76	33.51

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50554G	53.43	74.00	-20.57	49.08	3	Vertical	141	1.80	30	39.20	8.45	43.30
AV	11.50011G	40.34	54.00	-13.66	35.99	3	Vertical	141	1.80	30	39.20	8.45	43.30
PK	17.22081G	56.92	68.20	-11.28	46.59	3	Vertical	220	1.80	30	41.28	11.09	42.04

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50083G	52.96	74.00	-21.04	48.61	3	Horizontal	302	2.08	30	39.20	8.45	43.30
AV	11.50519G	40.40	54.00	-13.60	36.05	3	Horizontal	302	2.08	30	39.20	8.45	43.30
PK	17.22489G	56.96	68.20	-11.24	46.60	3	Horizontal	50	1.80	30	41.30	11.10	42.04

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 7.39\8.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6443G	59.00	68.20	-9.20	52.71	3	Vertical	133	2.11	30	34.10	5.62	33.43
PK	5.7817G	116.97	Inf	-Inf	110.45	3	Vertical	133	2.11	30	34.30	5.69	33.47
AV	5.782G	107.97	Inf	-Inf	101.45	3	Vertical	133	2.11	30	34.30	5.69	33.47
PK	5.9332G	59.88	68.20	-8.32	52.52	3	Vertical	133	2.11	30	35.10	5.77	33.51

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
 SET 30
 30
 7.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6416G	58.84	68.20	-9.36	52.55	3	Horizontal	100	1.79	30	34.10	5.62	33.43
PK	5.7814G	109.89	Inf	-Inf	103.37	3	Horizontal	100	1.79	30	34.30	5.69	33.47
AV	5.7808G	100.85	Inf	-Inf	94.33	3	Horizontal	100	1.79	30	34.30	5.69	33.47
PK	5.9293G	60.23	68.20	-7.97	52.90	3	Horizontal	100	1.79	30	35.08	5.76	33.51

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55454G	53.50	74.00	-20.50	49.12	3	Vertical	328	1.80	30	39.20	8.47	43.29
AV	11.55094G	40.68	54.00	-13.32	36.30	3	Vertical	328	1.80	30	39.20	8.47	43.29
PK	17.34209G	58.38	68.20	-9.82	47.54	3	Vertical	357	2.91	30	41.68	11.17	42.01

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58111G	53.04	74.00	-20.96	48.66	3	Horizontal	51	1.80	30	39.20	8.47	43.29
AV	11.55302G	40.63	54.00	-13.37	36.25	3	Horizontal	51	1.80	30	39.20	8.47	43.29
PK	17.35948G	58.02	68.20	-10.18	47.12	3	Horizontal	1	1.80	30	41.72	11.18	42.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 6.43\6.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6502G	59.97	68.35	-8.38	53.67	3	Vertical	128	2.05	30	34.10	5.63	33.43
PK	5.8212G	117.40	Inf	-Inf	110.83	3	Vertical	128	2.05	30	34.34	5.71	33.48
AV	5.8212G	108.70	Inf	-Inf	102.13	3	Vertical	128	2.05	30	34.34	5.71	33.48
PK	5.99866G	61.27	68.20	-6.93	53.70	3	Vertical	128	2.05	30	35.30	5.80	33.53

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
 SET 30
 30
 7.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64526G	58.01	68.20	-10.19	51.72	3	Horizontal	98	1.85	30	34.10	5.62	33.43
PK	5.82158G	109.76	Inf	-Inf	103.19	3	Horizontal	98	1.85	30	34.34	5.71	33.48
AV	5.82158G	100.73	Inf	-Inf	94.16	3	Horizontal	98	1.85	30	34.34	5.71	33.48
PK	6.0112G	61.10	68.20	-7.10	53.50	3	Horizontal	98	1.85	30	35.32	5.81	33.53

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUTY_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65612G	53.31	74.00	-20.69	48.95	3	Vertical	101	2.09	-	39.14	8.50	43.28
AV	11.66305G	40.27	54.00	-13.73	35.90	3	Vertical	101	2.09	-	39.14	8.50	43.27
PK	17.48688G	58.34	68.20	-9.86	47.15	3	Vertical	348	2.03	-	41.89	11.27	41.97

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65591G	53.43	74.00	-20.57	49.07	3	Horizontal	67	2.55	-	39.14	8.50	43.28
AV	11.66077G	40.33	54.00	-13.67	35.96	3	Horizontal	67	2.55	-	39.14	8.50	43.27
PK	17.47818G	58.32	68.20	-9.88	47.16	3	Horizontal	191	1.61	-	41.88	11.26	41.98

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX








EUT_Y_2TX
 SET 22
 15\21\24\22.5\22
 5.61\2.34\6.34\0.22\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.30	74.00	-8.70	59.51	3	Vertical	50	1.21	22	32.90	5.45	32.56
AV	5.1498G	52.93	54.00	-1.07	47.14	3	Vertical	50	1.21	22	32.90	5.45	32.56
PK	5.1822G	121.21	Inf	-Inf	115.47	3	Vertical	50	1.21	22	32.90	5.48	32.64
AV	5.1816G	109.69	Inf	-Inf	103.95	3	Vertical	50	1.21	22	32.90	5.48	32.64

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


12/07/2023

EUT_Y_2TX
 SET 22
 22
 6.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	58.70	74.00	-15.30	52.91	3	Horizontal	99	1.80	22	32.90	5.45	32.56
AV	5.1474G	47.42	54.00	-6.58	41.62	3	Horizontal	99	1.80	22	32.91	5.45	32.56
PK	5.1766G	109.58	Inf	-Inf	103.83	3	Horizontal	99	1.80	22	32.90	5.48	32.63
AV	5.1783G	98.75	Inf	-Inf	93.00	3	Horizontal	99	1.80	22	32.90	5.48	32.63

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36991G	52.52	68.20	-15.68	48.56	3	Vertical	181	1.80	22	38.87	8.11	43.02
PK	15.52362G	53.06	74.00	-20.94	46.73	3	Vertical	236	1.61	22	38.78	10.13	42.58
AV	15.5579G	40.91	54.00	-13.09	34.69	3	Vertical	236	1.61	22	38.61	10.15	42.54

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35053G	53.12	68.20	-15.08	49.18	3	Horizontal	32	1.49	22	38.85	8.11	43.02
PK	15.54555G	53.70	74.00	-20.30	47.45	3	Horizontal	154	1.80	22	38.67	10.14	42.56
AV	15.55726G	40.92	54.00	-13.08	34.70	3	Horizontal	154	1.80	22	38.61	10.15	42.54

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
 SET 25
 24\28\26\25\25.5\25
 4.03\ -9.18\ -5.67\ 1.27\ -1.31\ 1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14988G	64.10	74.00	-9.90	58.31	3	Vertical	300	1.14	25	32.90	5.45	32.56
AV	5.14988G	52.95	54.00	-1.05	47.16	3	Vertical	300	1.14	25	32.90	5.45	32.56
PK	5.19692G	122.99	Inf	-Inf	117.26	3	Vertical	300	1.14	25	32.90	5.50	32.67
AV	5.19692G	111.88	Inf	-Inf	106.15	3	Vertical	300	1.14	25	32.90	5.50	32.67

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
 SET 25
 25
 6.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.33	74.00	-15.67	52.54	3	Horizontal	52	1.80	25	32.90	5.45	32.56
AV	5.1496G	47.43	54.00	-6.57	41.64	3	Horizontal	52	1.80	25	32.90	5.45	32.56
PK	5.20266G	112.09	Inf	-Inf	106.37	3	Horizontal	52	1.80	25	32.91	5.50	32.69
AV	5.20182G	100.77	Inf	-Inf	95.06	3	Horizontal	52	1.80	25	32.90	5.50	32.69

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39409G	52.84	68.20	-15.36	48.86	3	Vertical	1	2.92	25	38.89	8.12	43.03
PK	15.58897G	53.40	74.00	-20.60	47.29	3	Vertical	104	1.80	25	38.46	10.16	42.51
AV	15.58326G	40.73	54.00	-13.27	34.61	3	Vertical	104	1.80	25	38.48	10.15	42.51

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3998G	52.71	68.20	-15.49	48.72	3	Horizontal	33	1.80	25	38.90	8.12	43.03
PK	15.60332G	53.03	74.00	-20.97	46.97	3	Horizontal	49	1.15	25	38.39	10.16	42.49
AV	15.58597G	40.68	54.00	-13.32	34.56	3	Horizontal	49	1.15	25	38.47	10.16	42.51

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30
24\30
5.54\2.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14718G	63.97	74.00	-10.03	58.17	3	Vertical	299	1.32	30	32.91	5.45	32.56
AV	5.14666G	51.32	54.00	-2.68	45.52	3	Vertical	299	1.32	30	32.91	5.45	32.56
PK	5.23922G	124.03	Inf	-Inf	118.30	3	Vertical	299	1.32	30	32.98	5.52	32.77
AV	5.23818G	114.95	Inf	-Inf	109.22	3	Vertical	299	1.32	30	32.98	5.52	32.77
PK	5.35674G	59.59	74.00	-14.41	53.83	3	Vertical	299	1.32	30	33.23	5.58	33.05
AV	5.35G	48.28	54.00	-5.72	42.55	3	Vertical	299	1.32	30	33.20	5.57	33.04

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
 SET 30
 30
 6.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1477G	58.48	74.00	-15.52	52.69	3	Horizontal	48	1.80	30	32.90	5.45	32.56
AV	5.14978G	47.23	54.00	-6.77	41.44	3	Horizontal	48	1.80	30	32.90	5.45	32.56
PK	5.24156G	113.25	Inf	-Inf	107.53	3	Horizontal	48	1.80	30	32.98	5.52	32.78
AV	5.24156G	103.68	Inf	-Inf	97.96	3	Horizontal	48	1.80	30	32.98	5.52	32.78
PK	5.35284G	58.56	74.00	-15.44	52.81	3	Horizontal	48	1.80	30	33.21	5.58	33.04
AV	5.36558G	46.82	54.00	-7.18	41.05	3	Horizontal	48	1.80	30	33.26	5.58	33.07

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46294G	52.45	68.20	-15.75	48.32	3	Vertical	117	1.12	30	39.03	8.14	43.04
PK	15.73451G	53.34	74.00	-20.66	47.17	3	Vertical	291	2.91	30	38.30	10.21	42.34
AV	15.71864G	40.83	54.00	-13.17	34.73	3	Vertical	291	2.91	30	38.26	10.20	42.36

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46234G	52.17	68.20	-16.03	48.05	3	Horizontal	143	1.80	30	39.02	8.14	43.04
PK	15.71924G	54.69	74.00	-19.31	48.59	3	Horizontal	338	2.46	30	38.26	10.20	42.36
AV	15.71976G	40.83	54.00	-13.17	34.73	3	Horizontal	338	2.46	30	38.26	10.20	42.36

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 5.70\3.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14794G	59.61	74.00	-14.39	53.82	3	Vertical	277	1.18	30	32.90	5.45	32.56
AV	5.14508G	48.86	54.00	-5.14	43.05	3	Vertical	277	1.18	30	32.91	5.45	32.55
PK	5.25714G	124.22	Inf	-Inf	118.48	3	Vertical	277	1.18	30	33.03	5.53	32.82
AV	5.25688G	114.49	Inf	-Inf	108.75	3	Vertical	277	1.18	30	33.03	5.53	32.82
PK	5.35G	62.50	74.00	-11.50	56.77	3	Vertical	277	1.18	30	33.20	5.57	33.04
AV	5.35G	50.64	54.00	-3.36	44.91	3	Vertical	277	1.18	30	33.20	5.57	33.04

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 30
30
6.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1339G	57.21	74.00	-16.79	51.38	3	Horizontal	46	1.80	30	32.93	5.43	32.53
AV	5.1495G	46.82	54.00	-7.18	41.03	3	Horizontal	46	1.80	30	32.90	5.45	32.56
PK	5.26052G	113.92	Inf	-Inf	108.17	3	Horizontal	46	1.80	30	33.04	5.53	32.82
AV	5.26234G	103.79	Inf	-Inf	98.04	3	Horizontal	46	1.80	30	33.05	5.53	32.83
PK	5.38116G	58.15	74.00	-15.85	52.35	3	Horizontal	46	1.80	30	33.32	5.59	33.11
AV	5.35308G	47.15	54.00	-6.85	41.40	3	Horizontal	46	1.80	30	33.21	5.58	33.04

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52559G	52.48	68.20	-15.72	48.21	3	Vertical	332	1.80	30	39.15	8.16	43.04
PK	15.76398G	53.69	74.00	-20.31	47.38	3	Vertical	158	1.80	30	38.39	10.22	42.30
AV	15.7601G	41.27	54.00	-12.73	34.98	3	Vertical	158	1.80	30	38.38	10.22	42.31

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51089G	52.29	68.20	-15.91	48.06	3	Horizontal	315	1.80	30	39.12	8.15	43.04
PK	15.76753G	56.01	74.00	-17.99	49.69	3	Horizontal	203	2.17	30	38.40	10.22	42.30
AV	15.77341G	41.32	54.00	-12.68	34.97	3	Horizontal	203	2.17	30	38.42	10.22	42.29

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
 SET 26
 24\30\27\25.5\26\26.5\26
 5.20\10.67\4.89\2.08\0.72\2.83\0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29944G	125.96	Inf	-Inf	120.13	3	Vertical	299	1.29	26	33.20	5.55	32.92
AV	5.29874G	113.97	Inf	-Inf	108.15	3	Vertical	299	1.29	26	33.19	5.55	32.92
PK	5.35488G	68.10	74.00	-5.90	62.35	3	Vertical	299	1.29	26	33.22	5.58	33.05
AV	5.35418G	53.28	54.00	-0.72	47.53	3	Vertical	299	1.29	26	33.22	5.58	33.05

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 26
26
6.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30266G	112.84	Inf	-Inf	107.01	3	Horizontal	46	1.67	26	33.20	5.55	32.92
AV	5.30294G	101.78	Inf	-Inf	95.95	3	Horizontal	46	1.67	26	33.20	5.55	32.92
PK	5.35586G	58.86	74.00	-15.14	53.11	3	Horizontal	46	1.67	26	33.22	5.58	33.05
AV	5.35G	47.72	54.00	-6.28	41.99	3	Horizontal	46	1.67	26	33.20	5.57	33.04

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60332G	53.19	74.00	-20.81	48.76	3	Vertical	1	2.64	26	39.30	8.18	43.05
AV	10.60631G	41.13	54.00	-12.87	36.70	3	Vertical	1	2.64	26	39.30	8.18	43.05
PK	15.89596G	55.20	74.00	-18.80	48.49	3	Vertical	346	1.80	26	38.60	10.26	42.15
AV	15.90947G	41.95	54.00	-12.05	35.23	3	Vertical	346	1.80	26	38.59	10.27	42.14

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60305G	52.65	74.00	-21.35	48.22	3	Horizontal	293	1.49	26	39.30	8.18	43.05
PK	15.90827G	54.47	74.00	-19.53	47.75	3	Horizontal	274	1.79	26	38.59	10.27	42.14
AV	15.91247G	42.07	54.00	-11.93	35.34	3	Horizontal	274	1.79	26	38.59	10.27	42.13
AV	10.60631G	41.14	54.00	-12.86	36.71	3	Horizontal	293	1.49	26	39.30	8.18	43.05

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
 SET 23.5
 15\21\24\22.5\23\23.5
 6.85\6.25\1.91\4.18\2.76\0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3233G	120.93	Inf	-Inf	115.14	3	Vertical	248	1.35	23.5	33.20	5.56	32.97
AV	5.3233G	109.88	Inf	-Inf	104.09	3	Vertical	248	1.35	23.5	33.20	5.56	32.97
PK	5.3519G	64.97	74.00	-9.03	59.22	3	Vertical	248	1.35	23.5	33.21	5.58	33.04
AV	5.3501G	53.13	54.00	-0.87	47.39	3	Vertical	248	1.35	23.5	33.20	5.58	33.04

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
 SET 23.5
 23.5
 6.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3141G	111.22	Inf	-Inf	105.41	3	Horizontal	48	1.73	23.5	33.20	5.56	32.95
AV	5.3129G	99.82	Inf	-Inf	94.01	3	Horizontal	48	1.73	23.5	33.20	5.56	32.95
PK	5.352G	58.92	74.00	-15.08	53.17	3	Horizontal	48	1.73	23.5	33.21	5.58	33.04
AV	5.3512G	47.92	54.00	-6.08	42.18	3	Horizontal	48	1.73	23.5	33.20	5.58	33.04

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.637G	53.93	74.00	-20.07	49.50	3	Vertical	4	1.80	23.5	39.30	8.19	43.06
AV	10.63692G	41.86	54.00	-12.14	37.43	3	Vertical	4	1.80	23.5	39.30	8.19	43.06
PK	15.95473G	54.54	74.00	-19.46	47.79	3	Vertical	360	1.05	23.5	38.55	10.28	42.08
AV	15.97746G	42.43	54.00	-11.57	35.68	3	Vertical	360	1.05	23.5	38.52	10.29	42.06

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62242G	53.47	74.00	-20.53	49.03	3	Horizontal	255	1.94	23.5	39.30	8.19	43.05
AV	10.63505G	41.03	54.00	-12.97	36.60	3	Horizontal	255	1.94	23.5	39.30	8.19	43.06
PK	15.97998G	54.60	74.00	-19.40	47.84	3	Horizontal	171	1.80	23.5	38.52	10.29	42.05
AV	15.97758G	42.39	54.00	-11.61	35.64	3	Horizontal	171	1.80	23.5	38.52	10.29	42.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
 SET 23.5
 15\21\24\22.5\23\23.5
 6.85\6.23\0.44\5.26\4.17\1.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.62	74.00	-12.38	55.59	3	Vertical	303	1.05	23.5	33.72	5.60	33.29
AV	5.4595G	49.90	54.00	-4.10	43.87	3	Vertical	303	1.05	23.5	33.72	5.60	33.29
PK	5.47G	66.97	68.20	-1.23	60.95	3	Vertical	303	1.05	23.5	33.74	5.60	33.32
PK	5.5026G	121.64	Inf	-Inf	115.62	3	Vertical	303	1.05	23.5	33.81	5.60	33.39
AV	5.5014G	109.96	Inf	-Inf	103.95	3	Vertical	303	1.05	23.5	33.80	5.60	33.39

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 23.5
23.5
6.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	59.07	74.00	-14.93	53.05	3	Horizontal	53	1.80	23.5	33.71	5.60	33.29
AV	5.4534G	47.14	54.00	-6.86	41.11	3	Horizontal	53	1.80	23.5	33.71	5.60	33.28
PK	5.4609G	59.07	68.20	-9.13	53.05	3	Horizontal	53	1.80	23.5	33.72	5.60	33.30
PK	5.5021G	111.24	Inf	-Inf	105.23	3	Horizontal	53	1.80	23.5	33.80	5.60	33.39
AV	5.5027G	98.25	Inf	-Inf	92.23	3	Horizontal	53	1.80	23.5	33.81	5.60	33.39

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99197G	53.47	74.00	-20.53	48.87	3	Vertical	1	2.80	23.5	39.40	8.30	43.10
AV	11.00092G	41.27	54.00	-12.73	36.67	3	Vertical	1	2.80	23.5	39.40	8.30	43.10
PK	16.49804G	56.31	68.20	-11.89	47.70	3	Vertical	317	1.06	23.5	39.59	10.62	41.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98262G	53.49	74.00	-20.51	48.90	3	Horizontal	56	1.80	23.5	39.40	8.29	43.10
AV	10.98314G	41.16	54.00	-12.84	36.57	3	Horizontal	56	1.80	23.5	39.40	8.29	43.10
PK	16.51674G	56.24	68.20	-11.96	47.62	3	Horizontal	284	1.75	23.5	39.60	10.64	41.62

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 6.39\6.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44016G	59.32	74.00	-14.68	53.33	3	Vertical	65	1.11	30	33.64	5.60	33.25
PK	5.46896G	59.44	68.20	-8.76	53.42	3	Vertical	65	1.11	30	33.74	5.60	33.32
AV	5.45776G	47.76	54.00	-6.24	41.73	3	Vertical	65	1.11	30	33.72	5.60	33.29
PK	5.57744G	122.97	Inf	-Inf	116.77	3	Vertical	65	1.11	30	34.01	5.60	33.41
AV	5.5784G	112.48	Inf	-Inf	106.28	3	Vertical	65	1.11	30	34.01	5.60	33.41
PK	5.72592G	59.27	68.20	-8.93	52.81	3	Vertical	65	1.11	30	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30
30
6.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4232G	58.71	74.00	-15.29	52.78	3	Horizontal	57	1.60	30	33.54	5.60	33.21
AV	5.43856G	47.16	54.00	-6.84	41.18	3	Horizontal	57	1.60	30	33.63	5.60	33.25
PK	5.46896G	58.35	68.20	-9.85	52.33	3	Horizontal	57	1.60	30	33.74	5.60	33.32
PK	5.58288G	113.59	Inf	-Inf	107.37	3	Horizontal	57	1.60	30	34.03	5.60	33.41
AV	5.58192G	103.33	Inf	-Inf	97.11	3	Horizontal	57	1.60	30	34.03	5.60	33.41
PK	5.7256G	59.27	68.20	-8.93	52.81	3	Horizontal	57	1.60	30	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16096G	58.28	74.00	-15.72	53.89	3	Vertical	34	1.34	30	39.20	8.35	43.16
AV	11.1618G	46.44	54.00	-7.56	42.05	3	Vertical	34	1.34	30	39.20	8.35	43.16
PK	16.75055G	56.64	68.20	-11.56	47.75	3	Vertical	171	1.80	30	39.95	10.79	41.85

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16304G	54.48	74.00	-19.52	50.10	3	Horizontal	25	1.88	30	39.20	8.35	43.17
AV	11.16308G	42.30	54.00	-11.70	37.92	3	Horizontal	25	1.88	30	39.20	8.35	43.17
PK	16.75898G	56.60	68.20	-11.60	47.68	3	Horizontal	226	1.80	30	39.98	10.79	41.85

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
 SET 23.5
 15\21\24\22.5\23\23.5
 7.32\7.43\0.24\4.13\0.70\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6953G	116.02	Inf	-Inf	109.62	3	Vertical	110	1.68	23.5	34.19	5.65	33.44
AV	5.6951G	104.55	Inf	-Inf	98.15	3	Vertical	110	1.68	23.5	34.19	5.65	33.44
PK	5.7253G	67.88	68.20	-0.32	61.42	3	Vertical	110	1.68	23.5	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
 SET 23.5
 23.5
 6.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7022G	110.36	Inf	-Inf	103.96	3	Horizontal	61	1.70	23.5	34.20	5.65	33.45
AV	5.7016G	98.99	Inf	-Inf	92.59	3	Horizontal	61	1.70	23.5	34.20	5.65	33.45
PK	5.725G	61.38	68.20	-6.82	54.92	3	Horizontal	61	1.70	23.5	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39193G	53.26	74.00	-20.74	48.89	3	Vertical	30	1.23	23.5	39.21	8.42	43.26
AV	11.39541G	40.60	54.00	-13.40	36.24	3	Vertical	30	1.23	23.5	39.20	8.42	43.26
PK	17.08601G	57.13	68.20	-11.07	47.35	3	Vertical	84	1.80	23.5	40.84	11.01	42.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39465G	52.47	74.00	-21.53	48.10	3	Horizontal	131	2.62	23.5	39.21	8.42	43.26
AV	11.399G	40.54	54.00	-13.46	36.18	3	Horizontal	131	2.62	23.5	39.20	8.42	43.26
PK	17.08154G	57.34	68.20	-10.86	47.58	3	Horizontal	312	1.26	23.5	40.83	11.00	42.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 SET 30
 24\30
 6.85\6.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4581G	57.33	74.00	-16.67	51.30	3	Vertical	128	2.12	30	33.72	5.60	33.29
AV	5.45G	46.95	54.00	-7.05	40.92	3	Vertical	128	2.12	30	33.70	5.60	33.27
PK	5.46674G	57.29	68.20	-10.91	51.27	3	Vertical	128	2.12	30	33.73	5.60	33.31
PK	5.71136G	118.04	Inf	-Inf	111.61	3	Vertical	128	2.12	30	34.22	5.66	33.45
AV	5.71136G	108.72	Inf	-Inf	102.29	3	Vertical	128	2.12	30	34.22	5.66	33.45
PK	5.97542G	61.31	68.20	-6.89	53.79	3	Vertical	128	2.12	30	35.25	5.79	33.52

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30
30
7.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4581G	57.96	74.00	-16.04	51.93	3	Horizontal	101	1.80	30	33.72	5.60	33.29
AV	5.45432G	46.94	54.00	-7.06	40.91	3	Horizontal	101	1.80	30	33.71	5.60	33.28
PK	5.46188G	57.52	68.20	-10.68	51.50	3	Horizontal	101	1.80	30	33.72	5.60	33.30
PK	5.72108G	110.99	Inf	-Inf	104.54	3	Horizontal	101	1.80	30	34.24	5.66	33.45
AV	5.72108G	100.61	Inf	-Inf	94.16	3	Horizontal	101	1.80	30	34.24	5.66	33.45
PK	5.87876G	60.46	68.20	-7.74	53.53	3	Horizontal	101	1.80	30	34.69	5.74	33.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45582G	53.20	74.00	-20.80	48.84	3	Vertical	45	1.80	30	39.20	8.44	43.28
AV	11.43249G	39.64	54.00	-14.36	35.28	3	Vertical	45	1.80	30	39.20	8.43	43.27
PK	17.17095G	56.73	68.20	-11.47	46.61	3	Vertical	275	2.92	30	41.11	11.06	42.05

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44196G	52.21	74.00	-21.79	47.86	3	Horizontal	1	1.80	30	39.20	8.43	43.28
AV	11.42945G	39.70	54.00	-14.30	35.34	3	Horizontal	1	1.80	30	39.20	8.43	43.27
PK	17.1787G	57.02	68.20	-11.18	46.86	3	Horizontal	319	1.80	30	41.14	11.07	42.05

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 8.12\7.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64582G	60.57	68.20	-7.63	54.28	3	Vertical	128	2.15	30	34.10	5.62	33.43
PK	5.74728G	120.04	Inf	-Inf	113.54	3	Vertical	128	2.15	30	34.29	5.67	33.46
AV	5.74652G	110.10	Inf	-Inf	103.60	3	Vertical	128	2.15	30	34.29	5.67	33.46
PK	5.935G	60.28	68.20	-7.92	52.91	3	Vertical	128	2.15	30	35.11	5.77	33.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
 SET 30
 30
 8.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59528G	60.00	68.20	-8.20	53.74	3	Horizontal	93	1.78	30	34.08	5.60	33.42
PK	5.74614G	111.43	Inf	-Inf	104.93	3	Horizontal	93	1.78	30	34.29	5.67	33.46
AV	5.74576G	101.46	Inf	-Inf	94.96	3	Horizontal	93	1.78	30	34.29	5.67	33.46
PK	5.92436G	60.51	68.67	-8.16	53.21	3	Horizontal	93	1.78	30	35.05	5.76	33.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUTY_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48604G	51.86	74.00	-22.14	47.50	3	Vertical	100	1.53	-	39.20	8.45	43.29
AV	11.50272G	40.34	54.00	-13.66	35.99	3	Vertical	100	1.53	-	39.20	8.45	43.30
PK	17.23596G	56.19	68.20	-12.01	45.78	3	Vertical	29	2.63	-	41.34	11.10	42.03

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50206G	52.46	74.00	-21.54	48.11	3	Horizontal	335	1.35	-	39.20	8.45	43.30
AV	11.5008G	40.43	54.00	-13.57	36.08	3	Horizontal	335	1.35	-	39.20	8.45	43.30
PK	17.24748G	56.32	68.20	-11.88	45.85	3	Horizontal	106	1.95	-	41.39	11.11	42.03

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30
24\30
6.65\8.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6419G	59.28	68.20	-8.92	52.99	3	Vertical	130	2.18	30	34.10	5.62	33.43
PK	5.7868G	119.22	Inf	-Inf	112.70	3	Vertical	130	2.18	30	34.30	5.69	33.47
AV	5.7874G	108.63	Inf	-Inf	102.11	3	Vertical	130	2.18	30	34.30	5.69	33.47
PK	5.9278G	59.89	68.20	-8.31	52.57	3	Vertical	130	2.18	30	35.07	5.76	33.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30
30
8.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6362G	59.86	68.20	-8.34	53.57	3	Horizontal	97	1.73	30	34.10	5.62	33.43
PK	5.7862G	110.13	Inf	-Inf	103.61	3	Horizontal	97	1.73	30	34.30	5.69	33.47
AV	5.7871G	100.73	Inf	-Inf	94.21	3	Horizontal	97	1.73	30	34.30	5.69	33.47
PK	5.9263G	60.03	68.20	-8.17	52.72	3	Horizontal	97	1.73	30	35.06	5.76	33.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56892G	52.49	74.00	-21.51	48.11	3	Vertical	15	1.98	-	39.20	8.47	43.29
AV	11.555G	40.43	54.00	-13.57	36.05	3	Vertical	15	1.98	-	39.20	8.47	43.29
PK	17.36916G	56.97	68.20	-11.23	46.04	3	Vertical	195	2.12	-	41.74	11.19	42.00

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55818G	52.57	74.00	-21.43	48.19	3	Horizontal	168	2.03	-	39.20	8.47	43.29
AV	11.55548G	40.46	54.00	-13.54	36.08	3	Horizontal	168	2.03	-	39.20	8.47	43.29
PK	17.36448G	57.77	68.20	-10.43	46.85	3	Horizontal	179	1.03	-	41.73	11.19	42.00

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 30
24\30
7.63\7.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63804G	58.93	68.20	-9.27	52.64	3	Vertical	111	1.88	30	34.10	5.62	33.43
PK	5.82006G	117.84	Inf	-Inf	111.27	3	Vertical	111	1.88	30	34.34	5.71	33.48
AV	5.82006G	107.97	Inf	-Inf	101.40	3	Vertical	111	1.88	30	34.34	5.71	33.48
PK	6.01462G	60.95	68.20	-7.25	53.34	3	Vertical	111	1.88	30	35.33	5.81	33.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 30
30
7.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6426G	59.59	68.20	-8.61	53.30	3	Horizontal	98	1.80	30	34.10	5.62	33.43
PK	5.81778G	110.51	Inf	-Inf	103.94	3	Horizontal	98	1.80	30	34.34	5.71	33.48
AV	5.82766G	100.14	Inf	-Inf	93.55	3	Horizontal	98	1.80	30	34.36	5.71	33.48
PK	5.96332G	61.05	68.20	-7.15	53.56	3	Horizontal	98	1.80	30	35.23	5.78	33.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6398G	52.23	74.00	-21.77	47.86	3	Vertical	5	2.09	-	39.16	8.49	43.28
AV	11.66332G	40.61	54.00	-13.39	36.24	3	Vertical	5	2.09	-	39.14	8.50	43.27
PK	17.46084G	57.54	68.20	-10.66	46.41	3	Vertical	109	1.73	-	41.86	11.25	41.98

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64952G	52.36	74.00	-21.64	48.00	3	Horizontal	346	2.41	-	39.15	8.49	43.28
AV	11.64778G	40.58	54.00	-13.42	36.22	3	Horizontal	346	2.41	-	39.15	8.49	43.28
PK	17.46774G	57.64	68.20	-10.56	46.50	3	Horizontal	1	1.40	-	41.87	11.25	41.98

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 SET 20
 15\21\18\19.5\20\20.5\20
 5.98\ -3.37\4.92\3.53\2.34\ -0.13\2.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14944G	65.77	74.00	-8.23	59.98	3	Vertical	51	1.19	20	32.90	5.45	32.56
AV	5.14968G	51.78	54.00	-2.22	45.99	3	Vertical	51	1.19	20	32.90	5.45	32.56
PK	5.19156G	116.85	Inf	-Inf	111.12	3	Vertical	51	1.19	20	32.90	5.49	32.66
AV	5.19108G	105.64	Inf	-Inf	99.91	3	Vertical	51	1.19	20	32.90	5.49	32.66

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 SET 20
 20
 6.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	59.61	74.00	-14.39	53.81	3	Horizontal	48	1.80	20	32.91	5.45	32.56
AV	5.14932G	47.62	54.00	-6.38	41.83	3	Horizontal	48	1.80	20	32.90	5.45	32.56
PK	5.193G	104.90	Inf	-Inf	99.18	3	Horizontal	48	1.80	20	32.90	5.49	32.67
AV	5.19156G	94.32	Inf	-Inf	88.59	3	Horizontal	48	1.80	20	32.90	5.49	32.66

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38448G	52.61	68.20	-15.59	48.64	3	Vertical	234	1.80	20	38.88	8.12	43.03
PK	15.57296G	53.18	74.00	-20.82	47.02	3	Vertical	268	2.93	20	38.54	10.15	42.53
AV	15.57248G	41.07	54.00	-12.93	34.91	3	Vertical	268	2.93	20	38.54	10.15	42.53

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39982G	53.30	68.20	-14.90	49.31	3	Horizontal	71	1.80	20	38.90	8.12	43.03
PK	15.5728G	53.28	74.00	-20.72	47.12	3	Horizontal	287	1.80	20	38.54	10.15	42.53
AV	15.57112G	41.14	54.00	-12.86	34.98	3	Horizontal	287	1.80	20	38.54	10.15	42.53

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
 SET 24
 24\26\25\24.5\24
 1.71\ -7.87\ -3.16\ -0.30\ 1.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14914G	63.34	74.00	-10.66	57.55	3	Vertical	306	1.30	24	32.90	5.45	32.56
AV	5.14992G	52.41	54.00	-1.59	46.62	3	Vertical	306	1.30	24	32.90	5.45	32.56
PK	5.22506G	118.91	Inf	-Inf	113.19	3	Vertical	306	1.30	24	32.95	5.51	32.74
AV	5.22506G	108.49	Inf	-Inf	102.77	3	Vertical	306	1.30	24	32.95	5.51	32.74
PK	5.35636G	58.60	74.00	-15.40	52.84	3	Vertical	306	1.30	24	33.23	5.58	33.05
AV	5.35974G	47.61	54.00	-6.39	41.85	3	Vertical	306	1.30	24	33.24	5.58	33.06

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 24
24
6.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14914G	58.38	74.00	-15.62	52.59	3	Horizontal	50	1.93	24	32.90	5.45	32.56
AV	5.14992G	47.82	54.00	-6.18	42.03	3	Horizontal	50	1.93	24	32.90	5.45	32.56
PK	5.22272G	108.99	Inf	-Inf	103.27	3	Horizontal	50	1.93	24	32.95	5.51	32.74
AV	5.2313G	97.73	Inf	-Inf	92.01	3	Horizontal	50	1.93	24	32.96	5.52	32.76
PK	5.35714G	58.60	74.00	-15.40	52.84	3	Horizontal	50	1.93	24	33.23	5.58	33.05
AV	5.35974G	46.78	54.00	-7.22	41.02	3	Horizontal	50	1.93	24	33.24	5.58	33.06

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42124G	52.61	68.20	-15.59	48.57	3	Vertical	266	1.80	24	38.94	8.13	43.03
PK	15.66211G	52.96	74.00	-21.04	46.92	3	Vertical	150	2.61	24	38.28	10.18	42.42
AV	15.69208G	40.74	54.00	-13.26	34.72	3	Vertical	150	2.61	24	38.22	10.19	42.39

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43994G	52.74	68.20	-15.46	48.66	3	Horizontal	72	1.48	24	38.98	8.13	43.03
PK	15.71613G	53.19	74.00	-20.81	47.10	3	Horizontal	47	1.80	24	38.25	10.20	42.36
AV	15.69639G	40.77	54.00	-13.23	34.75	3	Horizontal	47	1.80	24	38.21	10.19	42.38

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
 SET 24.5
 24\28\26\25\24.5
 3.09\10.75\5.26\0.91\1.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	59.80	74.00	-14.20	54.00	3	Vertical	303	1.05	24.5	32.91	5.45	32.56
AV	5.1454G	48.52	54.00	-5.48	42.71	3	Vertical	303	1.05	24.5	32.91	5.45	32.55
PK	5.26664G	120.07	Inf	-Inf	114.31	3	Vertical	303	1.05	24.5	33.07	5.53	32.84
AV	5.26692G	109.53	Inf	-Inf	103.77	3	Vertical	303	1.05	24.5	33.07	5.53	32.84
PK	5.35G	64.72	74.00	-9.28	58.99	3	Vertical	303	1.05	24.5	33.20	5.57	33.04
AV	5.35G	52.27	54.00	-1.73	46.54	3	Vertical	303	1.05	24.5	33.20	5.57	33.04

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
 SET 24.5
 24.5
 6.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14036G	59.07	74.00	-14.93	53.25	3	Horizontal	46	1.80	24.5	32.92	5.44	32.54
AV	5.1496G	46.82	54.00	-7.18	41.03	3	Horizontal	46	1.80	24.5	32.90	5.45	32.56
PK	5.26244G	108.20	Inf	-Inf	102.45	3	Horizontal	46	1.80	24.5	33.05	5.53	32.83
AV	5.27196G	97.89	Inf	-Inf	92.11	3	Horizontal	46	1.80	24.5	33.09	5.54	32.85
PK	5.36548G	58.72	74.00	-15.28	52.95	3	Horizontal	46	1.80	24.5	33.26	5.58	33.07
AV	5.35232G	47.55	54.00	-6.45	41.80	3	Horizontal	46	1.80	24.5	33.21	5.58	33.04

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52314G	52.19	68.20	-16.01	47.92	3	Vertical	268	1.80	24.5	39.15	8.16	43.04
PK	15.77404G	53.72	74.00	-20.28	47.37	3	Vertical	298	2.92	24.5	38.42	10.22	42.29
AV	15.82503G	41.54	54.00	-12.46	35.00	3	Vertical	298	2.92	24.5	38.53	10.24	42.23

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53153G	52.55	68.20	-15.65	48.27	3	Horizontal	271	1.06	24.5	39.16	8.16	43.04
PK	15.81751G	53.32	74.00	-20.68	46.80	3	Horizontal	27	1.80	24.5	38.52	10.24	42.24
AV	15.83398G	41.52	54.00	-12.48	34.97	3	Horizontal	27	1.80	24.5	38.53	10.24	42.22

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 SET 21.5
 15\21\24\22.5\22\21.5
 6.66\2.76\ -15.58\ -5.04\ -2.07\0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30952G	118.23	Inf	-Inf	112.42	3	Vertical	301	1.31	21.5	33.20	5.55	32.94
AV	5.30856G	107.05	Inf	-Inf	101.24	3	Vertical	301	1.31	21.5	33.20	5.55	32.94
PK	5.35104G	66.35	74.00	-7.65	60.61	3	Vertical	301	1.31	21.5	33.20	5.58	33.04
AV	5.35G	53.44	54.00	-0.56	47.71	3	Vertical	301	1.31	21.5	33.20	5.57	33.04

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 SET 21.5
 21.5
 6.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30316G	106.55	Inf	-Inf	100.73	3	Horizontal	48	1.79	21.5	33.20	5.55	32.93
AV	5.30244G	95.49	Inf	-Inf	89.66	3	Horizontal	48	1.79	21.5	33.20	5.55	32.92
PK	5.36688G	59.09	74.00	-14.91	53.32	3	Horizontal	48	1.79	21.5	33.27	5.58	33.08
AV	5.35284G	47.55	54.00	-6.45	41.80	3	Horizontal	48	1.79	21.5	33.21	5.58	33.04

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6188G	52.79	74.00	-21.21	48.35	3	Vertical	2	1.19	21.5	39.30	8.19	43.05
AV	10.61848G	41.13	54.00	-12.87	36.69	3	Vertical	2	1.19	21.5	39.30	8.19	43.05
PK	15.89324G	54.25	74.00	-19.75	47.55	3	Vertical	200	1.08	21.5	38.59	10.26	42.15
AV	15.96572G	42.09	54.00	-11.91	35.34	3	Vertical	200	1.08	21.5	38.53	10.29	42.07

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63167G	52.84	74.00	-21.16	48.41	3	Horizontal	256	1.80	21.5	39.30	8.19	43.06
AV	10.61984G	40.84	54.00	-13.16	36.40	3	Horizontal	256	1.80	21.5	39.30	8.19	43.05
PK	15.91226G	54.49	74.00	-19.51	47.76	3	Horizontal	179	1.80	21.5	38.59	10.27	42.13
AV	15.94726G	41.96	54.00	-12.04	35.22	3	Horizontal	179	1.80	21.5	38.55	10.28	42.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 SET 22.5
 15\21\24\22.5\23\22.5
 6.86\4.82\9.27\1.37\2.86\1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45996G	66.14	74.00	-7.86	60.12	3	Vertical	81	1.05	22.5	33.72	5.60	33.30
AV	5.459G	50.79	54.00	-3.21	44.76	3	Vertical	81	1.05	22.5	33.72	5.60	33.29
PK	5.46764G	67.00	68.20	-1.20	60.97	3	Vertical	81	1.05	22.5	33.74	5.60	33.31
PK	5.49992G	114.01	Inf	-Inf	108.00	3	Vertical	81	1.05	22.5	33.80	5.60	33.39
AV	5.4998G	102.43	Inf	-Inf	96.42	3	Vertical	81	1.05	22.5	33.80	5.60	33.39

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 SET 22.5
 22.5
 6.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45588G	58.45	74.00	-15.55	52.43	3	Horizontal	56	1.78	22.5	33.71	5.60	33.29
AV	5.45024G	47.15	54.00	-6.85	41.12	3	Horizontal	56	1.78	22.5	33.70	5.60	33.27
PK	5.46932G	59.94	68.20	-8.26	53.92	3	Horizontal	56	1.78	22.5	33.74	5.60	33.32
PK	5.52248G	106.69	Inf	-Inf	100.65	3	Horizontal	56	1.78	22.5	33.84	5.60	33.40
AV	5.51216G	94.33	Inf	-Inf	88.30	3	Horizontal	56	1.78	22.5	33.82	5.60	33.39

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05261G	53.59	74.00	-20.41	49.10	3	Vertical	152	2.08	22.5	39.29	8.32	43.12
AV	11.02959G	41.36	54.00	-12.64	36.82	3	Vertical	152	2.08	22.5	39.34	8.31	43.11
PK	16.52944G	55.94	68.20	-12.26	47.33	3	Vertical	180	1.80	22.5	39.60	10.64	41.63

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03063G	53.35	74.00	-20.65	48.81	3	Horizontal	264	1.80	22.5	39.34	8.31	43.11
AV	11.04278G	41.24	54.00	-12.76	36.74	3	Horizontal	264	1.80	22.5	39.31	8.31	43.12
PK	16.5678G	56.60	68.20	-11.60	48.00	3	Horizontal	200	1.79	22.5	39.60	10.67	41.67

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
 SET 26
 24\28\26
 4.96\10.22\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.28	74.00	-16.72	51.55	3	Vertical	302	1.16	26	33.20	5.57	33.04
AV	5.35G	48.09	54.00	-5.91	42.36	3	Vertical	302	1.16	26	33.20	5.57	33.04
PK	5.4584G	63.80	74.00	-10.20	57.77	3	Vertical	302	1.16	26	33.72	5.60	33.29
AV	5.4596G	53.58	54.00	-0.42	47.55	3	Vertical	302	1.16	26	33.72	5.60	33.29
PK	5.4692G	68.03	68.20	-0.17	62.01	3	Vertical	302	1.16	26	33.74	5.60	33.32
PK	5.5536G	119.45	Inf	-Inf	113.35	3	Vertical	302	1.16	26	33.91	5.60	33.41
AV	5.552G	108.97	Inf	-Inf	102.86	3	Vertical	302	1.16	26	33.91	5.60	33.40
PK	5.7256G	60.66	68.20	-7.54	54.20	3	Vertical	302	1.16	26	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 26
26
6.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	56.33	74.00	-17.67	50.60	3	Horizontal	60	1.64	26	33.20	5.57	33.04
AV	5.35G	46.68	54.00	-7.32	40.95	3	Horizontal	60	1.64	26	33.20	5.57	33.04
PK	5.3776G	59.30	74.00	-14.70	53.50	3	Horizontal	60	1.64	26	33.31	5.59	33.10
PK	5.468G	59.65	68.20	-8.55	53.62	3	Horizontal	60	1.64	26	33.74	5.60	33.31
AV	5.4596G	47.56	54.00	-6.44	41.53	3	Horizontal	60	1.64	26	33.72	5.60	33.29
PK	5.5516G	110.14	Inf	-Inf	104.03	3	Horizontal	60	1.64	26	33.91	5.60	33.40
AV	5.5508G	98.61	Inf	-Inf	92.51	3	Horizontal	60	1.64	26	33.90	5.60	33.40
PK	5.7408G	58.77	68.20	-9.43	52.28	3	Horizontal	60	1.64	26	34.28	5.67	33.46

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11063G	53.91	74.00	-20.09	49.52	3	Vertical	35	1.31	26	39.20	8.33	43.14
AV	11.10304G	42.24	54.00	-11.76	37.85	3	Vertical	35	1.31	26	39.20	8.33	43.14
PK	16.68652G	55.99	68.20	-12.21	47.25	3	Vertical	42	1.80	26	39.77	10.75	41.78

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1044G	53.66	74.00	-20.34	49.27	3	Horizontal	360	1.80	26	39.20	8.33	43.14
AV	11.10528G	41.10	54.00	-12.90	36.71	3	Horizontal	360	1.80	26	39.20	8.33	43.14
PK	16.64688G	56.69	68.20	-11.51	48.02	3	Horizontal	127	1.80	26	39.69	10.72	41.74

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 SET 23
 15\21\24\22.5\23\23.5\23
 8.15\7.67\1.51\5.03\3.10\0.12\1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66616G	115.61	Inf	-Inf	109.29	3	Vertical	107	1.09	23	34.13	5.63	33.44
AV	5.666G	103.85	Inf	-Inf	97.53	3	Vertical	107	1.09	23	34.13	5.63	33.44
PK	5.72648G	66.89	68.20	-1.31	60.43	3	Vertical	107	1.09	23	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 23
23
6.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6708G	106.79	Inf	-Inf	100.45	3	Horizontal	61	1.56	23	34.14	5.64	33.44
AV	5.66136G	95.20	Inf	-Inf	88.89	3	Horizontal	61	1.56	23	34.12	5.63	33.44
PK	5.73144G	61.24	68.20	-6.96	54.76	3	Horizontal	61	1.56	23	34.26	5.67	33.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37013G	53.14	74.00	-20.86	48.75	3	Vertical	125	1.80	23	39.23	8.41	43.25
AV	11.36102G	40.71	54.00	-13.29	36.30	3	Vertical	125	1.80	23	39.24	8.41	43.24
PK	17.04253G	57.69	68.20	-10.51	48.12	3	Vertical	308	2.95	23	40.67	10.98	42.08

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35423G	53.04	74.00	-20.96	48.62	3	Horizontal	183	2.92	23	39.25	8.41	43.24
AV	11.36278G	40.64	54.00	-13.36	36.24	3	Horizontal	183	2.92	23	39.24	8.41	43.25
PK	17.00505G	56.86	68.20	-11.34	47.48	3	Horizontal	100	1.80	23	40.52	10.95	42.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 SET 30
 24\30
 6.23\6.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45988G	57.70	74.00	-16.30	51.68	3	Vertical	129	1.07	30	33.72	5.60	33.30
AV	5.4526G	47.77	54.00	-6.23	41.74	3	Vertical	129	1.07	30	33.71	5.60	33.28
PK	5.46196G	58.88	68.20	-9.32	52.86	3	Vertical	129	1.07	30	33.72	5.60	33.30
PK	5.71364G	116.33	Inf	-Inf	109.89	3	Vertical	129	1.07	30	34.23	5.66	33.45
AV	5.71312G	107.00	Inf	-Inf	100.56	3	Vertical	129	1.07	30	34.23	5.66	33.45
PK	5.853G	61.40	68.20	-6.80	54.73	3	Vertical	129	1.07	30	34.43	5.73	33.49

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30
30
7.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45312G	58.39	74.00	-15.61	52.36	3	Horizontal	61	1.60	30	33.71	5.60	33.28
AV	5.4526G	46.94	54.00	-7.06	40.91	3	Horizontal	61	1.60	30	33.71	5.60	33.28
PK	5.4656G	57.48	68.20	-10.72	51.46	3	Horizontal	61	1.60	30	33.73	5.60	33.31
PK	5.71104G	110.47	Inf	-Inf	104.04	3	Horizontal	61	1.60	30	34.22	5.66	33.45
AV	5.7022G	100.02	Inf	-Inf	93.62	3	Horizontal	61	1.60	30	34.20	5.65	33.45
PK	5.89772G	61.03	68.20	-7.17	53.90	3	Horizontal	61	1.60	30	34.88	5.75	33.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38148G	52.44	74.00	-21.56	48.06	3	Vertical	91	1.80	30	39.22	8.41	43.25
AV	11.39634G	40.60	54.00	-13.40	36.24	3	Vertical	91	1.80	30	39.20	8.42	43.26
PK	17.10906G	57.38	68.20	-10.82	47.49	3	Vertical	242	1.79	30	40.93	11.02	42.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45493G	52.72	74.00	-21.28	48.36	3	Horizontal	253	1.80	30	39.20	8.44	43.28
AV	11.39499G	40.64	54.00	-13.36	36.27	3	Horizontal	253	1.80	30	39.21	8.42	43.26
PK	17.09444G	57.20	68.20	-11.00	47.38	3	Horizontal	200	1.80	30	40.88	11.01	42.07

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
 SET 26
 24\30\27\25.5\26\26.5\26
 7.91\ -2.95\ -1.85\5.69\2.84\ -0.75\2.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64664G	65.65	68.20	-2.55	59.36	3	Vertical	128	2.17	26	34.10	5.62	33.43
PK	5.74672G	117.13	Inf	-Inf	110.63	3	Vertical	128	2.17	26	34.29	5.67	33.46
AV	5.74672G	106.06	Inf	-Inf	99.56	3	Vertical	128	2.17	26	34.29	5.67	33.46
PK	5.92528G	60.44	68.20	-7.76	53.14	3	Vertical	128	2.17	26	35.05	5.76	33.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 26
26
7.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64556G	60.67	68.20	-7.53	54.38	3	Horizontal	93	1.79	26	34.10	5.62	33.43
PK	5.74708G	108.18	Inf	-Inf	101.68	3	Horizontal	93	1.79	26	34.29	5.67	33.46
AV	5.74564G	97.71	Inf	-Inf	91.21	3	Horizontal	93	1.79	26	34.29	5.67	33.46
PK	5.92636G	60.03	68.20	-8.17	52.72	3	Horizontal	93	1.79	26	35.06	5.76	33.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52074G	51.61	74.00	-22.39	47.25	3	Vertical	257	1.36	-	39.20	8.46	43.30
AV	11.50274G	40.37	54.00	-13.63	36.02	3	Vertical	257	1.36	-	39.20	8.45	43.30
PK	17.27814G	56.99	68.20	-11.21	46.37	3	Vertical	153	1.05	-	41.51	11.13	42.02

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51474G	52.32	74.00	-21.68	47.97	3	Horizontal	238	2.09	-	39.20	8.45	43.30
AV	11.50904G	40.42	54.00	-13.58	36.07	3	Horizontal	238	2.09	-	39.20	8.45	43.30
PK	17.27796G	56.44	68.20	-11.76	45.82	3	Horizontal	345	1.09	-	41.51	11.13	42.02

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 7.48\6.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6478G	61.63	68.20	-6.57	55.34	3	Vertical	130	2.17	30	34.10	5.62	33.43
PK	5.78796G	116.71	Inf	-Inf	110.19	3	Vertical	130	2.17	30	34.30	5.69	33.47
AV	5.78764G	105.95	Inf	-Inf	99.43	3	Vertical	130	2.17	30	34.30	5.69	33.47
PK	5.93004G	61.19	68.20	-7.01	53.85	3	Vertical	130	2.17	30	35.08	5.77	33.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
 SET 30
 30
 7.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64428G	60.55	68.20	-7.65	54.26	3	Horizontal	97	1.92	30	34.10	5.62	33.43
PK	5.787G	108.49	Inf	-Inf	101.97	3	Horizontal	97	1.92	30	34.30	5.69	33.47
AV	5.78636G	97.76	Inf	-Inf	91.24	3	Horizontal	97	1.92	30	34.30	5.69	33.47
PK	5.94796G	60.57	68.20	-7.63	53.13	3	Horizontal	97	1.92	30	35.19	5.77	33.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59012G	52.59	74.00	-21.41	48.20	3	Vertical	65	1.95	-	39.20	8.48	43.29
AV	11.57518G	40.22	54.00	-13.78	35.84	3	Vertical	65	1.95	-	39.20	8.47	43.29
PK	17.37714G	57.94	68.20	-10.26	46.99	3	Vertical	169	2.46	-	41.75	11.20	42.00

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58382G	52.28	74.00	-21.72	47.89	3	Horizontal	217	2.09	-	39.20	8.48	43.29
AV	11.5798G	40.28	54.00	-13.72	35.90	3	Horizontal	217	2.09	-	39.20	8.47	43.29
PK	17.39658G	58.08	68.20	-10.12	47.07	3	Horizontal	139	2.58	-	41.79	11.21	41.99

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
 SET 20
 15\21\18\19.5\20\24\22\20
 5.99\ -0.74\5.26\4.29\3.55\ -21.14\ -9.04\3.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	61.09	74.00	-12.91	55.25	3	Vertical	302	1.05	20	32.93	5.44	32.53
AV	5.1476G	50.45	54.00	-3.55	44.66	3	Vertical	302	1.05	20	32.90	5.45	32.56
PK	5.21768G	113.45	Inf	-Inf	107.72	3	Vertical	302	1.05	20	32.94	5.51	32.72
AV	5.22664G	102.73	Inf	-Inf	97.01	3	Vertical	302	1.05	20	32.95	5.51	32.74
PK	5.35976G	59.35	74.00	-14.65	53.59	3	Vertical	302	1.05	20	33.24	5.58	33.06
AV	5.35G	47.91	54.00	-6.09	42.18	3	Vertical	302	1.05	20	33.20	5.57	33.04

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
 SET 20
 20
 6.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11112G	58.62	74.00	-15.38	52.70	3	Horizontal	47	1.75	20	32.98	5.41	32.47
AV	5.13544G	47.93	54.00	-6.07	42.09	3	Horizontal	47	1.75	20	32.93	5.44	32.53
PK	5.21256G	101.97	Inf	-Inf	96.24	3	Horizontal	47	1.75	20	32.93	5.51	32.71
AV	5.2116G	91.00	Inf	-Inf	85.28	3	Horizontal	47	1.75	20	32.92	5.51	32.71
PK	5.36712G	58.98	74.00	-15.02	53.21	3	Horizontal	47	1.75	20	33.27	5.58	33.08
AV	5.3604G	47.41	54.00	-6.59	41.65	3	Horizontal	47	1.75	20	33.24	5.58	33.06

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45964G	52.71	68.20	-15.49	48.59	3	Vertical	44	1.80	20	39.02	8.14	43.04
PK	15.66245G	53.18	74.00	-20.82	47.14	3	Vertical	338	1.60	20	38.28	10.18	42.42
AV	15.5512G	41.47	54.00	-12.53	35.24	3	Vertical	338	1.60	20	38.64	10.14	42.55

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38324G	52.50	68.20	-15.70	48.54	3	Horizontal	35	1.78	20	38.88	8.11	43.03
PK	15.61226G	53.45	74.00	-20.55	47.39	3	Horizontal	318	2.44	20	38.38	10.16	42.48
AV	15.552G	41.55	54.00	-12.45	35.32	3	Horizontal	318	2.44	20	38.64	10.14	42.55

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
 SET 21
 10\16\19\20.5\21\21.5\21
 6.35\5.69\5.00\4.46\2.85\1.46\2.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14248G	59.53	74.00	-14.47	53.72	3	Vertical	50	1.10	21	32.92	5.44	32.55
AV	5.13096G	49.30	54.00	-4.70	43.45	3	Vertical	50	1.10	21	32.94	5.43	32.52
PK	5.26216G	113.83	Inf	-Inf	108.08	3	Vertical	50	1.10	21	33.05	5.53	32.83
AV	5.29224G	103.09	Inf	-Inf	97.27	3	Vertical	50	1.10	21	33.17	5.55	32.90
PK	5.35368G	65.50	74.00	-8.50	59.75	3	Vertical	50	1.10	21	33.21	5.58	33.04
AV	5.35464G	51.02	54.00	-2.98	45.27	3	Vertical	50	1.10	21	33.22	5.58	33.05

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 21
21
6.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	57.84	74.00	-16.16	51.99	3	Horizontal	47	1.80	21	32.94	5.43	32.52
AV	5.1428G	47.57	54.00	-6.43	41.77	3	Horizontal	47	1.80	21	32.91	5.44	32.55
PK	5.29224G	102.48	Inf	-Inf	96.66	3	Horizontal	47	1.80	21	33.17	5.55	32.90
AV	5.29224G	91.78	Inf	-Inf	85.96	3	Horizontal	47	1.80	21	33.17	5.55	32.90
PK	5.38184G	59.05	74.00	-14.95	53.24	3	Horizontal	47	1.80	21	33.33	5.59	33.11
AV	5.36296G	47.83	54.00	-6.17	42.07	3	Horizontal	47	1.80	21	33.25	5.58	33.07

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59598G	52.51	68.20	-15.69	48.09	3	Vertical	230	1.82	21	39.29	8.18	43.05
PK	15.87575G	53.79	74.00	-20.21	47.12	3	Vertical	49	1.06	21	38.58	10.26	42.17
AV	15.90548G	42.27	54.00	-11.73	35.55	3	Vertical	49	1.06	21	38.59	10.27	42.14

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5167G	52.58	68.20	-15.62	48.33	3	Horizontal	254	1.80	21	39.13	8.16	43.04
PK	15.94864G	54.22	74.00	-19.78	47.48	3	Horizontal	356	2.46	21	38.55	10.28	42.09
AV	15.91252G	42.44	54.00	-11.56	35.71	3	Horizontal	356	2.46	21	38.59	10.27	42.13

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
 SET 21.5
 15\21\24\22.5\22\21.5
 6.04\0.74\12.87\5.02\1.09\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45816G	64.15	74.00	-9.85	58.12	3	Vertical	62	1.08	21.5	33.72	5.60	33.29
AV	5.4588G	53.47	54.00	-0.53	47.44	3	Vertical	62	1.08	21.5	33.72	5.60	33.29
PK	5.46776G	65.99	68.20	-2.21	59.96	3	Vertical	62	1.08	21.5	33.74	5.60	33.31
PK	5.51784G	112.58	Inf	-Inf	106.53	3	Vertical	62	1.08	21.5	33.84	5.60	33.39
AV	5.5188G	101.41	Inf	-Inf	95.37	3	Vertical	62	1.08	21.5	33.84	5.60	33.40

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 21.5
21.5
5.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	59.62	74.00	-14.38	53.59	3	Horizontal	52	1.74	21.5	33.71	5.60	33.28
AV	5.45352G	48.16	54.00	-5.84	42.13	3	Horizontal	52	1.74	21.5	33.71	5.60	33.28
PK	5.46424G	59.72	68.20	-8.48	53.70	3	Horizontal	52	1.74	21.5	33.73	5.60	33.31
PK	5.52312G	101.68	Inf	-Inf	95.63	3	Horizontal	52	1.74	21.5	33.85	5.60	33.40
AV	5.52408G	90.84	Inf	-Inf	84.79	3	Horizontal	52	1.74	21.5	33.85	5.60	33.40

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98951G	53.73	74.00	-20.27	49.13	3	Vertical	12	1.80	21.5	39.40	8.30	43.10
AV	11.03267G	41.81	54.00	-12.19	37.28	3	Vertical	12	1.80	21.5	39.33	8.31	43.11
PK	16.6095G	56.07	68.20	-12.13	47.46	3	Vertical	132	2.32	21.5	39.62	10.70	41.71

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05105G	53.70	74.00	-20.30	49.20	3	Horizontal	330	1.79	21.5	39.30	8.32	43.12
AV	11.04322G	41.79	54.00	-12.21	37.29	3	Horizontal	330	1.79	21.5	39.31	8.31	43.12
PK	16.62341G	56.31	68.20	-11.89	47.67	3	Horizontal	179	2.50	21.5	39.65	10.71	41.72

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 24.5
24\27\25.5\25\24.5
2.08\ -9.00\ -2.84\ -0.90\ 0.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45448G	64.97	74.00	-9.03	58.94	3	Vertical	112	1.10	24.5	33.71	5.60	33.28
AV	5.45512G	52.96	54.00	-1.04	46.93	3	Vertical	112	1.10	24.5	33.71	5.60	33.28
PK	5.46664G	67.38	68.20	-0.82	61.36	3	Vertical	112	1.10	24.5	33.73	5.60	33.31
PK	5.59688G	115.94	Inf	-Inf	109.67	3	Vertical	112	1.10	24.5	34.09	5.60	33.42
AV	5.59624G	103.60	Inf	-Inf	97.34	3	Vertical	112	1.10	24.5	34.08	5.60	33.42
PK	5.72744G	65.67	68.20	-2.53	59.21	3	Vertical	112	1.10	24.5	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 SET 24.5
 24.5
 6.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45096G	57.85	74.00	-16.15	51.82	3	Horizontal	60	1.70	24.5	33.70	5.60	33.27
AV	5.45096G	47.77	54.00	-6.23	41.74	3	Horizontal	60	1.70	24.5	33.70	5.60	33.27
PK	5.46344G	58.62	68.20	-9.58	52.59	3	Horizontal	60	1.70	24.5	33.73	5.60	33.30
PK	5.60136G	104.49	Inf	-Inf	98.21	3	Horizontal	60	1.70	24.5	34.10	5.60	33.42
AV	5.60104G	94.82	Inf	-Inf	88.54	3	Horizontal	60	1.70	24.5	34.10	5.60	33.42
PK	5.7252G	60.50	68.20	-7.70	54.04	3	Horizontal	60	1.70	24.5	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16885G	54.50	74.00	-19.50	50.12	3	Vertical	38	1.41	24.5	39.20	8.35	43.17
AV	11.19267G	43.07	54.00	-10.93	38.69	3	Vertical	38	1.41	24.5	39.20	8.36	43.18
PK	16.8869G	56.54	68.20	-11.66	47.37	3	Vertical	235	2.59	24.5	40.27	10.88	41.98

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.19299G	53.37	74.00	-20.63	48.99	3	Horizontal	68	2.52	24.5	39.20	8.36	43.18
AV	11.20977G	42.02	54.00	-11.98	37.63	3	Horizontal	68	2.52	24.5	39.21	8.36	43.18
PK	16.90976G	57.46	68.20	-10.74	48.25	3	Horizontal	196	1.80	24.5	40.32	10.89	42.00

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 SET 27
 24\28\26\27
 4.97\4.69\2.84\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.98	74.00	-9.02	58.96	3	Vertical	111	1.05	27	33.71	5.60	33.29
AV	5.45576G	53.97	54.00	-0.03	47.95	3	Vertical	111	1.05	27	33.71	5.60	33.29
PK	5.46632G	66.67	68.20	-1.53	60.65	3	Vertical	111	1.05	27	33.73	5.60	33.31
PK	5.65592G	115.77	Inf	-Inf	109.46	3	Vertical	111	1.05	27	34.11	5.63	33.43
AV	5.66648G	104.72	Inf	-Inf	98.40	3	Vertical	111	1.05	27	34.13	5.63	33.44
PK	5.86664G	63.08	68.20	-5.12	56.27	3	Vertical	111	1.05	27	34.57	5.73	33.49

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 SET 27
 27
 6.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	57.84	74.00	-16.16	51.81	3	Horizontal	60	1.56	27	33.72	5.60	33.29
AV	5.45528G	47.57	54.00	-6.43	41.54	3	Horizontal	60	1.56	27	33.71	5.60	33.28
PK	5.46872G	57.81	68.20	-10.39	51.79	3	Horizontal	60	1.56	27	33.74	5.60	33.32
PK	5.66072G	107.44	Inf	-Inf	101.13	3	Horizontal	60	1.56	27	34.12	5.63	33.44
AV	5.67176G	97.34	Inf	-Inf	91.00	3	Horizontal	60	1.56	27	34.14	5.64	33.44
PK	5.87384G	61.09	68.20	-7.11	54.20	3	Horizontal	60	1.56	27	34.64	5.74	33.49

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.30663G	52.93	74.00	-21.07	48.47	3	Vertical	101	2.51	27	39.29	8.39	43.22
AV	11.39183G	41.08	54.00	-12.92	36.71	3	Vertical	101	2.51	27	39.21	8.42	43.26
PK	17.13346G	58.22	68.20	-9.98	48.24	3	Vertical	360	1.80	27	41.00	11.04	42.06

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36657G	53.00	74.00	-21.00	48.61	3	Horizontal	276	1.80	27	39.23	8.41	43.25
AV	11.39934G	41.16	54.00	-12.84	36.80	3	Horizontal	276	1.80	27	39.20	8.42	43.26
PK	17.10005G	57.03	68.20	-11.17	47.18	3	Horizontal	41	1.80	27	40.90	11.02	42.07

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 SET 24.5
 24\28\26\25\24.5
 2.87\ -8.49\ -1.96\ -1.59\ 0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64732G	67.81	68.20	-0.39	61.52	3	Vertical	129	2.11	24.5	34.10	5.62	33.43
PK	5.74844G	111.10	Inf	-Inf	104.59	3	Vertical	129	2.11	24.5	34.30	5.67	33.46
AV	5.75676G	101.53	Inf	-Inf	95.01	3	Vertical	129	2.11	24.5	34.30	5.68	33.46
PK	5.9334G	60.35	68.20	-7.85	52.99	3	Vertical	129	2.11	24.5	35.10	5.77	33.51

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 24.5
24.5
6.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64604G	60.36	68.20	-7.84	54.07	3	Horizontal	97	1.77	24.5	34.10	5.62	33.43
PK	5.75516G	104.41	Inf	-Inf	97.89	3	Horizontal	97	1.77	24.5	34.30	5.68	33.46
AV	5.74588G	93.12	Inf	-Inf	86.62	3	Horizontal	97	1.77	24.5	34.29	5.67	33.46
PK	5.93436G	61.83	68.20	-6.37	54.46	3	Horizontal	97	1.77	24.5	35.11	5.77	33.51

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46741G	52.12	68.20	-16.08	47.99	3	Vertical	360	1.80	24.5	39.03	8.14	43.04
PK	15.72108G	53.14	74.00	-20.86	47.03	3	Vertical	41	2.38	24.5	38.26	10.20	42.35
AV	15.72052G	40.62	54.00	-13.38	34.51	3	Vertical	41	2.38	24.5	38.26	10.20	42.35

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 24.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47984G	53.06	68.20	-15.14	48.90	3	Horizontal	268	1.80	24.5	39.06	8.14	43.04
PK	15.71169G	54.20	74.00	-19.80	48.12	3	Horizontal	1	1.78	24.5	38.24	10.20	42.36
AV	15.71816G	40.68	54.00	-13.32	34.59	3	Horizontal	1	1.78	24.5	38.25	10.20	42.36

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
 SET 19.5
 15\19\21\20\19.5
 4.77\1.31\2.47\3.16\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14632G	64.56	74.00	-9.44	58.76	3	Vertical	301	1.07	19.5	32.91	5.45	32.56
AV	5.14584G	53.43	54.00	-0.57	47.62	3	Vertical	301	1.07	19.5	32.91	5.45	32.55
PK	5.21712G	111.56	Inf	-Inf	105.84	3	Vertical	301	1.07	19.5	32.93	5.51	32.72
AV	5.2272G	100.19	Inf	-Inf	94.48	3	Vertical	301	1.07	19.5	32.95	5.51	32.75
PK	5.37G	63.31	74.00	-10.69	57.53	3	Vertical	301	1.07	19.5	33.28	5.58	33.08
AV	5.3688G	52.03	54.00	-1.97	46.25	3	Vertical	301	1.07	19.5	33.28	5.58	33.08

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
 SET 19.5
 19.5
 5.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14536G	59.16	74.00	-14.84	53.35	3	Horizontal	49	1.78	19.5	32.91	5.45	32.55
AV	5.13144G	48.45	54.00	-5.55	42.60	3	Horizontal	49	1.78	19.5	32.94	5.43	32.52
PK	5.20248G	99.16	Inf	-Inf	93.45	3	Horizontal	49	1.78	19.5	32.90	5.50	32.69
AV	5.262G	88.39	Inf	-Inf	82.64	3	Horizontal	49	1.78	19.5	33.05	5.53	32.83
PK	5.36544G	59.50	74.00	-14.50	53.73	3	Horizontal	49	1.78	19.5	33.26	5.58	33.07
AV	5.36256G	48.21	54.00	-5.79	42.45	3	Horizontal	49	1.78	19.5	33.25	5.58	33.07

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36605G	52.17	68.20	-16.03	48.21	3	Vertical	1	2.95	19.5	38.87	8.11	43.02
PK	15.75288G	53.91	74.00	-20.09	47.66	3	Vertical	323	1.76	19.5	38.36	10.21	42.32
AV	15.88395G	42.22	54.00	-11.78	35.54	3	Vertical	323	1.76	19.5	38.58	10.26	42.16

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40601G	52.35	68.20	-15.85	48.35	3	Horizontal	148	1.06	19.5	38.91	8.12	43.03
PK	15.88714G	53.76	74.00	-20.24	47.07	3	Horizontal	45	1.05	19.5	38.59	10.26	42.16
AV	15.89929G	42.21	54.00	-11.79	35.50	3	Horizontal	45	1.05	19.5	38.60	10.26	42.15

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
 SET 20
 15\21\18\19.5\20\20.5\20
 5.10\0.56\3.20\0.63\0.52\0.47\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44472G	63.70	74.00	-10.30	57.69	3	Vertical	347	1.09	20	33.67	5.60	33.26
AV	5.45444G	53.89	54.00	-0.11	47.86	3	Vertical	347	1.09	20	33.71	5.60	33.28
PK	5.46596G	65.12	68.20	-3.08	59.10	3	Vertical	347	1.09	20	33.73	5.60	33.31
PK	5.51672G	107.07	Inf	-Inf	101.03	3	Vertical	347	1.09	20	33.83	5.60	33.39
AV	5.53544G	96.78	Inf	-Inf	90.71	3	Vertical	347	1.09	20	33.87	5.60	33.40
PK	5.72516G	60.31	68.20	-7.89	53.85	3	Vertical	347	1.09	20	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 20
20
5.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	59.14	74.00	-14.86	53.11	3	Horizontal	60	1.67	20	33.72	5.60	33.29
AV	5.45516G	48.35	54.00	-5.65	42.32	3	Horizontal	60	1.67	20	33.71	5.60	33.28
PK	5.4602G	60.00	68.20	-8.20	53.98	3	Horizontal	60	1.67	20	33.72	5.60	33.30
PK	5.58152G	99.34	Inf	-Inf	93.12	3	Horizontal	60	1.67	20	34.03	5.60	33.41
AV	5.59124G	88.23	Inf	-Inf	81.99	3	Horizontal	60	1.67	20	34.06	5.60	33.42
PK	5.73992G	60.31	68.20	-7.89	53.82	3	Horizontal	60	1.67	20	34.28	5.67	33.46

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02204G	54.03	74.00	-19.97	49.47	3	Vertical	296	1.48	20	39.36	8.31	43.11
AV	11.04378G	41.77	54.00	-12.23	37.27	3	Vertical	296	1.48	20	39.31	8.31	43.12
PK	16.7068G	56.09	68.20	-12.11	47.31	3	Vertical	234	1.75	20	39.82	10.76	41.80

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10611G	53.32	74.00	-20.68	48.93	3	Horizontal	122	1.80	20	39.20	8.33	43.14
AV	11.06488G	41.67	54.00	-12.33	37.21	3	Horizontal	122	1.80	20	39.27	8.32	43.13
PK	16.83212G	56.07	68.20	-12.13	47.00	3	Horizontal	151	1.80	20	40.16	10.84	41.93




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.14824G	53.88	54.00	-0.12	3	Vertical	18	2.05	17

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
 SET 23
 15\21\24\22.5\23
 7.30\5.38\4.56\1.87\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	66.77	74.00	-7.23	60.77	3	Vertical	15	2.25	23	34.10	6.75	34.85
AV	5.1494G	53.63	54.00	-0.37	47.63	3	Vertical	15	2.25	23	34.10	6.75	34.85
PK	5.1749G	123.55	Inf	-Inf	117.58	3	Vertical	15	2.25	23	34.05	6.77	34.85
AV	5.1749G	113.33	Inf	-Inf	107.36	3	Vertical	15	2.25	23	34.05	6.77	34.85

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34208G	56.43	68.20	-11.77	72.22	3	Vertical	209	1.80	23	37.84	12.19	65.82
PK	15.55728G	62.22	74.00	-11.78	69.87	3	Vertical	86	1.86	23	38.17	16.26	62.08
AV	15.55784G	48.60	54.00	-5.40	56.25	3	Vertical	86	1.86	23	38.17	16.26	62.08

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3424G	56.56	68.20	-11.64	72.35	3	Horizontal	72	2.87	23	37.84	12.19	65.82
PK	15.55056G	62.29	74.00	-11.71	69.92	3	Horizontal	318	1.80	23	38.20	16.25	62.08
AV	15.55464G	48.63	54.00	-5.37	56.28	3	Horizontal	318	1.80	23	38.18	16.25	62.08

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
 SET 25.5
 24\30\27\25.5\26\25.5
 5.38\ -11.14\ -2.68\ 2.19\ -0.01\ 2.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.55	74.00	-8.45	59.55	3	Vertical	18	2.04	25.5	34.10	6.75	34.85
AV	5.14974G	51.94	54.00	-2.06	45.94	3	Vertical	18	2.04	25.5	34.10	6.75	34.85
PK	5.19468G	125.23	Inf	-Inf	119.29	3	Vertical	18	2.04	25.5	34.01	6.79	34.86
AV	5.20518G	115.11	Inf	-Inf	109.17	3	Vertical	18	2.04	25.5	34.00	6.80	34.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40748G	56.64	68.20	-11.56	72.15	3	Vertical	9	1.54	25.5	37.91	12.22	65.64
PK	15.60276G	62.18	74.00	-11.82	69.99	3	Vertical	36	1.80	25.5	38.00	16.30	62.11
AV	15.61908G	48.08	54.00	-5.92	55.85	3	Vertical	36	1.80	25.5	38.02	16.32	62.11

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38672G	56.95	68.20	-11.25	72.55	3	Horizontal	36	1.32	25.5	37.89	12.21	65.70
PK	15.59812G	62.74	74.00	-11.26	70.53	3	Horizontal	360	1.80	25.5	38.01	16.30	62.10
AV	15.619G	48.15	54.00	-5.85	55.92	3	Horizontal	360	1.80	25.5	38.02	16.32	62.11

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30
24\28\30
4.80\3.53\3.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14978G	65.00	74.00	-9.00	59.00	3	Vertical	18	2.02	30	34.10	6.75	34.85
AV	5.15G	50.37	54.00	-3.63	44.37	3	Vertical	18	2.02	30	34.10	6.75	34.85
PK	5.23506G	127.97	Inf	-Inf	122.01	3	Vertical	18	2.02	30	34.00	6.82	34.86
AV	5.2348G	117.87	Inf	-Inf	111.91	3	Vertical	18	2.02	30	34.00	6.82	34.86
PK	5.35076G	60.23	74.00	-13.77	53.73	3	Vertical	18	2.02	30	34.50	6.88	34.88
AV	5.35024G	48.12	54.00	-5.88	41.62	3	Vertical	18	2.02	30	34.50	6.88	34.88

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46076G	56.43	68.20	-11.77	71.72	3	Vertical	146	1.80	30	37.96	12.25	65.50
PK	15.70156G	61.76	74.00	-12.24	69.43	3	Vertical	223	1.80	30	38.09	16.40	62.16
AV	15.70044G	47.87	54.00	-6.13	55.53	3	Vertical	223	1.80	30	38.10	16.40	62.16

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46456G	55.82	68.20	-12.38	71.09	3	Horizontal	253	1.07	30	37.96	12.26	65.49
PK	15.70004G	61.59	74.00	-12.41	69.25	3	Horizontal	115	1.80	30	38.10	16.40	62.16
AV	15.7002G	47.88	54.00	-6.12	55.54	3	Horizontal	115	1.80	30	38.10	16.40	62.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
 SET 30
 24\28\30
 4.48\2.43\2.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14534G	61.34	74.00	-12.66	55.35	3	Vertical	18	2.03	30	34.09	6.75	34.85
AV	5.14976G	48.51	54.00	-5.49	42.51	3	Vertical	18	2.03	30	34.10	6.75	34.85
PK	5.26494G	128.20	Inf	-Inf	122.15	3	Vertical	18	2.03	30	34.09	6.83	34.87
AV	5.2548G	117.61	Inf	-Inf	111.62	3	Vertical	18	2.03	30	34.03	6.83	34.87
PK	5.35G	65.21	74.00	-8.79	58.72	3	Vertical	18	2.03	30	34.50	6.87	34.88
AV	5.35074G	51.46	54.00	-2.54	44.96	3	Vertical	18	2.03	30	34.50	6.88	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51232G	57.48	68.20	-10.72	72.59	3	Vertical	220	1.80	30	38.01	12.28	65.40
PK	15.76448G	62.30	74.00	-11.70	70.32	3	Vertical	320	1.80	30	37.71	16.46	62.19
AV	15.76416G	47.52	54.00	-6.48	55.53	3	Vertical	320	1.80	30	37.72	16.46	62.19

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51248G	56.37	68.20	-11.83	71.48	3	Horizontal	198	1.80	30	38.01	12.28	65.40
PK	15.77448G	61.61	74.00	-12.39	69.69	3	Horizontal	262	1.80	30	37.65	16.47	62.20
AV	15.76448G	47.49	54.00	-6.51	55.51	3	Horizontal	262	1.80	30	37.71	16.46	62.19

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
 SET 23.5
 15\21\24\22.5\23\23.5
 6.98\6.24\1.26\5.25\4.03\2.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29496G	124.57	Inf	-Inf	118.32	3	Vertical	17	2.04	23.5	34.27	6.85	34.87
AV	5.29482G	114.29	Inf	-Inf	108.04	3	Vertical	17	2.04	23.5	34.27	6.85	34.87
PK	5.3504G	65.58	74.00	-8.42	59.08	3	Vertical	17	2.04	23.5	34.50	6.88	34.88
AV	5.35G	51.69	54.00	-2.31	45.20	3	Vertical	17	2.04	23.5	34.50	6.87	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60616G	56.38	74.00	-17.62	71.45	3	Vertical	94	1.80	23.5	38.10	12.33	65.50
AV	10.62G	42.36	54.00	-11.64	57.43	3	Vertical	94	1.80	23.5	38.10	12.34	65.51
PK	15.88024G	59.90	74.00	-14.10	68.00	3	Vertical	66	1.80	23.5	37.58	16.58	62.26
AV	15.88164G	46.43	54.00	-7.57	54.53	3	Vertical	66	1.80	23.5	37.58	16.58	62.26

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61284G	56.71	74.00	-17.29	71.78	3	Horizontal	126	1.80	23.5	38.10	12.34	65.51
AV	10.61996G	42.39	54.00	-11.61	57.46	3	Horizontal	126	1.80	23.5	38.10	12.34	65.51
PK	15.89732G	60.81	74.00	-13.19	68.87	3	Horizontal	28	1.80	23.5	37.60	16.60	62.26
AV	15.88536G	46.44	54.00	-7.56	54.52	3	Horizontal	28	1.80	23.5	37.59	16.59	62.26

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
 SET 21.5
 15\21\24\22.5\22\21.5
 6.91\4.83\12.44\2.95\0.28\2.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3155G	122.24	Inf	-Inf	115.89	3	Vertical	16	1.97	21.5	34.36	6.86	34.87
AV	5.3151G	112.26	Inf	-Inf	105.91	3	Vertical	16	1.97	21.5	34.36	6.86	34.87
PK	5.35G	65.56	74.00	-8.44	59.07	3	Vertical	16	1.97	21.5	34.50	6.87	34.88
AV	5.35G	51.83	54.00	-2.17	45.34	3	Vertical	16	1.97	21.5	34.50	6.87	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.638G	57.23	74.00	-16.77	72.31	3	Vertical	1	2.43	21.5	38.10	12.35	65.53
AV	10.63856G	43.25	54.00	-10.75	58.33	3	Vertical	1	2.43	21.5	38.10	12.35	65.53
PK	15.95036G	59.99	74.00	-14.01	68.08	3	Vertical	187	1.80	21.5	37.55	16.65	62.29
AV	15.9516G	46.37	54.00	-7.63	54.46	3	Vertical	187	1.80	21.5	37.55	16.65	62.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6254G	56.33	74.00	-17.67	71.41	3	Horizontal	329	2.56	21.5	38.10	12.34	65.52
AV	10.62276G	42.49	54.00	-11.51	57.57	3	Horizontal	329	2.56	21.5	38.10	12.34	65.52
PK	15.97312G	60.34	74.00	-13.66	68.45	3	Horizontal	180	1.76	21.5	37.53	16.67	62.31
AV	15.94688G	46.37	54.00	-7.63	54.46	3	Horizontal	180	1.76	21.5	37.55	16.65	62.29

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
 SET 23.5
 15\21\24\22.5\23\23.5
 6.91\6.14\2.69\3.43\2.62\1.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.86	74.00	-11.14	56.19	3	Vertical	19	1.98	23.5	34.60	6.96	34.89
AV	5.46G	49.75	54.00	-4.25	43.08	3	Vertical	19	1.98	23.5	34.60	6.96	34.89
PK	5.469G	67.02	68.20	-1.18	60.35	3	Vertical	19	1.98	23.5	34.60	6.97	34.90
PK	5.5046G	123.44	Inf	-Inf	116.74	3	Vertical	19	1.98	23.5	34.60	7.00	34.90
AV	5.5047G	113.15	Inf	-Inf	106.45	3	Vertical	19	1.98	23.5	34.60	7.00	34.90

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00112G	46.37	74.00	-27.63	61.43	3	Vertical	102	1.82	-	38.30	12.55	65.91
AV	10.99312G	32.19	54.00	-21.81	47.25	3	Vertical	102	1.82	-	38.29	12.55	65.90
PK	16.5078G	44.86	68.20	-23.34	51.98	3	Vertical	182	1.79	-	37.94	17.00	62.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00832G	46.42	74.00	-27.58	61.45	3	Horizontal	218	1.02	-	38.31	12.55	65.89
AV	10.99532G	32.12	54.00	-21.88	47.18	3	Horizontal	218	1.02	-	38.30	12.55	65.91
PK	16.49324G	44.84	68.20	-23.36	51.99	3	Horizontal	121	2.71	-	37.91	17.00	62.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30
24\30
6.56\5.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4424G	60.03	74.00	-13.97	53.41	3	Vertical	24	1.92	30	34.57	6.94	34.89
PK	5.468G	60.89	68.20	-7.31	54.22	3	Vertical	24	1.92	30	34.60	6.97	34.90
AV	5.45904G	48.05	54.00	-5.95	41.38	3	Vertical	24	1.92	30	34.60	6.96	34.89
PK	5.5736G	128.06	Inf	-Inf	121.42	3	Vertical	24	1.92	30	34.51	7.07	34.94
AV	5.57904G	117.56	Inf	-Inf	110.94	3	Vertical	24	1.92	30	34.48	7.08	34.94
PK	5.73232G	59.44	68.20	-8.76	53.08	3	Vertical	24	1.92	30	34.20	7.17	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16592G	45.34	74.00	-28.66	59.76	3	Vertical	218	1.18	-	38.53	12.64	65.59
AV	11.16896G	31.93	54.00	-22.07	46.34	3	Vertical	218	1.18	-	38.54	12.64	65.59
PK	16.75G	46.08	68.20	-22.12	52.12	3	Vertical	235	1.41	-	38.95	17.15	62.14

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16976G	46.03	74.00	-27.97	60.44	3	Horizontal	209	2.96	-	38.54	12.64	65.59
AV	11.16892G	31.91	54.00	-22.09	46.32	3	Horizontal	209	2.96	-	38.54	12.64	65.59
PK	16.73872G	46.79	68.20	-21.41	52.87	3	Horizontal	100	1.46	-	38.92	17.14	62.14

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
 SET 21
 15\21\24\22.5\22\21.5\21
 7.23\5.47\11.14\3.42\2.60\1.80\5.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7051G	121.03	Inf	-Inf	114.68	3	Vertical	19	2.05	21	34.20	7.15	35.00
AV	5.6951G	110.96	Inf	-Inf	104.58	3	Vertical	19	2.05	21	34.22	7.15	34.99
PK	5.7305G	62.79	68.20	-5.41	56.43	3	Vertical	19	2.05	21	34.20	7.17	35.01

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40168G	48.15	74.00	-25.85	61.82	3	Vertical	354	1.40	-	38.71	12.77	65.15
AV	11.39844G	34.04	54.00	-19.96	47.72	3	Vertical	354	1.40	-	38.70	12.77	65.15
PK	17.09284G	46.62	68.20	-21.58	51.33	3	Vertical	336	1.47	-	40.19	17.36	62.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4034G	48.27	74.00	-25.73	61.93	3	Horizontal	157	2.21	-	38.71	12.77	65.14
AV	11.39832G	34.03	54.00	-19.97	47.71	3	Horizontal	157	2.21	-	38.70	12.77	65.15
PK	17.09248G	46.24	68.20	-21.96	50.96	3	Horizontal	296	2.05	-	40.18	17.36	62.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 SET 30
 24\30
 6.91\6.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45162G	59.22	74.00	-14.78	52.56	3	Vertical	22	1.99	30	34.60	6.95	34.89
AV	5.45324G	47.15	54.00	-6.85	40.49	3	Vertical	22	1.99	30	34.60	6.95	34.89
PK	5.46836G	58.75	68.20	-9.45	52.08	3	Vertical	22	1.99	30	34.60	6.97	34.90
PK	5.72486G	128.11	Inf	-Inf	121.76	3	Vertical	22	1.99	30	34.20	7.16	35.01
AV	5.72486G	117.38	Inf	-Inf	111.03	3	Vertical	22	1.99	30	34.20	7.16	35.01
PK	5.91278G	61.20	68.20	-7.00	54.51	3	Vertical	22	1.99	30	34.53	7.26	35.10

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4472G	47.22	74.00	-26.78	60.64	3	Vertical	278	2.33	-	38.84	12.80	65.06
AV	11.43264G	33.54	54.00	-20.46	47.04	3	Vertical	278	2.33	-	38.80	12.79	65.09
PK	17.16308G	46.11	68.20	-22.09	50.61	3	Vertical	98	1.38	-	40.39	17.40	62.29

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44516G	46.98	74.00	-27.02	60.41	3	Horizontal	62	2.32	-	38.84	12.79	65.06
AV	11.4312G	33.64	54.00	-20.36	47.15	3	Horizontal	62	2.32	-	38.79	12.79	65.09
PK	17.15192G	45.59	68.20	-22.61	50.12	3	Horizontal	259	2.83	-	40.36	17.39	62.28

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30
24\30
5.11\5.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64658G	63.14	68.20	-5.06	56.59	3	Vertical	21	1.96	30	34.40	7.12	34.97
PK	5.74006G	127.99	Inf	-Inf	121.64	3	Vertical	21	1.96	30	34.20	7.17	35.02
AV	5.74044G	117.33	Inf	-Inf	110.98	3	Vertical	21	1.96	30	34.20	7.17	35.02
PK	5.93424G	60.12	68.20	-8.08	53.39	3	Vertical	21	1.96	30	34.57	7.27	35.11

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4962G	47.89	74.00	-26.11	61.05	3	Vertical	303	1.65	-	38.99	12.82	64.97
AV	11.49148G	33.48	54.00	-20.52	46.67	3	Vertical	303	1.65	-	38.97	12.82	64.98
PK	17.23096G	45.81	68.20	-22.39	50.04	3	Vertical	157	2.31	-	40.65	17.44	62.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49136G	47.32	74.00	-26.68	60.51	3	Horizontal	73	2.21	-	38.97	12.82	64.98
AV	11.49156G	33.62	54.00	-20.38	46.81	3	Horizontal	73	2.21	-	38.97	12.82	64.98
PK	17.24408G	46.18	68.20	-22.02	50.33	3	Horizontal	348	2.67	-	40.72	17.45	62.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 8.72\8.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	60.00	68.20	-8.20	53.45	3	Vertical	21	1.80	30	34.40	7.12	34.97
PK	5.7901G	126.79	Inf	-Inf	120.35	3	Vertical	21	1.80	30	34.28	7.20	35.04
AV	5.7904G	116.60	Inf	-Inf	110.16	3	Vertical	21	1.80	30	34.28	7.20	35.04
PK	5.9281G	59.19	68.20	-9.01	52.48	3	Vertical	21	1.80	30	34.56	7.26	35.11

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57212G	46.74	74.00	-27.26	59.65	3	Vertical	52	1.71	-	39.22	12.86	64.99
AV	11.57628G	32.95	54.00	-21.05	45.85	3	Vertical	52	1.71	-	39.23	12.87	65.00
PK	17.34516G	47.70	68.20	-20.50	51.23	3	Vertical	79	1.17	-	41.32	17.51	62.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56296G	46.56	74.00	-27.44	59.50	3	Horizontal	171	1.48	-	39.19	12.86	64.99
AV	11.57628G	32.96	54.00	-21.04	45.86	3	Horizontal	171	1.48	-	39.23	12.87	65.00
PK	17.34908G	47.19	68.20	-21.01	50.71	3	Horizontal	306	1.58	-	41.34	17.51	62.37

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
 SET 30
 24\28\30
 2.49\2.86\3.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63728G	65.16	68.20	-3.04	58.61	3	Vertical	22	1.97	30	34.40	7.12	34.97
PK	5.82994G	127.49	Inf	-Inf	121.04	3	Vertical	22	1.97	30	34.30	7.21	35.06
AV	5.82576G	116.96	Inf	-Inf	110.51	3	Vertical	22	1.97	30	34.30	7.21	35.06
PK	5.92532G	62.09	68.20	-6.11	55.38	3	Vertical	22	1.97	30	34.55	7.26	35.10

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65696G	45.56	74.00	-28.44	58.32	3	Vertical	20	1.80	-	39.36	12.91	65.03
AV	11.64596G	31.97	54.00	-22.03	44.74	3	Vertical	20	1.80	-	39.35	12.91	65.03
PK	17.485G	50.18	68.20	-18.02	52.71	3	Vertical	36	1.28	-	42.30	17.59	62.42

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65512G	46.70	74.00	-27.30	59.46	3	Horizontal	56	3.00	-	39.36	12.91	65.03
AV	11.64684G	32.84	54.00	-21.16	45.61	3	Horizontal	56	3.00	-	39.35	12.91	65.03
PK	17.48324G	50.01	68.20	-18.19	52.56	3	Horizontal	228	1.13	-	42.28	17.59	62.42

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
 SET 22.5
 15\21\24\22.5\23\22.5
 7.21\5.43\5.90\1.47\0.47\1.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1489G	65.29	74.00	-8.71	59.29	3	Vertical	18	2.09	22.5	34.10	6.75	34.85
AV	5.1489G	52.64	54.00	-1.36	46.64	3	Vertical	18	2.09	22.5	34.10	6.75	34.85
PK	5.1792G	125.49	Inf	-Inf	119.53	3	Vertical	18	2.09	22.5	34.04	6.78	34.86
AV	5.1786G	112.03	Inf	-Inf	106.07	3	Vertical	18	2.09	22.5	34.04	6.78	34.86

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34468G	56.29	68.20	-11.91	72.08	3	Vertical	36	1.37	22.5	37.84	12.19	65.82
PK	15.54988G	62.88	74.00	-11.12	70.51	3	Vertical	7	1.80	22.5	38.20	16.25	62.08
AV	15.55808G	49.09	54.00	-4.91	56.74	3	Vertical	7	1.80	22.5	38.17	16.26	62.08

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3738G	56.22	68.20	-11.98	71.88	3	Horizontal	60	2.42	22.5	37.87	12.21	65.74
PK	15.55764G	62.75	74.00	-11.25	70.40	3	Horizontal	360	1.14	22.5	38.17	16.26	62.08
AV	15.55868G	48.98	54.00	-5.02	56.63	3	Horizontal	360	1.14	22.5	38.17	16.26	62.08

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
 SET 25
 24\28\26\25\25\5\25
 4.74\11.36\1.76\1.96\0.11\1.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1489G	66.24	74.00	-7.76	60.24	3	Vertical	16	2.06	25	34.10	6.75	34.85
AV	5.15G	52.02	54.00	-1.98	46.02	3	Vertical	16	2.06	25	34.10	6.75	34.85
PK	5.20126G	126.65	Inf	-Inf	120.71	3	Vertical	16	2.06	25	34.00	6.80	34.86
AV	5.20098G	114.89	Inf	-Inf	108.95	3	Vertical	16	2.06	25	34.00	6.80	34.86

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39564G	56.84	68.20	-11.36	72.40	3	Vertical	301	1.80	25	37.90	12.22	65.68
PK	15.59872G	62.18	74.00	-11.82	69.97	3	Vertical	7	1.80	25	38.01	16.30	62.10
AV	15.6196G	48.36	54.00	-5.64	56.13	3	Vertical	7	1.80	25	38.02	16.32	62.11

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38588G	57.04	68.20	-11.16	72.64	3	Horizontal	129	1.80	25	37.89	12.21	65.70
PK	15.61592G	62.28	74.00	-11.72	70.05	3	Horizontal	44	1.80	25	38.02	16.32	62.11
AV	15.60968G	48.32	54.00	-5.68	56.11	3	Horizontal	44	1.80	25	38.01	16.31	62.11

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
 SET 30
 24\30
 5.20\1.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.59	74.00	-9.41	58.59	3	Vertical	22	1.97	30	34.10	6.75	34.85
AV	5.14848G	52.28	54.00	-1.72	46.28	3	Vertical	22	1.97	30	34.10	6.75	34.85
PK	5.23844G	128.19	Inf	-Inf	122.23	3	Vertical	22	1.97	30	34.00	6.82	34.86
AV	5.23714G	116.80	Inf	-Inf	110.84	3	Vertical	22	1.97	30	34.00	6.82	34.86
PK	5.3505G	59.78	74.00	-14.22	53.28	3	Vertical	22	1.97	30	34.50	6.88	34.88
AV	5.35024G	48.03	54.00	-5.97	41.53	3	Vertical	22	1.97	30	34.50	6.88	34.88

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4692G	56.83	68.20	-11.37	72.07	3	Vertical	200	2.26	30	37.97	12.26	65.47
PK	15.71084G	62.22	74.00	-11.78	69.94	3	Vertical	337	1.80	30	38.03	16.41	62.16
AV	15.70048G	48.11	54.00	-5.89	55.77	3	Vertical	337	1.80	30	38.10	16.40	62.16

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47024G	56.59	68.20	-11.61	71.83	3	Horizontal	305	1.05	30	37.97	12.26	65.47
PK	15.70932G	61.79	74.00	-12.21	69.50	3	Horizontal	359	1.80	30	38.04	16.41	62.16
AV	15.70056G	48.14	54.00	-5.86	55.80	3	Horizontal	359	1.80	30	38.10	16.40	62.16

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 30
24\28\30
4.80\1.42\1.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13078G	61.20	74.00	-12.80	55.26	3	Vertical	16	1.97	30	34.06	6.73	34.85
AV	5.15G	49.55	54.00	-4.45	43.55	3	Vertical	16	1.97	30	34.10	6.75	34.85
PK	5.26182G	128.22	Inf	-Inf	122.19	3	Vertical	16	1.97	30	34.07	6.83	34.87
AV	5.26104G	117.69	Inf	-Inf	111.66	3	Vertical	16	1.97	30	34.07	6.83	34.87
PK	5.35152G	65.50	74.00	-8.50	59.00	3	Vertical	16	1.97	30	34.50	6.88	34.88
AV	5.351G	52.47	54.00	-1.53	45.97	3	Vertical	16	1.97	30	34.50	6.88	34.88

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51364G	57.02	68.20	-11.18	72.13	3	Vertical	173	1.80	30	38.01	12.28	65.40
PK	15.77568G	61.16	74.00	-12.84	69.23	3	Vertical	5	1.80	30	37.65	16.48	62.20
AV	15.76432G	47.56	54.00	-6.44	55.58	3	Vertical	5	1.80	30	37.71	16.46	62.19

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



EUT_Y_2TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50884G	56.81	68.20	-11.39	71.92	3	Horizontal	343	1.79	30	38.01	12.28	65.40
PK	15.79356G	61.46	74.00	-12.54	69.64	3	Horizontal	94	1.80	30	37.54	16.49	62.21
AV	15.7654G	47.62	54.00	-6.38	55.63	3	Horizontal	94	1.80	30	37.71	16.47	62.19