




3.11.8 TEST RESULTS – OFDM(Mode 1,2,4)

EUT	Upgrade Kit - 802.11g		
MODEL	WL-463	ENVIRONMENTAL CONDITIONS	23 deg. C, 58%RH, 977 hPa
INPUT POWER (SYSTEM)	120Vac, 60 Hz	TESTED BY	Eric Lee

CHANNEL NUMBER	CHANNEL FREQUENCY (MHz)	RF POWER LEVEL IN 3 KHz BW (dBm)	MAXIMUM LIMIT (dBm)	PASS/FAIL
1	2412	-15.14	8	PASS
6	2437	-8.96	8	PASS
11	2462	-15.54	8	PASS
Turbo 6	2437	-12.46	8	PASS




CH1






CH6






CH11





Turbo CH6






3.11.9 TEST RESULTS – OFDM (Mode 3)

EUT	Upgrade Kit - 802.11g		
MODEL	WL-463	ENVIRONMENTAL CONDITIONS	24 deg. C, 62%RH, 977 hPa
INPUT POWER (SYSTEM)	120Vac, 60 Hz	TESTED BY	Rex Huang


CHANNEL NUMBER	CHANNEL FREQUENCY (MHz)	RF POWER LEVEL IN 3 KHz BW (dBm)	MAXIMUM LIMIT (dBm)	PASS/FAIL
1	2412	-12.70	8	PASS
6	2437	-7.03	8	PASS
11	2462	-14.61	8	PASS
Turbo 6	2437	-11.98	8	PASS



CH1




CH6





CH11



Turbo 6

