


Page: 91 of 253

802.11n_20MHz_Test_Chain0



802.11n_20MHz_Test_Chain0



802.11n_20MHz_Test_Chain0



802.11n_20MHz_Test_Chain1



802.11n_20MHz_Test_Chain1



802.11n 20MHz Test Chain1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tailors Index 124 the Scs_Tailors** I

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488




Page: 92 of 253

802.11n_40MHz_Chain0_5190MHz



802.11n_40MHz_Chain0_5230MHz



802.11n 40MHz Chain0 5270MHz



802.11n_40MHz_Chain0_5310MHz



802.11n_40MHz_Chain0_5510MHz



802.11n 40MHz Chain0 5550MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tailors Index 124 the Scs_Tailors** I

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 93 of 253


802.11n_40MHz_Chain0_5670MHz



802.11n_40MHz_Chain0_5710MHz_UNII 2C



802.11n 40MHz Chain0 5710MHz UNII 3



802.11n_40MHz_Chain0_5755MHz



802.11n_40MHz_Chain0_5795MHz



802.11n 40MHz Chain1 5190MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tailors Index 124 the Scs_Tailors** I

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 94 of 253

802.11n_40MHz_Chain1_5230MHz



802.11n_40MHz_Chain1_5270MHz



802.11n_40MHz_Chain1_5310MHz



802.11n_40MHz_Chain1_5510MHz



802.11n_40MHz_Chain1_5550MHz



802.11n 40MHz Chain1 5670MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tailors Index 124 the Scs_Tailors** I

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 95 of 253

802.11n_40MHz_Chain1_5710MHz_UNII 2C




802.11n_40MHz_Chain1_5710MHz_UNII 3



802.11n 40MHz Chain1 5755MHz



802.11n_40MHz_Chain1_5795MHz



802.11n_40MHz_Test_Chain0



802.11n_40MHz_Test_Chain0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tailors Index 124 the Scs_Tailors** I

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488




Page: 96 of 253

802.11n_40MHz_Test_Chain1



802.11n_40MHz_Test_Chain1



802.11ac 80MHz Chain0 5210MHz



802.11ac_80MHz_Chain0_5290MHz



802.11ac_80MHz_Chain0_5530MHz



802.11ac 80MHz Chain0 5610MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tailors Index 124 the Scs_Tailors** I

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 97 of 253

802.11ac_80MHz_Chain0_5690MHz_UNII 2C



802.11ac_80MHz_Chain0_5690MHz_UNII 3




802.11ac 80MHz Chain0 5775MHz



802.11ac_80MHz_Chain1_5210MHz



802.11ac_80MHz_Chain1_5290MHz



802.11ac 80MHz Chain1_5530MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tailors Index 124 the Scs_Tailors** I

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 98 of 253

802.11ac_80MHz_Chain1_5610MHz



802.11ac_80MHz_Chain1_5690MHz_UNII 2C




802.11ac 80MHz Chain1 5690MHz UNII 3



802.11ac_80MHz_Chain1_5775MHz



802.11ac_80MHz_Test_Chain0



802.11ac 80MHz Test Chain0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS_Tailors Index 124 the Scs_Tailors** I

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 99 of 253

802.11ac_80MHz_Test_Chain1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 100 of 253

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

Standard Applicable

11.1.1 Band Edge

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m
15.407(b)(1) RSS-247 §6.2.1.2		
15.407(b)(2) RSS-247 §6.2.2.2	PK: -27 (dBm/MHz)	PK: 68.2 (dBµV/m)
15.407(b)(3) RSS-247 §6.2.3.2		
	PK:-27 (dBm/MHz) *1	PK: 68.2 (dBµV/m) *1
15.407(b)(4)(i)	PK:10 (dBm/MHz) *2	PK:105.2 (dBµV/m) *2
RSS-247 §6.2.4.2	PK:15.6 (dBm/MHz) *3	PK: 110.8(dBµV/m) *3
	PK:27 (dBm/MHz) *4	PK:122.2 (dBµV/m) *4

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = $((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tainsaction This area of the company and the property of the content or appearance or appearance

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 101 of 253

11.1.2 Spurious Emission

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

and reducted enhancement in the opening de peren table.					
Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)			
0.009-0.490	2400/F(kHz)	300			
0.490-1.705	24000/F(kHz)	30			
1.705-30	30	30			
30-88	100	3			
88-216	150	3			
216-960	200	3			
Above 960	500	3			

Note:

1. The lower limit shall apply at the transition frequencies.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 102 of 253

11.2 Measurement Equipment Used

	Radiated Emission Test Site: SAC G									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Broadband Antenna	SCHWAZBECK	VULB 9168	1206	02/22/2021	02/21/2022					
Horn Antenna	Schwarzbeck	DRH18-E	210105A18E	04/09/2021	04/08/2022					
Horn Antenna	Schwarzbeck	BBHA9170	185	07/30/2020	07/29/2021					
Loop Antenna	ETS.LINDGREN	6502	143303	05/07/2021	05/06/2022					
3m Site NSA	SGS	966 chamber G	N/A	03/30/2021	03/29/2022					
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	04/06/2021	04/05/2022					
Pre-Amplifier	EMC Instruments	EMC0011830	980199	11/19/2020	11/18/2021					
Pre-Amplifier	EMC Instruments	EMC330N	980781	03/15/2021	03/14/2022					
Pre-Amplifier	EMC Instruments	EMC118A45SE	980815	03/15/2021	03/14/2022					
Attenuator	Marvelous	MVE2213-30	RF04	11/19/2020	11/18/2021					
High Pass Filter	R&S	F13 HPF 3GHz	RF175	11/19/2020	11/18/2021					
Lowpass Filter	Woken	EWT-56-0019	RF173	11/19/2020	11/18/2021					
High Pass Filter	R&S	HPF7.0	RF176	11/19/2020	11/18/2021					
Notch Filter	Woken	EWT-54-0037	RF204	11/19/2020	11/18/2021					
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	11/19/2020	11/18/2021					
Coaxial Cable	EMC Instruments	EMC104-SM-SM- 8000-5000-5000	210219 \ 210220 \ 210221	03/15/2021	03/14/2022					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 103 of 253

11.3 Test SET-UP


(A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz



(C) Radiated Emission Test Set-Up, Frequency Above 1GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tailors Index 124 the Scs_Tailors** I

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

台灣檢驗科技股份有限公司



Page: 104 of 253

11.4 **Measurement Procedure**

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz
- 7. Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.
- At frequency above 1 GHz, Set the spectrum analyzer:
 - A. RBW=1 MHz, VBW=3 MHz for Peak Detector.
 - **B.** Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for **Average** Detector.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- **11.** Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tainsaction This area of the company and the property of the content or appearance or appearance

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 105 of 253

11.5 **Field Strength Calculation**

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Field Strength

CL = Cable Attenuation Factor (Cable Loss)

RA = Reading Amplitude

AG = Amplifier Gain

AF = Antenna Factor

The limit of the emission level is expressed in dBuV/m, which converts 20*log(uV/m)

Actual $FS(dB\mu V/m) = SPA$. Reading level($dB\mu V$) + Factor(dB) Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

11.6 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) & RSS-GEN §6.13.2 was not reported.

Pre-scanned was done at frequency 5.47 GHz and 5.85 GHz for bandedge measurement of straddle channels 138, 142 and 144 which was 20dB lower than the limit per 15.31(o) & RSS-GEN §6.13.2 was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS_Tainsaction This area of the company and the property of the content or appearance or appearance

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 106 of 253

11.7 **Radiated Spurious Emission Measurement Result**

11.7.1 **Below 1GHz Worst-Case Data:**


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band 1 **Test Date** :2021-06-25

Test Frequency :5220 MHz Temp./Humi. :19.1/71

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
57.160	Peak	42.99	-13.41	29.58	40.00	-10.42
201.690	Peak	36.48	-16.25	20.23	43.50	-23.27
327.790	Peak	32.84	-11.70	21.14	46.00	-24.86
495.600	Peak	31.46	-7.54	23.92	46.00	-22.08
729.370	Peak	30.61	-2.79	27.81	46.00	-18.19
974.780	Peak	30.27	0.09	30.35	54.00	-23.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 107 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band 1 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5220 MHz Temp./Humi.

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
		•			_	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
58.130	Peak	33.62	-13.44	20.18	40.00	-19.82
143.490	Peak	30.90	-13.15	17.75	43.50	-25.75
437.400	Peak	31.03	-8.23	22.80	46.00	-23.20
647.890	Peak	30.75	-4.85	25.90	46.00	-20.10
868.080	Peak	31.17	-0.62	30.55	46.00	-15.45
947.620	Peak	30.82	0.20	31.02	46.00	-14.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



:TX CH MID

Test Mode

Report No.: E2/2021/60023

Page: 108 of 253

:Vertical


Antenna Pol.

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band2 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5300 MHz Temp./Humi.

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
56.190	Peak	43.52	-13.32	30.20	40.00	-9.80
150.280	Peak	31.60	-13.12	18.48	43.50	-25.02
381.140	Peak	31.97	-10.32	21.65	46.00	-24.35
598.420	Peak	31.10	-6.03	25.07	46.00	-20.93
723.550	Peak	32.23	-2.57	29.66	46.00	-16.34
965.080	Peak	30.95	0.54	31.49	54.00	-22.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 109 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band2 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5300 MHz Temp./Humi.

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
56.190	Peak	38.31	-13.32	24.99	40.00	-15.01
145.430	Peak	31.80	-13.14	18.65	43.50	-24.85
411.210	Peak	31.40	-9.73	21.67	46.00	-24.33
571.260	Peak	31.44	-5.81	25.63	46.00	-20.37
797.270	Peak	31.48	-2.30	29.18	46.00	-16.82
952.470	Peak	30.59	0.45	31.05	46.00	-14.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



:TX CH MID

Test Mode

Report No.: E2/2021/60023

Page: 110 of 253

:Vertical


Antenna Pol.

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band3 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5580 MHz Temp./Humi.

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
57.160	Peak	43.37	-13.41	29.96	40.00	-10.04
151.250	Peak	31.56	-13.05	18.51	43.50	-24.99
268.620	Peak	31.42	-13.45	17.97	46.00	-28.03
405.390	Peak	31.11	-9.74	21.37	46.00	-24.63
637.220	Peak	30.51	-4.73	25.78	46.00	-20.22
876.810	Peak	30.35	-0.92	29.44	46.00	-16.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 111 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band3 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5580 MHz Temp./Humi.

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
55.220	Peak	37.51	-13.29	24.22	40.00	-15.78
166.770	Peak	31.50	-13.42	18.09	43.50	-25.41
447.100	Peak	30.67	-8.41	22.26	46.00	-23.74
673.110	Peak	31.12	-4.65	26.47	46.00	-19.53
848.680	Peak	31.02	-1.79	29.24	46.00	-16.76
972.840	Peak	30.19	0.04	30.23	54.00	-23.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



:TX CH MID

Test Mode

Report No.: E2/2021/60023

Page: 112 of 253

:Vertical


Antenna Pol.

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band4 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5785 MHz Temp./Humi.

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
56.190	Peak	44.09	-13.32	30.77	40.00	-9.23
201.690	Peak	36.74	-16.25	20.49	43.50	-23.01
375.320	Peak	30.37	-10.46	19.90	46.00	-26.10
595.510	Peak	31.08	-5.82	25.26	46.00	-20.74
796.300	Peak	30.87	-2.35	28.52	46.00	-17.48
911.730	Peak	31.63	-1.13	30.50	46.00	-15.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 113 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band4 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5785 MHz Temp./Humi.

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng Level (dBuV/m)



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
56.190	Peak	39.40	-13.32	26.08	40.00	-13.92
144.460	Peak	31.94	-13.07	18.87	43.50	-24.63
322.940	Peak	32.74	-11.73	21.01	46.00	-24.99
588.720	Peak	30.48	-5.73	24.75	46.00	-21.25
767.200	Peak	31.19	-3.15	28.04	46.00	-17.96
950.530	Peak	30.34	0.29	30.63	46.00	-15.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 114 of 253


Antenna Pol.

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11ac80/Band1 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5210 MHz Temp./Humi. Test Mode :TX CH LOW :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
48.430	Peak	41.42	-12.98	28.43	40.00	-11.57
149.310	Peak	31.04	-13.20	17.84	43.50	-25.66
380.170	Peak	31.25	-10.35	20.91	46.00	-25.09
579.990	Peak	30.30	-5.56	24.74	46.00	-21.26
733.250	Peak	34.58	-2.93	31.65	46.00	-14.35
920.460	Peak	29.85	-0.60	29.24	46.00	-16.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 115 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11ac80/Band1 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5210 MHz Temp./Humi.

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
48.430	Peak	37.31	-12.98	24.32	40.00	-15.68
150.280	Peak	31.56	-13.12	18.44	43.50	-25.06
384.050	Peak	31.30	-10.24	21.06	46.00	-24.94
566.410	Peak	30.42	-6.27	24.15	46.00	-21.85
724.520	Peak	30.85	-2.51	28.34	46.00	-17.66
955.380	Peak	30.45	0.64	31.09	46.00	-14.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Test Mode

Report No.: E2/2021/60023

Page: 116 of 253

:Vertical

Antenna Pol.


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11ac80/Band2 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5290 MHz Temp./Humi.

:TX CH HIGH

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
48.430	Peak	40.05	-12.98	27.07	40.00	-12.93
149.310	Peak	30.97	-13.20	17.77	43.50	-25.73
376.290	Peak	31.41	-10.44	20.97	46.00	-25.03
565.440	Peak	31.64	-6.41	25.23	46.00	-20.77
721.610	Peak	30.46	-2.68	27.78	46.00	-18.22
951.500	Peak	29.64	0.37	30.02	46.00	-15.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 117 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11ac80/Band2 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5290 MHz Temp./Humi.

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
48.430	Peak	32.56	-12.98	19.57	40.00	-20.43
146.400	Peak	31.24	-13.16	18.09	43.50	-25.41
385.020	Peak	30.78	-10.22	20.56	46.00	-25.44
579.020	Peak	30.87	-5.64	25.22	46.00	-20.78
747.800	Peak	31.86	-3.62	28.25	46.00	-17.75
958.290	Peak	29.81	0.50	30.32	46.00	-15.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 118 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11ac80/Band3 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5610 MHz Temp./Humi. Test Mode :TX CH MID :Vertical Antenna Pol.

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
56.190	Peak	43.10	-13.32	29.78	40.00	-10.22
155.130	Peak	30.88	-13.08	17.80	43.50	-25.70
399.570	Peak	30.70	-10.07	20.63	46.00	-25.37
588.720	Peak	31.42	-5.73	25.69	46.00	-20.31
733.250	Peak	31.16	-2.93	28.23	46.00	-17.77
942.770	Peak	30.33	0.03	30.36	46.00	-15.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 119 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11ac80/Band3 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5610 MHz Temp./Humi.

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



		•				
Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
57.160	Peak	38.67	-13.41	25.27	40.00	-14.73
158.040	Peak	32.06	-13.08	18.98	43.50	-24.52
389.870	Peak	32.15	-10.23	21.92	46.00	-24.08
569.320	Peak	30.59	-5.85	24.74	46.00	-21.26
767.200	Peak	31.65	-3.15	28.51	46.00	-17.49
952.470	Peak	29.68	0.45	30.13	46.00	-15.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 120 of 253


Antenna Pol.

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11ac80/Band4 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5775 MHz Temp./Humi. Test Mode :TX CH LOW :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
48.430	Peak	40.47	-12.98	27.49	40.00	-12.51
153.190	Peak	31.92	-13.15	18.77	43.50	-24.73
348.160	Peak	30.54	-11.15	19.39	46.00	-26.61
507.240	Peak	30.39	-7.53	22.86	46.00	-23.14
635.280	Peak	30.85	-4.66	26.19	46.00	-19.81
946.650	Peak	30.31	0.18	30.49	46.00	-15.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 121 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11ac80/Band4 **Test Date** :2021-06-25

Test Frequency :19.1/71 :5775 MHz Temp./Humi.

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
N 41 1—			٩D		_	٩D
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
48.430	Peak	32.83	-12.98	19.85	40.00	-20.15
158.040	Peak	31.29	-13.08	18.20	43.50	-25.30
370.470	Peak	31.16	-10.80	20.36	46.00	-25.64
504.330	Peak	30.72	-7.44	23.29	46.00	-22.71
669.230	Peak	30.18	-4.33	25.85	46.00	-20.15
954.410	Peak	29.74	0.61	30.35	46.00	-15.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 122 of 253

11.7.2 **Above 1GHz Worst-Case Data:**

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11a/Band 1 **Test Date** :2021-06-21

Test Frequency Temp./Humi. :20.4/69 :5180 MHz

Test Mode :TX CH LOW :Vertical Antenna Pol.

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10360.000	Peak	35.76	8.98	44.74	68.20	-23.46
15540.000	Average	28.73	11.88	40.61	54.00	-13.39
15540.000	Peak	38.60	11.88	50.48	74.00	-23.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 123 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band 1

Test Frequency :5180 MHz Temp./Humi. :20.4/69

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.000	Peak	36.22	8.98	45.20	68.20	-23.00
15540.000	Average	28.69	11.88	40.57	54.00	-13.43
100-10.000	/ werage	20.00	11.00	40.07	04.00	10.40
15540.000	Peak	38.75	11.88	50.63	74.00	-23.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 124 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band 1

Test Frequency :5220 MHz Temp./Humi. :20.4/69 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.000	Peak	38.17	9.68	47.85	68.20	-20.35
15660.000	Average	29.37	11.61	40.98	54.00	-13.02
15660.000	Peak	38.98	11.61	50.59	74.00	-23.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 125 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band 1

Test Frequency :5220 MHz Temp./Humi. :20.4/69

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
					_	
10440.000	Peak	37.07	9.68	46.75	68.20	-21.45
15660.000	Average	31.22	11.61	42.83	54.00	-11.17
15660.000	Peak	39.28	11.61	50.89	74.00	-23.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 126 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band 1

Test Frequency :5240 MHz Temp./Humi. :20.4/69 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10480.000	Peak	35.21	9.43	44.65	68.20	-23.55
15720.000	Average	29.10	11.41	40.52	54.00	-13.48
15720.000	Peak	40.33	11.41	51.74	74.00	-22.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.



Page: 127 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band 1

Test Frequency :5240 MHz Temp./Humi. :20.4/69

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	J
		•			_	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		·		•		
40400000		0.7.70	0.40	4= 00		
10480.000	Peak	35.79	9.43	45.22	68.20	-22.98
15720.000	Average	29.05	11.41	40.46	54.00	-13.54
10720.000	7 Wordgo		11.71		01.00	10.01
15720.000	Peak	38.41	11.41	49.82	74.00	-24.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 128 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band2

Test Frequency Temp./Humi. :20.4/69 :5260 MHz Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.000	Peak	36.96	9.06	46.02	68.20	-22.18
15780.000	Average	29.05	11.43	40.47	54.00	-13.53
15780.000	Peak	40.34	11.43	51.76	74.00	-22.24



Page: 129 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band2

Test Frequency :5260 MHz Temp./Humi. :20.4/69

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.000	Peak	36.24	9.06	45.30	68.20	-22.90
15780.000	Average	29.29	11.25	40.54	54.00	-13.46
15780.000	Peak	38.26	11.25	49.52	74.00	-24.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 130 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band2

Test Frequency :5300 MHz Temp./Humi. :20.4/69 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10600.000	Average	26.38	8.99	35.37	54.00	-18.63
10600.000	Peak	36.04	8.99	45.03	74.00	-28.97
15900.000	Average	29.33	12.01	41.34	54.00	-12.66
15900.000	Peak	39.39	12.01	51.40	74.00	-22.60



Page: 131 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band2

Test Frequency :5300 MHz Temp./Humi. :20.4/69

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



		_				
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	J
		•		. •	_	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		•		,		-
10600.000	Average	26.91	8.99	35.90	54.00	-18.10
	•					
10600.000	Peak	36.95	8.99	45.94	74.00	-28.06
15900.000	Average	29.41	12.01	41.42	54.00	-12.58
10000.000	/ Werage		12.01	⊤1. ⊤∠		12.00
15900.000	Peak	38.52	12.01	50.53	74.00	-23.47




Page: 132 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band2

Test Frequency :5320 MHz Temp./Humi. :20.4/69 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
10640.000	Average	26.66	8.77	35.43	54.00	-18.57
10640.000	Peak	35.75	8.77	44.53	74.00	-29.47
15960.000	Average	29.26	12.26	41.52	54.00	-12.48
15960.000	Peak	39.30	12.26	51.56	74.00	-22.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 133 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band2

Test Frequency :5320 MHz Temp./Humi. :20.4/69

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dΒμV/m	dB
10640.000	Average	26.69	8.77	35.46	54.00	-18.54
10640.000	Peak	36.11	8.77	44.88	74.00	-29.12
15960.000	Average	29.18	12.26	41.44	54.00	-12.56
15960.000	Peak	38.58	12.26	50.84	74.00	-23.16




Page: 134 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band3

Test Frequency :5500 MHz Temp./Humi. :20.4/69 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.000	Average	26.67	8.77	35.44	54.00	-18.56
11000.000	Peak	36.22	8.77	44.99	74.00	-29.01
16500.000	Peak	38.99	12.54	51.53	68.20	-16.67



Page: 135 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band3

Test Frequency :5500 MHz Temp./Humi. :20.4/69

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.000	Average	26.96	8.77	35.73	54.00	-18.27
11000.000	Peak	36.05	8.77	44.82	74.00	-29.18
16500.000	Peak	39.07	12.54	51.61	68.20	-16.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 136 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band3

Test Frequency :5580 MHz Temp./Humi. :20.4/69 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	· ·
N / I I —		•	٩D		_	٩D
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11160.000	Average	27.79	9.36	37.15	54.00	-16.85
	Average	-				-10.03
11160.000	Peak	37.15	9.36	46.51	74.00	-27.49
16740.000	Peak	40.79	11.29	52.08	68.20	-16.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 137 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band3

Test Frequency :5580 MHz Temp./Humi. :20.4/69

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.000	Average	27.46	9.36	36.82	54.00	-17.18
11160.000	Peak	36.90	9.36	46.26	74.00	-27.74
16740.000	Peak	40.99	11.29	52.28	68.20	-15.92




Page: 138 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band3

Test Frequency :5700 MHz Temp./Humi. :20.4/69 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	rieq.			racioi			iviaigiii
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
-			4261	45	45 pt 77111	aBµ 17	
	11400.000	Average	26.77	10.32	37.09	54.00	-16.92
		•					
	11400.000	Peak	36.51	10.32	46.83	74.00	-27.17
	17100.000	Peak	41.04	11.48	52.52	68.20	-15.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 139 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a/Band3

Test Frequency :5700 MHz Temp./Humi. :20.4/69

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



	-roa	Detector	Chaatrum	Coeter	A otual	Limit	Morgin
ı	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	N / L I →		•	٩D	dDu\//m	_	٩D
	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
114	100.000	Average	26.78	10.32	37.10	54.00	-16.91
		•					26.20
114	100.000	Peak	37.40	10.32	47.72	74.00	-26.28
17′	100.000	Peak	39.80	11.48	51.28	68.20	-16.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 140 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-22 :802.11a/Band4

Test Frequency :5745 MHz Temp./Humi. :19.4/67 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dΒμV/m	dB
11490.000	Average	28.86	10.17	39.03	54.00	-14.97
11490.000	Peak	39.41	10.17	49.58	74.00	-24.42
17235.000	Peak	38.85	10.65	49.50	68.20	-18.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 141 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-22 :802.11a/Band4

Test Frequency :5745 MHz Temp./Humi. :19.4/67

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.000	Average	32.18	10.17	42.35	54.00	-11.65
11490.000	Peak	37.52	10.17	47.69	74.00	-26.31
17235.000	Peak	42.41	10.65	53.06	68.20	-15.14




Page: 142 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11a/Band4 **Test Date** :2021-06-22

Test Frequency :5785 MHz Temp./Humi. :19.4/67 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



_						
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	0
		Reading Level		го	$\omega_{\rm SHI}$	
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
	·	•				
11570.000	Average	28.44	10.00	38.44	54.00	-15.56
	•					
11570.000	Peak	36.32	10.00	46.32	74.00	-27.68
17355.000	Peak	39.16	10.90	50.06	68.20	-18.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 143 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band4 **Test Date** :2021-06-22

Test Frequency :5785 MHz Temp./Humi. :19.4/67

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.000	Average	28.62	10.00	38.62	54.00	-15.38
11570.000	Peak	37.47	10.00	47.47	74.00	-26.53
17355.000	Peak	39.70	10.90	50.60	68.20	-17.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 144 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band4 **Test Date** :2021-06-22

Test Frequency :5825 MHz Temp./Humi. :19.4/67 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.000	Average	28.71	10.00	38.71	54.00	-15.29
11650.000	Peak	36.65	10.00	46.65	74.00	-27.35
17475.000	Peak	39.99	10.78	50.77	68.20	-17.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 145 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a/Band4 **Test Date** :2021-06-22

Test Frequency :5825 MHz Temp./Humi. :19.4/67

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
11650.000	Average	28.81	10.00	38.81	54.00	-15.19
11000.000	Average	20.01	10.00	30.01	J -1 .00	-10.10
11650.000	Peak	36.08	10.00	46.08	74.00	-27.92
17475.000	Peak	39.27	10.78	50.05	68.20	-18.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 146 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band1

Test Frequency :5180 MHz Temp./Humi. :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•		
10360.000	Peak	35.52	8.98	44.50	68.20	-23.70
15540.000	Average	26.64	11.88	38.52	54.00	-15.48
15540.000	Peak	36.74	11.88	48.63	74.00	-25.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 147 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band1

Test Frequency :5180 MHz Temp./Humi. :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.000	Peak	35.34	8.98	44.33	68.20	-23.87
15540.000	Average	25.92	11.88	37.80	54.00	-16.20
15540.000	Peak	34.81	11.88	46.69	74.00	-27.31




Page: 148 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band1

Test Frequency :5220 MHz Temp./Humi. :18.8/65 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.000	Peak	35.54	9.68	45.22	68.20	-22.98
15660.000	Average	27.72	11.61	39.33	54.00	-14.67
15660.000	Peak	35.86	11.61	47.47	74.00	-26.53



Page: 149 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band1

Test Frequency :5220 MHz Temp./Humi. :18.8/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.000	Peak	34.62	9.68	44.30	68.20	-23.90
15660.000	Average	28.66	11.61	40.27	54.00	-13.73
15660.000	Peak	37.05	11.61	48.65	74.00	-25.35




Page: 150 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band1

Test Frequency :5240 MHz Temp./Humi. :18.8/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.000	Peak	36.30	9.43	45.73	68.20	-22.47
15720.000	Average	27.98	11.41	39.39	54.00	-14.61
15720.000	Peak	36.64	11.41	48.05	74.00	-25.95



Page: 151 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band1

Test Frequency :5240 MHz Temp./Humi. :18.8/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
·	Mode	Reading Level		FS	@3m	Ū
N 41 1—		•	٩D	alDV//rea	_	٩D
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10100 000	5 .	0.4.70	0.40	44.00	00.00	00.00
10480.000	Peak	34.79	9.43	44.22	68.20	-23.98
15720.000	Average	28.67	11.41	40.08	54.00	-13.92
			44.44			
15720.000	Peak	37.55	11.41	48.97	74.00	-25.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 152 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band2

Test Frequency Temp./Humi. :5260 MHz :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.000	Peak	35.38	9.06	44.44	68.20	-23.76
15780.000	Average	27.61	11.43	39.04	54.00	-14.96
15780.000	Peak	37.60	11.43	49.03	74.00	-24.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 153 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band2

Test Frequency Temp./Humi. :5260 MHz :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.000	Peak	35.87	9.06	44.93	68.20	-23.27
15780.000	Average	26.33	11.43	37.75	54.00	-16.25
15780.000	Peak	36.52	11.43	47.95	74.00	-26.05




Page: 154 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band2

Test Frequency :5300 MHz Temp./Humi. :18.8/65 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10600.000	Average	26.91	8.99	35.90	54.00	-18.10
10600.000	Peak	35.85	8.99	44.84	74.00	-29.16
15900.000	Average	28.55	12.01	40.56	54.00	-13.44
15900.000	Peak	37.41	12.01	49.42	74.00	-24.58



Page: 155 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band2

Test Frequency :5300 MHz Temp./Humi. :18.8/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



<u> </u>						
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	ŭ
				. •	_	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
10600.000	Average	26.61	8.99	35.60	54.00	-18.40
	•					
10600.000	Peak	35.77	8.99	44.76	74.00	-29.24
15900.000	Average	27.51	12.01	39.52	54.00	-14.48
10000.000	Average	27.01	12.01		04.00	17.70
15900.000	Peak	36.48	12.01	48.49	74.00	-25.51



Page: 156 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band2

Test Frequency :5320 MHz Temp./Humi. :18.8/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	3
		Reading Level			_	
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
		1		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	-
10640.000	Average	26.48	8.77	35.25	54.00	-18.75
	0		_			
10640.000	Peak	35.30	8.77	44.07	74.00	-29.93
15960.000	Average	28.22	12.26	40.49	54.00	-13.51
10000.000	Average	20.22	12.20	70.75	3 4 .00	-10.01
15960.000	Peak	37.15	12.26	49.42	74.00	-24.58



Page: 157 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band2

Test Frequency :5320 MHz Temp./Humi. :18.8/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
10640.000	Average	27.63	8.77	36.40	54.00	-17.60
10640.000	Peak	36.79	8.77	45.56	74.00	-28.44
15960.000	Average	27.35	12.26	39.62	54.00	-14.38
15960.000	Peak	36.82	12.26	49.08	74.00	-24.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 158 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band3

Test Frequency :5500 MHz Temp./Humi. :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.000	Average	26.94	8.77	35.71	54.00	-18.29
11000.000	Peak	35.86	8.77	44.63	74.00	-29.37
16500.000	Peak	37.09	12.54	49.63	68.20	-18.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 159 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band3

Test Frequency :5500 MHz Temp./Humi. :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.000	Average	26.19	8.77	34.96	54.00	-19.04
11000.000	Peak	36.21	8.77	44.98	74.00	-29.03
16500.000	Peak	38.65	12.54	51.19	68.20	-17.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 160 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band3

Test Frequency :5580 MHz Temp./Humi. :18.8/65 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.000	Average	26.73	9.36	36.09	54.00	-17.91
11160.000	Peak	35.66	9.36	45.02	74.00	-28.98
16740.000	Peak	36.81	11.29	48.10	68.20	-20.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 161 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band3

Test Frequency :5580 MHz Temp./Humi. :18.8/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



_	D ()	^ '		A (1	,	
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	· ·
N 41 1—		•	-ID		_	٠ID
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11160.000	Average	26.22	9.36	35.58	54.00	-18.42
11160.000	Peak	35.13	9.36	44.49	74.00	-29.51
11100.000	i cak	00.10	5.00	77.70	74.00	20.01
16740.000	Peak	37.78	11.29	49.07	68.20	-19.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 162 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band3

Test Frequency :5700 MHz Temp./Humi. :18.8/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.000	Average	26.22	10.32	36.54	54.00	-17.46
11400.000	Peak	35.07	10.32	45.39	74.00	-28.61
17100.000	Peak	37.99	11.48	49.47	68.20	-18.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

t (886-2) 2299-3279



Page: 163 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band3

Test Frequency :5700 MHz Temp./Humi. :18.8/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



_						
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	J
		Reading Level		го	$\omega_{\rm SHI}$	
MHz F	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
				l i		
11400.000	Average	25.64	10.32	35.96	54.00	-18.04
	•					
11400.000	Peak	34.22	10.32	44.54	74.00	-29.46
17100.000	Peak	38.74	11.48	50.22	68.20	-17.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 164 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band3

Test Frequency :5720 MHz Temp./Humi. :18.8/65 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11440.000	Average	26.92	10.18	37.10	54.00	-16.90
11440.000	Peak	35.47	10.18	45.65	74.00	-28.35
17160.000	Peak	38.57	11.02	49.59	68.20	-18.61



Page: 165 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band3

Test Frequency :5720 MHz Temp./Humi. :18.8/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	dB
		'		1		
11440.000	Average	26.88	10.18	37.06	54.00	-16.94
11440.000	Peak	35.60	10.18	45.78	74.00	-28.22
17160.000	Peak	39.02	11.02	50.04	68.20	-18.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 166 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band4

Test Frequency :5745 MHz Temp./Humi. :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



_	D ()	^ '		A (1	1	
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	· ·
		•			_	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
11490.000	Average	25.91	10.17	36.08	54.00	-17.92
	•		-			_
11490.000	Peak	35.07	10.17	45.24	74.00	-28.76
17235 000	Peak	<i>1</i> 1 21	10.65	51.86	68.20	-16 34
17235.000	Peak	41.21	10.65	51.86	68.20	-16.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 167 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band4

Test Frequency :5745 MHz Temp./Humi. :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	•
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
1411 12	11001770	αυμν	45	аБр 7/111	αΒμν/ιιι	<u> </u>
11490.000	Average	26.01	10.17	36.18	54.00	-17.82
11490.000	Peak	35.97	10.17	46.14	74.00	-27.86
			-	_		
17235.000	Peak	38.94	10.65	49.59	68.20	-18.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.




Page: 168 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Test Date :2021-06-24 **Operation Mode** :802.11n20/Band4

Test Frequency :5785 MHz Temp./Humi. :18.8/65 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11570.000	Average	25.74	10.00	35.74	54.00	-18.26
11570.000	Peak	35.64	10.00	45.64	74.00	-28.36
17355 000	Peak	38 72	10.90	49 62	68 20	-18 58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 169 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band4

Test Frequency :5785 MHz Temp./Humi. :18.8/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.000	Average	25.71	10.00	35.70	54.00	-18.30
11570.000	Peak	35.79	10.00	45.79	74.00	-28.21
17355.000	Peak	39.73	10.90	50.63	68.20	-17.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 170 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n20/Band4

Test Frequency :5825 MHz Temp./Humi. :18.8/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



_		• .				
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	J
		Reading Level		го	$\omega_{\rm SHI}$	
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
11650.000	Average	25.96	10.00	35.96	54.00	-18.04
	•					
11650.000	Peak	35.68	10.00	45.68	74.00	-28.32
17475.000	Peak	27.70	10.78	48.57	68.20	-19.63
17473.000	reak	37.79	10.70	40.37	UO.ZU	- 19.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 171 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11n20/Band4 **Test Date** :2021-06-24

Test Frequency :5825 MHz Temp./Humi. :18.8/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
IVII IZ	FIN/QF/AV	αυμν	ub	ασμν/π	чьμν/пі	ub
11650.000	Average	25.69	10.00	35.69	54.00	-18.31
11650.000	Peak	35.80	10.00	45.80	74.00	-28.20
17475.000	Peak	37.57	10.78	48.35	68.20	-19.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.




Page: 172 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band1

Test Frequency :5190 MHz Temp./Humi. :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10380.000	Peak	35.64	8.61	44.25	68.20	-23.95
15570.000	Average	26.92	11.60	38.52	54.00	-15.48
15570.000	Peak	36.48	11.60	48.09	74.00	-25.91



Page: 173 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band1

Test Frequency :5190 MHz Temp./Humi. :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	Ū
N // I		•	٩D		_	٩D
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10200 000	Dools	25.27	0.64	42.00	60.00	04.00
10380.000	Peak	35.37	8.61	43.98	68.20	-24.22
15570.000	Average	26.34	11.60	37.94	54.00	-16.06
15570.000	Peak	36.22	11.60	47.82	74.00	-26.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 174 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band1

Test Frequency :5230 MHz Temp./Humi. :18.8/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
10460.000	Peak	35.63	9.84	45.47	68.20	-22.73
15690.000	Average	27.51	11.59	39.10	54.00	-14.90
15690.000	Peak	36.61	11.59	48.19	74.00	-25.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 175 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band1

Test Frequency :5230 MHz Temp./Humi. :18.8/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
Peak	36.08	9.84	45.92	68.20	-22.28
Average	27.69	11.59	39.28	54.00	-14.72
Peak	36.80	11.59	48.39	74.00	-25.61
	Mode PK/QP/AV Peak Average	Mode PK/QP/AV Reading Level dBμV Peak 36.08 Average 27.69	Mode PK/QP/AV Reading Level dBμV dB Peak Average 36.08 9.84 Average 27.69 11.59	Mode PK/QP/AV Reading Level dBμV FS dBμV/m Peak 36.08 9.84 45.92 Average 27.69 11.59 39.28	Mode PK/QP/AV Reading Level dBμV FS dBμV/m @3m dBμV/m Peak 36.08 9.84 45.92 68.20 Average 27.69 11.59 39.28 54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.




Page: 176 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band2

Test Frequency :5270 MHz Temp./Humi. :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10540.000	Peak	34.62	9.09	43.71	68.20	-24.49
15810.000	Average	26.71	11.54	38.25	54.00	-15.75
15810.000	Peak	37.67	11.54	49.21	74.00	-24.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.



Page: 177 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40/Band2 Test Date :2021-06-24

Test Frequency :5270 MHz Temp./Humi. :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
·	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
		454.	- 45	42 p 17	4.5 p. 17	
10540.000	Peak	35.45	9.09	44.54	68.20	-23.66
15810.000	Average	29.33	11.54	40.87	54.00	-13.13
15810.000	Peak	38.61	11.54	50.15	74.00	-23.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 178 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band2

Test Frequency Temp./Humi. :18.8/65 :5310 MHz Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
10620.000	Average	26.11	8.88	35.00	54.00	-19.00
10620.000	Peak	35.03	8.88	43.91	74.00	-30.09
15930.000	Average	28.36	12.13	40.49	54.00	-13.51
15930.000	Peak	37.45	12.13	49.57	74.00	-24.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 179 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band2

Test Frequency Temp./Humi. :5310 MHz :18.8/65

Test Mode :TX CH HIGH Antenna Pol. : Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	@3m dBµV/m	dB
10620.000	Average	26.11	8.88	34.99	54.00	-19.01
10620.000	Peak	35.91	8.88	44.80	74.00	-29.20
15930.000	Average	27.87	12.13	40.00	54.00	-14.00
15930.000	Peak	37.59	12.13	49.72	74.00	-24.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.




Page: 180 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band3

Test Frequency Temp./Humi. :5510 MHz :18.8/65 Test Mode :TX CH LOW Antenna Pol. : Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
					_	
11020.000	Average	25.10	9.04	34.14	54.00	-19.86
11020.000	Peak	34.15	9.04	43.19	74.00	-30.81
16530.000	Peak	38.07	12.15	50.22	68.20	-17.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 181 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band3

Test Frequency Temp./Humi. :5510 MHz :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
11020.000	Average	25.15	9.04	34.18	54.00	-19.82
11020.000	Peak	34.01	9.04	43.05	74.00	-30.95
16530.000	Peak	38.43	12.15	50.58	68.20	-17.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 182 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band3

Test Frequency Temp./Humi. :5550 MHz :18.8/65 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



_						
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
·	Mode	Reading Level		FS	@3m	•
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		•			•	
44400 000	A	00.00	0.05	00.00	54.00	47.07
11100.000	Average	26.68	9.65	36.33	54.00	-17.67
11100.000	Peak	35.46	9.65	45.11	74.00	-28.89
16650.000	Peak	37.04	11.26	48.31	68.20	-19.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.



Page: 183 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band3

Test Frequency Temp./Humi. :5550 MHz :18.8/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	MHz	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	dB
-	IVII IZ	I IVQI IAV	αυμν	<u>ub</u>	ασμν/ιιι	αυμν/ιιι	<u>ub</u>
	11100.000	Average	27.33	9.65	36.98	54.00	-17.02
	11100.000	Peak	36.26	9.65	45.91	74.00	-28.09
	16650.000	Peak	36.69	11.26	47.95	68.20	-20.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.




Page: 184 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band3

Test Frequency :5670 MHz Temp./Humi. :18.8/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	ŭ
		•			_	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
11340.000	Average	25.90	9.68	35.57	54.00	-18.43
11340.000	Peak	34.49	9.68	44.17	74.00	-29.83
110-10.000	i can	04.40	3.00	77.17	7 7.00	-23.00
17010.000	Peak	37.22	10.50	47.72	68.20	-20.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 185 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band3

Test Frequency :5670 MHz Temp./Humi. :18.8/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
Average	26.51	9.68	36.19	54.00	-17.81
Peak	35.37	9.68	45.04	74.00	-28.96
Peak	37.38	10.50	47.87	68.20	-20.33
	Mode PK/QP/AV Average Peak	Mode PK/QP/AV Reading Level dBμV Average 26.51 Peak 35.37	Mode PK/QP/AV Reading Level dBμV dB Average Peak 26.51 9.68 9.68 9.68	Mode PK/QP/AV Reading Level dB μV FS dBμV/m Average Peak 26.51 9.68 36.19 Peak 35.37 9.68 45.04	Mode PK/QP/AV Reading Level dBμV FS dBμV/m @3m dBμV/m Average Peak 26.51 9.68 36.19 54.00 Peak 35.37 9.68 45.04 74.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 186 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band3-4

Test Frequency Temp./Humi. :5710 MHz :18.8/65 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11420.000	Average	26.22	10.25	36.47	54.00	-17.53
11420.000	Peak	35.12	10.25	45.37	74.00	-28.63
17130.000	Peak	38.76	11.23	49.99	68.20	-18.21



Page: 187 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band3-4

Test Frequency Temp./Humi. :18.8/65 :5710 MHz

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
Average	25.94	10.25	36.19	54.00	-17.81
Peak	34.64	10.25	44.89	74.00	-29.11
Peak	39.68	11.23	50.92	68.20	-17.28
	Mode PK/QP/AV Average Peak	Mode PK/QP/AV Reading Level dBµV Average 25.94 Peak 34.64	Mode PK/QP/AV Reading Level dBμV dB Average Peak 25.94 10.25 10.25 10.25	Mode PK/QP/AV Reading Level dB μV FS dBμV/m Average Peak 25.94 10.25 36.19 Peak 34.64 10.25 44.89	Mode PK/QP/AV Reading Level dBμV FS dBμV/m @3m dBμV/m Average Peak 25.94 10.25 36.19 54.00 Peak 34.64 10.25 44.89 74.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 188 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band4

Test Frequency Temp./Humi. :5755 MHz :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	-	Mode	Reading Level		FS	@3m	_
	MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
•		<u> </u>			<u>I</u>		
	44540.000		05.74	10.11	05.05	E 4 00	40.45
	11510.000	Average	25.74	10.11	35.85	54.00	-18.15
	11510.000	Peak	34.65	10.11	44.77	74.00	-29.23
	17265.000	Peak	38.25	10.66	48.92	68.20	-19.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.



Page: 189 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band4

Test Frequency Temp./Humi. :5755 MHz :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	•
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
IVII IZ	111/0/1///	чъμν	שט	ασμν/π	αυμν/ιιι	<u> </u>
11510.000	Average	25.94	10.11	36.06	54.00	-17.94
11510.000	Peak	34.88	10.11	44.99	74.00	-29.01
17265.000	Peak	38.98	10.66	49.64	68.20	-18.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 190 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11n40/Band4

Test Frequency :5795 MHz Temp./Humi. :18.8/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
·	Mode	Reading Level		FS	@3m	· ·
NAL 1			٩D		_	٩D
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
	_					
11590.000	Average	25.88	10.14	36.02	54.00	-17.98
11590.000	Peak	35.46	10.14	45.60	74.00	-28.40
11000.000	1 oak	00.10	10.11	10.00	7 1.00	20.10
17385.000	Peak	38.31	11.40	49.71	68.20	-18.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 191 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

:802.11n40/Band4 **Operation Mode Test Date** :2021-06-24

Test Frequency :5795 MHz Temp./Humi. :18.8/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
11590.000	Average	26.84	10.14	36.98	54.00	-17.02
11000.000	Average	20.04	10.17	30.30	J -1 .00	-17.02
11590.000	Peak	36.72	10.14	46.85	74.00	-27.15
17385.000	Peak	37.56	11.40	48.96	68.20	-19.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 192 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band1

Test Frequency Temp./Humi. :5210 MHz :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10420.000	Peak	35.16	8.96	44.12	68.20	-24.08
15630.000	Average	26.76	11.48	38.24	54.00	-15.76
15630.000	Peak	36.51	11.48	47.99	74.00	-26.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 193 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band1

Test Frequency Temp./Humi. :5210 MHz :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level	I.D.	FS ID V	@3m	15
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10420.000	Peak	35.53	8.96	44.49	68.20	-23.71
15630.000	Average	27.43	11.48	38.91	54.00	-15.09
15630.000	Peak	36.58	11.48	48.05	74.00	-25.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 194 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band2

Test Frequency :5290 MHz Temp./Humi. :18.8/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	•
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
		4541		42 p 17	45 p 17111	
10580.000	Peak	34.19	9.04	43.23	68.20	-24.97
15870.000	Average	27.61	11.58	39.20	54.00	-14.80
15870.000	Peak	37.72	11.58	49.30	74.00	-24.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 195 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band2

Test Frequency :5290 MHz Temp./Humi. :18.8/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
10580.000	Peak	34.89	9.04	43.93	68.20	-24.27
10000.000	i can	07.00	3.0 -1	₹0.55	00.20	-27.21
15870.000	Average	27.01	11.58	38.60	54.00	-15.40
15870.000	Peak	36.90	11.58	48.48	74.00	-25.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 196 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band3

Test Frequency :5530 MHz Temp./Humi. :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	•
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
IVII IZ	FIVQF/AV	чьμν	ub	чъμν/п	αυμν/π	uБ
11060.000	Average	27.34	9.48	36.82	54.00	-17.18
11060.000	Peak	36.16	9.48	45.64	74.00	-28.36
16590.000	Peak	36.63	11.88	48.51	68.20	-19.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 197 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band3

Test Frequency :5530 MHz Temp./Humi. :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBμV/m	dB
11060.000	Average	26.87	9.48	36.35	54.00	-17.65
11060.000	Peak	35.67	9.48	45.15	74.00	-28.85
16590,000	Peak	38.26	11.88	50.15	68.20	-18.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 198 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band3

Test Frequency Temp./Humi. :5610 MHz :18.8/65 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
						_
11220.000	Average	24.81	9.58	34.40	54.00	-19.60
11220.000	Peak	34.21	9.58	43.79	74.00	-30.21
16830.000	Peak	38.17	11.06	49.22	68.20	-18.98



Page: 199 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80/Band3 Test Date :2021-06-24

Test Frequency :5610 MHz Temp./Humi. :18.8/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	'				FS		3
		Mode	Reading Level		го	@3m	
	MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
			<u> </u>		4.2 p. 0,		
	11220.000	Average	24.82	9.58	34.40	54.00	-19.60
		•					
•	11220.000	Peak	34.71	9.58	44.29	74.00	-29.71
-	16830.000	Peak	37.28	11.06	48.33	68.20	-19.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 200 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band3

Test Frequency :5690 MHz Temp./Humi. :18.8/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11380.000	Average	24.97	10.07	35.04	54.00	-18.96
11380.000	Peak	34.76	10.07	44.83	74.00	-29.17
17070.000	Peak	37.93	11.27	49.20	68.20	-19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 201 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band3

Test Frequency :5690 MHz Temp./Humi. :18.8/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11380.000	Average	25.11	10.07	35.18	54.00	-18.82
11380.000	Peak	35.38	10.07	45.45	74.00	-28.55
17070.000	Peak	37.46	11.27	48.73	68.20	-19.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 202 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band4

Test Frequency :5775 MHz Temp./Humi. :18.8/65 Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
·	Mode	Reading Level		FS	@3m	•
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
IVII IZ	FIN/QF/AV	чъμν	ub	ασμν/π	ασμν/π	ub
11550.000	Average	27.12	9.85	36.97	54.00	-17.03
11550.000	Peak	36.23	9.85	46.09	74.00	-27.91
17325.000	Peak	38.78	10.84	49.62	68.20	-18.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 203 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-24 :802.11ac80/Band4

Test Frequency :5775 MHz Temp./Humi. :18.8/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	•
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
IVII IZ	FIV/QF/AV	αυμν	ub	αυμν/ιτι	чьμν/пі	uБ
11550.000	Average	26.44	9.85	36.29	54.00	-17.71
11550.000	Peak	35.16	9.85	45.02	74.00	-28.98
17325.000	Peak	37.66	10.84	48.50	68.20	-19.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 204 of 253

11.7.3 Band edge falling to restricted band


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a / Band 1 **Test Date** :2021-06-21

Test Frequency Temp./Humi. :20.4/69 :5180 MHz

:Vertical Test Mode :BE CH LOW Antenna Pol.

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5092.960	Average	40.48	3.25	43.73	54.00	-10.27
5092.960	Peak	53.59	3.25	56.85	74.00	-17.15
5150.000	Average	40.79	3.03	43.82	54.00	-10.18
5150.000	Peak	51.22	3.03	54.25	74.00	-19.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 205 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode Test Date :2021-06-21 :802.11a / Band 1

Test Frequency :5180 MHz Temp./Humi. :20.4/69

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
5092.480	Average	40.52	3.27	43.79	54.00	-10.21
5092.480	Peak	53.82	3.27	57.10	74.00	-16.90
5150.000	Average	41.64	3.03	44.67	54.00	-9.33
5150.000	Peak	52.86	3.03	55.89	74.00	-18.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 206 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a / Band 2 **Test Date** :2021-06-21

Test Frequency :5320 MHz Temp./Humi. :20.4/69 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	· ·
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
1711 12	110/00/1/10	чърт	<u> </u>	авр улп	αρμν/ιιι	<u> </u>
5350.000	Average	41.51	2.21	43.72	54.00	-10.28
5350.000	Peak	51.90	2.21	54.11	74.00	-19.89
5351.880	Average	41.52	2.21	43.73	54.00	-10.27
3331.000	Average	41.52	2.21	43.73	34.00	-10.21
5351.880	Peak	53.88	2.21	56.09	74.00	-17.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 207 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a / Band 2 **Test Date** :2021-06-21

Test Frequency :5320 MHz Temp./Humi. :20.4/69

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



<u>_</u>			<u> </u>			
Freg.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	3
B 41 1		•	ın.		_	ID.
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
						_
5350.000	Average	41.65	2.21	43.86	54.00	-10.14
	•		0.04			10.0E
5350.000	Peak	51.94	2.21	54.15	74.00	-19.85
5357.520	Average	41.64	2.22	43.86	54.00	-10.14
5357.520	Peak	54.55	2.22	56.76	74.00	-17.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 208 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11a / Band 3 **Test Date** :2021-06-21

Test Frequency :5500 MHz Temp./Humi. :20.4/69 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
5409.800	Average	39.38	2.59	41.97	54.00	-12.03
5409.800	Peak	52.27	2.59	54.86	74.00	-19.14
5460.000	Average	40.71	2.64	43.35	54.00	-10.65
5460.000	Peak	50.12	2.64	52.76	74.00	-21.24
5468.360	Peak	52.48	2.75	55.23	68.20	-12.97
5470.000	Peak	50.78	2.77	53.55	68.20	-14.65



Page: 209 of 253


Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11a / Band 3 **Test Date** :2021-06-21

Test Frequency :5500 MHz Temp./Humi. :20.4/69

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5442.680	Average	40.85	2.39	43.24	54.00	-10.76
5442.680	Peak	54.28	2.39	56.67	74.00	-17.33
5460.000	Average	41.25	2.64	43.89	54.00	-10.11
5460.000	Peak	51.95	2.64	54.59	74.00	-19.41
5467.400	Peak	55.17	2.74	57.90	68.20	-10.30
5470.000	Peak	53.63	2.77	56.40	68.20	-11.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 210 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11a / Band 3 **Test Date** :2021-06-21

Test Frequency :5700 MHz Temp./Humi. :20.4/69 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
		•		•	•	,
5725.000	Peak	52.57	4.21	56.78	68.20	-11.42
5748.680	Peak	54.26	4.37	58.64	68.20	-9.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 211 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11a / Band 3 **Test Date** :2021-06-21

Test Frequency :5700 MHz Temp./Humi. :20.4/69

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	51.42	4.21	55.63	68.20	-12.57
5798.240	Peak	54.44	3.84	58.28	68.20	-9.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 212 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11a / Band 4 **Test Date** :2021-06-21

Test Frequency :5745 MHz Temp./Humi. :20.4/69 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	Reading Level dBµV	dB	rა dBµV/m	@3m dBµV/m	dB
5636.425	Peak	52.21	3.44	55.65	68.20	-12.55
5650.000	Peak	49.57	3.60	53.17	68.20	-15.03
5700.000	Peak	48.50	3.31	51.81	105.20	-53.39
5720.000	Peak	50.08	4.17	54.25	110.80	-56.55
5725.000	Peak	54.33	4.21	58.54	122.20	-63.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 213 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11a / Band 4 **Test Date** :2021-06-21

Test Frequency :5745 MHz Temp./Humi. :20.4/69

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dΒμV/m	dBµV/m	dB
5639.370	Peak	53.14	3.42	56.56	68.20	-11.64
5650.000	Peak	50.04	3.60	53.64	68.20	-14.56
5700.000	Peak	50.44	3.31	53.75	105.20	-51.45
5720.000	Peak	51.13	4.17	55.30	110.80	-55.50
5725.000	Peak	57.91	4.21	62.12	122.20	-60.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 214 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11a / Band 4 **Test Date** :2021-06-21

Test Frequency :5825 MHz Temp./Humi. :20.4/69 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dΒμV/m	dB
5850.000	Peak	51.90	4.31	56.21	122.20	-65.99
5855.000	Peak	51.71	4.21	55.91	110.80	-54.89
5875.000	Peak	50.61	3.90	54.51	105.20	-50.69
5925.000	Peak	50.13	4.36	54.49	68.20	-13.71
5930.290	Peak	52.01	4.33	56.34	68.20	-11.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 215 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11a / Band 4 **Test Date** :2021-06-21

Test Frequency :5825 MHz Temp./Humi. :20.4/69

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dΒμV/m	dBμV/m	dB
5850.000	Peak	51.21	4.31	55.52	122.20	-66.68
5855.000	Peak	51.13	4.21	55.34	110.80	-55.46
5875.000	Peak	49.09	3.90	52.99	105.20	-52.21
5925.000	Peak	49.28	4.36	53.63	68.20	-14.57
5952.050	Peak	51.68	3.99	55.67	68.20	-12.53

台灣檢驗科技股份有限公司

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.

Member of SGS Group




Page: 216 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 1 **Test Date** :2021-06-23

Test Frequency :5180 MHz Temp./Humi. :19.5/70 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



		quo	(
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5144.560	Average	40.82	2.90	43.72	54.00	-10.28
5144.560	Peak	53.01	2.90	55.91	74.00	-18.09
5150.000	Average	41.53	3.03	44.56	54.00	-9.44
5150.000	Peak	51.30	3.03	54.33	74.00	-19.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 217 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 1 **Test Date** :2021-06-23

Test Frequency :5180 MHz Temp./Humi. :19.5/70

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5143.840	Average	42.39	2.88	45.27	54.00	-8.73
5143.840	Peak	56.31	2.88	59.20	74.00	-14.80
5150.000	Average	43.08	3.03	46.11	54.00	-7.89
5150.000	Peak	51.78	3.03	54.81	74.00	-19.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 218 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 2 **Test Date** :2021-06-23

Test Frequency :5320 MHz Temp./Humi. :19.5/70 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	41.34	2.21	43.55	54.00	-10.45
5350.000	Peak	50.25	2.21	52.46	74.00	-21.54
5360.760	Average	40.99	2.23	43.22	54.00	-10.78
5360.760	Peak	51.74	2.23	53.97	74.00	-20.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 219 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 2 **Test Date** :2021-06-23

Test Frequency :5320 MHz Temp./Humi. :19.5/70

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5350.000	Average	44.91	2.21	47.12	54.00	-6.88
5350.000	Peak	53.94	2.21	56.15	74.00	-17.85
5351.040	Average	44.74	2.21	46.95	54.00	-7.05
5351.040	Peak	56.93	2.21	59.14	74.00	-14.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 220 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 3 **Test Date** :2021-06-23

Test Frequency :5500 MHz Temp./Humi. :19.5/70 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5455.760	Average	40.61	2.62	43.23	54.00	-10.77
5455.760	Peak	49.78	2.62	52.41	74.00	-21.59
5460.000	Average	40.79	2.64	43.43	54.00	-10.57
5460.000	Peak	47.96	2.64	50.60	74.00	-23.40
5470.000	Peak	49.64	2.77	52.41	68.20	-15.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**



Page: 221 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 3 **Test Date** :2021-06-23

Test Frequency :5500 MHz Temp./Humi. :19.5/70

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.960	Average	42.38	2.63	45.01	54.00	-8.99
5456.960	Peak	54.90	2.63	57.53	74.00	-16.47
5460.000	Average	42.54	2.64	45.18	54.00	-8.82
5460.000	Peak	49.91	2.64	52.55	74.00	-21.45
5470.000	Peak	51.11	2.77	53.88	68.20	-14.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.




Page: 222 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 3 **Test Date** :2021-06-23

Test Frequency :5700 MHz Temp./Humi. :19.5/70 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



rreq.	Mode	Reading Level	i actor	FS	@3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	57.28	4.21	61.49	68.20	-6.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 223 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 3 **Test Date** :2021-06-23

Test Frequency :5700 MHz Temp./Humi. :19.5/70

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Mode	Reading Level	Factor	Actual FS	@3m	wargin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
						_
5725.000	Peak	54.45	4.21	58.66	68.20	-9.54




Page: 224 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 4 **Test Date** :2021-06-23

Test Frequency :5745 MHz Temp./Humi. :19.5/70 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dΒμV/m	dBµV/m	dB
5648.825	Peak	49.95	3.58	53.53	68.20	-14.67
5650.000	Peak	47.37	3.60	50.97	68.20	-17.23
5700.000	Peak	48.30	3.31	51.61	105.20	-53.59
5720.000	Peak	51.83	4.17	56.00	110.80	-54.80
5725.000	Peak	57.40	4.21	61.62	122.20	-60.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.



Page: 225 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 4 **Test Date** :2021-06-23

Test Frequency :5745 MHz Temp./Humi. :19.5/70

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
5639.370	Peak	51.12	3.42	54.53	68.20	-13.67
5650.000	Peak	49.36	3.60	52.96	68.20	-15.24
5700.000	Peak	52.82	3.31	56.13	105.20	-49.07
5720.000	Peak	54.97	4.17	59.14	110.80	-51.66
5725.000	Peak	63.19	4.21	67.40	122.20	-54.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw




Page: 226 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 4 **Test Date** :2021-06-23

Test Frequency :5825 MHz Temp./Humi. :19.5/70 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.000	Peak	54.98	4.31	59.29	122.20	-62.91
5855.000	Peak	50.19	4.21	54.40	110.80	-56.40
5875.000	Peak	48.77	3.90	52.67	105.20	-52.53
5925.000	Peak	48.51	4.36	52.86	68.20	-15.34
5938.110	Peak	50.59	4.17	54.76	68.20	-13.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.



Page: 227 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n20 / Band 4 **Test Date** :2021-06-23

Test Frequency :5825 MHz Temp./Humi. :19.5/70

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	55.35	4.31	59.66	122.20	-62.54
5855.000	Peak	53.31	4.21	57.52	110.80	-53.28
5875.000	Peak	51.59	3.90	55.49	105.20	-49.71
5925.000	Peak	49.23	4.36	53.59	68.20	-14.61
5934.540	Peak	51.18	4.24	55.43	68.20	-12.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.




Page: 228 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 1 **Test Date** :2021-06-23

Test Frequency :5190 MHz Temp./Humi. :19.5/70 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.000	Average	41.30	3.03	44.33	54.00	-9.67
5150.000	Peak	52.09	3.03	55.12	74.00	-18.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 229 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 1 **Test Date** :2021-06-23

Test Frequency :5190 MHz Temp./Humi. :19.5/70

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5148.640	Average	44.65	3.00	47.65	54.00	-6.35
5148.640	Peak	55.20	3.00	58.20	74.00	-15.80
5150.000	Average	45.43	3.03	48.46	54.00	-5.54
5150.000	Peak	52.83	3.03	55.86	74.00	-18.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 230 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 2 **Test Date** :2021-06-23

Test Frequency :5310 MHz Temp./Humi. :19.5/70 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
		•		•	•	
5350.000	Average	47.53	2.21	49.74	54.00	-4.26
5350.000	Peak	56.36	2.21	58.57	74.00	-15.43
5353.280	Average	46.77	2.21	48.99	54.00	-5.01
5353.280	Peak	57.72	2.21	59.94	74.00	-14.06



Page: 231 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 2 **Test Date** :2021-06-23

Test Frequency :5310 MHz Temp./Humi. :19.5/70

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	MHz	Mode PK/QP/AV	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	dB
_	2		<u> </u>	<u> </u>	45477111	<u> </u>	
	5350.000	Average	48.67	2.21	50.88	54.00	-3.12
	5350.000	Peak	56.69	2.21	58.90	74.00	-15.10
	5352.440	Average	47.83	2.21	50.04	54.00	-3.96
	5352.440	Peak	58.79	2.21	61.00	74.00	-13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 232 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 3 **Test Date** :2021-06-23

Test Frequency :5510 MHz Temp./Humi. :19.5/70 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5457.360	Average	42.34	2.63	44.97	54.00	-9.03
5457.360	Peak	51.48	2.63	54.11	74.00	-19.89
5460.000	Average	42.15	2.64	44.79	54.00	-9.21
5460.000	Peak	51.01	2.64	53.65	74.00	-20.35
5470.000	Peak	56.38	2.77	59.15	68.20	-9.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** United New Tailwan Ltd.** SGS Taiwan Ltd.



Page: 233 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 3 **Test Date** :2021-06-23

Test Frequency :5510 MHz Temp./Humi. :19.5/70

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
Average	45.04	2.61	47.65	54.00	-6.35
Peak	55.34	2.61	57.95	74.00	-16.05
Average	45.18	2.64	47.82	54.00	-6.18
Peak	53.66	2.64	56.30	74.00	-17.70
Peak	58.65	2.77	61.42	68.20	-6.78
	Mode PK/QP/AV Average Peak Average Peak	Mode PK/QP/AV Reading Level dBμV Average 45.04 Peak 55.34 Average 45.18 Peak 53.66	Mode PK/QP/AV Reading Level dBμV dB Average Peak 45.04 2.61 Peak 55.34 2.61 Average 45.18 2.64 Peak 53.66 2.64	Mode PK/QP/AV Reading Level dBμV FS dBμV/m Average Peak 45.04 2.61 47.65 Peak 55.34 2.61 57.95 Average 45.18 2.64 47.82 Peak 53.66 2.64 56.30	Mode PK/QP/AV Reading Level dBμV FS dBμV/m @3m dBμV/m Average Peak 45.04 2.61 47.65 54.00 Peak 55.34 2.61 57.95 74.00 Average 45.18 2.64 47.82 54.00 Peak 53.66 2.64 56.30 74.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 234 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 3 **Test Date** :2021-06-23

Test Frequency :5670 MHz Temp./Humi. :19.5/70 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	49.29	4.21	53.50	68.20	-14.70
5734.760	Peak	50.93	4.29	55.22	68.20	-12.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 235 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 3 **Test Date** :2021-06-23

Test Frequency :5670 MHz Temp./Humi. :19.5/70

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5725.000	Peak	49.10	4.21	53.31	68.20	-14.89
5740.040	Peak	52.49	4.34	56.83	68.20	-11.37




Page: 236 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 4 **Test Date** :2021-06-23

Test Frequency :5755 MHz Temp./Humi. :19.5/70 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dΒμV/m	dBµV/m	dB
5644.055	Peak	50.06	3.49	53.54	68.20	-14.66
5650.000	Peak	46.17	3.60	49.77	68.20	-18.43
5700.000	Peak	47.03	3.31	50.34	105.20	-54.86
5720.000	Peak	57.30	4.17	61.47	110.80	-49.33
5725.000	Peak	60.20	4.21	64.41	122.20	-57.79



Page: 237 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 4 **Test Date** :2021-06-23

Test Frequency :5755 MHz Temp./Humi. :19.5/70

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
	5600.660	Peak	49.83	3.20	53.03	68.20	-15.17
	5650.000	Peak	47.36	3.60	50.96	68.20	-17.24
	5700.000	Peak	50.88	3.31	54.19	105.20	-51.01
	5720.000	Peak	58.70	4.17	62.87	110.80	-47.93
	5725.000	Peak	59.02	4.21	63.23	122.20	-58.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 238 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 4 **Test Date** :2021-06-23

Test Frequency :5795 MHz Temp./Humi. :19.5/70 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	48.53	4.31	52.84	122.20	-69.36
5855.000	Peak	48.42	4.21	52.63	110.80	-58.17
5875.000	Peak	47.15	3.90	51.05	105.20	-54.15
5925.000	Peak	48.54	4.36	52.89	68.20	-15.31
5952.390	Peak	50.09	3.99	54.08	68.20	-14.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 239 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11n40 / Band 4 **Test Date** :2021-06-23

Test Frequency :5795 MHz Temp./Humi. :19.5/70

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dΒμV/m	dBµV/m	dB
5850.000	Peak	51.64	4.31	55.95	122.20	-66.25
5855.000	Peak	50.32	4.21	54.53	110.80	-56.27
5875.000	Peak	50.32	3.90	54.22	105.20	-50.98
5925.000	Peak	49.33	4.36	53.68	68.20	-14.52
5932.820	Peak	49.89	4.28	54.17	68.20	-14.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 240 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 1 **Test Date** :2021-06-24

Test Frequency :5210 MHz Temp./Humi. :18.8/65 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5143.300	Average	40.19	2.87	43.06	54.00	-10.94
5143.300	Peak	51.81	2.87	54.68	74.00	-19.32
5150.000	Average	40.02	3.03	43.05	54.00	-10.96
5150.000	Peak	50.42	3.03	53.45	74.00	-20.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 241 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 1 **Test Date** :2021-06-24

Test Frequency :5210 MHz Temp./Humi. :18.8/65

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5144.000	Average	43.22	2.89	46.11	54.00	-7.89
5144.000	Peak	58.34	2.89	61.22	74.00	-12.78
5150.000	Average	43.31	3.03	46.34	54.00	-7.66
5150.000	Peak	54.77	3.03	57.80	74.00	-16.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**




Page: 242 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 2 **Test Date** :2021-06-24

Test Frequency :5290 MHz Temp./Humi. :18.8/65 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
5350.000	Average	43.23	2.21	45.44	54.00	-8.56
5350.000	Peak	54.44	2.21	56.65	74.00	-17.35
5351.200	Average	43.58	2.21	45.79	54.00	-8.21
5351.200	Peak	57.66	2.21	59.87	74.00	-14.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Tailwan Ltd. No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.** No 134 We King Read New Tailwan Ltd.** United New Tailwan Ltd.**

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 243 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 2 **Test Date** :2021-06-24

Test Frequency :5290 MHz Temp./Humi. :18.8/65

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	<u>dB</u>
5350.000	Average	47.53	2.21	49.74	54.00	-4.26
5350.000	Peak	61.31	2.21	63.52	74.00	-10.48
5377.000	Average	47.56	2.33	49.89	54.00	-4.11
5377.000	Peak	63.06	2.33	65.39	74.00	-8.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 244 of 253

Report Number :E2/2021/60023 **Test Site** :966 Chamber G

Operation Mode :802.11ac80 / Band 3 **Test Date** :2021-06-24

Test Frequency :5530 MHz Temp./Humi. :18.8/65 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5456.100	Average	39.69	2.62	42.31	54.00	-11.69
5456.100	Peak	50.61	2.62	53.23	74.00	-20.77
5460.000	Average	39.70	2.64	42.34	54.00	-11.66
5460.000	Peak	47.81	2.64	50.45	74.00	-23.55
5462.000	Peak	51.22	2.67	53.89	68.20	-14.31
5470.000	Peak	47.45	2.77	50.22	68.20	-17.98



Page: 245 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 3 **Test Date** :2021-06-24

Test Frequency :5530 MHz Temp./Humi. :18.8/65

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5454.100	Average	43.54	2.62	46.15	54.00	-7.85
5454.100	Peak	57.98	2.62	60.59	74.00	-13.41
5460.000	Average	43.63	2.64	46.27	54.00	-7.73
5460.000	Peak	54.53	2.64	57.17	74.00	-16.83
5463.100	Peak	60.10	2.68	62.78	68.20	-5.42
5470.000	Peak	56.18	2.77	58.95	68.20	-9.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 246 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 3 **Test Date** :2021-06-24

Test Frequency :5610 MHz Temp./Humi. :18.8/65 Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5725.000	Peak	47.38	4.21	51.59	68.20	-16.61
5765.970	Peak	49.47	4.03	53.50	68.20	-14.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Test Mode

Report No.: E2/2021/60023

Page: 247 of 253

:Horizontal

Antenna Pol.


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 3 **Test Date** :2021-06-24

Test Frequency :5610 MHz Temp./Humi. :18.8/65

:BE CH MID

EUT Pol :H Plane Engineer :Jack Tseng



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
	5725.000	Peak	50.46	4.21	54.67	68.20	-13.53
	5725.000	Peak	52.84	4.21	57.06	68.20	-13.55 -11.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Page: 248 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 4 **Test Date** :2021-06-24

Test Frequency :5775 MHz Temp./Humi. :18.8/65 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dΒμV/m	dΒμV/m	dB
5649.950	Peak	49.46	3.60	53.06	68.20	-15.14
5650.000	Peak	49.46	3.60	53.06	68.20	-15.14
5700.000	Peak	47.48	3.31	50.79	105.20	-54.41
5720.000	Peak	51.08	4.17	55.25	110.80	-55.55
5725.000	Peak	49.62	4.21	53.84	122.20	-68.36



Page: 249 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 4 **Test Date** :2021-06-24

Test Frequency :5775 MHz Temp./Humi. :18.8/65

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5604.625	Peak	49.63	3.26	52.90	68.20	-15.30
5650.000	Peak	48.58	3.60	52.18	68.20	-16.02
5700.000	Peak	52.11	3.31	55.42	105.20	-49.78
5720.000	Peak	58.83	4.17	63.00	110.80	-47.80
5725.000	Peak	57.34	4.21	61.55	122.20	-60.65




Page: 250 of 253

Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 4 **Test Date** :2021-06-24

Test Frequency :5775 MHz Temp./Humi. :18.8/65 Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5850.000	Peak	58.82	4.31	63.13	122.20	-59.07
5855.000	Peak	50.87	4.21	55.08	110.80	-55.72
5875.000	Peak	54.29	3.90	58.19	105.20	-47.01
5925.000	Peak	48.88	4.36	53.24	68.20	-14.96
5937.200	Peak	51.02	4.19	55.21	68.20	-12.99



Page: 251 of 253


Report Number :E2/2021/60023 Test Site :966 Chamber G

Operation Mode :802.11ac80 / Band 4 **Test Date** :2021-06-24

Test Frequency :5775 MHz Temp./Humi. :18.8/65

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBμV/m	dB
5850.000	Peak	60.55	4.31	64.86	122.20	-57.34
5855.000	Peak	56.42	4.21	60.63	110.80	-50.17
5875.000	Peak	51.13	3.90	55.03	105.20	-50.17
5925.000	Peak	48.45	4.36	52.81	68.20	-15.39
5947.200	Peak	50.76	4.07	54.83	68.20	-13.37



Page: 252 of 253

12 TRANSMISSION IN THE ABSENCE OF DATA

Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS_Tailors Index the Tailors** Index the Tai

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 253 of 253

13 ANTENNA REQUIREMENT

Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device. According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

13.2 Antenna Connected Construction

The antenna is designed with unique RF connector and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非分月就明・比較告給果惟對測試之接給員質,同時比較給值保留90大。本報告未經本公司書圖計刊,不可能份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw