

Page: 99 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5745 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



. 104.	Mode	Reading Level	1 40101	FS	@3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Average	25.10	24.05	49.15	54.00	-4.85
11490.00	Peak	34.10	24.05	58.15	74.00	-15.85
17235.00	Peak	34.30	24.88	59.18	68.20	-9.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



:Tx CH Mid

Test Mode

Report No.: ER/2021/50016

:VERTICAL

Page: 100 of 209


Antenna Pol.

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11a

**Test Frequency** :5785 MHz Temp./Humi. :25.7/65

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 101 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5785 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11570.00	Average	24.90	20.27	45.17	54.00	-8.83
	11570.00	Peak	34.54	20.27	54.81	74.00	-19.19
	17355.00	Peak	34.07	27.01	61.08	68.20	-7.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



:E2 Plane

**EUT Pol** 

Report No.: ER/2021/50016

:GN Lin

Page: 102 of 209


Engineer

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11a

**Test Frequency** :5825 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



:E2 Plane

**EUT Pol** 

Report No.: ER/2021/50016

:GN Lin

Page: 103 of 209


Engineer

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11a

**Test Frequency** :5825 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 104 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5180 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Peak	35.10	19.01	54.11	68.20	-14.09
15540.00	Average	24.79	21.80	46.59	54.00	-7.41
15540.00	Peak	34.46	21.80	56.26	74.00	-17.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 105 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5180 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Peak	36.04	19.01	55.05	68.20	-13.15
15540.00	Average	25.10	21.80	46.90	54.00	-7.10
15540.00	Peak	34.99	21.80	56.79	74.00	-17.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 106 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5220 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10440.00	Peak	34.89	18.81	53.70	68.20	-14.50
15660.00	Average	25.30	21.03	46.33	54.00	-7.67
15660.00	Peak	34.59	21.03	55.62	74.00	-18.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 107 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5220 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.00	Peak	34.61	18.81	53.42	68.20	-14.78
15660.00	Average	25.38	21.03	46.41	54.00	-7.59
15660.00	Peak	35.48	21.03	56.51	74.00	-17.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 108 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5240 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Peak	34.80	19.74	54.54	68.20	-13.66
15720.00	Average	25.47	21.25	46.72	54.00	-7.28
15720.00	Peak	34.87	21.25	56.12	74.00	-17.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 109 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5240 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10480.00	Peak	34.75	19.74	54.49	68.20	-13.71
15720.00	Average	25.42	21.25	46.67	54.00	-7.33
15720.00	Peak	36.07	21.25	57.32	74.00	-16.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



:Tx CH Low

Test Mode

Report No.: ER/2021/50016

:VERTICAL

Page: 110 of 209


Antenna Pol.

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5260 MHz Temp./Humi. :25.7/65

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10520.00	Peak	35.28	20.14	55.42	68.20	-12.78
15780.00	Average	25.71	21.61	47.32	54.00	-6.68
15780.00	Peak	34.25	21.61	55.86	74.00	-18.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 111 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5260 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
10520.00 15780.00	Peak Average	35.72 25.63	20.14 21.61	55.86 47.24	68.20 54.00	-12.34 -6.76
15780.00	Peak	34.62	21.61	56.23	74.00	-17.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 112 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5300 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 113 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5300 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
	10600.00	Average	25.57	19.56	45.13	54.00	-8.87
	10600.00	Peak	34.76	19.56	54.32	74.00	-19.68
	15900.00	Average	25.58	20.38	45.96	54.00	-8.04
	15900.00	Peak	34.06	20.38	54.44	74.00	-19.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 114 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5320 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10640.00	Average	25.94	19.71	45.65	54.00	-8.35
10640.00	Peak	35.02	19.71	54.73	74.00	-19.27
15960.00	Average	25.50	19.73	45.23	54.00	-8.77
15960.00	Peak	34.38	19.73	54.11	74.00	-19.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 115 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5320 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



19.73

55.19

74.00

-18.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

35.46

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second long the content of the content or appearance or appearance or appe

15960.00

Peak



Page: 116 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5500 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Average	25.42	20.58	46.00	54.00	-8.00
11000.00	Peak	35.03	20.58	55.61	74.00	-18.39
16500.00	Peak	34.06	21.95	56.01	68.20	-12.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 117 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5500 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Average	25.51	20.58	46.09	54.00	-7.91
11000.00	Peak	34.71	20.58	55.29	74.00	-18.71
16500.00	Peak	34.39	21.95	56.34	68.20	-11.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 118 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5580 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.00	Average	25.34	20.61	45.95	54.00	-8.05
11160.00	Peak	34.63	20.61	55.24	74.00	-18.76
16740.00	Peak	34.01	24.44	58.45	68.20	<b>-</b> 9.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 119 of 209

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5580 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL **EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.00	Average	25.41	20.61	46.02	54.00	-7.98
11160.00	Peak	35.07	20.61	55.68	74.00	-18.32
16740.00	Peak	33.57	24.44	58.01	68.20	-10.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 120 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5700 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
	11400.00	Average	24.73	20.23	44.96	54.00	-9.04
	11400.00	Peak	33.77	20.23	54.00	74.00	-20.00
	17100.00	Peak	34.12	25.15	59.27	68.20	-8.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 121 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5700 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11400.00	Average	24.74	20.23	44.97	54.00	-9.03
11400.00	Peak	34.67	20.23	54.90	74.00	-19.10
17100.00	Peak	34.18	25.15	59.33	68.20	-8.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



:E2 Plane

**EUT Pol** 

Report No.: ER/2021/50016

:GN Lin

Page: 122 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5720 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :VERTICAL





MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11440.00	Average	25.02	21.89	46.91	54.00	-7.09
11440.00	Peak	34.70	21.89	56.59	74.00	-17.41
17160.00	Peak	33.90	25.47	59.37	68.20	-8.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 123 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5720 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11440.00	Average	24.99	21.89	46.88	54.00	-7.12
11440.00	Peak	34.33	21.89	56.22	74.00	-17.78
17160.00	Peak	33.82	25.47	59.29	68.20	-8.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 124 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5745 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11490.00	Average	24.94	24.05	48.99	54.00	-5.01
11490.00	Peak	34.34	24.05	58.39	74.00	-15.61
17235.00	Peak	33.89	24.88	58.77	68.20	-9.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 125 of 209

Report Number :ER/2021/50016 Test Site :SAC I Chamber

Operation Mode :802.11n20 Test Date :2021-06-19

Test Frequency :5745 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

EUT Pol :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second long the content of the content or appearance or appearance or appe

SGS Taiwan Ltd. No.134 台灣檢驗科技股份有限公司 t(

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 126 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5785 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11570.00	Average	24.85	20.27	45.12	54.00	-8.88
11570.00	Peak	34.61	20.27	54.88	74.00	-19.12
17355.00	Peak	33.90	27.01	60.91	68.20	-7.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 127 of 209


Report Number :ER/2021/50016 Test Site :SAC I Chamber

Operation Mode :802.11n20 Test Date :2021-06-19

Test Frequency :5785 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

EUT Pol :E2 Plane Engineer :GN Lin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11570.00	Average	24.84	20.27	45.11	54.00	-8.89
	11570.00	Peak	34.13	20.27	54.40	74.00	-19.60
	17355.00	Peak	33.91	27.01	60.92	68.20	-7.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



:Tx CH High

Test Mode

Report No.: ER/2021/50016

:VERTICAL

Page: 128 of 209

Antenna Pol.

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5825 MHz Temp./Humi. :25.7/65

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second long the content of the content or appearance or appearance or appe

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 129 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5825 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
						_
11650.00	Average	24.71	20.37	45.08	54.00	-8.92
11650.00	Peak	34.60	20.37	54.97	74.00	-19.03
17475.00	Peak	34.03	27.44	61.47	68.20	-6.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 130 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5190 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10380.00	Peak	34.47	18.84	53.31	68.20	-14.89
15570.00	Average	25.82	21.58	47.40	54.00	-6.60
15570.00	Peak	34.32	21.58	55.90	74.00	-18.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



:E2 Plane

**EUT Pol** 

Report No.: ER/2021/50016

:GN Lin

Page: 131 of 209


Engineer

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5190 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10380.00	Peak	35.03	18.84	53.87	68.20	-14.33
15570.00	Average	25.77	21.58	47.35	54.00	-6.65
15570.00	Peak	34.11	21.58	55.69	74.00	-18.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 132 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5230 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10460.00	Peak	35.12	19.14	54.26	68.20	-13.94
15690.00	Average	26.00	21.04	47.04	54.00	-6.96
15690.00	Peak	34.37	21.04	55.41	74.00	-18.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解邦另有説明・比較告結果権對測試之棲品頁頁,同時比較品僅保留90大。本報告未經本公司書圖計可,不可能份復製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\*\*\* Taken 1 to the produced of the content of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the pullest extent of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the pullest extent of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the pullest extent of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the pullest extent of the law.\*\*

\*\*Policy All Company\*\*\*

\*\*Policy All Company\*\*\*

\*\*Policy All Company\*\*\*

\*\*Policy All Company\*\*\*

\*\*Policy All Company\*\*

\*\*Poli

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 133 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5230 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10460.00	Peak	35.22	19.14	54.36	68.20	-13.84
15690.00	Average	26.14	21.04	47.18	54.00	-6.82
15690.00	Peak	34.38	21.04	55.42	74.00	-18.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 134 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5270 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10540.00	Peak	34.61	19.92	54.53	68.20	-13.67
15810.00	Average	26.63	21.58	48.21	54.00	-5.79
15810.00	Peak	34.54	21.58	56.12	74.00	-17.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 135 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5270 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10540.00	Peak	34.44	19.92	54.36	68.20	-13.84
15810.00	Average	26.37	21.58	47.95	54.00	-6.05
15810.00	Peak	34.80	21.58	56.38	74.00	-17.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 136 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5310 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10620.00	Average	26.76	19.64	46.40	54.00	-7.60
10620.00	Peak	35.16	19.64	54.80	74.00	-19.20
15930.00	Average	26.17	19.89	46.06	54.00	-7.94
15930.00	Peak	34.63	19.89	54.52	74.00	-19.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 137 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5310 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10620.00	Average	26.53	19.64	46.17	54.00	-7.83
10620.00	Peak	35.10	19.64	54.74	74.00	-19.26
15930.00 15930.00	Average Peak	26.16 34.00	19.89 19.89	46.05 53.89	54.00 74.00	-7.95 -20.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 138 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5510 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11020.00	Average	26.36	21.19	47.55	54.00	-6.45
11020.00	Peak	34.81	21.19	56.00	74.00	-18.00
16530.00	Peak	34.29	21.97	56.26	68.20	-11.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 139 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5510 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



		Actual FS	Limit @3m	Margin
K/QP/AV dE	BµV dB	dBμV/m	dBμV/m	dB
Average 26	5.43 21.19	47.62	54.00	-6.38
Peak 34	.98 21.19	56.17	74.00	-17.83
Peak 33	3.56 21.97	55.53	68.20	-12.67
	Mode Readir K/QP/AV dE  Average 26 Peak 34	Mode K/QP/AV         Reading Level dBμV         dB           Average Peak         26.43         21.19           20.43         21.19	Mode K/QP/AV         Reading Level dB μV         FS dB μV/m           Average Peak         26.43         21.19         47.62           Peak         34.98         21.19         56.17	Mode K/QP/AV         Reading Level dB μV/m         FS dBμV/m         @3m dBμV/m           Average Peak         26.43         21.19         47.62         54.00           Peak         34.98         21.19         56.17         74.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 140 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5550 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
Average	26.31	22.03	48.34	54.00	-5.66
Peak	34.89	22.03	56.92	74.00	-17.08
Peak	33.57	22.70	56.27	68.20	-11.93
	Mode PK/QP/AV Average Peak	Mode Reading Level dBµV  Average 26.31 Peak 34.89	Mode PK/QP/AV         Reading Level dBμV         dB           Average Peak         26.31         22.03           22.03         22.03	Mode PK/QP/AV         Reading Level dBμV         FS dBμV/m           Average Peak         26.31         22.03         48.34           Peak         34.89         22.03         56.92	Mode PK/QP/AV         Reading Level dBμV         FS dBμV/m         @3m dBμV/m           Average Peak         26.31         22.03         48.34         54.00           Peak         34.89         22.03         56.92         74.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 141 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5550 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11100.00	Average	26.30	22.03	48.33	54.00	-5.67
11100.00	Peak	34.68	22.03	56.71	74.00	-17.29
16650.00	Peak	34.04	22.70	56.74	68.20	-11.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 142 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5670 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11340.00	Average	25.72	20.96	46.68	54.00	-7.32
11340.00	Peak	34.27	20.96	55.23	74.00	-18.77
17010.00	Peak	33.79	26.17	59.96	68.20	-8.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 143 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n40

**Test Frequency** :5670 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 144 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5710 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11420.00	Average	25.62	21.06	46.68	54.00	-7.32
11420.00	Peak	34.12	21.06	55.18	74.00	-18.82
17130.00	Peak	34.17	25.34	59.51	68.20	-8.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 145 of 209

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n40

**Test Frequency** :5710 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No



Page: 146 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5755 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11510.00	Average	25.59	23.86	49.45	54.00	-4.55
11510.00	Peak	34.28	23.86	58.14	74.00	-15.86
17265.00	Peak	34.95	24.72	59.67	68.20	-8.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 147 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5755 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11510.00	Average	25.62	23.86	49.48	54.00	-4.52
	11510.00	Peak	34.07	23.86	57.93	74.00	-16.07
	17265.00	Peak	34.43	24.72	59.15	68.20	-9.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 148 of 209


Report Number :ER/2021/50016 Test Site :SAC I Chamber

Operation Mode :802.11n40 Test Date :2021-06-19

Test Frequency :5795 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :VERTICAL

EUT Pol :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11590.00	Average	25.82	19.23	45.05	54.00	-8.95
11590.00	Peak	34.48	19.23	53.71	74.00	-20.29
17385.00	Peak	34.44	27.32	61.76	68.20	-6.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 149 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5795 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	$dB\mu V$	dB	dBµV/m	dΒμV/m	dB
11590.00	Average	25.78	19.23	45.01	54.00	-8.99
11590.00	Peak	35.84	19.23	55.07	74.00	-18.93
17385.00	Peak	33.59	27.32	60.91	68.20	-7.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 150 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11ac80

**Test Frequency** :5210 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 151 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5210 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10420.00	Peak	34.63	18.74	53.37	68.20	-14.83
15630.00	Average	26.67	21.22	47.89	54.00	-6.11
15630.00	Peak	35.65	21.22	56.87	74.00	-17.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 152 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5290 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10580.00	Peak	34.64	19.66	54.30	68.20	-13.90
15870.00	Average	26.68	21.00	47.68	54.00	-6.32
15870.00	Peak	35.25	21.00	56.25	74.00	-17.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 153 of 209

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5290 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL **EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10580.00	Peak	35.03	19.66	54.69	68.20	-13.51
15870.00	Average	26.70	21.00	47.70	54.00	-6.30
15870.00	Peak	34.93	21.00	55.93	74.00	-18.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 154 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5530 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11060.00	Average	26.36	22.10	48.46	54.00	-5.54
11060.00	Peak	34.68	22.10	56.78	74.00	-17.22
16590.00	Peak	33.89	22.35	56.24	68.20	-11.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 155 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5530 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11060.00	Average	26.58	22.10	48.68	54.00	-5.32
11060.00	Peak	34.90	22.10	57.00	74.00	-17.00
16590.00	Peak	33.69	22.35	56.04	68.20	-12.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 156 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5610 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11220.00	Average	26.11	20.23	46.34	54.00	-7.66
11220.00	Peak	34.60	20.23	54.83	74.00	-19.17
16830.00	Peak	33.93	24.49	58.42	68.20	-9.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 157 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5610 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



r req.	Mode	Reading Level	i actor	FS	@3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBμV/m	dΒμV/m	dB
11220.00	Average	26.19	20.23	46.42	54.00	-7.58
11220.00	Peak	34.84	20.23	55.07	74.00	-18.93
16830.00	Peak	33.76	24.49	58.25	68.20	-9.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No



:Tx CH High

Test Mode

Report No.: ER/2021/50016

:VERTICAL

Page: 158 of 209


Antenna Pol.

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11ac80

**Test Frequency** :5690 MHz Temp./Humi. :25.7/65

**EUT Pol** :E2 Plane Engineer :GN Lin



MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11380.00	Average	25.83	20.55	46.38	54.00	-7.62
11380.00	Peak	34.71	20.55	55.26	74.00	-18.74
17070.00	Peak	34.53	25.62	60.15	68.20	-8.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 159 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5690 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11380.00	Average	25.72	20.55	46.27	54.00	-7.73
11380.00	Peak	35.24	20.55	55.79	74.00	-18.21
17070.00	Peak	34.71	25.62	60.33	68.20	-7.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 160 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5775 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11550.00	Average	26.03	21.32	47.35	54.00	-6.65
11550.00	Peak	33.44	21.32	54.76	74.00	-19.24
17325.00	Peak	34.48	25.95	60.43	68.20	-7.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 161 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11ac80

**Test Frequency** :5775 MHz Temp./Humi. :25.7/65

Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No



Page: 162 of 209

## 11.7.3 Band edge falling to restricted band


Report Number **Test Site** :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

Test Frequency :5180 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low :VERTICAL Antenna Pol.

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Average	35.80	7.82	43.62	54.00	-10.38
5150.00	Peak	50.75	7.82	58.57	74.00	-15.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.



Page: 163 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5180 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No



Page: 164 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5320 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No



Page: 165 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5320 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second long the content of the content or appearance or appearance or appe

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 166 of 209


Report Number **Test Site** :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5500 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
	11001771	45 p. (	<u> </u>	45 p v/	45 p 17.11.	
5460.00	Average	36.99	8.65	45.64	54.00	-8.36
5460.00	Peak	46.08	8.65	54.73	74.00	-19.27
5467.64	Peak	50.66	8.61	59.27	68.20	-8.93
5470.00	Peak	48.77	8.59	57.36	68.20	-10.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 167 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5500 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5460.00	Average	31.86	8.65	40.51	54.00	-13.49
5460.00	Peak	44.44	8.65	53.09	74.00	-20.91
5470.00	Peak	43.32	8.59	51.91	68.20	-16.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Page: 168 of 209

Report Number :ER/2021/50016 Test Site :SAC I Chamber

Operation Mode :802.11a Test Date :2021-06-19

Test Frequency :5700 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL EUT Pol :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second long the content of the content or appearance or appearance or appe



Page: 169 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5700 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



:E2 Plane

**EUT Pol** 

Report No.: ER/2021/50016

:GN Lin

Page: 170 of 209


Engineer

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5745 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	42.95	7.80	50.75	68.20	-17.45
5700.00	Peak	49.89	8.25	58.14	105.20	-47.06
5720.00	Peak	52.24	8.39	60.63	110.80	-50.17
5725.00	Peak	65.40	8.42	73.82	122.20	-48.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解邦另有説明・比較告結果権對測試之棲品頁頁,同時比較品僅保留90大。本報告未經本公司書圖計可,不可能份復製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\*\*\* Taken 1 to the produced of the content of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Comp

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 171 of 209


Report Number **Test Site** :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5745 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
				<b>'</b>	•	
5650.00	Peak	41.00	7.80	48.80	68.20	-19.40
5700.00	Peak	44.53	8.25	52.78	105.20	-52.42
5720.00	Peak	46.69	8.39	55.08	110.80	-55.72
5725.00	Peak	55.61	8.42	64.03	122.20	-58.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 172 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5825 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
IVII IZ	I IVQI /AV	αυμν	<u>ub</u>	αυμν/ιιι	ασμν/ιιι	чь
5850.00	Peak	55.01	8.93	63.94	122.20	-58.26
5855.00	Peak	50.18	8.93	59.11	110.80	-51.69
5875.00	Peak	47.87	8.89	56.76	105.20	-48.44
5925.00	Peak	47.45	8.84	56.29	68.20	-11.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解邦另有説明・比較告結果権對測試之棲品頁頁,同時比較品僅保留90大。本報告未經本公司書圖計可,不可能份復製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\*\*\* Taken 1 to the produced of the content of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the p

SGS Taiwan Ltd.



Page: 173 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11a **Test Date** :2021-06-19

**Test Frequency** :5825 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5850.00	Peak	46.17	8.93	55.10	122.20	-67.10
5855.00 5875.00 5925.00	Peak Peak Peak Peak	42.76 41.52 39.82	8.93 8.89 8.84	51.69 50.41 48.66	110.80 105.20 68.20	-59.11 -54.79 -19.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解邦另有説明・比較告結果権對測試之棲品頁頁,同時比較品僅保留90大。本報告未經本公司書圖計可,不可能份復製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\*\*\* Taken 1 to the produced of the content of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the p

SGS Taiwan Ltd.



Page: 174 of 209


Report Number :ER/2021/50016 Test Site :SAC I Chamber

Operation Mode :802.11n20 Test Date :2021-06-19

Test Frequency :5180 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

EUT Pol :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 175 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5180 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 176 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5320 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tailors\*\* Index 124 the second New York Part 124 the No. 124 the No

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 177 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-19 :802.11n20

**Test Frequency** :5320 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 178 of 209


Report Number **Test Site** :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-24

**Test Frequency** :5500 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5460.00	Average	34.93	8.65	43.58	54.00	-10.42
5460.00	Peak	54.50	8.65	63.15	74.00	-10.85
5468.72	Peak	57.74	8.61	66.35	68.20	-1.85
5470.00	Peak	56.49	8.59	65.08	68.20	-3.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 179 of 209


Report Number **Test Site** :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-24

**Test Frequency** :5500 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
IVII IZ	FN/QF/AV	αвμν	ub	αБμν/п	ασμν/π	ub_
5460.00	Average	31.03	8.65	39.68	54.00	-14.32
5460.00	Peak	47.81	8.65	56.46	74.00	-17.54
5469.56	Peak	50.08	8.59	58.67	68.20	-9.53
5470.00	Peak	48.22	8.59	56.81	68.20	-11.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 180 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-24 :802.11n20

**Test Frequency** :5700 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 181 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-24

**Test Frequency** :5700 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



MHz	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	dB
5725.00	Peak	52.35	8.42	60.77	68.20	-7.43
5732.24	Peak	53.63	8.47	62.10	68.20	-6.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 182 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5745 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
IVITZ	FN/QF/AV	чьμν	иь	ασμν/ιιι	ασμν/ιιι	иБ
5650.00	Peak	45.03	7.80	52.83	68.20	-15.37
5700.00	Peak	56.83	8.25	65.08	105.20	-40.12
5720.00	Peak	59.38	8.39	67.77	110.80	-43.03
5725.00	Peak	67.37	8.42	75.79	122.20	-46.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 183 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5745 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
				·		
5650.00	Peak	41.15	7.80	48.95	68.20	-19.25
5700.00	Peak	52.05	8.25	60.30	105.20	-44.90
5720.00	Peak	55.15	8.39	63.54	110.80	-47.26
5725.00	Peak	61.64	8.42	70.06	122.20	-52.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 184 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5825 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
IVII 1Z	FIVQFIAV	чъμν	uБ	ασμν/πι	ασμν/π	uБ
E0E0 00	Dools	60.25	0.00	60.00	100.00	E0.00
5850.00	Peak	60.35	8.93	69.28	122.20	-52.92
5855.00	Peak	56.08	8.93	65.01	110.80	-45.79
5875.00	Peak	55.11	8.89	64.00	105.20	-41.20
5925.00	Peak	45.68	8.84	54.52	68.20	-13.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解邦另有説明・比較告結果権對測試之棲品頁頁,同時比較品僅保留90大。本報告未經本公司書圖計可,不可能份復製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\*\*\* Taken 1 to the produced of the content of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the p

SGS Taiwan Ltd.



Page: 185 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n20 **Test Date** :2021-06-19

**Test Frequency** :5825 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	54.34	8.93	63.27	122.20	-58.93
5855.00	Peak	51.29	8.93	60.22	110.80	-50.58
5875.00	Peak	49.22	8.89	58.11	105.20	-47.09
5925.00	Peak	40.28	8.84	49.12	68.20	-19.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解邦另有説明・比較告結果権對測試之棲品頁頁,同時比較品僅保留90大。本報告未經本公司書圖計可,不可能份復製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\*\*\* Taken 1 to the produced of the content of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the p

SGS Taiwan Ltd.



Page: 186 of 209


Report Number :ER/2021/50016 Test Site :SAC I Chamber

Operation Mode :802.11n40 Test Date :2021-06-24

Test Frequency :5190 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

EUT Pol :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 187 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-24 :802.11n40

**Test Frequency** :5190 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 188 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-24

**Test Frequency** :5310 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
IVITIZ	FIN/QF/AV	αвμν	uБ	ασμν/π	ασμν/ιιι	ub_
5350.00	Average	43.66	8.67	52.33	54.00	-1.67
5350.00	Peak	52.93	8.67	61.60	74.00	-12.40
5363.12	Average	37.80	8.83	46.63	54.00	-7.37
5363.12	Peak	55.83	8.83	64.66	74.00	-9.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 189 of 209


Report Number **Test Site** :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-24

**Test Frequency** :5310 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.00	Average	36.28	8.67	44.95	54.00	-9.05
5350.00	Peak	47.15	8.67	55.82	74.00	-18.18
5353.88	Average	35.19	8.72	43.91	54.00	-10.09
5353.88	Peak	49.83	8.72	58.55	74.00	-15.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 190 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-24

**Test Frequency** :5510 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
		l		I	· ·	
5460.00	Average	37.88	8.65	46.53	54.00	-7.47
5460.00	Peak	56.22	8.65	64.87	74.00	-9.13
5466.48	Peak	57.90	8.62	66.52	68.20	-1.68
5470.00	Peak	56.65	8.59	65.24	68.20	-2.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 191 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-24

**Test Frequency** :5510 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5460.00	Average	33.00	8.65	41.65	54.00	-12.35
5460.00	Peak	49.06	8.65	57.71	74.00	-16.29
5465.40	Peak	51.02	8.62	59.64	68.20	-8.56
5470.00	Peak	51.01	8.59	59.60	68.20	-8.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 192 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-24 :802.11n40

**Test Frequency** :5670 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 193 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode Test Date** :2021-06-24 :802.11n40

**Test Frequency** :5670 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 194 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5755 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
				<u></u>	a.2 ja 17111	
5650.00	Peak	45.39	7.80	53.19	68.20	-15.01
5700.00	Peak	58.44	8.25	66.69	105.20	-38.51
5720.00	Peak	61.94	8.39	70.33	110.80	-40.47
5725.00	Peak	65.15	8.42	73.57	122.20	-48.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 195 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5755 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	41.65	7.80	49.45	68.20	-18.75
5700.00	Peak	53.79	8.25	62.04	105.20	-43.16
5720.00 5725.00	Peak Peak	55.24 59.03	8.39 8.42	63.63 67.45	110.80 122.20	-47.17 -54.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 196 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5795 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
IVITZ	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5850.00	Peak	54.93	8.93	63.86	122.20	-58.34
5855.00	Peak	55.82	8.93	64.75	110.80	-46.05
5875.00	Peak	52.24	8.89	61.13	105.20	-44.07
5925.00	Peak	43.17	8.84	52.01	68.20	-16.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解邦另有説明・比較告結果権對測試之棲品頁頁,同時比較品僅保留90大。本報告未經本公司書圖計可,不可能份復製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\*\*\* Taken 1 to the produced of the content of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the p

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 197 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11n40 **Test Date** :2021-06-19

**Test Frequency** :5795 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	50.90	8.93	59.83	122.20	-62.37
5855.00	Peak	52.12	8.93	61.05	110.80	-49.75
5875.00	Peak	46.94	8.89	55.83	105.20	-49.37
5925.00	Peak	41.51	8.84	50.35	68.20	-17.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解邦另有説明・比較告結果権對測試之棲品頁頁,同時比較品僅保留90大。本報告未經本公司書圖計可,不可能份復製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\*\*\* Taken 1 to the produced of the content of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the p

SGS Taiwan Ltd.



Page: 198 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-24

**Test Frequency** :5210 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
		р. т		<u></u>	<u> </u>	
5148.20	Average	44.45	7.82	52.27	54.00	-1.73
5148.20	Peak	55.15	7.82	62.97	74.00	-11.03
5150.00	Average	45.06	7.82	52.88	54.00	-1.12
5150.00	Peak	54.36	7.82	62.18	74.00	-11.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解邦另有説明・比較告結果権對測試之棲品頁頁,同時比較品僅保留90大。本報告未經本公司書圖計可,不可能份復製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\*\*\* Taken 1 to the produced of the content of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the law.\*\*

\*\*Policy All Company\*\*\* Taken 2 to the produced of the p

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 199 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-24

**Test Frequency** :5210 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5146.70	Average	39.34	7.82	47.16	54.00	-6.84
5146.70	Peak	54.50	7.82	62.32	74.00	-11.68
5150.00	Average	40.35	7.82	48.17	54.00	-5.83
5150.00	Peak	54.15	7.82	61.97	74.00	-12.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



:E2 Plane

**EUT Pol** 

Report No.: ER/2021/50016

:GN Lin

Page: 200 of 209


Engineer

Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-24

**Test Frequency** :5290 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	Average	43.80	8.67	52.47	54.00	-1.53
5350.00	Peak	51.83	8.67	60.50	74.00	-13.50
5354.80	Average	42.91	8.73	51.64	54.00	-2.36
5354.80	Peak	52.64	8.73	61.37	74.00	-12.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 201 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-24

**Test Frequency** :5290 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	Average	36.71	8.67	45.38	54.00	-8.62
5350.00	Peak	44.35	8.67	53.02	74.00	-20.98
5357.10 5357.10	Average Peak	35.45 45.96	8.76 8.76	44.21 54.72	54.00 74.00	-9.79 -19.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 202 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-24

**Test Frequency** :5530 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	$dB\mu V$	dB	dBµV/m	dΒμV/m	dB
5460.00	Average	43.67	8.65	52.32	54.00	-1.68
5460.00	Peak	54.20	8.65	62.85	74.00	-11.15
5470.00	Peak	55.55	8.59	64.14	68.20	-4.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 203 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-24

**Test Frequency** :5530 MHz Temp./Humi. :26.1/59

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5460.00	Average	36.25	8.65	44.90	54.00	-9.10
5460.00	Peak	47.59	8.65	56.24	74.00	-17.76
5470.00	Peak	50.54	8.59	59.13	68.20	-9.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 204 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5775 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
	11001771	45 p. t		<u> </u>	αΣμτ/	
5650.00	Peak	44.71	7.80	52.51	68.20	-15.69
5700.00	Peak	61.19	8.25	69.44	105.20	-35.76
5720.00	Peak	66.90	8.39	75.29	110.80	-35.51
5725.00	Peak	68.71	8.42	77.13	122.20	-45.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 205 of 209


Report Number **Test Site** :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5775 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH Low Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
		•		•	•	
5650.00	Peak	41.60	7.80	49.40	68.20	-18.80
5700.00	Peak	57.69	8.25	65.94	105.20	-39.26
5720.00	Peak	63.29	8.39	71.68	110.80	-39.12
5725.00	Peak	65.38	8.42	73.80	122.20	-48.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 206 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5775 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :VERTICAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5850.00	Peak	60.92	8.93	69.85	122.20	-52.35
5855.00	Peak	59.59	8.93	68.52	110.80	-42.28
5875.00	Peak	53.07	8.89	61.96	105.20	-43.24
5925.00	Peak	42.11	8.84	50.95	68.20	-17.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 207 of 209


Report Number Test Site :SAC I Chamber :ER/2021/50016

**Operation Mode** :802.11ac80 **Test Date** :2021-06-19

**Test Frequency** :5775 MHz Temp./Humi. :25.7/65

Test Mode :Bandedge CH High Antenna Pol. :HORIZONTAL

**EUT Pol** :E2 Plane Engineer :GN Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	52.38	8.93	61.31	122.20	-60.89
5855.00	Peak	51.76	8.93	60.69	110.80	-50.11
5875.00 5925.00	Peak Peak	47.36 40.58	8.89 8.84	56.25 49.42	105.20 68.20	-48.95 -18.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 208 of 209

## 12 TRANSMISSION IN THE ABSENCE OF DATA

# Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

## 12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

SGS Taiwan Ltd.



Page: 209 of 209

# 13 ANTENNA REQUIREMENT

# Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device. According to §15.407. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

## 13.2 Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非分月就明・比較告給果惟對測試之棲品頁頁,同時比較品僅保留90大。本報告去幾本公司書圖計可,不可能份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS\_Tainsaction\*\* This area of the content or appearance or appearance or appearance or appearance or ap

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw