

# **ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT**



FCC Applicant:	Quanta Computer Inc. No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City
FCC Manufacturer:	33377, Taiwan Quanta Computer Inc. No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City 33377, Taiwan
ISED Applicant:	Quanta Computer Inc. No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City 33377, Taiwan
ISED Manufacturer:	Quanta Computer Inc. No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City 33377, Taiwan
Product Name:	Clover Flex
Brand Name:	Clover
Model No./ ISED HVIN:	C406
Report Number:	TERF2404001058E2
FCC ID	HFS-C406
IC:	1787B-C406
Date of EUT Received:	February 22, 2024
Date of Test:	April 19, 2024~June 12,2024
Issue Date:	June 24, 2024

Approved By

### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI ANSI C63.26-2015 and the energy emitted by the sample EUT comply with FCC rule part 2, 22H & 24E & 27 C and ISED RSS-Gen, 130, 132, 133, 139.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.sqs.com.tw

Member of SGS Group



Revision History										
Report Number	Revision	Description	Issue Date	Revised By	Remark					
TERF2404001058E2	00	Original.	May 27, 2024	Kate Lai						
TERF2404001058E2 0 <sup>7</sup>		Revise: ISED HVIN 1.5 Test Methodology of Applied Stand- ards 4.3 Measurement Configuration 10.2 Maximum Output Power 10.3 Field Strength of Spurious Radiation Measurement	June 24, 2024	Kate Lai	*					

### Note:

1 • The remark "\*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contract and company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sgs.com.tw
```



# Contents

1	GENERAL PRODUCT INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	9
4	DESCRIPTION OF TEST MODES	. 10
5	MEASUREMENT UNCERTAINTY	. 11
6	MEASUREMENT EQUIPMENT USED	.12
7	STANDARD APPLICABLE	.13
8	TEST SETUP	.15
9	TEST PROCEDURE	.16
10	MEASUREMENT RESULTS	.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sgs.com.tw
```



# **1 GENERAL PRODUCT INFORMATION**

# **1.2 Product Description**

Product Name:	Clover Flex
Brand Name:	Clover
Model No.:	C406
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	C046UG41240068 (Conducted) C046UG41240069 (Radiated)
Power Supply:	7.6 Vdc from Rechargeable Li-ion Polymer Battery
Test Software (Name/Version)	default(Link Call Box)

# 1.3 Operation Frequency Range

LTE Band 2								
BW (MHz)	Operation	Freque	ency (MHz)					
1.4	1850.7	-	1909.3					
3	1851.5	-	1908.5					
5	1852.5	-	1907.5					
10	1855.0	-	1905.0					
15	1857.5	-	1902.5					
20	1860.0	-	1900.0					
LTE Band 4								
BW (MHz)	Operation	Freque	ency (MHz)					
1.4	1710.7	-	1754.3					
3	1711.5	-	1753.5					
5	1712.5	-	1752.5					
10	1715.0	-	1750.0					
15	1717.5	-	1747.5					
20	1720.0	-	1745.0					
	LTE Bar	nd 5						
BW (MHz)	Operation	Freque	ency (MHz)					
1.4	824.7	-	848.3					
3	825.5	-	847.5					
5	826.5	-	846.5					
10	829.0	-	844.0					

LTE Band 12								
BW (MHz)	Operation	Freque	ency (MHz)					
1.4	699.7	-	715.3					
3	700.5	-	714.5					
5	701.5	-	713.5					
10	704.0	-	711.0					
	LTE Ban	d 13						
BW (MHz)	Operation Frequency (MHz)							
5	779.5	-	784.5					
10	782.0							
	LTE Ban	d 66						
BW (MHz)	Operation	Freque	ency (MHz)					
1.4	1710.7	-	1779.3					
3	1711.5	-	1778.5					
5	1712.5	-	1777.5					
10	1715.0	-	1775.0					
15	1717.5	-	1772.5					
20	1720.0	-	1770.0					

# Note: Operation in 814~824MHz is disabled in Canada.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



#### **Antenna Designation** 1.4

Antenna Type	Part No.	Antenna No.				
COUPLING	DQ60ALF0003	Ant0				
<b>Note:</b> Transmission frequencies in this test report are only available by the above antenna(s).						

Туре	Modulation	Fre	equency (MHz)		Peak An- tenna Gain (dBi) Ant0
COUPLING	LTE-Band 2	1850	~	1910	1.88
	LTE-Band 4	1710	~	1755	1.06
	LTE-Band 5	824	~	849	-1.26
	LTE-Band 12	699	~	716	-1.58
	LTE-Band 13	777	~	787	-1.45
	LTE-Band 66	1710	~	1780	1.06

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contract and company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 1.5 **Test Methodology of Applied Standards**

FCC 47 CFR Part 2, 22H, 24E, 27C ISED RSS-130 Issue 2 Feb. 2019. ISED RSS-132 Issue 4 Jan. 2023 ISED RSS-133 Issue 6, Amendment 1 Jan. 18, 2018, ISED RSS-139 Issue 4 Amendment Oct. 2022 ANSI C63.26-2015 KDB971168 D01 Power Meas license Digital System v03r01 KDB412172 D01 Determining ERP and EIRP v01r01

#### **Test Facility** 1.6

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 2		
		SAC 3		
		Conduction 1		
	No.134, Wu Kung Road, New Taipei	Conducted 1	T\4/0007	
	Industrial Park, Wuku District, New	Conducted 2	TW0027	
	Taipei City, Taiwan.	Conducted 3		TW3702
		Conducted 4		
SGS Taiwan Ltd.		Conducted 5		
		Conducted 6		
Central RF Lab.		Conduction C		
(TAF code 3702)		SAC C		
		SAC D		
		SAC G		
	No.2, Keji 1st Rd., Guishan District,	Conducted A		
	Taoyuan City, Taiwan 333	Conducted B	TW0028	
	Tabyuan City, Taiwan 555	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		

tion where measurements occurred in specific test site and address.

#### 1.7 Special Accessories

No special accessories were used during testing.

#### Equipment Modifications 1.8

There was no modifications incorporated into the EUT.

#### 1.9 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m\*6m\*6m semi-anechoic chamber. the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# 2 SYSTEM TEST CONFIGURATION

# 2.2 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

# 2.3 EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

# 2.4 Test Procedure

# 2.4.1 Conducted Measurement at Antenna Port

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

# 2.4.2 Radiated Emissions (ERP/EIRP)

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

# 2.5 Measurement Results Explanation Example

# For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. **Note:** 

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Member of SGS Group

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# 2.6 Test Configuration

Conducted Setup	Radiated Setup
Call box EUT	Call Box

Note: Radio Communication Analyzer is placed in remote side for radiated test.

# 2.7 Control Unit(s)

N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





#### SUMMARY OF TEST RESULTS 3

FCC Rules	IC Rules	Description Of Test	Result
§2.1046(a)	RSS-GEN §6.12	RF Power Output	Compliant
§2.1053 §24.238(a)(b) §27.53(h) §27.53(h)(1)&(3) §22.917(a)(b) §27.53(g) §27.53(c)(2)~(6) §27.53 (f)	RSS-GEN §6.13 RSS-130 §4.7 RSS-132 §5.5 RSS-133 §6.5 RSS-139 §5.6	Field Strength of Spurious Radiation	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **DESCRIPTION OF TEST MODES** 4

#### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case scenario from all possible combinations among available modulations, data rates and antenna ports, the worst case configurations listed below for the final test.
- 3. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

#### 4.3 Measurement Configuration

					Max.	Output P	ower							
Band	Tes	Test Channel				Bandwid	th (MHz	)		Modu	lation		RB #	
Band	L	М	Н	1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full
2	v	V	V	v	v	v	V	V	V	V	V	٧	V	V
4	V	V	V	V	V	v	V	V	V	V	V	V	V	V
5	V	V	V	V	V	V	V	-	-	V	V	V	V	V
12	V	V	V	V	V	V	V	-	-	V	V	V	V	V
13 66	V V	V V	V V	- V	- V	V V	V V	- V	- V	V V	V V	V V	V V	V V
E-UTRA Band	Test Channel		Channel Bandwidth Modulation (MHz)		Resource Blo RBs allocated			ock Allocation						
2	18	18700 、 18900		· 191	00		20	Q	PSK		1		0	
4	20	)050、	20175	<ul><li>203</li></ul>	00		20	Q	QPSK 1		1	0		
5	20	)450、	20525	· 206	00		10	Q	PSK		1		0	
12	23060 、 23095 、 23130			10	Q	PSK		1		0				
13	23230				10	Q	PSK		1		0			
66	132	072、	132322	2 • 132	2572		20	Q	PSK		1		0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **MEASUREMENT UNCERTAINTY** 5

Test Items	Und	certair	nty
Power Density	+/-	0.61	dB
RF Power Output	+/-	0.97	dB
ERP/ EIRP measurement	+/-	2.15	dB
	+/-	2.15	dB
Emission Bandwidth	+/-	1.38	Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/-	0.77	dB
Peak to Average Ratio	+/-	0.97	dB
Frequency Stability vs. Temperature	+/-	1.48	Hz
Frequency Stability vs. Voltage	+/-	1.48	Hz
Temperature	+/-	0.6	°C
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty								
	+/-	1.89	dB	9kHz~30MHz				
Polarization: Vertical	+/-	4.15	dB	30MHz - 1000MHz				
	+/-	3.43	dB	1GHz - 18GHz				
	+/-	3.86	dB	18GHz - 40GHz				
	+/-	1.89	dB	9kHz~30MHz				
Polarization: Horizontal	+/-	4.02	dB	30MHz - 1000MHz				
Polarization: Horizontai	+/-	3.43	dB	1GHz - 18GHz				
	+/-	3.86	dB	18GHz - 40GHz				
	+/-	2	dB	33GHz-50GHz				
	+/-	1.59	dB	50GHz-60GHz				
Radiated Spurious Emission	+/-	1.7	dB	60GHz-90GHz				
	+/-	1.64	dB	90GHz-140GHz				
	+/-	3.83	dB	140GHz-220GHz				

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

f (886-2) 2298-0488

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contract and company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### MEASUREMENT EQUIPMENT USED 6

#### 6.2 **Conducted Measurement**

Conducted Emission Test Site: Conducted E										
EQUIPMENT TYPE	IPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.									
Radio Communication Analyer	Anritsu	MT8820C	6201107337	07/14/2023	07/13/2024					

#### **Radiated Measurement** 6.3

	Radiated Emission Test Site: SAC C										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-300	11/02/2023	11/01/2024						
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-617	12/14/2023	12/13/2024						
Horn Antenna	Schwarzbeck	BBHA9170	184	12/28/2023	12/27/2024						
Horn Antenna	Schwarzbeck	BBHA9170	185	08/21/2023	08/20/2024						
Horn Antenna	Schwarzbeck	BBHA9120D	1187	01/24/2024	01/23/2025						
Horn Antenna	Schwarzbeck	BBHA9120D	1341	05/26/2023	05/25/2024						
3m Site NSA	SGS	966 chamber C	N/A	03/02/2024	03/01/2025						
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	04/10/2024	04/09/2025						
Radio Communication Analyer	Anritsu	MT8821C	6262044732	11/16/2023	11/15/2024						
Test Software	audix	e3	E3 20923 SGS Ver.9 ( C )	N.C.R	N.C.R						
Pre-Amplifier	EMC Instruments	EMC330	980096	11/15/2023	11/14/2024						
Pre-Amplifier	EMC Instruments	EMC118A45SE	980789	11/15/2023	11/14/2024						
Pre-Amplifier	EMC Instruments	EMC18405SEE	980881	11/15/2023	11/14/2024						
Coaxial Cable	Huber+Suhner	EMC106-SM-SM-	150704	11/15/2023	11/14/2024						
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	MY17388/4	11/15/2023	11/14/2024						
Coaxial Cable	Huber+Suhner	RG 214/U	W22.03	11/15/2023	11/14/2024						

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contract and company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

www.sqs.com.tw



# 7 STANDARD APPLICABLE

### 7.2 Maximum Output Power

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

### 7.3 Field Strength Of Spurious Radiation Measurement

### According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h)

### RSS-130 §4.7, RSS-132 §5.5, RSS-133 §6.5.1, RSS-139 §5.6

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

### FCC §27.53(g)

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

- (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB;
- (3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 76 + 10 log (P) dB in a 6.25 kHz band segment, for base and fixed stations;
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

### FCC §27.53(h)(1)

(h) *AWS emission limits*—(1) *General protection levels*. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 log<sub>10</sub> (P) dB.

### RSS-130 §4.7.1

Compliance for operations in the 617-652 MHz, 663-698 MHz, 698-756 MHz and the 777-787 MHz band, the unwanted emissions in any 100 kHz bandwidth on any frequency outside the low frequency edge and the high frequency edge of each frequency block range(s), shall be attenuated below the transmitter power, P (dBW), by at least 43 + 10 log10 p (watts), dB. However, in the 100 kHz band immediately outside of the equipment's frequency block range, a resolution bandwidth of 30 kHz may be employed.

### RSS-130 §4.7.2

In addition to the limit outlined in section 4.7.1 above, equipment operating in the frequency bands 746-756 MHz and 777-787 MHz shall also comply with the following restrictions:

the power of any unwanted emissions in any 6.25 kHz bandwidth for all frequencies between 763-775 MHz and 793-806 MHz shall be attenuated below the transmitter power, P (dBW), by at least:  $76 + 10 \log 10 p$  (watts), dB, for base and fixed equipment and

 $65 + 10 \log 10 p$  (watts), dB, for mobile and portable equipment

the e.i.r.p. in the band 1559-1610 MHz shall not exceed -70 dBW/MHz for wideband signal and -80 dBW for discrete emission with bandwidth less than 700 Hz.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### RSS-132 §5.5

i. Equipment shall meet the unwanted emission limits specified below:

In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated below the transmitter output power P (dBW) by at least 43 + 10 log(p) dB.

ii. After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated below the transmitter output power P (dBW) by at least 43 + 10 log(p) dB. If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

p is the output power specified in watts.

### RSS-133 §6.5.1

Equipment shall comply with the limits in (i) and (ii) below.

- In the 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10p(watts).
- ii. After the first 1.0 MHz, the emission power in any 1 MHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10p(watts). If the measurement is performed using 1% of the emission bandwidth, power integration over 1.0 MHz is required.

### RSS-139 §5.6

Unwanted emissions shall be measured in terms of average values.

For all equipment, the TRP or total conducted power (sum of conducted power across all antenna connectors) of the unwanted emissions outside the frequency block or frequency block group shall not exceed the limits shown in table 6.

Table 6: Table 6: Unwanted emission limits								
Offset from the edge of the fre- quency block or frequency block	Unwanted emission limits							
group								
1 MHz	-13 dBm/(1% of OB*)							
>1 MHz	-13 dBm/MHz							
Subscriber equipment	30 dBm e.i.r.p./channel bandwidth							

\*OB is the occupied bandwidth.

In addition to complying with the above limits, equipment operating in the band 2180-2200 MHz may require additional filtering (see SRSP-519).

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

f (886-2) 2298-0488

www.sqs.com.tw


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### TEST SETUP 8


#### 8.2 **Maximum Output Power**




# Note: Measurement setup for testing on Antenna connector

#### 8.3 Field Strength of Spurious Radiation Measurement

Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **TEST PROCEDURE** 9

#### 9.2 Maximum Output Power

#### **Output Power Measurement Applicable Guideance** 9.2.1

The transmitter output was connected to a communication tester. Transmitter output was read off the communication tester in dBm. The power output at the transmitter antenna port was determined by the communication tester reading. KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results. All LTE bands conducted average power is obtained from the simulator telecommunication test set.

#### 9.2.2 Determining ERP and/or EIRP from conducted RF output power measurements

According to KDB 412172 D01 Power Approach,

 $EIRP = P_T + G_T - L_c$ 

ERP= EIRP-2.15,

### Where:

ERP or EIRP	<ul> <li>effective radiated power or equivalent isotropically radiated power (expressed in the same units as PT, typically dBW, dBm, or power spectral density (PSD)2), relative to either a dipole antenna (ERP) or an isotropic antenna (EIRP);</li> <li>= transmitter output power, expressed in dBW, dBm, or PSD;</li> </ul>
G⊤	<ul> <li>gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);</li> <li>signal attenuation in the connecting cable between the transmitter</li></ul>
Lc	and antenna, in dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



# **10 MEASUREMENT RESULTS**

#### 10.2 Maximum Output Power

Antenna	gain (dBi)	1.88							
		LTE	Band 2_Uplin	k frequ	ency ba	nd : 1850 to 2	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.88	22.76	33	-10.24
	18607	1850.7	QPSK	1	5	20.84	22.72	33	-10.28
		1030.7		3	2	20.83	22.71	33	-10.29
				6	0	19.87	21.75	33	-11.25
				1	0	20.99	22.87	33	-10.13
1.4 18900	1880	QPSK	1	5	20.83	22.71	33	-10.29	
			3	2	20.92	22.80	33	-10.2	
			6	0	19.87	21.75	33	-11.25	
		1909.3	QPSK	1	0	20.97	22.85	33	-10.15
	19193			1	5	20.86	22.74	33	-10.26
	19192			3	2	20.80	22.68	33	-10.32
				6	0	19.98	21.86	33	-11.14
				1	0	19.93	21.81	33	-11.19
	18607	1850.7	16QAM	1	5	19.84	21.72	33	-11.28
	10007	1000.7	IOQAIN	3	2	19.99	21.87	33	-11.13
				6	0	18.88	20.76	33	-12.24
				1	0	20.00	21.88	33	-11.12
1.4	18900	1000	160414	1	5	19.92	21.80	33	-11.2
1.4	10900	1880	16QAM	3	2	19.90	21.78	33	-11.22
				6	0	18.92	20.80	33	-12.2
				1	0	19.95	21.83	33	-11.17
	10102	1000.2	160 4 14	1	5	19.81	21.69	33	-11.31
	19193	1909.3	16QAM	3	2	20.00	21.88	33	-11.12
				6	0	18.90	20.78	33	-12.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



٦

Antenna	gain (dBi)	1.88							
		LTE	Band 2_Uplin	k frequ	ency ba	nd : 1850 to 1	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.89	22.77	33	-10.23
	18615	1851.5	QPSK	1	14	20.90	22.78	33	-10.22
		1031.3	QFON	8	4	20.00	21.88	33	-11.12
				15	0	19.83	21.71	33	-11.29
			QPSK	1	0	20.83	22.71	33	-10.29
3	3 18900 1880	1880		1	14	20.99	22.87	33	-10.13
5		1000		8	4	19.97	21.85	33	-11.15
				15	0	19.84	21.72	33	-11.28
		1908.5	QPSK	1	0	20.91	22.79	33	-10.21
	19185			1	14	20.86	22.74	33	-10.26
	19105			8	4	19.86	21.74	33	-11.26
				15	0	19.83	21.71	33	-11.29
				1	0	19.81	21.69	33	-11.31
	18615	1851.5	16QAM	1	14	19.89	21.77	33	-11.23
	10013	1001.0		8	4	18.82	20.70	33	-12.3
				15	0	18.92	20.80	33	-12.2
				1	0	19.80	21.68	33	-11.32
3	18900	1880	16QAM	1	14	19.97	21.85	33	-11.15
5	10300	1000		8	4	18.81	20.69	33	-12.31
				15	0	18.83	20.71	33	-12.29
				1	0	19.97	21.85	33	-11.15
	19185	1908.5	16QAM -	1	14	19.85	21.73	33	-11.27
	19185			8	4	18.88	20.76	33	-12.24
				15	0	18.92	20.80	33	-12.2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



٦

Antenna	gain (dBi)	1.88							
		LTE	Band 2_Uplin	k frequ	ency ba	and : 1850 to 1	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.84	22.72	33	-10.28
	18625	1852.5	QPSK	1	24	20.91	22.79	33	-10.21
	10023	1002.0	QFON	12	6	19.98	21.86	33	-11.14
				25	0	19.93	21.81	33	-11.19
		1880	QPSK	1	0	20.93	22.81	33	-10.19
5	5 18900			1	24	20.84	22.72	33	-10.28
5				12	6	19.90	21.78	33	-11.22
				25	0	19.95	21.83	33	-11.17
		1907.5	QPSK	1	0	20.98	22.86	33	-10.14
	19175			1	24	20.80	22.68	33	-10.32
	13175			12	6	19.96	21.84	33	-11.16
				25	0	19.87	21.75	33	-11.25
				1	0	19.88	21.76	33	-11.24
	18625	1852.5	16QAM	1	24	19.99	21.87	33	-11.13
	10020	1002.0		12	6	18.99	20.87	33	-12.13
				25	0	19.00	20.88	33	-12.12
				1	0	19.82	21.70	33	-11.3
5	18900	1880	16QAM	1	24	19.86	21.74	33	-11.26
0	10000	1000		12	6	18.87	20.75	33	-12.25
				25	0	18.93	20.81	33	-12.19
				1	0	19.83	21.71	33	-11.29
	19175	1907.5	16QAM	1	24	19.92	21.80	33	-11.2
	19175	1907.D		12	6	18.94	20.82	33	-12.18
				25	0	18.97	20.85	33	-12.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



٦

Antenna	gain (dBi)	1.88							
		LTE	Band 2_Uplin	k frequ	ency ba	nd : 1850 to 1	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.95	22.83	33	-10.17
	18650	1855	QPSK	1	49	20.86	22.74	33	-10.26
	10050	1000	QFON	25	12	19.85	21.73	33	-11.27
				50	0	19.80	21.68	33	-11.32
		1880	QPSK	1	0	20.87	22.75	33	-10.25
10	10 18900 -			1	49	20.83	22.71	33	-10.29
10				25	12	19.92	21.80	33	-11.2
				50	0	19.83	21.71	33	-11.29
		1905	QPSK	1	0	20.87	22.75	33	-10.25
	19150			1	49	20.90	22.78	33	-10.22
	13130			25	12	19.81	21.69	33	-11.31
				50	0	19.84	21.72	33	-11.28
				1	0	19.91	21.79	33	-11.21
	18650	1855	16QAM	1	49	19.92	21.80	33	-11.2
	10000	1000	1000/101	25	12	19.00	20.88	33	-12.12
				50	0	18.96	20.84	33	-12.16
				1	0	19.87	21.75	33	-11.25
10	18900	1880	16QAM	1	49	19.88	21.76	33	-11.24
10	10000	1000		25	12	18.83	20.71	33	-12.29
				50	0	18.95	20.83	33	-12.17
				1	0	19.91	21.79	33	-11.21
	19150	1905	16QAM	1	49	19.92	21.80	33	-11.2
	19150			25	12	18.91	20.79	33	-12.21
				50	0	18.90	20.78	33	-12.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



٦

Antenna	gain (dBi)	1.88							
		LTE	Band 2_Uplin	k frequ	ency ba	nd : 1850 to '	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.85	22.73	33	-10.27
	18675	1857.5	QPSK	1	74	20.88	22.76	33	-10.24
		1007.0	QFON	36	18	20.00	21.88	33	-11.12
				75	0	19.95	21.83	33	-11.17
		1880	QPSK	1	0	20.96	22.84	33	-10.16
15	15 18900 1			1	74	20.96	22.84	33	-10.16
10				36	18	19.93	21.81	33	-11.19
				75	0	19.85	21.73	33	-11.27
		1902.5	QPSK	1	0	20.80	22.68	33	-10.32
	19125			1	74	20.89	22.77	33	-10.23
	13120			36	18	19.89	21.77	33	-11.23
				75	0	19.95	21.83	33	-11.17
				1	0	19.90	21.78	33	-11.22
	18675	1857.5	16QAM	1	74	19.93	21.81	33	-11.19
	10070	1007.0		36	18	18.91	20.79	33	-12.21
				75	0	18.90	20.78	33	-12.22
				1	0	19.93	21.81	33	-11.19
15	18900	1880	16QAM	1	74	19.83	21.71	33	-11.29
	10000	1000		36	18	18.83	20.71	33	-12.29
				75	0	18.86	20.74	33	-12.26
				1	0	19.96	21.84	33	-11.16
	19125	5 1902.5	16QAM	1	74	19.93	21.81	33	-11.19
	19125			36	18	18.92	20.80	33	-12.2
				75	0	18.90	20.78	33	-12.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



٦

Antenna	gain (dBi)	1.88							
		LTE	Band 2_Uplin	k frequ	ency ba	and : 1850 to 1	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.12	23.00	33	-10
	18700	1860	QPSK	1	99	20.85	22.73	33	-10.27
		1000	QION	50	25	19.99	21.87	33	-11.13
				100	0	19.93	21.81	33	-11.19
			QPSK	1	0	20.89	22.77	33	-10.23
20	20 18900 188	1880		1	99	20.83	22.71	33	-10.29
20		1000		50	25	19.82	21.70	33	-11.3
				100	0	19.87	21.75	33	-11.25
		1900	QPSK	1	0	20.98	22.86	33	-10.14
	19100			1	99	20.91	22.79	33	-10.21
	13100			50	25	19.87	21.75	33	-11.25
				100	0	20.00	21.88	33	-11.12
				1	0	19.97	21.85	33	-11.15
	18700	1860	16QAM	1	99	19.98	21.86	33	-11.14
	10700	1000	TUQAW	50	25	18.85	20.73	33	-12.27
				100	0	18.88	20.76	33	-12.24
				1	0	19.90	21.78	33	-11.22
20	18900	1880	16QAM	1	99	19.90	21.78	33	-11.22
20	10000	1000	TUQAW	50	25	18.90	20.78	33	-12.22
				100	0	18.82	20.70	33	-12.3
				1	0	19.93	21.81	33	-11.19
	19100	1900	16QAM	1	99	19.97	21.85	33	-11.15
	19100	1900		50	25	18.89	20.77	33	-12.23
				100	0	18.96	20.84	33	-12.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contract and company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



٦

Antenna gain (dBi)		1.06									
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
				1	0	20.83	21.89	30	-8.11		
	19957	1710.7	QPSK	1	5	20.84	21.90	30	-8.1		
	19907	1/10.7	QFON	3	2	20.94	22.00	30	-8		
				6	0	19.97	21.03	30	-8.97		
				1	0	20.84	21.90	30	-8.1		
1.4	20175	1732.5	QPSK	1	5	20.91	21.97	30	-8.03		
1.4	20175			3	2	20.88	21.94	30	-8.06		
				6	0	19.82	20.88	30	-9.12		
	20393	1754.3	QPSK	1	0	20.83	21.89	30	-8.11		
				1	5	20.88	21.94	30	-8.06		
	20000			3	2	20.93	21.99	30	-8.01		
				6	0	19.88	20.94	30	-9.06		
		1710.7	16QAM	1	0	19.87	20.93	30	-9.07		
	19957			1	5	19.81	20.87	30	-9.13		
	10007			3	2	19.97	21.03	30	-8.97		
				6	0	18.96	20.02	30	-9.98		
				1	0	19.96	21.02	30	-8.98		
1.4	20175	1732.5	16QAM	1	5	19.96	21.02	30	-8.98		
1.4	20170	1102.0		3	2	20.00	21.06	30	-8.94		
				6	0	18.86	19.92	30	-10.08		
				1	0	19.94	21.00	30	-9		
	20393	1754.3	16QAM	1	5	19.83	20.89	30	-9.11		
	20000	1704.0		3	2	19.89	20.95	30	-9.05		
				6	0	18.84	19.90	30	-10.1		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



٦

Antenna gain (dBi)		1.06									
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
				1	0	20.80	21.86	30	-8.14		
	19965	1711.5	QPSK	1	14	20.84	21.90	30	-8.1		
	19903	1/11.5	QFON	8	4	19.97	21.03	30	-8.97		
				15	0	19.87	20.93	30	-9.07		
			QPSK	1	0	20.94	22.00	30	-8		
3	20175	1732.5		1	14	20.98	22.04	30	-7.96		
5				8	4	19.94	21.00	30	-9		
				15	0	19.94	21.00	30	-9		
	20385	1753.5	QPSK	1	0	20.89	21.95	30	-8.05		
				1	14	21.00	22.06	30	-7.94		
				8	4	19.94	21.00	30	-9		
				15	0	19.98	21.04	30	-8.96		
		1711.5	16QAM	1	0	19.81	20.87	30	-9.13		
	19965			1	14	19.89	20.95	30	-9.05		
	10000			8	4	18.83	19.89	30	-10.11		
				15	0	18.94	20.00	30	-10		
				1	0	19.87	20.93	30	-9.07		
3	20175	1732.5	16QAM	1	14	19.98	21.04	30	-8.96		
5	20170	1102.0		8	4	18.84	19.90	30	-10.1		
				15	0	18.82	19.88	30	-10.12		
				1	0	19.93	20.99	30	-9.01		
	20385	1753.5	16QAM	1	14	19.96	21.02	30	-8.98		
	20000	1700.0		8	4	18.97	20.03	30	-9.97		
				15	0	18.96	20.02	30	-9.98		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



٦

Antenna	gain (dBi)	1.06									
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
				1	0	20.96	22.02	30	-7.98		
	19975	1712.5	QPSK	1	24	20.85	21.91	30	-8.09		
	19975	1/12.5	QFON	12	6	19.96	21.02	30	-8.98		
				25	0	19.97	21.03	30	-8.97		
				1	0	20.96	22.02	30	-7.98		
5	20175	1732.5	QPSK	1	24	20.95	22.01	30	-7.99		
5	20175			12	6	19.97	21.03	30	-8.97		
				25	0	19.83	20.89	30	-9.11		
	20375	1752.5	QPSK	1	0	20.92	21.98	30	-8.02		
				1	24	20.97	22.03	30	-7.97		
				12	6	19.97	21.03	30	-8.97		
				25	0	19.89	20.95	30	-9.05		
		1712.5	16QAM	1	0	19.85	20.91	30	-9.09		
	19975			1	24	19.85	20.91	30	-9.09		
	13373			12	6	18.82	19.88	30	-10.12		
				25	0	18.95	20.01	30	-9.99		
				1	0	19.84	20.90	30	-9.1		
5	20175	1732.5	16QAM	1	24	20.00	21.06	30	-8.94		
5	20170	1102.0		12	6	18.85	19.91	30	-10.09		
				25	0	18.86	19.92	30	-10.08		
				1	0	19.91	20.97	30	-9.03		
	20375	1752.5	16QAM	1	24	19.91	20.97	30	-9.03		
	20010	1102.0		12	6	18.84	19.90	30	-10.1		
				25	0	18.80	19.86	30	-10.14		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



٦

Antenna	gain (dBi)	1.06									
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
				1	0	20.85	21.91	30	-8.09		
	20000	1715	QPSK	1	49	20.96	22.02	30	-7.98		
	20000	1715	QFON	25	12	19.95	21.01	30	-8.99		
				50	0	19.98	21.04	30	-8.96		
				1	0	20.94	22.00	30	-8		
10	20175	1732.5	QPSK	1	49	20.83	21.89	30	-8.11		
10				25	12	19.80	20.86	30	-9.14		
				50	0	19.88	20.94	30	-9.06		
	20350	1750	QPSK	1	0	20.87	21.93	30	-8.07		
				1	49	20.90	21.96	30	-8.04		
				25	12	19.99	21.05	30	-8.95		
				50	0	19.90	20.96	30	-9.04		
		1715	16QAM	1	0	19.93	20.99	30	-9.01		
	20000			1	49	19.83	20.89	30	-9.11		
	20000			25	12	18.92	19.98	30	-10.02		
				50	0	19.00	20.06	30	-9.94		
				1	0	19.92	20.98	30	-9.02		
10	20175	1732.5	16QAM	1	49	19.87	20.93	30	-9.07		
10	20175	1102.0		25	12	18.93	19.99	30	-10.01		
				50	0	18.83	19.89	30	-10.11		
				1	0	19.90	20.96	30	-9.04		
	20350	1750	16QAM	1	49	19.99	21.05	30	-8.95		
	20000	1150		25	12	18.86	19.92	30	-10.08		
				50	0	18.95	20.01	30	-9.99		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



٦

Antenna	gain (dBi)	1.06									
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
				1	0	20.98	22.04	30	-7.96		
	20025	1717.5	QPSK	1	74	20.91	21.97	30	-8.03		
	20023	1/17.5	QFON	36	18	20.00	21.06	30	-8.94		
				75	0	19.97	21.03	30	-8.97		
				1	0	20.81	21.87	30	-8.13		
15	20175	1732.5	QPSK	1	74	20.91	21.97	30	-8.03		
10	20175			36	18	19.82	20.88	30	-9.12		
				75	0	19.98	21.04	30	-8.96		
	20325	1747.5	QPSK	1	0	21.00	22.06	30	-7.94		
				1	74	20.91	21.97	30	-8.03		
				36	18	19.91	20.97	30	-9.03		
				75	0	19.87	20.93	30	-9.07		
		1717.5	16QAM	1	0	19.90	20.96	30	-9.04		
	20025			1	74	19.89	20.95	30	-9.05		
	20020			36	18	18.88	19.94	30	-10.06		
				75	0	18.89	19.95	30	-10.05		
				1	0	19.98	21.04	30	-8.96		
15	20175	1732.5	16QAM	1	74	19.91	20.97	30	-9.03		
10	20110	1732.5	1000/11/1	36	18	18.81	19.87	30	-10.13		
				75	0	18.94	20.00	30	-10		
				1	0	19.90	20.96	30	-9.04		
	20325	1747.5	16QAM	1	74	19.81	20.87	30	-9.13		
	20020	11-11.0		36	18	18.84	19.90	30	-10.1		
				75	0	18.83	19.89	30	-10.11		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Antenna	gain (dBi)	1.06							
		LTE	Band 4_Uplin	k frequ	ency ba	nd : 1710 to '	1755 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.09	22.15	30	-7.85
	20050	1720	QPSK	1	99	20.89	21.95	30	-8.05
	20050	1720	QFON	50	25	19.93	20.99	30	-9.01
				100	0	19.86	20.92	30	-9.08
			QPSK	1	0	21.48	22.54	30	-7.46
20	20175	1732.5		1	99	20.98	22.04	30	-7.96
20				50	25	19.89	20.95	30	-9.05
				100	0	19.93	20.99	30	-9.01
	20300	1745	QPSK	1	0	21.44	22.50	30	-7.5
				1	99	20.98	22.04	30	-7.96
				50	25	19.99	21.05	30	-8.95
				100	0	19.90	20.96	30	-9.04
	20050	1720	16QAM	1	0	19.84	20.90	30	-9.1
				1	99	19.81	20.87	30	-9.13
	20030			50	25	18.94	20.00	30	-10
				100	0	18.83	19.89	30	-10.11
				1	0	19.99	21.05	30	-8.95
20	20175	1732.5	16QAM	1	99	19.81	20.87	30	-9.13
20	20173	1152.5		50	25	18.86	19.92	30	-10.08
				100	0	18.90	19.96	30	-10.04
				1	0	19.87	20.93	30	-9.07
	20300	1745	16QAM	1	99	19.95	21.01	30	-8.99
	20300	1145		50	25	18.86	19.92	30	-10.08
				100	0	18.94	20.00	30	-10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Antenna gain (dBi) -1.26 LTE Band 5\_Uplink frequency band : 824 to 849 MHz EIRP ERP ERP Conducted BW UL Frequency RB RB Margin Modulation Average Average Average Limit (MHz) Channel (MHz) Size Offset (dB) (dBm) (dBm) (dBm) (dBm) 1 -19.18 0 22.68 21.42 19.27 38.45 22.71 1 5 21.45 19.30 38.45 -19.15 20407 824.7 **QPSK** 3 -19.09 2 22.77 21.51 19.36 38.45 20.54 -20.06 6 21.80 18.39 38.45 0 1 21.52 -19.08 0 22.78 19.37 38.45 1 5 22.62 21.36 19.21 38.45 -19.24 1.4 20525 836.5 **QPSK** 3 2 22.78 21.52 19.37 38.45 -19.08 21.67 20.41 18.26 -20.19 6 0 38.45 1 0 22.76 21.50 19.35 38.45 -19.10 -19.26 1 5 22.60 21.34 19.19 38.45 **QPSK** 20643 848.3 3 2 22.66 21.40 19.25 38.45 -19.20 6 0 21.78 20.52 18.37 38.45 -20.08 21.69 18.28 0 20.43 38.45 -20.17 1 1 5 21.66 20.40 18.25 38.45 -20.20 20407 824.7 **16QAM** 3 2 21.63 20.37 18.22 38.45 -20.23 6 0 20.62 17.21 -21.24 19.36 38.45 -20.22 1 0 21.64 20.38 18.23 38.45 20.49 1 5 21.75 38.45 -20.11 18.34 20525 836.5 16QAM 1.4 3 2 21.62 20.36 18.21 38.45 -20.24 6 0 20.74 19.48 17.33 38.45 -21.12 1 0 21.69 20.43 18.28 -20.17 38.45 -20.11 1 5 21.75 20.49 18.34 38.45 20643 848.3 16QAM 2 -20.26 3 21.60 20.34 18.19 38.45 6 0 20.72 19.46 17.31 38.45 -21.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.sqs.com.tw



Antenna gain (dBi)

-1.26

LTE Band 5\_Uplink frequency band : 824 to 849 MHz EIRP ERP ERP Conducted UL BW Frequency RB RB Margin Modulation Average Average Average Limit (MHz) Channel (MHz) Size Offset (dB) (dBm) (dBm) (dBm) (dBm) 1 -19.24 0 22.62 21.36 19.21 38.45 1 14 22.72 21.46 19.31 38.45 -19.14 20415 825.5 **QPSK** 8 4 21.70 20.44 18.29 38.45 -20.16 -20.14 15 0 21.72 20.46 18.31 38.45 21.41 1 19.26 -19.19 0 22.67 38.45 1 14 22.62 21.36 19.21 38.45 -19.24 3 20525 836.5 **QPSK** 8 4 21.63 20.37 18.22 38.45 -20.23 15 0 21.70 20.44 18.29 -20.16 38.45 1 0 22.79 21.53 19.38 38.45 -19.07 14 19.28 -19.17 1 22.69 21.43 38.45 **QPSK** 20635 847.5 8 4 21.80 20.54 18.39 38.45 -20.06 15 0 21.74 20.48 18.33 38.45 -20.12 21.76 20.50 -20.10 0 38.45 1 18.35 1 14 21.63 20.37 18.22 38.45 -20.23 20415 825.5 **16QAM** 8 4 20.71 19.45 17.30 38.45 -21.15 15 0 20.63 19.37 17.22 -21.23 38.45 1 0 21.70 20.44 18.29 38.45 -20.16 14 20.46 -20.14 1 21.72 18.31 38.45 3 20525 836.5 16QAM 8 4 20.60 19.34 17.19 38.45 -21.26 15 0 20.74 19.48 17.33 38.45 -21.12 1 0 21.66 20.40 18.25 -20.20 38.45 -20.18 1 14 21.68 20.42 18.27 38.45 20635 847.5 16QAM 4 19.38 17.23 -21.22 8 20.64 38.45 15 0 20.69 19.43 17.28 38.45 -21.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Antenna gain (dBi)

-1.26

LTE Band 5\_Uplink frequency band : 824 to 849 MHz EIRP ERP ERP Conducted UL BW Frequency RB RB Margin Modulation Average Average Average Limit (MHz) Channel (MHz) Size Offset (dB) (dBm) (dBm) (dBm) (dBm) 1 -19.14 0 22.72 21.46 19.31 38.45 1 24 22.69 21.43 19.28 38.45 -19.17 20425 826.5 **QPSK** 12 6 21.68 20.42 18.27 38.45 -20.18 25 -20.11 0 21.75 20.49 18.34 38.45 21.35 19.20 -19.25 1 0 22.61 38.45 21.47 1 24 22.73 19.32 38.45 -19.13 5 20525 836.5 **QPSK** 12 6 21.74 20.48 18.33 38.45 -20.1225 0 21.70 20.44 18.29 -20.16 38.45 1 0 22.75 21.49 19.34 38.45 -19.11 24 1 21.48 19.33 -19.12 22.74 38.45 **QPSK** 20625 846.5 12 6 21.78 20.52 18.37 38.45 -20.08 25 0 21.69 20.43 18.28 38.45 -20.17 18.20 -20.25 0 21.61 20.35 38.45 1 1 24 21.73 20.47 18.32 38.45 -20.13 20425 826.5 **16QAM** 12 6 20.63 19.37 17.22 38.45 -21.23 25 0 20.68 19.42 17.27 38.45 -21.18 1 0 21.79 20.53 18.38 38.45 -20.07 24 -20.13 1 21.73 20.47 18.32 38.45 5 20525 836.5 16QAM 12 6 20.69 19.43 17.28 38.45 -21.17 25 0 20.76 19.50 17.35 38.45 -21.10 1 0 21.62 20.36 18.21 -20.24 38.45 18.26 -20.19 1 24 21.67 20.41 38.45 20625 16QAM 846.5 12 19.49 6 20.75 17.34 38.45 -21.11 25 0 20.73 19.47 17.32 38.45 -21.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Antenna gain (dBi) -1.26 LTE Band 5\_Uplink frequency band : 824 to 849 MHz EIRP ERP ERP Conducted BW UL Frequency RB RB Margin Modulation Average Average Average Limit (MHz) Channel (MHz) Size Offset (dB) (dBm) (dBm) (dBm) (dBm) 1 -19.05 0 22.81 21.55 19.40 38.45 1 49 22.79 21.53 19.38 38.45 -19.07 20450 829 **QPSK** 25 12 21.87 20.61 18.46 38.45 -19.99 50 18.42 -20.03 21.83 20.57 38.45 0 1 21.37 19.22 -19.23 0 22.63 38.45 21.54 1 49 22.80 19.39 38.45 -19.06 10 20525 836.5 **QPSK** 25 12 21.61 20.35 18.20 38.45 -20.25 50 20.48 18.33 -20.12 0 21.74 38.45 1 0 22.68 21.42 19.27 38.45 -19.18 1 49 19.28 -19.17 22.69 21.43 38.45 **QPSK** 20600 844 25 12 21.67 20.41 18.26 38.45 -20.19 50 0 21.73 20.47 18.32 38.45 -20.13 21.60 -20.26 0 20.34 18.19 38.45 1 1 49 21.61 20.35 18.20 38.45 -20.25 20450 829 **16QAM** 25 12 20.75 19.49 17.34 38.45 -21.11 50 20.89 17.48 -20.97 0 19.63 38.45 -20.24 1 0 21.62 20.36 18.21 38.45 49 -20.21 1 21.65 20.39 18.24 38.45 10 20525 836.5 16QAM 25 12 20.78 19.52 17.37 38.45 -21.08 50 0 20.65 19.39 17.24 38.45 -21.21 1 0 21.79 20.53 18.38 38.45 -20.07 18.22 -20.23 1 49 21.63 20.37 38.45 20600 16QAM 844 20.76 25 12 19.50 17.35 38.45 -21.10 50 0 20.71 19.45 17.30 38.45 -21.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Antenna gain (dBi) -1.58 LTE Band 12\_Uplink frequency band : 699 to 716 MHz EIRP ERP ERP Conducted UL BW Frequency RB RB Margin Modulation Limit Average Average Average (MHz) Channel (MHz) Size Offset (dB) (dBm) (dBm) (dBm) (dBm) 1 -16.13 0 22.37 20.79 18.64 34.77 1 5 22.36 20.78 18.63 34.77 -16.14 23017 699.7 **QPSK** 3 -16.01 2 22.49 20.91 18.76 34.77 19.79 17.64 -17.13 6 21.37 34.77 0 1 22.39 20.81 34.77 -16.11 0 18.66 1 5 22.45 20.87 18.72 34.77 -16.05 1.4 23095 707.5 **QPSK** 3 2 22.39 20.81 18.66 34.77 -16.11 21.33 19.75 17.60 34.77 -17.17 6 0 1 0 22.39 20.81 18.66 34.77 -16.11 22.40 20.82 -16.10 1 5 18.67 34.77 715.3 **QPSK** 23173 3 2 22.40 20.82 18.67 34.77 -16.10 6 0 21.33 19.75 17.60 34.77 -17.17 -17.13 19.79 0 21.37 17.64 34.77 1 1 5 21.33 19.75 17.60 34.77 -17.17 23017 699.7 **16QAM** 3 2 21.35 19.77 17.62 34.77 -17.15 6 0 20.37 18.79 34.77 -18.13 16.64 1 0 21.49 19.91 17.76 34.77 -17.01 21.45 34.77 -17.05 1 5 19.87 17.72 23095 707.5 16QAM 1.4 3 2 21.39 19.81 17.66 34.77 -17.11 6 0 20.41 18.83 16.68 34.77 -18.09 1 0 21.32 19.74 17.59 34.77 -17.18 17.59 -17.18 1 5 21.32 19.74 34.77 23173 16QAM 715.3 21.46 2 19.88 -17.04 3 17.73 34.77 6 0 20.40 18.82 16.67 34.77 -18.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.sqs.com.tw



Antenna gain (dBi) -1.58 LTE Band 12\_Uplink frequency band : 699 to 716 MHz EIRP ERP ERP Conducted UL BW Frequency RB RB Margin Modulation Limit Average Average Average (MHz) Channel (MHz) Size Offset (dB) (dBm) (dBm) (dBm) (dBm) 1 -16.14 0 22.36 20.78 18.63 34.77 1 14 22.39 20.81 18.66 34.77 -16.11 23025 700.5 **QPSK** -17.17 8 4 21.33 19.75 17.60 34.77 17.74 -17.03 15 0 21.47 19.89 34.77 22.48 18.75 1 20.90 34.77 -16.02 0 1 14 22.48 20.90 18.75 34.77 -16.02 3 23095 707.5 **QPSK** 8 4 21.40 19.82 17.67 34.77 -17.10 -17.08 15 0 21.42 19.84 17.69 34.77 1 0 22.49 20.91 34.77 -16.01 18.76 14 1 22.35 20.77 18.62 34.77 -16.15 **QPSK** 23165 714.5 -17.07 8 4 21.43 19.85 17.70 34.77 17.75 -17.02 15 0 21.48 19.90 34.77 -17.09 17.68 0 21.41 19.83 34.77 1 1 14 21.37 19.79 17.64 34.77 -17.13 23025 700.5 **16QAM** 8 4 20.39 18.81 16.66 34.77 -18.11 15 0 20.46 18.88 16.73 34.77 -18.04 1 0 21.36 19.78 17.63 34.77 -17.14 14 19.92 34.77 -17.00 1 21.50 17.77 3 23095 707.5 16QAM 8 4 20.33 18.75 16.60 34.77 -18.17 15 0 20.39 18.81 16.66 34.77 -18.11 1 0 21.47 19.89 17.74 34.77 -17.03 17.66 -17.11 1 14 21.39 19.81 34.77 23165 16QAM 714.5 4 20.30 -18.20 8 18.72 16.57 34.77 15 0 20.34 18.76 16.61 34.77 -18.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Margin

(dB)

-16.03

-16.04

-17.07

-17.11

-16.18

-16.06

-17.04

-17.08

-16.13

-16.17

-17.01

-17.17

-17.17

-17.20

-18.17

-18.07

-17.13

-17.13

-18.17

-18.07

-17.10

-17.18

-18.05

-18.05



Antenna gain (dBi)

-1.58

LTE Band 12\_Uplink frequency band : 699 to 716 MHz EIRP ERP ERP Conducted UL BW Frequency RB RB Modulation Limit Average Average Average (MHz) Channel (MHz) Size Offset (dBm) (dBm) (dBm) (dBm) 1 0 22.47 20.89 18.74 34.77 1 24 22.46 20.88 18.73 34.77 23035 701.5 **QPSK** 12 17.70 6 21.43 19.85 34.77 25 21.39 0 19.81 17.66 34.77 20.74 34.77 1 0 22.32 18.59 18.71 1 24 22.44 20.86 34.77 5 23095 707.5 **QPSK** 12 6 21.46 19.88 17.73 34.77 25 0 21.42 19.84 17.69 34.77 1 0 22.37 20.79 18.64 34.77 24 1 22.33 20.75 18.60 34.77 713.5 **QPSK** 23155 12 6 21.49 19.91 17.76 34.77 25 17.60 0 21.33 19.75 34.77 21.33 19.75 17.60 0 34.77 1 1 24 21.30 19.72 17.57 34.77 23035 701.5 **16QAM** 12 6 20.33 18.75 16.60 34.77 25 0 20.43 18.85 16.70 34.77 1 0 21.37 19.79 17.64 34.77 24 19.79 1 21.37 17.64 34.77 5 23095 707.5 16QAM 12 6 20.33 18.75 16.60 34.77

25

1

1

12

25

16QAM

0

0

24

6

0

20.43

21.40

21.32

20.45

20.45

18.85

19.82

19.74

18.87

18.87

16.70

17.67

17.59

16.72

16.72

34.77

34.77

34.77

34.77

34.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

23155

713.5

```
www.sqs.com.tw
```

Margin

(dB)

-16.04

-16.02

-17.03

-17.12

-16.21

-16.08

-17.04

-17.14

-15.94

-16.03

-17.07

-17.03

-17.17

-17.19

-18.17

-18.02

-17.12

-17.06

-18.16

-18.07

-17.07 -17.03

-18.07

-18.12



Antenna gain (dBi) -1.58 LTE Band 12\_Uplink frequency band : 699 to 716 MHz EIRP ERP ERP Conducted UL BW Frequency RB RB Modulation Limit Average Average Average (MHz) Channel (MHz) Size Offset (dBm) (dBm) (dBm) (dBm) 1 0 22.46 20.88 18.73 34.77 1 49 22.48 20.90 18.75 34.77 23060 704 **QPSK** 25 17.74 12 21.47 19.89 34.77 50 21.38 19.80 17.65 34.77 0 1 22.29 20.71 34.77 0 18.56 1 49 22.42 20.84 18.69 34.77 10 23095 707.5 **QPSK** 25 12 21.46 19.88 17.73 34.77 50 21.36 19.78 17.63 34.77 0 1 0 22.56 20.98 34.77 18.83 22.47 1 49 18.74 20.89 34.77 711 **QPSK** 23130 25 12 21.43 19.85 17.70 34.77 50 17.74 0 21.47 19.89 34.77 21.33 19.75 17.60 0 34.77 1 1 49 21.31 19.73 17.58 34.77 23060 704 **16QAM** 25 12 20.33 18.75 16.60 34.77 50 20.48 18.90 16.75 34.77 0 1 0 21.38 19.80 17.65 34.77 49 1 21.44 19.86 17.71 34.77 10 23095 707.5 16QAM 25 12 20.34 18.76 16.61 34.77 50 0 20.43 18.85 16.70 34.77 1 0 21.43 19.85 17.70 34.77

1

25

50

16QAM

49

12

0

21.47

20.43

20.38

19.89

18.85

18.80

17.74

16.70

16.65

34.77

34.77

34.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

23130

711

www.sqs.com.tw



Antenna gain (dBi)

-1.45

LTE Band 13\_Uplink frequency band : 777 to 787 MHz EIRP ERP ERP Conducted UL BW Frequency RB RB Margin Modulation Limit Average Average Average (MHz) Channel (MHz) Size Offset (dB) (dBm) (dBm) (dBm) (dBm) 1 -16.79 0 21.58 20.13 17.98 34.77 1 24 21.49 20.04 17.89 34.77 -16.88 23205 779.5 **QPSK** 12 6 20.52 19.07 16.92 34.77 -17.85 25 -17.78 0 20.59 19.14 16.99 34.77 21.46 20.01 17.86 34.77 -16.91 1 0 1 24 21.47 20.02 17.87 34.77 -16.90 5 23230 782 **QPSK** 12 6 20.53 19.08 16.93 34.77 -17.84 25 0 19.12 16.97 34.77 -17.80 20.57 1 0 21.57 20.12 17.97 34.77 -16.80 1 24 20.17 21.62 18.02 34.77 -16.75 23255 784.5 **QPSK** 12 6 20.55 19.10 16.95 34.77 -17.82 25 0 20.47 19.02 16.87 34.77 -17.9020.63 0 19.18 34.77 -17.74 1 17.03 1 24 20.58 19.13 16.98 34.77 -17.79 23205 779.5 **16QAM** 12 6 19.47 18.02 15.87 34.77 -18.90 25 0 19.44 17.99 15.84 34.77 -18.93 1 0 20.52 19.07 16.92 34.77 -17.85 24 18.99 1 20.44 16.84 34.77 -17.93 5 23230 782 16QAM 12 6 19.45 18.00 15.85 34.77 -18.92 25 0 19.45 18.00 15.85 34.77 -18.92 1 0 20.45 19.00 16.85 34.77 -17.92 19.16 -17.76 1 24 20.61 17.01 34.77 23255 16QAM 784.5 12 18.09 6 19.54 15.94 34.77 -18.83 25 0 19.53 18.08 15.93 34.77 -18.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sqs.com.tw
```



Antenna gain (dBi)

-1.45

LTE Band 13\_Uplink frequency band : 777 to 787 MHz EIRP ERP ERP Conducted BW UL RB RB Frequency Margin Modulation Average Average Limit Average (MHz) Channel (MHz) Size Offset (dB) (dBm) (dBm) (dBm) (dBm) 1 0 22.74 21.29 19.14 34.77 -15.63 22.68 -15.69 1 49 21.23 19.08 34.77 10 23230 782 **QPSK** 12 21.55 20.10 17.95 34.77 -16.82 25 50 0 21.60 20.15 18.00 34.77 -16.77 1 0 21.64 20.19 18.04 34.77 -16.73 1 49 21.59 20.14 17.99 34.77 -16.78 10 23230 782 16QAM 20.60 19.15 17.00 34.77 -17.77 25 12 0 20.68 50 19.23 17.08 34.77 -17.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contract and company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Antenna	gain (dBi)	1.06										
		LTE I	Band 66_Upli	and 66_Uplink frequency band : 1710 to 1780 MHz								
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	21.14	22.20	30	-7.8			
	131979	1710.7	QPSK	1	5	21.15	22.21	30	-7.79			
	131979	17 10.7		3	2	21.18	22.24	30	-7.76			
				6	0	20.17	21.23	30	-8.77			
				1	0	21.03	22.09	30	-7.91			
1 /	1.4 132322 1745 QPSK	ODSK	1	5	21.05	22.11	30	-7.89				
1.4		QFON	3	2	21.07	22.13	30	-7.87				
			6	0	20.19	21.25	30	-8.75				
			1	0	21.07	22.13	30	-7.87				
	132665	1779.3	QPSK	1	5	21.12	22.18	30	-7.82			
	152005	1779.5	QFSK	3	2	21.16	22.22	30	-7.78			
				6	0	20.15	21.21	30	-8.79			
				1	0	20.07	21.13	30	-8.87			
	131979	1710.7	16QAM	1	5	20.12	21.18	30	-8.82			
	131979	1710.7	TOQAIVI	3	2	20.16	21.22	30	-8.78			
				6	0	19.08	20.14	30	-9.86			
				1	0	20.01	21.07	30	-8.93			
1.4	132322	1745	16QAM	1	5	20.02	21.08	30	-8.92			
1.4	132322	1740	IOQAIVI	3	2	20.13	21.19	30	-8.81			
				6	0	19.03	20.09	30	-9.91			
				1	0	20.18	21.24	30	-8.76			
	132665	1779.3	1604M	1	5	20.09	21.15	30	-8.85			
	132003	1119.3	16QAM	3	2	20.07	21.13	30	-8.87			
				6	0	19.02	20.08	30	-9.92			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Т

٦

Antenna	gain (dBi)	1.06							
		LTE I	Band 66_Upli	nk frequ	uency b	and : 1710 to	1780 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.10	22.16	30	-7.84
	131987	1711.5	QPSK	1	14	21.01	22.07	30	-7.93
	131907	1/11.5		8	4	20.11	21.17	30	-8.83
				15	0	20.11	21.17	30	-8.83
				1	0	21.19	22.25	30	-7.75
3	132322	1745	QPSK	1	14	21.06	22.12	30	-7.88
0	102022	1745	QUON	8	4	20.08	21.14	30	-8.86
				15	0	20.01	21.07	30	-8.93
				1	0	21.11	22.17	30	-7.83
	132657	1778.5	QPSK	1	14	21.04	22.10	30	-7.9
	102007	1110.5	QUOIN	8	4	20.07	21.13	30	-8.87
				15	0	20.05	21.11	30	-8.89
				1	0	20.09	21.15	30	-8.85
	131987	1711.5	16QAM	1	14	20.04	21.10	30	-8.9
	101007	1711.0	1000/101	8	4	19.02	20.08	30	-9.92
				15	0	19.06	20.12	30	-9.88
				1	0	20.02	21.08	30	-8.92
3	132322	1745	16QAM	1	14	20.01	21.07	30	-8.93
0	TOLOLL			8	4	19.15	20.21	30	-9.79
				15	0	19.05	20.11	30	-9.89
				1	0	20.19	21.25	30	-8.75
	132657	1778.5	16QAM	1	14	20.19	21.25	30	-8.75
	102001	1110.0		8	4	19.09	20.15	30	-9.85
				15	0	19.20	20.26	30	-9.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Т

٦

Antenna	gain (dBi)	1.06							
		LTE I	Band 66_Upli	nk frequ	uency b	and : 1710 to	1780 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.16	22.22	30	-7.78
	131997	1712.5	QPSK	1	24	21.18	22.24	30	-7.76
	131997	1712.5		12	6	20.06	21.12	30	-8.88
				25	0	20.20	21.26	30	-8.74
				1	0	21.12	22.18	30	-7.82
5	132322	1745	QPSK	1	24	21.10	22.16	30	-7.84
5	132322	1745	QFON	12	6	20.15	21.21	30	-8.79
				25	0	20.02	21.08	30	-8.92
				1	0	21.00	22.06	30	-7.94
	132647	1777.5	QPSK	1	24	21.05	22.11	30	-7.89
	132047	1111.5	QION	12	6	20.08	21.14	30	-8.86
				25	0	20.09	21.15	30	-8.85
				1	0	20.11	21.17	30	-8.83
	131997	1712.5	16QAM	1	24	20.00	21.06	30	-8.94
	101997	17 12.5		12	6	19.07	20.13	30	-9.87
				25	0	19.04	20.10	30	-9.9
				1	0	20.01	21.07	30	-8.93
5	132322	1745	16QAM	1	24	20.02	21.08	30	-8.92
5	102022	175		12	6	19.03	20.09	30	-9.91
				25	0	19.11	20.17	30	-9.83
				1	0	20.06	21.12	30	-8.88
	132647	1777.5	16QAM	1	24	20.09	21.15	30	-8.85
	152047	1111.5		12	6	19.15	20.21	30	-9.79
				25	0	19.11	20.17	30	-9.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Antenna	gain (dBi)	1.06								
		LTE I	Band 66_Upli	nd 66_Uplink frequency band : 1710 to 1780 MHz						
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)	
				1	0	21.02	22.08	30	-7.92	
	132022	1715	QPSK	1	49	21.10	22.16	30	-7.84	
	132022	1715	QFON	25	12	20.09	21.15	30	-8.85	
				50	0	20.11	21.17	30	-8.83	
			1	0	21.08	22.14	30	-7.86		
10	132322	1745	QPSK	1	49	21.12	22.18	30	-7.82	
10 132322 1745	QFSN	25	12	20.10	21.16	30	-8.84			
			50	0	20.16	21.22	30	-8.78		
			1	0	21.17	22.23	30	-7.77		
	132622	1775	QPSK	1	49	21.08	22.14	30	-7.86	
	132022	1115	QFON	25	12	20.16	21.22	30	-8.78	
				50	0	20.01	21.07	30	-8.93	
				1	0	20.05	21.11	30	-8.89	
	132022	1715	16QAM	1	49	20.18	21.24	30	-8.76	
	132022	1715	TOQAIN	25	12	19.03	20.09	30	-9.91	
				50	0	19.04	20.10	30	-9.9	
				1	0	20.04	21.10	30	-8.9	
10	132322	1745	16QAM	1	49	20.12	21.18	30	-8.82	
10	132322	1745		25	12	19.05	20.11	30	-9.89	
				50	0	19.15	20.21	30	-9.79	
				1	0	20.08	21.14	30	-8.86	
	132622	1775	16QAM	1	49	20.13	21.19	30	-8.81	
	132022	1115		25	12	19.17	20.23	30	-9.77	
				50	0	19.01	20.07	30	-9.93	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Т

٦

Antenna	gain (dBi)	1.06							
		LTE I	Band 66_Upli	nk frequ	uency b	and : 1710 to	1780 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.07	22.13	30	-7.87
	132047	1717.5	QPSK	1	74	21.14	22.20	30	-7.8
	132047	1/1/.5		36	18	20.13	21.19	30	-8.81
				75	0	20.00	21.06	30	-8.94
				1	0	21.01	22.07	30	-7.93
15	132322	1745	QPSK	1	74	21.03	22.09	30	-7.91
10	102022	1745	QUON	36	18	20.10	21.16	30	-8.84
				75	0	20.17	21.23	30	-8.77
				1	0	21.14	22.20	30	-7.8
	132597	1772.5	QPSK	1	74	21.10	22.16	30	-7.84
	102.007	1112.5	QUOIN	36	18	20.16	21.22	30	-8.78
				75	0	20.13	21.19	30	-8.81
				1	0	20.11	21.17	30	-8.83
	132047	1717.5	16QAM	1	74	20.16	21.22	30	-8.78
	102047	1111.0	1000/101	36	18	19.10	20.16	30	-9.84
				75	0	19.19	20.25	30	-9.75
				1	0	20.03	21.09	30	-8.91
15	132322	1745	16QAM	1	74	20.05	21.11	30	-8.89
10	102022			36	18	19.11	20.17	30	-9.83
				75	0	19.07	20.13	30	-9.87
				1	0	20.12	21.18	30	-8.82
	132597	1772.5	16QAM	1	74	20.20	21.26	30	-8.74
	102007	1112.0		36	18	19.07	20.13	30	-9.87
				75	0	19.17	20.23	30	-9.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Т

٦

Antenna	gain (dBi)	1.06							
		LTE I	Band 66_Uplin	nk frequ	lency b	and : 1710 to	1780 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	20.98	22.04	30	-7.96
	132072	1720	QPSK	1	99	21.04	22.10	30	-7.9
	132072	1720		50	25	20.06	21.12	30	-8.88
				100	0	20.20	21.26	30	-8.74
				1	0	21.28	22.34	30	-7.66
20	132322	1745	QPSK	1	99	21.03	22.09	30	-7.91
20	102022	17-5	QUON	50	25	20.09	21.15	30	-8.85
				100	0	20.09	21.15	30	-8.85
				1	0	21.26	22.32	30	-7.68
	132572	1770	QPSK	1	99	21.09	22.15	30	-7.85
	102012	1110	QION	50	25	20.09	21.15	30	-8.85
				100	0	20.09	21.15	30	-8.85
				1	0	20.13	21.19	30	-8.81
	132072	1720	16QAM	1	99	20.20	21.26	30	-8.74
	102072	1120		50	25	19.06	20.12	30	-9.88
				100	0	19.19	20.25	30	-9.75
				1	0	20.16	21.22	30	-8.78
20	132322	1745	16QAM	1	99	20.16	21.22	30	-8.78
20	IULULL			50	25	19.16	20.22	30	-9.78
				100	0	19.15	20.21	30	-9.79
				1	0	20.12	21.18	30	-8.82
	132572	1770	16QAM	1	99	20.16	21.22	30	-8.78
	102072			50	25	19.20	20.26	30	-9.74
				100	0	19.06	20.12	30	-9.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 10.3 Field Strength of Spurious Radiation Measurement

Report Number	:TERF2404001058E2	Test Site	:SAC C
Operation Mode	:LTE B2	Test Date	:2024-06-12
Test Mode	:Tx	Temp./Humi.	:23.8℃/50%
EUT Pol	:E2 Plane	Antenna Pol.	:Vertical
Test Frequency	:1860 MHz	Engineer	:Howard Huang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
32.813	-45.15	-31.07	-13.37	-0.71	-13.00	-32.15	
91.595	-50.72	-48.94	-0.58	-1.20	-13.00	-37.72	
148.049	-55.27	-51.93	-1.81	-1.53	-13.00	-42.27	
235.058	-64.44	-66.78	4.30	-1.96	-13.00	-51.44	
289.863	-65.10	-66.97	4.03	-2.16	-13.00	-52.10	
310.039	-65.54	-67.43	4.11	-2.22	-13.00	-52.54	
3720.000	-57.82	-62.72	12.56	-7.66	-13.00	-44.82	
5580.000	-54.82	-58.57	13.32	-9.57	-13.00	-41.82	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B2
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1860 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



		Frequency (MHz)						
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
	33.395	-43.78	-29.67	-13.39	-0.72	-13.00	-30.78	
	66.860	-49.76	-41.61	-7.12	-1.03	-13.00	-36.76	
	91.886	-60.33	-58.58	-0.55	-1.20	-13.00	-47.33	
	229.626	-65.73	-68.75	4.94	-1.92	-13.00	-52.73	
	394.041	-67.81	-69.42	4.11	-2.50	-13.00	-54.81	
	725.781	-66.02	-66.05	3.38	-3.35	-13.00	-53.02	
	3720.000	-58.16	-63.06	12.56	-7.66	-13.00	-45.16	
	5580.000	-55.04	-58.79	13.32	-9.57	-13.00	-42.04	

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B2
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1880MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



Frequency (MHz)							
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	_
32.716	-47.28	-33.13	-13.44	-0.71	-13.00	-34.28	
91.789	-51.94	-50.18	-0.56	-1.20	-13.00	-38.94	
151.735	-64.45	-61.14	-1.77	-1.54	-13.00	-51.45	
252.130	-64.71	-66.81	4.11	-2.01	-13.00	-51.71	
684.653	-64.78	-65.50	3.99	-3.27	-13.00	-51.78	
927.832	-61.74	-61.50	3.57	-3.81	-13.00	-48.74	
3760.000	-56.79	-61.53	12.46	-7.72	-13.00	-43.79	
5640.000	-54.59	-58.54	13.48	-9.53	-13.00	-41.59	

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B2
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1880MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



	Frequency (MHz)							
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
	32.813	-42.88	-28.80	-13.37	-0.71	-13.00	-29.88	
	67.442	-49.59	-41.51	-7.04	-1.04	-13.00	-36.59	
	91.595	-61.00	-59.22	-0.58	-1.20	-13.00	-48.00	
	229.432	-65.81	-68.85	4.96	-1.92	-13.00	-52.81	
	390.743	-67.26	-68.88	4.10	-2.48	-13.00	-54.26	
	695.711	-66.52	-67.04	3.81	-3.29	-13.00	-53.52	
	3760.000	-57.27	-62.01	12.46	-7.72	-13.00	-44.27	
	5640.000	-54.28	-58.23	13.48	-9.53	-13.00	-41.28	

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B2
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1900MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



Frequency (MHz)						
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
32.328	-47.18	-32.77	-13.70	-0.71	-13.00	-34.18
91.789	-51.07	-49.31	-0.56	-1.20	-13.00	-38.07
226.134	-60.28	-63.62	5.23	-1.89	-13.00	-47.28
249.511	-64.12	-66.15	4.03	-2.00	-13.00	-51.12
285.789	-65.14	-67.00	3.99	-2.13	-13.00	-52.14
925.407	-61.83	-61.64	3.60	-3.79	-13.00	-48.83
3800.000	-56.59	-61.11	12.30	-7.78	-13.00	-43.59
5700.000	-55.27	-59.07	13.30	-9.50	-13.00	-42.27

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B2
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1900MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



		Frequency	(MHz)			
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
32.619	-43.90	-29.69	-13.50	-0.71	-13.00	-30.90
67.733	-50.38	-42.34	-7.00	-1.04	-13.00	-37.38
91.886	-59.57	-57.82	-0.55	-1.20	-13.00	-46.57
229.626	-63.08	-66.10	4.94	-1.92	-13.00	-50.08
811.044	-65.79	-65.87	3.64	-3.56	-13.00	-52.79
940.054	-63.23	-62.85	3.44	-3.82	-13.00	-50.23
3800.000	-56.28	-60.80	12.30	-7.78	-13.00	-43.28
5700.000	-54.50	-58.30	13.30	-9.50	-13.00	-41.50

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B4
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1720 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



Frequency (MHZ)						
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
33.201	-46.61	-32.57	-13.32	-0.72	-13.00	-33.61
91.789	-51.75	-49.99	-0.56	-1.20	-13.00	-38.75
230.984	-62.17	-65.03	4.79	-1.93	-13.00	-49.17
568.350	-65.54	-66.63	4.07	-2.98	-13.00	-52.54
696.875	-65.37	-65.87	3.80	-3.30	-13.00	-52.37
912.118	-61.78	-61.63	3.62	-3.77	-13.00	-48.78
3440.000	-55.20	-60.32	12.52	-7.40	-13.00	-42.20
5160.000	-56.15	-59.46	12.46	-9.15	-13.00	-43.15

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B4
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1720 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



Frequency (MHz)							
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
33.104	-44.88	-30.87	-13.29	-0.72	-13.00	-31.88	
67.345	-49.51	-41.42	-7.05	-1.04	-13.00	-36.51	
91.595	-60.47	-58.69	-0.58	-1.20	-13.00	-47.47	
230.402	-65.47	-68.41	4.86	-1.92	-13.00	-52.47	
544.197	-67.89	-69.18	4.21	-2.92	-13.00	-54.89	
929.481	-63.86	-63.60	3.56	-3.82	-13.00	-50.86	
3440.000	-56.85	-61.97	12.52	-7.40	-13.00	-43.85	
5160.000	-55.62	-58.93	12.46	-9.15	-13.00	-42.62	


t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B4
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1732.5 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



Frequency (MHz)							
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
-							
	33.686	-50.32	-36.12	-13.48	-0.72	-13.00	-37.32
	91.692	-51.29	-49.52	-0.57	-1.20	-13.00	-38.29
	232.439	-65.18	-67.85	4.61	-1.94	-13.00	-52.18
	292.579	-65.43	-67.33	4.06	-2.16	-13.00	-52.43
	688.921	-65.26	-65.87	3.89	-3.28	-13.00	-52.26
	919.102	-60.74	-60.62	3.67	-3.79	-13.00	-47.74
	3465.000	-52.87	-57.87	12.44	-7.44	-13.00	-39.87
	5197.500	-56.54	-60.00	12.69	-9.22	-13.00	-43.54


t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B4
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1732.5 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



Frequency (MHz)							
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	_
33.007	-41.34	-27.37	-13.25	-0.72	-13.00	-28.34	
66.860	-51.48	-43.33	-7.12	-1.03	-13.00	-38.48	
91.886	-61.17	-59.42	-0.55	-1.20	-13.00	-48.17	
229.820	-64.73	-67.73	4.92	-1.92	-13.00	-51.73	
745.666	-66.42	-66.45	3.43	-3.40	-13.00	-53.42	
937.435	-63.02	-62.68	3.47	-3.81	-13.00	-50.02	
3465.000	-56.72	-61.72	12.44	-7.44	-13.00	-43.72	
5197.500	-56.48	-59.94	12.69	-9.22	-13.00	-43.48	


t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B4
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1745 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



Frequency (MHz)							
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
32.522	-46.61	-32.33	-13.57	-0.71	-13.00	-33.61	
91.692	-51.52	-49.75	-0.57	-1.20	-13.00	-38.52	
230.984	-64.80	-67.66	4.79	-1.93	-13.00	-51.80	
289.378	-65.08	-66.94	4.02	-2.16	-13.00	-52.08	
713.559	-65.28	-65.70	3.75	-3.33	-13.00	-52.28	
915.028	-61.32	-61.25	3.71	-3.78	-13.00	-48.32	
3490.000	-51.91	-56.76	12.34	-7.49	-13.00	-38.91	
5235.000	-56.72	-60.46	12.98	-9.24	-13.00	-43.72	

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report N	lumber	:TERF2404001058E2
Operatio	n Mode	:LTE B4
Test Mod	de	:Tx
EUT Pol		:E2 Plane
Test Free	quency	:1745 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



	Frequency (MHz)							
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
-								-
	32.522	-45.96	-31.68	-13.57	-0.71	-13.00	-32.96	
	66.957	-50.75	-42.60	-7.11	-1.04	-13.00	-37.75	
	229.432	-67.30	-70.34	4.96	-1.92	-13.00	-54.30	
	392.683	-68.21	-69.83	4.11	-2.49	-13.00	-55.21	
	691.734	-67.03	-67.60	3.85	-3.28	-13.00	-54.03	
	925.213	-62.68	-62.49	3.60	-3.79	-13.00	-49.68	
	3490.000	-56.14	-60.99	12.34	-7.49	-13.00	-43.14	
	5235.000	-56.96	-60.70	12.98	-9.24	-13.00	-43.96	

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B5
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:829 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°∁/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



		Frequency	(MHz)				
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
32.910	-46.27	-32.25	-13.31	-0.71	-13.00	-33.27	
91.789	-52.39	-50.63	-0.56	-1.20	-13.00	-39.39	
243.206	-64.02	-66.02	3.97	-1.97	-13.00	-51.02	
295.101	-65.01	-66.93	4.08	-2.16	-13.00	-52.01	
572.230	-65.11	-66.06	3.94	-2.99	-13.00	-52.11	
929.772	-61.49	-61.22	3.55	-3.82	-13.00	-48.49	
1658.000	-58.34	-62.86	9.58	-5.06	-13.00	-45.34	
2487.000	-50.81	-55.13	10.57	-6.25	-13.00	-37.81	

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B5
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:829 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



	Frequency (MHz)							
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
			•	-				
	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
-								_
	32.522	-41.33	-27.05	-13.57	-0.71	-13.00	-28.33	
	66.860	-51.08	-42.93	-7.12	-1.03	-13.00	-38.08	
	229.141	-67.14	-70.21	4.98	-1.91	-13.00	-54.14	
	433.326	-63.22	-64.55	3.95	-2.62	-13.00	-50.22	
	692.704	-66.55	-67.10	3.84	-3.29	-13.00	-53.55	
	922.012	-62.65	-62.50	3.64	-3.79	-13.00	-49.65	
	1658.000	-54.50	-59.02	9.58	-5.06	-13.00	-41.50	
	2487.000	-47.55	-51.87	10.57	-6.25	-13.00	-34.55	

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B5
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:836.5 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



	Frequency (MHz)						
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
	33.007	-48.69	-34.72	-13.25	-0.72	-13.00	-35.69
	91.498	-51.03	-49.24	-0.59	-1.20	-13.00	-38.03
	246.892	-61.18	-63.19	3.99	-1.98	-13.00	-48.18
	533.527	-62.09	-63.43	4.23	-2.89	-13.00	-49.09
	725.296	-64.94	-64.98	3.39	-3.35	-13.00	-51.94
	918.035	-61.87	-61.76	3.68	-3.79	-13.00	-48.87
	1673.000	-53.78	-58.54	9.83	-5.07	-13.00	-40.78
	2509.500	-50.91	-55.23	10.61	-6.28	-13.00	-37.91

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B5
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:836.5 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang




	Frequency (MHz)						
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
	MHz	dDm	dBm	dBi/dBd		dBm	dD
-		dBm	UDIII	udi/udu	dB	UDIII	dB
	33.104	-43.31	-29.30	-13.29	-0.72	-13.00	-30.31
	66.472	-50.48	-42.28	-7.17	-1.03	-13.00	-37.48
	229.820	-66.82	-69.82	4.92	-1.92	-13.00	-53.82
	393.459	-67.87	-69.49	4.11	-2.49	-13.00	-54.87
	711.813	-65.69	-66.08	3.73	-3.34	-13.00	-52.69
	924.825	-63.51	-63.32	3.60	-3.79	-13.00	-50.51
	1673.000	-53.79	-58.55	9.83	-5.07	-13.00	-40.79
	2509.500	-49.57	-53.89	10.61	-6.28	-13.00	-36.57

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B5
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:844 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



50	2024.	Frequency	(MHZ)	0000.	10000		
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	_
32.134	-46.76	-32.22	-13.83	-0.71	-13.00	-33.76	
91.595	-51.89	-50.11	-0.58	-1.20	-13.00	-38.89	
288.893	-64.36	-66.23	4.02	-2.15	-13.00	-51.36	
563.791	-64.57	-65.82	4.22	-2.97	-13.00	-51.57	
718.700	-65.49	-65.73	3.59	-3.35	-13.00	-52.49	
924.049	-61.12	-60.94	3.61	-3.79	-13.00	-48.12	
1688.000	-55.04	-59.85	9.90	-5.09	-13.00	-42.04	
2532.000	-55.30	-59.58	10.60	-6.32	-13.00	-42.30	

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B5
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:844 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



	Frequency (MHz)						
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
-		uDili	uDIII	ubi/ubu	uD	ubiii	UD
	32.716	-42.44	-28.29	-13.44	-0.71	-13.00	-29.44
	66.957	-50.17	-42.02	-7.11	-1.04	-13.00	-37.17
	91.789	-61.81	-60.05	-0.56	-1.20	-13.00	-48.81
	230.887	-66.73	-69.60	4.80	-1.93	-13.00	-53.73
	307.129	-68.31	-70.24	4.14	-2.21	-13.00	-55.31
	922.497	-63.72	-63.56	3.63	-3.79	-13.00	-50.72
	1688.000	-53.28	-58.09	9.90	-5.09	-13.00	-40.28
	2532.000	-51.67	-55.95	10.60	-6.32	-13.00	-38.67

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B12
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:704 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



	Frequency (MHz)							
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	_
	32.425	-48.17	-33.83	-13.63	-0.71	-13.00	-35.17	
	91.692	-52.11	-50.34	-0.57	-1.20	-13.00	-39.11	
	236.416	-62.78	-65.03	4.21	-1.96	-13.00	-49.78	
	291.900	-63.36	-65.25	4.05	-2.16	-13.00	-50.36	
	682.228	-65.74	-66.44	3.96	-3.26	-13.00	-52.74	
	923.952	-61.69	-61.51	3.61	-3.79	-13.00	-48.69	
	1408.000	-44.06	-47.09	7.70	-4.67	-13.00	-31.06	
	2112.000	-51.93	-55.99	9.80	-5.74	-13.00	-38.93	

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B12
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:704 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



Frequency (MHz)							
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	_
33.007	-43.61	-29.64	-13.25	-0.72	-13.00	-30.61	
67.636	-50.55	-42.49	-7.02	-1.04	-13.00	-37.55	
91.789	-61.29	-59.53	-0.56	-1.20	-13.00	-48.29	
231.081	-63.69	-66.54	4.78	-1.93	-13.00	-50.69	
306.644	-67.16	-69.10	4.15	-2.21	-13.00	-54.16	
920.557	-62.08	-61.94	3.65	-3.79	-13.00	-49.08	
1408.000	-45.93	-48.96	7.70	-4.67	-13.00	-32.93	
2112.000	-51.05	-55.11	9.80	-5.74	-13.00	-38.05	


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B12
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:707.5 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



Frequency (MHz)						
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
33.007	-48.34	-34.37	-13.25	-0.72	-13.00	-35.34
91.595	-52.41	-50.63	-0.58	-1.20	-13.00	-39.41
246.989	-56.23	-58.24	3.99	-1.98	-13.00	-43.23
293.743	-65.06	-66.97	4.07	-2.16	-13.00	-52.06
556.807	-66.23	-67.53	4.26	-2.96	-13.00	-53.23
924.243	-61.68	-61.50	3.61	-3.79	-13.00	-48.68
1415.000	-47.15	-50.16	7.70	-4.69	-13.00	-34.15
2122.500	-53.07	-57.13	9.83	-5.76	-13.00	-40.07

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B12
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:707.5 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



Frequency (MHz)							
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
32.522	-41.53	-27.25	-13.57	-0.71	-13.00	-28.53	
67.248	-49.88	-41.77	-7.07	-1.04	-13.00	-36.88	
91.692	-60.69	-58.92	-0.57	-1.20	-13.00	-47.69	
230.693	-64.91	-67.80	4.82	-1.93	-13.00	-51.91	
306.353	-67.59	-69.53	4.15	-2.21	-13.00	-54.59	
923.952	-63.00	-62.82	3.61	-3.79	-13.00	-50.00	
1415.000	-47.52	-50.53	7.70	-4.69	-13.00	-34.52	
2122.500	-57.40	-61.46	9.83	-5.76	-13.00	-44.40	

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B12
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:711 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



	Frequency (MHz)							
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
	N 41 I	-ID	•	-		-ID		
-	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
	33.007	-47.06	-33.09	-13.25	-0.72	-13.00	-34.06	
	37.178	-55.10	-41.03	-13.32	-0.75	-13.00	-42.10	
	91.498	-53.89	-52.10	-0.59	-1.20	-13.00	-40.89	
	233.991	-58.01	-60.48	4.42	-1.95	-13.00	-45.01	
	560.881	-64.58	-65.86	4.24	-2.96	-13.00	-51.58	
	911.342	-61.03	-60.86	3.60	-3.77	-13.00	-48.03	
	1422.000	-46.89	-49.91	7.72	-4.70	-13.00	-33.89	
	2133.000	-57.78	-61.86	9.87	-5.79	-13.00	-44.78	

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B12
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:711 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



Frequency (MHz)							
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
33.298	-42.07	-28.00	-13.35	-0.72	-13.00	-29.07	
67.054	-49.75	-41.62	-7.09	-1.04	-13.00	-36.75	
91.498	-61.99	-60.20	-0.59	-1.20	-13.00	-48.99	
230.499	-66.87	-69.80	4.85	-1.92	-13.00	-53.87	
404.420	-66.99	-68.69	4.23	-2.53	-13.00	-53.99	
911.827	-63.44	-63.28	3.61	-3.77	-13.00	-50.44	
1422.000	-46.08	-49.10	7.72	-4.70	-13.00	-33.08	
2133.000	-55.29	-59.37	9.87	-5.79	-13.00	-42.29	

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B13
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:782 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



	Frequency (MHz)						
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
	32.425	-47.69	-33.35	-13.63	-0.71	-13.00	-34.69
	91.692	-52.13	-50.36	-0.57	-1.20	-13.00	-39.13
	144.460	-62.27	-58.81	-1.93	-1.53	-13.00	-49.27
	253.876	-62.64	-64.79	4.17	-2.02	-13.00	-49.64
	283.655	-61.03	-62.90	3.99	-2.12	-13.00	-48.03
	566.216	-65.13	-66.33	4.17	-2.97	-13.00	-52.13
	1564.000	-54.62	-58.77	9.10	-4.95	-40.00	-14.62
	2346.000	-43.67	-47.47	9.80	-6.00	-13.00	-30.67

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B13
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:782 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



Frequency (MHz)						
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
32.425	-44.38	-30.04	-13.63	-0.71	-13.00	-31.38
66.278	-49.69	-41.47	-7.19	-1.03	-13.00	-36.69
79.373	-49.39	-45.21	-3.05	-1.13	-13.00	-36.39
91.789	-61.35	-59.59	-0.56	-1.20	-13.00	-48.35
230.111	-67.70	-70.68	4.90	-1.92	-13.00	-54.70
691.055	-65.67	-66.24	3.85	-3.28	-13.00	-52.67
1564.000	-51.05	-55.20	9.10	-4.95	-40.00	-11.05
2346.000	-48.22	-52.02	9.80	-6.00	-13.00	-35.22

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B13
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:782 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang




除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B13
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:782 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang




除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B13
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:782 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang




除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B13
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:782 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang




除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B66
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1720 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



	Frequency (MHZ)						
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
-							
	32.910	-46.25	-32.23	-13.31	-0.71	-13.00	-33.25
	91.886	-51.15	-49.40	-0.55	-1.20	-13.00	-38.15
	230.499	-64.71	-67.64	4.85	-1.92	-13.00	-51.71
	252.421	-64.88	-66.99	4.12	-2.01	-13.00	-51.88
	567.574	-65.72	-66.85	4.11	-2.98	-13.00	-52.72
	918.908	-61.95	-61.83	3.67	-3.79	-13.00	-48.95
	3440.000	-57.53	-62.65	12.52	-7.40	-13.00	-44.53
	5160.000	-55.58	-58.89	12.46	-9.15	-13.00	-42.58

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report Number	:TERF2404001058E2
Operation Mode	:LTE B66
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1720 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



		Frequency (MHz)						
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
	32.716	-44.60	-30.45	-13.44	-0.71	-13.00	-31.60	
	66.278	-50.45	-42.23	-7.19	-1.03	-13.00	-37.45	
	91.595	-60.38	-58.60	-0.58	-1.20	-13.00	-47.38	
	229.723	-65.46	-68.47	4.93	-1.92	-13.00	-52.46	
	390.355	-67.17	-68.79	4.10	-2.48	-13.00	-54.17	
	709.776	-64.69	-65.07	3.72	-3.34	-13.00	-51.69	
	3440.000	-57.71	-62.83	12.52	-7.40	-13.00	-44.71	
	5160.000	-56.11	-59.42	12.46	-9.15	-13.00	-43.11	

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B66
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1745 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



	Frequency (MHz)						
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
31.940	-46.60	-31.98	-13.92	-0.70	-13.00	-33.60	
91.789	-50.90	-49.14	-0.56	-1.20	-13.00	-37.90	
246.989	-59.57	-61.58	3.99	-1.98	-13.00	-46.57	
290.251	-65.30	-67.17	4.03	-2.16	-13.00	-52.30	
562.627	-65.11	-66.37	4.23	-2.97	-13.00	-52.11	
918.423	-61.34	-61.23	3.68	-3.79	-13.00	-48.34	
3490.000	-56.72	-61.57	12.34	-7.49	-13.00	-43.72	
5235.000	-55.67	-59.41	12.98	-9.24	-13.00	-42.67	

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2404001058E2
Operation Mode	:LTE B66
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1745 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



		Frequency (MHz)						
	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
	33.298	-43.16	-29.09	-13.35	-0.72	-13.00	-30.16	
	66.860	-51.01	-42.86	-7.12	-1.03	-13.00	-38.01	
	91.789	-60.40	-58.64	-0.56	-1.20	-13.00	-47.40	
	394.526	-67.68	-69.29	4.11	-2.50	-13.00	-54.68	
	698.815	-65.47	-65.95	3.79	-3.31	-13.00	-52.47	
	926.862	-63.10	-62.88	3.58	-3.80	-13.00	-50.10	
	3490.000	-56.76	-61.61	12.34	-7.49	-13.00	-43.76	
	5235.000	-56.52	-60.26	12.98	-9.24	-13.00	-43.52	

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B66
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1770 MHz

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°℃/50%
Antenna Pol.	:Vertical
Engineer	:Howard Huang



	Frequency (MHz)						
Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	_
32.813	-46.21	-32.13	-13.37	-0.71	-13.00	-33.21	
91.692	-50.86	-49.09	-0.57	-1.20	-13.00	-37.86	
214.979	-62.99	-65.85	4.73	-1.87	-13.00	-49.99	
232.536	-58.03	-60.69	4.60	-1.94	-13.00	-45.03	
288.311	-64.22	-66.08	4.01	-2.15	-13.00	-51.22	
917.356	-61.49	-61.40	3.69	-3.78	-13.00	-48.49	
3540.000	-56.75	-61.54	12.30	-7.51	-13.00	-43.75	
5310.000	-56.35	-60.32	13.20	-9.23	-13.00	-43.35	

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report Number	:TERF2404001058E2
Operation Mode	:LTE B66
Test Mode	:Tx
EUT Pol	:E2 Plane
Test Frequency	:1770 MHz
Note	

Test Site	:SAC C
Test Date	:2024-06-12
Temp./Humi.	:23.8°C/50%
Antenna Pol.	:Horizontal
Engineer	:Howard Huang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
00.007	10.00	00.00	40.05	0.70	40.00	00.00
33.007	-43.80	-29.83	-13.25	-0.72	-13.00	-30.80
66.084	-49.74	-41.49	-7.22	-1.03	-13.00	-36.74
91.595	-60.32	-58.54	-0.58	-1.20	-13.00	-47.32
229.529	-67.74	-70.77	4.95	-1.92	-13.00	-54.74
709.388	-66.10	-66.49	3.73	-3.34	-13.00	-53.10
915.222	-63.12	-63.05	3.71	-3.78	-13.00	-50.12
3540.000	-57.12	-61.91	12.30	-7.51	-13.00	-44.12
5310.000	-56.39	-60.36	13.20	-9.23	-13.00	-43.39

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488