

**ELECTROMAGNETIC EMISSIONS  
COMPLIANCE REPORT**

**Applicant:** Quanta Computer Inc.  
No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City  
33377, Taiwan

**Manufacturer:** Quanta Computer Inc.  
No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City  
33377, Taiwan

**Product Name:** Clover Flex Pocket

**Brand Name:** Clover

**Model No.:** C407

**Model Difference:** N/A

**Report Number:** TERF2405001306E2

**FCC ID** HFS-C407

**IC:** 1787B-C407

**Date of EUT Received:** May 7, 2024

**Date of Test:** May 7, 2024 ~ May 27, 2024

**Issue Date:** June 18, 2024

**Approved By** \_\_\_\_\_**Jay Lin****We hereby certify that:**

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.225, ISED RSS-210.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| Revision History |          |             |               |             |        |
|------------------|----------|-------------|---------------|-------------|--------|
| Report Number    | Revision | Description | Issue Date    | Revised By  | Remark |
| TERF2405001306E2 | 00       | Original.   | June 18, 2024 | Karen Huang |        |
|                  |          |             |               |             |        |
|                  |          |             |               |             |        |
|                  |          |             |               |             |        |
|                  |          |             |               |             |        |
|                  |          |             |               |             |        |
|                  |          |             |               |             |        |

**Note:**

- 1、The remark "\*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Table of Contents

|  |           |
|--|-----------|
| <b>1 GENERAL INFORMATION .....</b>             | <b>4</b>  |
| <b>2 SYSTEM TEST CONFIGURATION.....</b>        | <b>6</b>  |
| <b>3 SUMMARY OF TEST RESULTS.....</b>          | <b>8</b>  |
| <b>4 DESCRIPTION OF TEST MODES.....</b>        | <b>9</b>  |
| <b>5 MEASUREMENT UNCERTAINTY .....</b>         | <b>10</b> |
| <b>6 MEASUREMENT EQUIPMENT USED .....</b>      | <b>11</b> |
| <b>7 CONDUCTED EMISSIONS TEST.....</b>         | <b>12</b> |
| <b>8 RADIATED EMISSION TEST.....</b>           | <b>18</b> |
| <b>9 FREQUENCY STABILITY .....</b>             | <b>30</b> |
| <b>10 EMISSION BANDWIDTH MEASUREMENT .....</b> | <b>35</b> |
| <b>11 ANTENNA REQUIREMENT.....</b>             | <b>38</b> |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 1 GENERAL INFORMATION

### 1.1 Product Description

|                                 |   |
|---------------------------------|---|
| Product Name:                   | Clover Flex Pocket                              |
| Brand Name:                     | Clover  |
| Model No.:                      | C407  |
| Model Difference:               | N/A   |
| Hardware Version:               | N/A   |
| Firmware Version:               | N/A   |
| EUT Series No.:                 | C047UG41450106                                  |
| Power Supply:                   | 3.8Vdc with rechargeable Li-ion polymer battery |
| Test Software<br>(Name/Version) | QRCT V4.0                                       |

### 1.2 RF specification

|                     |                     |
|---------------------|---------------------|
| Radio Technology:   | NFC                 |
| Operating Frequency | 13.56MHz            |
| Transmit Power      | 44.33dBuV/m at 30m. |
| Number of Channels  | 1                   |
| Modulation Type     | ASK                 |
| Antenna Type        | Loop Antenna        |

**Note:** Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 1.3 Test Methodology

FCC Part 15, Subpart C §15.225

RSS-Gen, Issue 5 April 2018, Amendment 2 (February 2021)

RSS-210 Annex B.2 Issue 10 December 20, Amendment (April 2020)19.

ANSI C63.10:2013.

### 1.4 Test Facility

| Laboratory  | Test Site Address   | Test Site Name | FCC Designation number | IC CAB identifier |
|---|---|----------------|------------------------|-------------------|
| SGS Taiwan Ltd.<br>Central RF Lab.<br>(TAF code 3702) | No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. | SAC 1          | TW0027                 | TW3702            |
|   |   | SAC 2          |                        |                   |
|   |   | SAC 3          |                        |                   |
|   |   | Conduction 1   |                        |                   |
|   |   | Conducted 1    |                        |                   |
|   |   | Conducted 2    |                        |                   |
|   |   | Conducted 3    |                        |                   |
|   |   | Conducted 4    |                        |                   |
|   |   | Conducted 5    |                        |                   |
|   |   | Conducted 6    |                        |                   |
|   | No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333                            | Conduction C   | TW0028                 |                   |
|   |   | SAC C          |                        |                   |
|   |   | SAC D          |                        |                   |
|   |   | SAC G          |                        |                   |
|   |   | Conducted A    |                        |                   |
|   |   | Conducted B    |                        |                   |
|   |   | Conducted C    |                        |                   |
|   |   | Conducted D    |                        |                   |
|   |   | Conducted E    |                        |                   |
|   |   | Conducted F    |                        |                   |
| Conducted G   |   |                |                        |                   |

**Note:** Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

### 1.5 Special Accessories

There is no other accessory attached. This is the worst case condition.

### 1.6 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

## 2 SYSTEM TEST CONFIGURATION

### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2 EUT Exercise

The Transmitter was operated in the normal operating mode. The Tx frequency was fixed which was for the purpose of the measurements.

### 2.3 Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

#### 2.3.3 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz


Radiated emission below 30MHz is measured in a 9m\*6m\*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2.4 Test Configuration



## 2.5 Control Unit(s)

| AC Power-Line Conducted Emission Test Site: Conduction C |        |              |               |           |          |
|--|--------|--------------|---------------|-----------|----------|
| EQUIPMENT TYPE   | MFR    | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
| USB Cable  | Qionho | USB-C100     | N/A           | N/A       | N/A      |
| Adapter  | Lapo   | WT-02CA      | N/A           | N/A       | N/A      |
| Radiated Emission Test Site: SAC C                       |        |              |               |           |          |
| EQUIPMENT TYPE   | MFR    | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
| Notebook   | HP     | HSN-Q35C-4   | N/A           | N/A       | N/A      |
| USB Cable  | Qionho | USB-C100     | N/A           | N/A       | N/A      |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 3 SUMMARY OF TEST RESULTS

| FCC Rules              | ISED Rules             | Description Of Test                           | Result    |
|------------------------|------------------------|---|-----------|
| §15.207                | RSS-Gen § 8.8          | AC Power Line Conducted Emission              | Compliant |
| §15.225 (a)-(d)        | RSS210 Annex B B.6 (a) | Radiated Emission                             | Compliant |
| §15.209                | RSS-Gen § 8.9          | Radiated Emission Limits, general requirement | Compliant |
| §15.225 (e)            | RSS210 Annex B B.6 (b) | Frequency Stability                           | Compliant |
| §2.1049<br>§15.215 (c) | RSS-Gen § 6.7          | Emission Bandwidth                            | Compliant |
| §15.203                | N/A                    | Antenna Requirement                           | Compliant |
| §15.205                | RSS-Gen § 8.10         | Restricted Bands                              | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 4 DESCRIPTION OF TEST MODES

### 4.1 The Worst Test Modes and Channel Details

1. The EUT stay in continuous transmission mode.
2. The frequency 13.56 MHz is the default channel to test, where it is the only manipulative channel as this application supports.
3. Only one configuration is supported/applicable as follows.

| RADIATED EMISSION TEST |                   |                |            |
|------------------------|-------------------|----------------|------------|
| MODE                   | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION |
| NFC                    | 1                 | 1              | ASK        |
| FREQUENCY STABILITY    |                   |                |            |
| MODE                   | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION |
| NFC                    | 1                 | 1              | ASK        |
| 20dB and 99% BANDWIDTH |                   |                |            |
| MODE                   | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION |
| NFC                    | 1                 | 1              | ASK        |

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 5 MEASUREMENT UNCERTAINTY

| Test Items                       | Uncertainty |
|----------------------------------|-------------|
| AC Power Line Conducted Emission | +/- 1.54 dB |
| Frequency Stability              | +/- 1.48 Hz |
| Emission Bandwidth               | +/- 1.38 Hz |
| Temperature                      | +/- 0.6 °C  |
| Humidity                         | +/- 3 %     |
| DC / AC Power Source             | +/- 1 %     |

| Radiated Spurious Emission Measurement Uncertainty |     |         |                 |
|--|-----|---------|-----------------|
| Polarization: Vertical                             | +/- | 1.89 dB | 9kHz~30MHz      |
|  | +/- | 4.15 dB | 30MHz - 1000MHz |
|  | +/- | 3.43 dB | 1GHz - 18GHz    |
|  | +/- | 3.86 dB | 18GHz - 40GHz   |
| Polarization: Horizontal                           | +/- | 1.89 dB | 9kHz~30MHz      |
|  | +/- | 4.02 dB | 30MHz - 1000MHz |
|  | +/- | 3.43 dB | 1GHz - 18GHz    |
|  | +/- | 3.86 dB | 18GHz - 40GHz   |
| Radiated Spurious Emission                         | +/- | 2 dB    | 33GHz-50GHz     |
|  | +/- | 1.59 dB | 50GHz-60GHz     |
|  | +/- | 1.7 dB  | 60GHz-90GHz     |
|  | +/- | 1.64 dB | 90GHz-140GHz    |
|  | +/- | 3.83 dB | 140GHz-220GHz   |

### Note:

1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

## 6 MEASUREMENT EQUIPMENT USED

### 6.1 Emission from AC power line

| AC Power-Line Conducted Emission Test Site: Conduction C |                                |               |                             |            |            |
|--|--------------------------------|---------------|-----------------------------|------------|------------|
| EQUIPMENT TYPE   | MFR                            | MODEL NUMBER  | SERIAL NUMBER               | LAST CAL.  | CAL DUE.   |
| LISN   | SCHWARZBECK<br>Mess-Elektronik | NSLK8127      | 973                         | 04/22/2024 | 04/21/2025 |
| EMI Test Receiver  | R&S                            | ESCI          | 101342                      | 04/29/2024 | 04/28/2025 |
| Coaxial Cable  | EC Lab                         | RF-HY-CAB-250 | RF-HY-CAB-250-01            | 03/27/2024 | 03/26/2025 |
| Pulse Limiter  | EC Lab                         | VTSD 9561F-N  | 485                         | 03/27/2024 | 03/26/2025 |
| Test Software  | audix                          | e3            | E3 20923 SGS Ver.9<br>( C ) | N.C.R      | N.C.R      |

### 6.2 Conducted Measurement

| Conducted Emission Test Site: Conducted F |                        |                |                       |            |            |
|---|------------------------|----------------|-----------------------|------------|------------|
| EQUIPMENT TYPE                            | MFR                    | MODEL NUMBER   | SERIAL NUMBER         | LAST CAL.  | CAL DUE.   |
| H-Loop Near Field Antenna                 | LANGER EMV-<br>Technik | LF-R 400       | 02-1597               | N.C.R      | N.C.R      |
| Spectrum Analyzer                         | KEYSIGHT               | N9010B         | MY59071570            | 06/15/2023 | 06/14/2024 |
| Temperature Chamber                       | Haich                  | HC-TOPH-30-CHP | QHC20230320-100-<br>2 | 08/24/2023 | 08/23/2024 |
| DC Power Supply                           | Gwinstek               | SPS-3610       | GEW902165             | 01/17/2024 | 01/16/2025 |
| DC Block                                  | PASTERNAK              | PE8210         | RF153                 | 11/15/2023 | 11/14/2024 |

### 6.3 Radiated Measurement

| Radiated Emission Test Site: SAC C |                 |               |                             |            |            |
|------------------------------------|-----------------|---------------|-----------------------------|------------|------------|
| EQUIPMENT TYPE                     | MFR             | MODEL NUMBER  | SERIAL NUMBER               | LAST CAL.  | CAL DUE.   |
| Broadband Antenna                  | SCHWARZBECK     | VULB 9168     | 9168-300                    | 11/02/2023 | 11/01/2024 |
| Active Loop Antenna                | COM-POWER       | AL-130R       | 10160105                    | 12/04/2023 | 12/03/2024 |
| 3m Site NSA                        | SGS             | 966 chamber C | N/A                         | 03/02/2024 | 03/01/2025 |
| Spectrum Analyzer                  | KEYSIGHT        | N9010A        | MY57120290                  | 04/10/2024 | 04/09/2025 |
| Test Software                      | audix           | e3            | E3 20923 SGS Ver.9<br>( C ) | N.C.R      | N.C.R      |
| Pre-Amplifier                      | EMC Instruments | EMC330        | 980096                      | 11/15/2023 | 11/14/2024 |
| Coaxial Cable                      | Huber+Suhner    | RG 214/U      | W22.03                      | 11/15/2023 | 11/14/2024 |

**NOTE:** N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 7 CONDUCTED EMISSIONS TEST

### 7.1 Standard Applicable

Frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

| Frequency range<br>MHz | Limits<br>(dBuV) |          |
|------------------------|------------------|----------|
|                        | Quasi-peak       | Average  |
| 0.15 to 0.50           | 66 to 56         | 56 to 46 |
| 0.50 to 5              | 56               | 46       |
| 5 to 30                | 60               | 50       |


Note

- The lower limit shall apply at the transition frequencies
- The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

### 7.2 EUT Setup:

- The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- The LISN was connected with 120Vac/60Hz power source.

### 7.3 Test SET-UP (Block Diagram of Configuration)



### 7.4 Measurement Procedure

- The EUT was placed on a table which is 0.8m above ground plane.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 7.5 Measurement Result

Note: Refer to next page for measurement data and plots.


Note2: The \* reveals the worst-case results that closest to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### AC POWER LINE CONDUCTED EMISSION TEST DATA

|               |                   |             |               |
|---------------|-------------------|-------------|---------------|
| Report Number | :TERF2405001306E2 | Test Site   | :Conduction C |
| Test Mode     | :NFC              | Test Date   | :2024-05-14   |
| Power         | :120V/60Hz        | Temp./Humi. | :23.4°C/51%   |
| Probe         | :L1               | Engineer    | :Howard Huang |
| Note          | :NFC ON           |             |               |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV | Limit<br>dBUV | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|----------------------|---------------|--------------|
| 0.169        | Average                      | 25.10                             | 10.65        | 35.75                | 55.01         | -19.26       |
| 0.169        | QP                           | 45.30                             | 10.65        | 55.95                | 65.01         | -9.06        |
| 0.212        | Average                      | 21.40                             | 10.65        | 32.05                | 53.11         | -21.06       |
| 0.212        | QP                           | 41.00                             | 10.65        | 51.65                | 63.11         | -11.46       |
| 0.263        | Average                      | 15.70                             | 10.64        | 26.34                | 51.35         | -25.01       |
| 0.263        | QP                           | 35.30                             | 10.64        | 45.94                | 61.35         | -15.41       |
| 0.303        | Average                      | 17.10                             | 10.63        | 27.73                | 50.15         | -22.41       |
| 0.303        | QP                           | 34.40                             | 10.63        | 45.03                | 60.15         | -15.11       |
| 0.395        | Average                      | 15.00                             | 10.62        | 25.62                | 47.96         | -22.34       |
| 0.395        | QP                           | 31.40                             | 10.62        | 42.02                | 57.96         | -15.94       |
| 8.833        | Average                      | 21.30                             | 10.96        | 32.26                | 50.00         | -17.74       |
| 8.833        | QP                           | 37.10                             | 10.96        | 48.06                | 60.00         | -11.94       |
| 13.560       | Peak                         | -                                 | -            | -                    | -             | -            |
| 27.120       | Peak                         | -                                 | -            | -                    | -             | -            |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001306E2  
 Test Mode :NFC  
 Power :120V/60Hz  
 Probe :N  
 Note :NFC ON

Test Site :Conduction C  
 Test Date :2024-05-14  
 Temp./Humi. :23.4°C/51%  
 Engineer :Howard Huang



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>dB $\mu$ V | Margin<br>dB |
|--------------|------------------------------|---|--------------|----------------------------|---------------------|--------------|
| 0.166        | Average                      | 23.50                                   | 10.66        | 34.16                      | 55.15               | -21.00       |
| 0.166        | QP                           | 42.40                                   | 10.66        | 53.06                      | 65.15               | -12.10       |
| 0.197        | Average                      | 18.60                                   | 10.65        | 29.25                      | 53.74               | -24.49       |
| 0.197        | QP                           | 36.60                                   | 10.65        | 47.25                      | 63.74               | -16.49       |
| 0.256        | Average                      | 14.20                                   | 10.64        | 24.84                      | 51.56               | -26.72       |
| 0.256        | QP                           | 34.10                                   | 10.64        | 44.74                      | 61.56               | -16.82       |
| 0.298        | Average                      | 15.90                                   | 10.63        | 26.53                      | 50.29               | -23.76       |
| 0.298        | QP                           | 33.60                                   | 10.63        | 44.23                      | 60.29               | -16.06       |
| 0.382        | Average                      | 17.80                                   | 10.61        | 28.41                      | 48.24               | -19.83       |
| 0.382        | QP                           | 33.90                                   | 10.61        | 44.51                      | 58.24               | -13.73       |
| 8.323        | Average                      | 21.60                                   | 10.95        | 32.55                      | 50.00               | -17.45       |
| 8.323        | QP                           | 38.40                                   | 10.95        | 49.35                      | 60.00               | -10.65       |
| 13.560       | Peak                         | -                                       | -            | -                          | -                   | -            |
| 27.120       | Peak                         | -                                       | -            | -                          | -                   | -            |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001306E2  
 Test Mode :NFC  
 Power :120V/60Hz  
 Probe :L1  
 Note :Standby Mode

Test Site :Conduction C  
 Test Date :2024-05-14  
 Temp./Humi. :23.4°C/51%  
 Engineer :Howard Huang



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV | Limit<br>dBμV | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|----------------------|---------------|--------------|
| 0.165        | Average                      | 24.00                             | 10.65        | 34.65                | 55.22         | -20.57       |
| 0.165        | QP                           | 43.70                             | 10.65        | 54.35                | 65.22         | -10.87       |
| 0.204        | Average                      | 21.60                             | 10.65        | 32.25                | 53.46         | -21.21       |
| 0.204        | QP                           | 40.00                             | 10.65        | 50.65                | 63.46         | -12.81       |
| 0.248        | Average                      | 19.30                             | 10.64        | 29.94                | 51.84         | -21.90       |
| 0.248        | QP                           | 37.70                             | 10.64        | 48.34                | 61.84         | -13.50       |
| 0.286        | Average                      | 18.90                             | 10.64        | 29.54                | 50.64         | -21.10       |
| 0.286        | QP                           | 35.10                             | 10.64        | 45.74                | 60.64         | -14.90       |
| 0.468        | Average                      | 17.60                             | 10.62        | 28.22                | 46.55         | -18.33       |
| 0.468        | QP                           | 33.50                             | 10.62        | 44.12                | 56.55         | -12.43       |
| 8.538        | Average                      | 21.20                             | 10.96        | 32.16                | 50.00         | -17.84       |
| 8.538        | QP                           | 37.00                             | 10.96        | 47.96                | 60.00         | -12.04       |
| 13.560       | Peak                         | -                                 | -            | -                    | -             | -            |
| 27.120       | Peak                         | -                                 | -            | -                    | -             | -            |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2405001306E2  
 Test Mode :NFC  
 Power :120V/60Hz  
 Probe :N  
 Note :Standby Mode

Test Site :Conduction C  
 Test Date :2024-05-14  
 Temp./Humi. :23.4°C/51%  
 Engineer :Howard Huang



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>dB $\mu$ V | Margin<br>dB |
|--------------|------------------------------|---|--------------|----------------------------|---------------------|--------------|
| 0.161        | Average                      | 23.00                                   | 10.66        | 33.66                      | 55.44               | -21.78       |
| 0.161        | QP                           | 41.40                                   | 10.66        | 52.06                      | 65.44               | -13.38       |
| 0.199        | Average                      | 19.10                                   | 10.65        | 29.75                      | 53.67               | -23.92       |
| 0.199        | QP                           | 36.60                                   | 10.65        | 47.25                      | 63.67               | -16.42       |
| 0.243        | Average                      | 19.00                                   | 10.64        | 29.64                      | 51.98               | -22.34       |
| 0.243        | QP                           | 36.80                                   | 10.64        | 47.44                      | 61.98               | -14.54       |
| 0.291        | Average                      | 19.70                                   | 10.63        | 30.33                      | 50.50               | -20.17       |
| 0.291        | QP                           | 36.00                                   | 10.63        | 46.63                      | 60.50               | -13.87       |
| 0.449        | Average                      | 20.40                                   | 10.61        | 31.01                      | 46.90               | -15.90       |
| 0.449        | QP                           | 35.50                                   | 10.61        | 46.11                      | 56.90               | -10.80       |
| 8.394        | Average                      | 21.60                                   | 10.95        | 32.55                      | 50.00               | -17.45       |
| 8.394        | QP                           | 38.30                                   | 10.95        | 49.25                      | 60.00               | -10.75       |
| 13.560       | Peak                         | -                                       | -            | -                          | -                   | -            |
| 27.120       | Peak                         | -                                       | -            | -                          | -                   | -            |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


## 8 RADIATED EMISSION TEST

### 8.1 Test SET-UP (Block Diagram of Configuration)

(A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



### 8.2 Measurement Procedure

1. Configure the EUT according to ANSI C63.10.
2. The EUT was placed on a turn table which is 0.8m above ground plane and been measured in the frequency range between 0.009MHz to 30MHz and 30MHz to 1GHz.
3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission.
5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
7. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 8.3 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

|                           |  |
|---------------------------|--|
| Where FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
| RA = Reading Amplitude    | AG = Amplifier Gain                        |
| AF = Antenna Factor       |  |

### 8.4 Field Strength of Fundamental Emission

#### 8.4.1 Applicable standard

| Rules and specifications    | CFR 47 Part 15 section 15.225(a)-(d) |                               |
|-----------------------------|--------------------------------------|-------------------------------|
| Frequency of Emission (MHz) | Field Strength (µV/m)at 30m          | Field Strength (dBµV/m)at 30m |
| 1.705~13.110                | 30                                   | 29.5                          |
| 13.110~13.410               | 106                                  | 40.5                          |
| 13.410~13.553               | 334                                  | 50.5                          |
| 13.553~13.567               | 15848                                | 84                            |
| 13.567~13.710               | 334                                  | 50.5                          |
| 13.710~14.010               | 106                                  | 40.5                          |
| 14.010~30.00                | 30                                   | 29.5                          |

#### Radiated Mask per ISED RSS 210 Annex B B6

- (a) 15.848 millivolts/m (84 dBµV/m) at 30 m, within the band 13.553-13.567 MHz.
- (b) 334 microvolts/m (50.5 dBµV/m) at 30 m, within the bands 13.410-13.553 MHz and 13.567-13.710 MHz.
- (c) 106 microvolts/m (40.5 dBµV/m) at 30 m, within the bands 13.110-13.410 MHz and 13.710-14.010 MHz.
- (d) RSS-Gen general field strength limits for frequencies outside the band 13.110-14.010 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

#### 8.4.2 Distance Extrapolation Factor

##### 30m to 3m

Distance extrapolation =  $40 \cdot \log(30/3) = 40$  dB

##### 30m to 10m

Distance extrapolation =  $40 \cdot \log(30/10) = 19.08$  dB

##### 10m to 3m

Distance extrapolation =  $40 \cdot \log(10/3) = 20.92$  dB

**Note:**

1. Distance extrapolation factor =  $40 \log(\text{required distance}/\text{test distance})$  (dB)
2. The lower limit shall apply at the transition frequencies.
3. KDB 414788 D01 OATS and 3m semi-anechoic chamber Justification:  
Base on FCC 15.31 (f) (2): measurements may be performed at a distance closer than that specified in the regulations; however, an attempt should be made to avoid making measurements in the near field. OATS and 3m SAC chamber testing had been performed and 3m SAC measured test result is the worst case test result.

Actual FS(dB $\mu$ V/m) = Spectrum. Reading level(dB $\mu$ V) + Factor(dB)

Below 30 MHz of Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) – Distance Factor (dB)

Above 30 MHz of Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) – Pre\_Amp Gain (dB)


The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 8.4.3 Field Strength of Fundamental Emission Measurement Result

|                |                   |              |               |
|----------------|-------------------|--------------|---------------|
| Report Number  | :TERF2405001306E2 | Test Site    | :SAC C        |
| Operation Mode | :NFC              | Test Date    | :2024-05-14   |
| Test Frequency | :13.56 MHz        | Temp./Humi.  | :22.7°C/55%   |
| Test Mode      | :Main             | Antenna Pol. | :Vertical     |
| EUT Pol        | :E1 Plane         | Engineer     | :Howard Huang |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------|-----------------|--------------|
| 13.560       | Peak                         | 63.14                             | -24.60       | 38.54            | 84.00           | -45.46       |

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre\_Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit:

Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz.


Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                |                   |              |               |
|----------------|-------------------|--------------|---------------|
| Report Number  | :TERF2405001306E2 | Test Site    | :SAC C        |
| Operation Mode | :NFC              | Test Date    | :2024-05-14   |
| Test Frequency | :13.56 MHz        | Temp./Humi.  | :22.7°C/55%   |
| Test Mode      | :Main             | Antenna Pol. | :Horizontal   |
| EUT Pol        | :E1 Plane         | Engineer     | :Howard Huang |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>dBμV/m | Limit<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------|-----------------|--------------|
| 13.560       | Peak                         | 68.93                             | -24.60       | <b>44.33</b>     | 84.00           | -39.67       |

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre\_Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit:

Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz.


Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                |                   |              |               |
|----------------|-------------------|--------------|---------------|
| Report Number  | :TERF2405001306E2 | Test Site    | :SAC C        |
| Operation Mode | :NFC              | Test Date    | :2024-05-14   |
| Test Frequency | :13.56 MHz        | Temp./Humi.  | :22.7°C/55%   |
| Test Mode      | :Mask             | Antenna Pol. | :Vertical     |
| EUT Pol        | :E1 Plane         | Engineer     | :Howard Huang |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBµV | Factor<br>dB | Actual<br>dBµV/m | Limit<br>dBµV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------|-----------------|--------------|
| 13.102       | Peak                         | 22.93                             | -24.60       | -1.67            | 29.54           | -31.21       |
| 13.393       | Peak                         | 25.15                             | -24.60       | 0.54             | 40.50           | -39.96       |
| 13.553       | Peak                         | 58.04                             | -24.60       | 33.43            | 50.47           | -17.04       |
| 13.567       | Peak                         | 59.08                             | -24.60       | 34.47            | 50.47           | -16.00       |
| 13.944       | Peak                         | 27.41                             | -24.60       | 2.81             | 40.50           | -37.69       |
| 14.024       | Peak                         | 27.33                             | -24.60       | 2.73             | 29.54           | -26.81       |

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre\_Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit:

Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz.


Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                |                   |              |               |
|----------------|-------------------|--------------|---------------|
| Report Number  | :TERF2405001306E2 | Test Site    | :SAC C        |
| Operation Mode | :NFC              | Test Date    | :2024-05-14   |
| Test Frequency | :13.56 MHz        | Temp./Humi.  | :22.7°C/55%   |
| Test Mode      | :Mask             | Antenna Pol. | :Horizontal   |
| EUT Pol        | :E1 Plane         | Engineer     | :Howard Huang |



| Freq. MHz | Detector Mode PK/QP/AV | Spectrum Reading Level dBμV | Factor dB | Actual dBμV/m | Limit dBμV/m | Margin dB |
|-----------|------------------------|-----------------------------|-----------|---------------|--------------|-----------|
| 13.086    | Peak                   | 19.18                       | -24.60    | -5.42         | 29.54        | -34.96    |
| 13.384    | Peak                   | 20.18                       | -24.60    | -4.42         | 40.50        | -44.92    |
| 13.553    | Peak                   | 63.85                       | -24.60    | 39.24         | 50.47        | -11.23    |
| 13.567    | Peak                   | 64.88                       | -24.60    | 40.27         | 50.47        | -10.20    |
| 13.951    | Peak                   | 23.20                       | -24.60    | -1.41         | 40.50        | -41.91    |
| 14.034    | Peak                   | 22.29                       | -24.60    | -2.31         | 29.54        | -31.85    |

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre\_Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit:

Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz.

Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 8.5 Radiated Spurious Emission Measurement

### 8.5.1 Standard Applicable

The field strength of any emissions appearing outside of the 13.110-14.010 MHz shall not exceed the general radiated emission limits as below.

| Frequency (MHz) | Field strength ( $\mu\text{V/m}$ ) | Distance (meters) |
|-----------------|------------------------------------|-------------------|
| 0.009~0.490     | 2400/F(kHz)                        | 300               |
| 0.490~1.705     | 24000/F(kHz)                       | 30                |
| 1.705-30        | 30                                 | 30                |
| 30-88           | 100                                | 3                 |
| 88-216          | 150                                | 3                 |
| 216-960         | 200                                | 3                 |
| Above 960       | 500                                | 3                 |

**Note:**


1. Emission level in  $\text{dB}\mu\text{V/m} = 20 \log(\mu\text{V/m})$
2. Distance extrapolation factor =  $40 \log(\text{required distance}/\text{test distance})$  (dB)
3.  $20 * \log(30\mu\text{V/m}) = 29.54 \text{ dBuV/m}$
4. The lower limit shall apply at the transition frequencies.
5. The measurement was undertaken in closer distance at 3m, where extrapolation factor is offset to convert the limit of the measurement.
6. Only spurious frequency is permitted to locate within the Restricted Bands specified in provision of §15.205 and RSS-Gen §8.10.
7. The general radiated emission limits in §15.209 and RSS-Gen §8.9 apply for the spurious emission generate from UE, except for the fundamental emission where the respective section specifies otherwise.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 8.5.2 Radiated Spurious Emission Measurement Result

|                |                   |              |               |
|----------------|-------------------|--------------|---------------|
| Report Number  | :TERF2405001306E2 | Test Site    | :SAC C        |
| Operation Mode | :NFC              | Test Date    | :2024-05-14   |
| Test Frequency | :13.56 MHz        | Temp./Humi.  | :22.7°C/55%   |
| Test Mode      | :Tx               | Antenna Pol. | :Vertical     |
| EUT Pol        | :E1 Plane         | Engineer     | :Howard Huang |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------|-----------------|--------------|
| 2.078        | Peak                         | 46.53                             | -26.04       | 20.49            | 29.54           | -9.05        |
| 3.218        | Peak                         | 44.47                             | -25.71       | 18.76            | 29.54           | -10.78       |
| 4.658        | Peak                         | 44.27                             | -25.41       | 18.86            | 29.54           | -10.68       |
| 8.227        | Peak                         | 39.93                             | -24.86       | 15.07            | 29.54           | -14.47       |
| 16.534       | Peak                         | 40.44                             | -24.61       | 15.83            | 29.54           | -13.71       |
| 22.082       | Peak                         | 31.45                             | -25.12       | 6.33             | 29.54           | -23.21       |
| 27.120       | Peak                         | 13.32                             | -26.33       | -13.02           | 29.54           | -42.56       |

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre\_Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit:

Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz.


Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                |                   |              |               |
|----------------|-------------------|--------------|---------------|
| Report Number  | :TERF2405001306E2 | Test Site    | :SAC C        |
| Operation Mode | :NFC              | Test Date    | :2024-05-14   |
| Test Frequency | :13.56 MHz        | Temp./Humi.  | :22.7°C/55%   |
| Test Mode      | :Tx               | Antenna Pol. | :Horizontal   |
| EUT Pol        | :E1 Plane         | Engineer     | :Howard Huang |



| Freq. MHz | Detector Mode PK/QP/AV | Spectrum Reading Level dBμV | Factor dB | Actual dBμV/m | Limit dBμV/m | Margin dB |
|-----------|------------------------|-----------------------------|-----------|---------------|--------------|-----------|
| 1.988     | Peak                   | 41.47                       | -26.07    | 15.41         | 29.54        | -14.13    |
| 3.218     | Peak                   | 39.23                       | -25.71    | 13.52         | 29.54        | -16.02    |
| 4.658     | Peak                   | 38.71                       | -25.41    | 13.30         | 29.54        | -16.24    |
| 8.227     | Peak                   | 35.46                       | -24.86    | 10.60         | 29.54        | -18.94    |
| 16.534    | Peak                   | 35.87                       | -24.61    | 11.26         | 29.54        | -18.28    |
| 21.872    | Peak                   | 25.02                       | -25.07    | -0.05         | 29.54        | -29.59    |
| 27.120    | Peak                   | 12.36                       | -26.33    | -13.97        | 29.54        | -43.51    |

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre\_Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit:

Field strength (dBUV/m) at 300m, within the band 9 kHz - 490 kHz.


Field strength (dBUV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                |                   |              |               |
|----------------|-------------------|--------------|---------------|
| Report Number  | :TERF2405001306E2 | Test Site    | :SAC C        |
| Operation Mode | :NFC              | Test Date    | :2024-05-14   |
| Test Frequency | :13.56 MHz        | Temp./Humi.  | :22.7°C/55%   |
| Test Mode      | :Tx               | Antenna Pol. | :Vertical     |
| EUT Pol        | :E1 Plane         | Engineer     | :Howard Huang |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>dBUV/m | Limit<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------|-----------------|--------------|
| 40.680       | Peak                         | 37.18                             | -16.77       | 20.41            | 40.00           | -19.59       |
| 49.400       | Peak                         | 37.86                             | -15.26       | 22.60            | 40.00           | -17.40       |
| 66.860       | Peak                         | 40.73                             | -17.93       | 22.81            | 40.00           | -17.19       |
| 89.170       | Peak                         | 53.13                             | -21.72       | 31.41            | 43.50           | -12.09       |
| 103.720      | Peak                         | 49.14                             | -20.10       | 29.04            | 43.50           | -14.46       |
| 282.200      | Peak                         | 40.82                             | -15.35       | 25.46            | 46.00           | -20.54       |
| 339.430      | Peak                         | 39.81                             | -13.83       | 25.98            | 46.00           | -20.02       |

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre\_Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit:

Field strength (dBUV/m) at 300m, within the band 9 kHz - 490 kHz.


Field strength (dBUV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                |                   |              |               |
|----------------|-------------------|--------------|---------------|
| Report Number  | :TERF2405001306E2 | Test Site    | :SAC C        |
| Operation Mode | :NFC              | Test Date    | :2024-05-14   |
| Test Frequency | :13.56 MHz        | Temp./Humi.  | :22.7°C/55%   |
| Test Mode      | :Tx               | Antenna Pol. | :Horizontal   |
| EUT Pol        | :E1 Plane         | Engineer     | :Howard Huang |



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBµV | Factor<br>dB | Actual<br>dBµV/m | Limit<br>dBµV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------|-----------------|--------------|
| 40.680       | Peak                         | 32.48                             | -16.77       | 15.72            | 40.00           | -24.28       |
| 66.860       | Peak                         | 40.57                             | -17.93       | 22.64            | 40.00           | -17.36       |
| 92.080       | Peak                         | 49.99                             | -21.59       | 28.40            | 43.50           | -15.10       |
| 99.840       | Peak                         | 43.33                             | -20.82       | 22.51            | 43.50           | -20.99       |
| 132.820      | Peak                         | 39.56                             | -17.28       | 22.28            | 43.50           | -21.22       |
| 161.920      | Peak                         | 39.18                             | -15.96       | 23.23            | 43.50           | -20.27       |
| 191.990      | Peak                         | 41.46                             | -18.49       | 22.97            | 43.50           | -20.53       |

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre\_Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit:

Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz.

Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 9 FREQUENCY STABILITY

### 9.1 Applicable Standard

The frequency tolerance of the carrier signal shall be maintained within +/- 0.01% of the operating frequency over a temperature variation of -20 degrees to +50 degrees C at normal supply voltage, and for a variation in the primary supply voltage from 85% to 115% of the rated supply voltage at a temperature of 20 degrees C. For battery operated equipment, the equipment tests shall be performed using a new battery.


Carrier frequency stability shall be maintained to  $\pm 0.01\%$  ( $\pm 100$  ppm).

For licence-exempt radio apparatus, the frequency stability shall be measured at temperatures of -20°C (-4°F), +20°C (+68°F) and +50°C (+122°F).

### 9.2 Measurement Procedure

1. The EUT was placed on a turn table which is 0.8m above ground plane.
2. Set EUT as normal operation
3. Set SPA Center Frequency = fundamental frequency, RBW, VBW= 10kHz, Span =100kHz.
4. Set SPA Max hold. Mark peak.

### 9.3 Test SET-UP (Block Diagram of Configuration)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 9.4 Measurement Results

### Startup

#### A. Temperature Variation

| Power Supply | Environment      | Frequency | Delta (kHz) | Limit (kHz) |
|--------------|------------------|-----------|-------------|-------------|
| Vdc          | Temperature (°C) | (MHz)     |             |             |
| 3.8          | -20              | 13.5598   | -0.20000    | +/- 1.356   |
| 3.8          | -10              | 13.5601   | 0.10000     | +/- 1.356   |
| 3.8          | 0                | 13.5601   | 0.10000     | +/- 1.356   |
| 3.8          | 10               | 13.5604   | 0.40000     | +/- 1.356   |
| 3.8          | 20               | 13.5598   | -0.20000    | +/- 1.356   |
| 3.8          | 30               | 13.5601   | 0.10000     | +/- 1.356   |
| 3.8          | 40               | 13.5598   | -0.20000    | +/- 1.356   |
| 3.8          | 50               | 13.5591   | -0.90000    | +/- 1.356   |

#### B. Supply Voltage Variation

| Power Supply | Environment      | Frequency | Delta (kHz) | Limit (kHz) |
|--------------|------------------|-----------|-------------|-------------|
| Vdc          | Temperature (°C) | (MHz)     |             |             |
| 4.37         | 20               | 13.5606   | 0.60000     | +/- 1.356   |
| 3.8          | 20               | 13.5601   | 0.10000     | +/- 1.356   |
| 3.23         | 20               | 13.5603   | 0.30000     | +/- 1.356   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2 minutes

A. Temperature Variation

| Power Supply | Environment      | Frequency | Delta (kHz) | Limit (kHz) |
|--------------|------------------|-----------|-------------|-------------|
| Vdc          | Temperature (°C) | (MHz)     |             |             |
| 3.8          | -20              | 13.5602   | 0.20000     | +/- 1.356   |
| 3.8          | -10              | 13.5597   | -0.30000    | +/- 1.356   |
| 3.8          | 0                | 13.5606   | 0.60000     | +/- 1.356   |
| 3.8          | 10               | 13.5603   | 0.30000     | +/- 1.356   |
| 3.8          | 20               | 13.5598   | -0.20000    | +/- 1.356   |
| 3.8          | 30               | 13.5606   | 0.60000     | +/- 1.356   |
| 3.8          | 40               | 13.5596   | -0.40000    | +/- 1.356   |
| 3.8          | 50               | 13.5597   | -0.30000    | +/- 1.356   |

B. Supply Voltage Variation

| Power Supply | Environment      | Frequency | Delta (kHz) | Limit (kHz) |
|--------------|------------------|-----------|-------------|-------------|
| Vdc          | Temperature (°C) | (MHz)     |             |             |
| 4.37         | 20               | 13.5603   | 0.30000     | +/- 1.356   |
| 3.8          | 20               | 13.5598   | -0.20000    | +/- 1.356   |
| 3.23         | 20               | 13.5601   | 0.10000     | +/- 1.356   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



5 minutes

A. Temperature Variation

| Power Supply | Environment      | Frequency | Delta (kHz) | Limit (kHz) |
|--------------|------------------|-----------|-------------|-------------|
| Vdc          | Temperature (°C) | (MHz)     |             |             |
| 3.8          | -20              | 13.5598   | -0.20000    | +/- 1.356   |
| 3.8          | -10              | 13.5601   | 0.10000     | +/- 1.356   |
| 3.8          | 0                | 13.5599   | -0.10000    | +/- 1.356   |
| 3.8          | 10               | 13.5596   | -0.40000    | +/- 1.356   |
| 3.8          | 20               | 13.5597   | -0.30000    | +/- 1.356   |
| 3.8          | 30               | 13.5605   | 0.50000     | +/- 1.356   |
| 3.8          | 40               | 13.5606   | 0.60000     | +/- 1.356   |
| 3.8          | 50               | 13.5599   | -0.10000    | +/- 1.356   |

B. Supply Voltage Variation

| Power Supply | Environment      | Frequency | Delta (kHz) | Limit (kHz) |
|--------------|------------------|-----------|-------------|-------------|
| Vdc          | Temperature (°C) | (MHz)     |             |             |
| 4.37         | 20               | 13.5599   | -0.10000    | +/- 1.356   |
| 3.8          | 20               | 13.5597   | -0.30000    | +/- 1.356   |
| 3.23         | 20               | 13.5596   | -0.40000    | +/- 1.356   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10 minutes

A. Temperature Variation

| Power Supply | Environment      | Frequency | Delta (kHz) | Limit (kHz) |
|--------------|------------------|-----------|-------------|-------------|
| Vdc          | Temperature (°C) | (MHz)     |             |             |
| 3.8          | -20              | 13.5606   | 0.60000     | +/- 1.356   |
| 3.8          | -10              | 13.56     | 0.00000     | +/- 1.356   |
| 3.8          | 0                | 13.5604   | 0.40000     | +/- 1.356   |
| 3.8          | 10               | 13.5603   | 0.30000     | +/- 1.356   |
| 3.8          | 20               | 13.5598   | -0.20000    | +/- 1.356   |
| 3.8          | 30               | 13.5601   | 0.10000     | +/- 1.356   |
| 3.8          | 40               | 13.5601   | 0.10000     | +/- 1.356   |
| 3.8          | 50               | 13.5604   | 0.40000     | +/- 1.356   |

B. Supply Voltage Variation

| Power Supply | Environment      | Frequency | Delta (kHz) | Limit (kHz) |
|--------------|------------------|-----------|-------------|-------------|
| Vdc          | Temperature (°C) | (MHz)     |             |             |
| 4.37         | 20               | 13.5596   | -0.40000    | +/- 1.356   |
| 3.8          | 20               | 13.5598   | -0.20000    | +/- 1.356   |
| 3.23         | 20               | 13.5604   | 0.40000     | +/- 1.356   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 10 EMISSION BANDWIDTH MEASUREMENT

### 10.1 Applicable Standard:

The 20 dB and 99% bandwidth shall be specified in operating frequency band.

### 10.2 Test Set-up



### 10.3 Measurement Procedure

1. Placed the EUT on the testing table.
2. Set the EUT under transmission condition continuously at specific channel frequency.
3. Set SPA Center Frequency = fundamental frequency, RBW=1% to 5% OBW, VBW=3 x RBW, Span = large enough to capture all products of the modulation process.
4. Measured the spectrum width with power higher than 20dB below carrier.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 10.4 Measurement Result

#### FCC


|               |
|---------------|
| 20dB BW (kHz) |
| 3.032         |

| Operation range | Frequency (MHz) | Limit (MHz) |
|-----------------|-----------------|-------------|
| Low             | 13.55855        | >13.11      |
| High            | 13.56165        | <14.01      |

#### IC

|              |
|--------------|
| 99% BW (kHz) |
| 2.984        |

### Bandwidth




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Operation range low



### Operation range High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11 ANTENNA REQUIREMENT

### 11.1 Standard Applicable:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §§ 15.211, 15.213, 15.217, 15.219, 15.221, or § 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

### 11.2 Antenna Connected Construction:

The antenna complies with this requirement and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.