


Page: 68 of 105


Spurious Emission\Band4 15MHz\QPSK RB1 0 CH20025




Spurious Emission\Band4_15MHz\QPSK_RB1_0_CH20175




Spurious Emission\Band4_15MHz\QPSK_RB1_0_CH20325



Spurious Emission\Band4 20MHz\QPSK RB1 0 CH20050



Spurious Emission\Band4_20MHz\QPSK_RB1_0_CH20175



Spurious Emission\Band4_20MHz\QPSK_RB1_0_CH20300



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 69 of 105


Spurious Emission\Band12 1.4MHz\QPSK RB1 0 CH23017




Spurious Emission\Band12_1.4MHz\QPSK_RB1_0_CH23095




Spurious Emission\Band12_1.4MHz\QPSK_RB1_0_CH23173




Spurious Emission\Band12 3MHz\QPSK RB1 0 CH23025



Spurious Emission\Band12_3MHz\QPSK_RB1_0_CH23095



Spurious Emission\Band12_3MHz\QPSK_RB1_0_CH23165



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the

台灣檢驗科技股份有限公司




Page: 70 of 105


Spurious Emission\Band12 5MHz\QPSK RB1 0 CH23035



Spurious Emission\Band12_5MHz\QPSK_RB1_0_CH23095




Spurious Emission\Band12_5MHz\QPSK_RB1_0_CH23155




Spurious Emission\Band12 10MHz\QPSK RB1 0 CH23060



Spurious Emission\Band12_10MHz\QPSK_RB1_0_CH23095



Spurious Emission\Band12_10MHz\QPSK_RB1_0_CH23130



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the

台灣檢驗科技股份有限公司



Page: 71 of 105

9 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1 Standard Applicable

According to FCC §2.1053,

FCC §24.238(a), §27.53(h)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

FCC §27.53(g) for LTE B12

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h)(1) for LTE B4

(h) AWS emission limits—(1) General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 log₁₀(P) dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 72 of 105

9.2 **EUT Setup**

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 73 of 105

9.3 **Measurement Procedure:**

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB) EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Measurement Equipment Used: 9.4

	Radiated Emission Test Site: SAC C									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Broadband Antenna	TESEQ	CBL 6112D	35240	09/08/2020	09/07/2021					
Horn Antenna	Schwarzbeck	BBHA9170	185	07/30/2020	07/29/2021					
Horn Antenna	Schwarzbeck	BBHA9120D	1187	01/11/2021	01/10/2022					
Loop Antenna	ETS.LINDGREN	6502	143303	04/28/2020	04/27/2021					
EMI Test Receiver	R&S	ESU 40	100363	04/29/2020	04/28/2021					
Radio Communication Analyzer	Anritsu	MT8820C	6201107337	07/23/2020	07/22/2021					
Pre-Amplifier	EMC Instruments	EMC330	980096	11/19/2020	11/18/2021					
Pre-Amplifier	EMC Instruments	EMC0011830	980199	11/19/2020	11/18/2021					
Pre-Amplifier	EMC Instruments	EMC184045B	980135	10/27/2020	10/26/2021					
High Pass Filter	WI	WHKX1.1/15G	RF172	11/19/2020	11/18/2021					
High Pass Filter	R&S	F13 HPF 3GHz	RF175	11/19/2020	11/18/2021					
Notch Filter	Woken	EWT-54-0037	RF177	11/19/2020	11/18/2021					
Notch Filter	Woken	EWT-54-0038	RF178	11/19/2020	11/18/2021					
Notch Filter	EWT	EWT-54-0038	RF185	11/19/2020	11/18/2021					
Coaxial Cable	Huber Suhner	EMC106-SM- SM-9100	150704	11/19/2020	11/18/2021					
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17413/4	11/19/2020	11/18/2021					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 74 of 105

Measurement Result: 9.5


Report Number Test Site :966 Chamber C :E2/2021/10020

Operation Mode :LTE B2 **Test Date** :2021-01-28

Test Mode :TX CH LOW :22.7/44 Temp./Humi.

EUT Pol :H Plan Antenna Pol. :Vertical

Test Frequency :1857.5 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
47.099	-51.01	-33.13	-17.58	-0.30	-13.00	-38.01
121.715	-58.62	-51.17	-6.84	-0.61	-13.00	-45.62
162.131	-60.81	-53.92	-6.24	-0.65	-13.00	-47.81
187.003	-62.54	-59.25	-2.50	-0.79	-13.00	-49.54
244.519	-65.15	-63.39	-0.85	-0.91	-13.00	-52.15
423.285	-67.73	-65.76	-0.74	-1.23	-13.00	-54.73
3715.000	-48.73	-53.15	12.33	-7.91	-13.00	-35.73
5572.500	-42.23	-46.64	12.95	-8.54	-13.00	-29.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 75 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B2 **Test Date** :2021-01-28

Test Mode :TX CH LOW Temp./Humi. :22.7/44

EUT Pol Antenna Pol. :H Plan :Horizontal

Test Frequency :1857.5 MHz Engineer :Enzo Chang



	Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
	00.005	44.40	05.40	E	0.40	40.00	00.40	
	90.625	-41.18	-35.18	-5.51	-0.49	-13.00	-28.18	
	183.894	-58.41	-54.59	-3.06	-0.76	-13.00	-45.41	
	283.381	-52.52	-50.54	-1.06	-0.92	-13.00	-39.52	
	536.763	-62.59	-60.75	-0.78	-1.06	-13.00	-49.59	
	594.279	-55.37	-52.87	-1.15	-1.35	-13.00	-42.37	
	791.699	-61.15	-58.13	-1.50	-1.52	-13.00	-48.15	
	3715.000	-50.74	-55.16	12.33	-7.91	-13.00	-37.74	
	5572.500	-38.07	-42.48	12.95	-8.54	-13.00	-25.07	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 76 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B2 **Test Date** :2021-01-28

Test Mode :TX CH MID Temp./Humi. :23.5/42

EUT Pol Antenna Pol. :H Plan :Vertical

Test Frequency :1880 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
54.070	40.00	00.70	45.75	0.00	40.00	00.00
54.872	-49.89	-33.78	-15.75	-0.36	-13.00	-36.89
95.288	-48.55	-42.68	-5.36	-0.51	-13.00	-35.55
121.715	-58.50	-51.05	-6.84	-0.61	-13.00	-45.50
162.131	-63.73	-56.84	-6.24	-0.65	-13.00	-50.73
423.285	-67.85	-65.88	-0.74	-1.23	-13.00	-54.85
746.619	-57.93	-54.70	-1.51	-1.72	-13.00	-44.93
3760.000	-44.31	-48.68	12.40	-8.03	-13.00	-31.31
5640.000	-39.11	-43.21	13.00	-8.90	-13.00	-26.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 77 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B2 **Test Date** :2021-01-28

Test Mode :TX CH MID Temp./Humi. :23.5/42

EUT Pol Antenna Pol. :H Plan :Horizontal

Test Frequency :1880 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	dBm	['] dBm	dBi/dBd	dB	dBm	dB	
51.763	-53.85	-37.04	-16.48	-0.33	-13.00	-40.85	
57.981	-59.06	-43.51	-15.17	-0.38	-13.00	-46.06	
90.625	-65.65	-59.65	-5.51	-0.49	-13.00	-52.65	
127.933	-60.02	-52.50	-6.91	-0.61	-13.00	-47.02	
407.740	-68.93	-66.94	-0.63	-1.36	-13.00	-55.93	
533.654	-66.84	-65.01	-0.79	-1.04	-13.00	-53.84	
3760.000	-50.32	-54.69	12.40	-8.03	-13.00	-37.32	
5640.000	-33.36	-37.46	13.00	-8.90	-13.00	-20.36	
	51.763 57.981 90.625 127.933 407.740 533.654 3760.000	MHz dBm 51.763 -53.85 57.981 -59.06 90.625 -65.65 127.933 -60.02 407.740 -68.93 533.654 -66.84 3760.000 -50.32	MHz dBm Output Level dBm 51.763 -53.85 -37.04 57.981 -59.06 -43.51 90.625 -65.65 -59.65 127.933 -60.02 -52.50 407.740 -68.93 -66.94 533.654 -66.84 -65.01 3760.000 -50.32 -54.69	MHz dBm Output Level dBm Gain dBi/dBd 51.763 -53.85 -37.04 -16.48 57.981 -59.06 -43.51 -15.17 90.625 -65.65 -59.65 -5.51 127.933 -60.02 -52.50 -6.91 407.740 -68.93 -66.94 -0.63 533.654 -66.84 -65.01 -0.79 3760.000 -50.32 -54.69 12.40	MHz dBm Output Level dBm Gain dBi/dBd Loss dB 51.763 -53.85 -37.04 -16.48 -0.33 57.981 -59.06 -43.51 -15.17 -0.38 90.625 -65.65 -59.65 -5.51 -0.49 127.933 -60.02 -52.50 -6.91 -0.61 407.740 -68.93 -66.94 -0.63 -1.36 533.654 -66.84 -65.01 -0.79 -1.04 3760.000 -50.32 -54.69 12.40 -8.03	MHz dBm Output Level dBm Gain dBi/dBd Loss dBm 51.763 -53.85 -37.04 -16.48 -0.33 -13.00 57.981 -59.06 -43.51 -15.17 -0.38 -13.00 90.625 -65.65 -59.65 -5.51 -0.49 -13.00 127.933 -60.02 -52.50 -6.91 -0.61 -13.00 407.740 -68.93 -66.94 -0.63 -1.36 -13.00 533.654 -66.84 -65.01 -0.79 -1.04 -13.00 3760.000 -50.32 -54.69 12.40 -8.03 -13.00	MHz dBm Output Level dBm Gain dBi/dBd Loss dB dBm dBm dB 51.763 -53.85 -37.04 -16.48 -0.33 -13.00 -40.85 57.981 -59.06 -43.51 -15.17 -0.38 -13.00 -46.06 90.625 -65.65 -59.65 -5.51 -0.49 -13.00 -52.65 127.933 -60.02 -52.50 -6.91 -0.61 -13.00 -47.02 407.740 -68.93 -66.94 -0.63 -1.36 -13.00 -55.93 533.654 -66.84 -65.01 -0.79 -1.04 -13.00 -53.84 3760.000 -50.32 -54.69 12.40 -8.03 -13.00 -37.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

www.sgs.com.tw



Page: 78 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B2 **Test Date** :2021-01-28

Test Mode :TX CH HIGH Temp./Humi. :23.5/42

EUT Pol Antenna Pol. :H Plan :Vertical

Test Frequency :1902.5 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.218	-43.50	-24.32	-18.93	-0.25	-13.00	-30.50
50.208	-46.35	-29.05	-16.98	-0.32	-13.00	-33.35
121.715	-58.48	-51.03	-6.84	-0.61	-13.00	-45.48
148.141	-60.48	-52.93	-6.89	-0.66	-13.00	-47.48
238.301	-61.47	-59.98	-0.63	-0.86	-13.00	-48.47
729.519	-63.79	-60.64	-1.17	-1.98	-13.00	-50.79
3805.000	-42.47	-45.69	12.39	-9.17	-13.00	-29.47
5707.500	-40.85	-44.56	12.80	-9.09	-13.00	-27.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程作留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 79 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B2 **Test Date** :2021-01-28

Test Mode :TX CH HIGH Temp./Humi. :23.5/42

EUT Pol Antenna Pol. :H Plan :Horizontal

Test Frequency :1902.5 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
79.744	-42.73	-33.71	-8.56	-0.46	-13.00	-29.73
127.933	-59.84	-52.32	-6.91	-0.61	-13.00	-46.84
280.272	-71.16	-69.14	-1.10	-0.92	-13.00	-58.16
536.763	-66.89	-65.05	-0.78	-1.06	-13.00	-53.89
734.183	-52.71	-49.57	-1.20	-1.94	-13.00	-39.71
889.631	-64.94	-62.02	-1.05	-1.87	-13.00	-51.94
3805.000	-48.45	-51.67	12.39	-9.17	-13.00	-35.45
5707.500	-37.48	-41.19	12.80	-9.09	-13.00	-24.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 80 of 105


Report Number :E2/2021/10020 Test Site :966 Chamber C

Operation Mode :LTE B4 Test Date :2021-01-28

Test Mode :TX CH LOW Temp./Humi. :22.9/44

EUT Pol :H Plan Antenna Pol. :Vertical

Test Frequency :1715 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
47.099	-47.59	-33.13	-17.58	-0.30	-13.00	-34.59
67.308	-45.86	-51.17	-12.84	-0.46	-13.00	-32.86
96.843	-47.30	-53.92	-5.55	-0.52	-13.00	-34.30
106.170	-46.80	-59.25	-6.25	-0.57	-13.00	-33.80
267.837	-60.27	-63.39	-0.81	-0.94	-13.00	-47.27
542.981	-62.57	-65.76	-0.80	-1.17	-13.00	-49.57
3430.000	-42.32	-53.11	12.54	-8.33	-13.00	-29.32
5145.000	-42.72	-46.73	12.10	-9.04	-13.00	-29.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明 : 近報告話未復對測試之樣品具質,同時配樣品程作留別式。各數音光學本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 81 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B4 **Test Date** :2021-01-28

Test Mode :TX CH LOW Temp./Humi. :22.9/44

EUT Pol Antenna Pol. :H Plan :Horizontal

Test Frequency :1715 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		J
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
51.763	-50.03	-33.13	-16.48	-0.33	-13.00	-37.03
120.160	-62.11	-51.17	-6.83	-0.61	-13.00	-49.11
135.705	-61.17	-53.92	-7.02	-0.61	-13.00	-48.17
163.686	-66.47	-59.25	-6.16	-0.65	-13.00	-53.47
280.272	-71.50	-63.39	-1.10	-0.92	-13.00	-58.50
535.208	-66.21	-65.76	-0.77	-1.05	-13.00	-53.21
3430.000	-44.18	-53.11	12.54	-8.33	-13.00	-31.18
5145.000	-41.00	-46.73	12.10	-9.04	-13.00	-28.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 82 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B4 **Test Date** :2021-01-28

Test Mode :TX CH MID Temp./Humi. :22.9/44

EUT Pol Antenna Pol. :H Plan :Vertical

Test Frequency :1732.5 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
48.654	-59.54	-33.13	-17.17	-0.31	-13.00	-46.54
75.080	-51.35	-51.17	-10.21	-0.47	-13.00	-38.35
75.080	-51.35	-53.92	-10.21	-0.47	-13.00	-38.35
118.606	-60.58	-59.25	-6.72	-0.61	-13.00	-47.58
162.131	-62.41	-63.39	-6.24	-0.65	-13.00	-49.41
210.321	-64.88	-65.76	-0.49	-0.83	-13.00	-51.88
3465.000	-45.26	-53.11	12.47	-9.08	-13.00	-32.26
5197.500	-45.39	-46.73	12.39	-9.14	-13.00	-32.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 83 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B4 **Test Date** :2021-01-28

Test Mode :TX CH MID Temp./Humi. :22.9/44

EUT Pol Antenna Pol. :H Plan :Horizontal

Test Frequency :1732.5 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
4= 000	=0.04	22.42	4= =0		40.00	40.04
47.099	-53.21	-33.13	-17.58	-0.30	-13.00	-40.21
89.071	-59.59	-51.17	-5.75	-0.48	-13.00	-46.59
135.705	-61.19	-53.92	-7.02	-0.61	-13.00	-48.19
143.478	-65.56	-59.25	-7.05	-0.63	-13.00	-52.56
533.654	-65.17	-63.39	-0.79	-1.04	-13.00	-52.17
746.619	-65.06	-65.76	-1.51	-1.72	-13.00	-52.06
3465.000	-46.05	-53.11	12.47	-9.08	-13.00	-33.05
5197.500	-44.24	-46.73	12.39	-9.14	-13.00	-31.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.sgs.com.tw



Page: 84 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B4 **Test Date** :2021-01-28

Test Mode :TX CH HIGH Temp./Humi. :22.9/44

EUT Pol Antenna Pol. :H Plan :Vertical

Test Frequency :1750 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.218	-56.74	-33.13	-18.93	-0.25	-13.00	-43.74
127.933	-57.21	-51.17	-6.91	-0.61	-13.00	-44.21
143.478	-55.66	-53.92	-7.05	-0.63	-13.00	-42.66
267.837	-66.52	-59.25	-0.81	-0.94	-13.00	-53.52
354.888	-63.34	-63.39	-0.44	-1.04	-13.00	-50.34
368.878	-59.95	-65.76	-0.56	-1.00	-13.00	-46.95
3500.000	-40.30	-53.11	12.40	-9.26	-13.00	-27.30
5250.000	-44.76	-46.73	12.80	-8.72	-13.00	-31.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 85 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B4 **Test Date** :2021-01-28

Test Mode :TX CH HIGH Temp./Humi. :22.9/44

EUT Pol Antenna Pol. :H Plan :Horizontal

Test Frequency :1750 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.772	-35.11	-33.13	-18.95	-0.26	-13.00	-22.11
51.763	-51.24	-51.17	-16.48	-0.33	-13.00	-38.24
135.705	-61.56	-53.92	-7.02	-0.61	-13.00	-48.56
162.131	-66.23	-59.25	-6.24	-0.65	-13.00	-53.23
291.154	-70.46	-63.39	-1.00	-0.95	-13.00	-57.46
530.545	-67.34	-65.76	-0.84	-1.01	-13.00	-54.34
3500.000	-43.92	-53.11	12.40	-9.26	-13.00	-30.92
5250.000	-45.58	-46.73	12.80	-8.72	-13.00	-32.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 86 of 105


Report Number :E2/2021/10020 **Test Site** :966 Chamber C

Operation Mode :LTE B12 **Test Date** :2021-01-28

Test Mode :TX CH LOW Temp./Humi. :23.5/42

EUT Pol Antenna Pol. :H Plan :Vertical

Test Frequency :704 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
 MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
36.218	-48.52	-29.34	-18.93	-0.25	-13.00	-35.52	
70.417	-50.34	-38.02	-11.84	-0.48	-13.00	-37.34	
120.160	-58.44	-51.00	-6.83	-0.61	-13.00	-45.44	
163.686	-61.60	-54.79	-6.16	-0.65	-13.00	-48.60	
515.000	-64.71	-62.76	-0.80	-1.15	-13.00	-51.71	
746.619	-62.93	-59.70	-1.51	-1.72	-13.00	-49.93	
1408.000	-29.78	-33.05	7.66	-4.39	-13.00	-16.78	
2112.000	-45.92	-49.69	9.75	-5.98	-13.00	-32.92	
3520.000	-45.72	-29.34	12.40	-8.77	-13.00	-32.72	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程作留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 87 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B12 **Test Date** :2021-01-28

Test Mode :TX CH LOW Temp./Humi. :23.5/42

EUT Pol :H Plan Antenna Pol. :Horizontal

Test Frequency :704 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
24.222	-		40.00		40.00	o= oo
34.663	-50.23	-30.70	-19.28	-0.25	-13.00	-37.23
50.208	-52.14	-34.84	-16.98	-0.32	-13.00	-39.14
96.843	-56.96	-50.89	-5.55	-0.52	-13.00	-43.96
127.933	-61.27	-53.75	-6.91	-0.61	-13.00	-48.27
216.539	-63.51	-62.48	-0.20	-0.83	-13.00	-50.51
530.545	-67.94	-66.09	-0.84	-1.01	-13.00	-54.94
1408.000	-34.16	-37.43	7.66	-4.39	-13.00	-21.16
2112.000	-43.59	-47.36	9.75	-5.98	-13.00	-30.59
4224.000	-43.34	-30.70	12.45	-8.00	-13.00	-30.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 88 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B12 **Test Date** :2021-01-28

Test Mode :TX CH MID Temp./Humi. :23.5/42

EUT Pol Antenna Pol. :H Plan :Vertical

Test Frequency :707.5 MHz Engineer :Enzo Chang



Fr	eq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
М	Hz	dBm	dBm	dBi/dBd	dB	dBm	dB
51.	763	-38.11	-21.30	-16.48	-0.33	-13.00	-25.11
141	.923	-48.21	-40.60	-6.99	-0.62	-13.00	-35.21
154	.359	-52.23	-44.93	-6.64	-0.66	-13.00	-39.23
213	.430	-54.66	-53.47	-0.36	-0.83	-13.00	-41.66
354	.888.	-53.32	-51.84	-0.44	-1.04	-13.00	-40.32
875	.641	-55.78	-52.95	-1.18	-1.65	-13.00	-42.78
1415	5.000	-30.75	-34.06	7.72	-4.41	-13.00	-17.75
2122	2.500	-42.33	-45.96	9.63	-6.00	-13.00	-29.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 89 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B12 **Test Date** :2021-01-28

Test Mode :TX CH MID Temp./Humi. :23.5/42

EUT Pol :H Plan Antenna Pol. :Horizontal

Test Frequency :707.5 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
54.700	50.70	05.00	40.40	0.00	40.00	00.70
51.763	-52.70	-35.89	-16.48	-0.33	-13.00	-39.70
126.378	-59.38	-51.85	-6.92	-0.61	-13.00	-46.38
162.131	-67.73	-60.84	-6.24	-0.65	-13.00	-54.73
278.718	-72.52	-70.54	-1.06	-0.92	-13.00	-59.52
533.654	-66.60	-64.77	-0.79	-1.04	-13.00	-53.60
954.920	-66.28	-63.13	-1.34	-1.81	-13.00	-53.28
1415.000	-37.45	-40.76	7.72	-4.41	-13.00	-24.45
2122.500	-44.99	-48.62	9.63	-6.00	-13.00	-31.99
2830.000	-45.22	-35.89	10.82	-6.54	-13.00	-32.22
3537.500	-42.29	-51.85	12.40	-8.34	-13.00	-29.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 90 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B12 **Test Date** :2021-01-28

Test Mode :TX CH HIGH Temp./Humi. :23.5/42

EUT Pol Antenna Pol. :H Plan :Vertical

Test Frequency :711 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		a.g
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.208	-55.22	-37.92	-16.98	-0.32	-13.00	-42.22
70.417	-48.23	-35.91	-11.84	-0.48	-13.00	-35.23
121.715	-58.13	-50.68	-6.84	-0.61	-13.00	-45.13
424.840	-67.66	-65.68	-0.77	-1.21	-13.00	-54.66
535.208	-65.54	-63.72	-0.77	-1.05	-13.00	-52.54
925.385	-64.14	-60.98	-1.42	-1.74	-13.00	-51.14
1422.000	-37.67	-41.01	7.78	-4.44	-13.00	-24.67
2133.000	-44.80	-48.29	9.50	-6.01	-13.00	-31.80
3555.000	-45.39	-37.92	12.38	-8.03	-13.00	-32.39
4266.000	-41.41	-35.91	12.46	-8.51	-13.00	-28.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 91 of 105


Report Number **Test Site** :966 Chamber C :E2/2021/10020

Operation Mode :LTE B12 **Test Date** :2021-01-28

Test Mode :TX CH HIGH Temp./Humi. :23.5/42

EUT Pol Antenna Pol. :H Plan :Horizontal

Test Frequency :711 MHz Engineer :Enzo Chang



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
51.763	-49.68	-32.87	-16.48	-0.33	-13.00	-36.68
95.288	-49.00 -64.22	-52.67 -58.35	-10.48 -5.36	-0.53 -0.51	-13.00	-51.22
127.933	-60.19	-52.67	-6.91	-0.61	-13.00	-47.19
162.131	-64.76	-57.87	-6.24	-0.65	-13.00	-51.76
207.212	-73.96	-72.47	-0.67	-0.82	-13.00	-60.96
530.545	-66.63	-64.78	-0.84	-1.01	-13.00	-53.63
1422.000	-43.17	-46.51	7.78	-4.44	-13.00	-30.17
2133.000	-43.54	-47.03	9.50	-6.01	-13.00	-30.54
3555.000	-43.93	-32.87	12.38	-8.03	-13.00	-30.93
4266.000	-46.05	-58.35	12.46	-8.51	-13.00	-33.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 92 of 105


10 FREQUENCY STABILITY MEASUREMENT

10.1 Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2 Test Set-up





Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

10.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 93 of 105

10.4 Measurement Equipment Used

	Conducted Emission Test Site: Conducted A								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	02/20/2020	02/19/2021				
Radio Communication Analyzer	Anritsu	MT8820C	6201465316	06/18/2020	06/17/2021				
DC Power Supply	DHA	DPS-3003	9411005787	08/19/2020	08/18/2021				
Attenuator	Marvelous	MVE2213-10	RF06	11/19/2020	11/18/2021				
DC Block	PASTERNACK	PE8210	RF152	11/19/2020	11/18/2021				
Splitter	Marvelous Microwave	MVE8586	RF259	11/19/2020	11/18/2021				
Coaxial Cables	Woken	00100A1F1A185 C	RF55	11/19/2020	11/18/2021				

10.5 **Measurement Result**

Note: The battery is rated 24V dc.

Reference Freq.:	LTE B2 Mid Channel		1880	MHz 10M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
	Freq	. ERROR vs. V	OLTAGE	
25.2	25	1879.999979	-21	4700
24	25	1879.999985	-15	4700
22.8	25	1879.999990	-10	4700
18.7 (End Point)	25	1879.999992	-8	4700
	Fre	eq. ERROR vs.	Temp.	
24	-30	1879.999994	-6	4700
24	-20	1880.000004	4	4700
24	-10	1880.000012	12	4700
24	0	1880.000011	11	4700
24	10	1880.000014	14	4700
24	20	1880.000013	13	4700
24	30	1880.000008	8	4700
24	40	1880.000011	11	4700
24	50	1880.000015	15	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref. 8月 有规则,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to anot be reproduced the company of the compan except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 94 of 105

Reference Freq.:	LTE B4 Mid Channel		1732.5	MHz 10M QPSK CH 2017
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
		ERROR vs. VC	LTAGE	
25.2	25	1732.499989	-11	4331
24	25	1732.499986	-14	4331
22.8	25	1732.499989	-11	4331
18.7 (End Point)	25	1732.499997	-3	4331
	Fre	eq. ERROR vs.	Temp.	
24	-30	1732.499998	-2	4331
24	-20	1732.500002	2	4331
24	-10	1732.500014	14	4331
24	0	1732.500008	8	4331
24	10	1732.500011	11	4331
24	20	1732.500007	7	4331
24	30	1732.500008	8	4331
24	40	1732.500013	13	4331
24	50	1732.500010	10	4331
Reference Freq.:		B12 Mid nannel	707.5	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
11.7	•	. ERROR vs. VC		11 , ,
25.2	25	707.499982	-18	1769
24	25	707.499989	-11	1769
22.8	25	707.499995	-5	1769
18.7 (End Point)	25	707.500003	3	1769
,	Fre	eq. ERROR vs.	<u>.</u> Ге тр .	
24	-30	707.500007	7	1769
24	-20	707.500008	8	1769
24	-10	707.500011	11	1769
24	0	707.500018	18	1769
24	10	707.500009	9	1769
24	20	707.500013	13	1769
24	30	707.500010	10	1769
24	40	707.500009	9	1769
24	50	707.500011	11	1769

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref Raf 和 with a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 95 of 105

11 PEAK TO AVERAGE RATIO

11.1 Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2 Test SET-UP



11.3 Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4 Measurement Equipment Used

	Conducted Emission Test Site: Conducted A									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	02/20/2020	02/19/2021					
Radio Communication Analyzer	Anritsu	MT8820C	6201465316	06/18/2020	06/17/2021					
DC Power Supply	DHA	DPS-3003	9411005787	08/19/2020	08/18/2021					
Attenuator	Marvelous	MVE2213-10	RF06	11/19/2020	11/18/2021					
DC Block	PASTERNACK	PE8210	RF152	11/19/2020	11/18/2021					
Splitter	Marvelous Microwave	MVE8586	RF259	11/19/2020	11/18/2021					
Coaxial Cables	Woken	00100A1F1A185 C	RF55	11/19/2020	11/18/2021					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 96 of 105

11.5 Measurement Result

	rtoourt									
	LTE BAND 2									
Chan	nel bandv	vidth: 1.4N	ИHz	Chai	Channel bandwidth: 3MHz					
Freq.	СН	PAPR	(dB)	Freq.	CH PAPR (dB)		(dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
1850.7	18607	6.51	13	1851.5	18615	6.35	13			
1880.0	18900	7.01	13	1880.0	18900	7.06	13			
1909.3	19193	6.40	13	1908.5	19185	6.34	13			

LTE BAND 2									
Cha	nnel band	width: 5M	lHz	Channel bandwidth: 10MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	СП	16QAM	Limit	(MHz)		16QAM	Limit		
1852.5	18625	6.24	13	1855.0	18650	6.47	13		
1880.0	18900	6.53	13	1880.0	18900	6.65	13		
1907.5	19175	6.63	13	1905.0	19150	6.55	13		

LTE BAND 2									
Chan	nel bandv	vidth: 15N	ЛHz	Channel bandwidth: 20MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	СП	16QAM	Limit	(MHz)		16QAM	Limit		
1857.5	18675	6.00	13	1860.0	18700	6.59	13		
1880.0	18900	6.03	13	1880.0	18900	6.66	13		
1902.5	19125	6.32	13	1900.0	19100	6.48	13		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref. 8月 有规则,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to anot be reproduced the company of the compan except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 97 of 105

LTE BAND 4									
Chan	nel bandv	vidth: 1.41	ИHz	Channel bandwidth: 3MHz					
Freq. (MHz)	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	СП	16QAM	Limit	(MHz)		16QAM	Limit		
1710.7	19957	6.49	13	1711.5	19965	6.22	13		
1732.5	20175	6.97	13	1732.5	20175	6.75	13		
1754.3	20393	6.46	13	1753.5	20385	6.76	13		

LTE BAND 4									
Chai	nnel band	width: 5M	lHz	Channel bandwidth: 10MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	Сп	16QAM	Limit	(MHz)	Сп	16QAM	Limit		
1712.5	19957	6.31	13	1715.0	20000	6.33	13		
1732.5	20175	6.23	13	1732.5	20175	6.21	13		
1752.5	20375	6.43	13	1750.0	20350	6.41	13		

	LTE BAND 4									
Chan	nel bandv	vidth: 15N	ЛHz	Channel bandwidth: 20MHz						
Freq.	eq. CH	PAPR (dB)		Freq.	СН	PAPR (dB)				
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
1717.5	20025	6.32	13	1720.0	20050	6.89	13			
1732.5	20175	6.15	13	1732.5	20175	6.86	13			
1747.5	20325	6.22	13	1745.0	20300	6.57	13			
	LTE BAND 12									
Chan	nel bandv	vidth: 1.4N	ИHz	Channel bandwidth: 3MHz						
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)				
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
699.7	23017	6.58	13	700.5	23025	6.61	13			
707.5	23095	6.73	13	707.5	23095	6.07	13			
715.3	23173	6.42	13	714.5	23165	5.75	13			

LTE BAND 12										
Cha	nnel band	width: 5M	lHz	Channel bandwidth: 10MHz						
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)				
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit			
701.5	23035	5.92	13	704.0	23060	6.09	13			
707.5	23095	6.37	13	707.5	23095	6.33	13			
713.5	23155	5.79	13	711.0	23130	7.08	13			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref Raf 和 with a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 98 of 105

CCDF\Band2_1.4MHz\16QAM_RB6_0_CH18607



CCDF\Band2 3MHz\16QAM RB15 0 CH18615




CCDF\Band2 1.4MHz\16QAM RB6 0 CH18900




CCDF\Band2 3MHz\16QAM RB15 0 CH18900



CCDF\Band2_1.4MHz\16QAM_RB6_0_CH19193



CCDF\Band2_3MHz\16QAM_RB15_0_CH19185




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the




Page: 99 of 105


CCDF\Band2_5MHz\16QAM_RB25_0_CH18625




CCDF\Band2_10MHz\16QAM_RB50_0_CH18650




CCDF\Band2 5MHz\16QAM RB25 0 CH18900




CCDF\Band2 10MHz\16QAM RB50 0 CH18900



CCDF\Band2_5MHz\16QAM_RB25_0_CH19175



CCDF\Band2 10MHz\16QAM RB50 0 CH19150




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the




Page: 100 of 105


CCDF\Band2_15MHz\16QAM_RB75_0_CH18675



CCDF\Band2_20MHz\16QAM_RB100_0_CH18700




CCDF\Band2 15MHz\16QAM RB75 0 CH18900




CCDF\Band2 20MHz\16QAM RB100 0 CH18900



CCDF\Band2_15MHz\16QAM_RB75_0_CH19125



CCDF\Band2_20MHz\16QAM_RB100_0_CH19100



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the




Page: 101 of 105


CCDF\Band4_1.4MHz\16QAM_RB6_0_CH19957



CCDF\Band4 3MHz\16QAM RB15 0 CH19965




CCDF\Band4 1.4MHz\16QAM RB6 0 CH20175




CCDF\Band4 3MHz\16QAM RB15 0 CH20175



CCDF\Band4_1.4MHz\16QAM_RB6_0_CH20393



CCDF\Band4_3MHz\16QAM_RB15_0_CH20385




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the




Page: 102 of 105


CCDF\Band4_5MHz\16QAM_RB25_0_CH19975



CCDF\Band4_10MHz\16QAM_RB50_0_CH20000




CCDF\Band4 5MHz\16QAM RB25 0 CH20175




CCDF\Band4 10MHz\16QAM RB50 0 CH20175



CCDF\Band4_5MHz\16QAM_RB25_0_CH20375



CCDF\Band4_10MHz\16QAM_RB50_0_CH20350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 103 of 105


CCDF\Band4_15MHz\16QAM_RB75_0_CH20025



CCDF\Band4_20MHz\16QAM_RB100_0_CH20050




CCDF\Band4 15MHz\16QAM RB75 0 CH20175




CCDF\Band4 20MHz\16QAM RB100 0 CH20175



CCDF\Band4_15MHz\16QAM_RB75_0_CH20325



CCDF\Band4_20MHz\16QAM_RB100_0_CH20300



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the




Page: 104 of 105


CCDF\Band12_1.4MHz\16QAM_RB6_0_CH23017



CCDF\Band12_3MHz\16QAM_RB15_0_CH23025




CCDF\Band12 1.4MHz\16QAM RB6 0 CH23095




CCDF\Band12 3MHz\16QAM RB15 0 CH23095



CCDF\Band12_1.4MHz\16QAM_RB6_0_CH23173



CCDF\Band12_3MHz\16QAM_RB15_0_CH23165



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the




Page: 105 of 105


CCDF\Band12_5MHz\16QAM_RB25_0_CH23035



CCDF\Band12_10MHz\16QAM_RB50_0_CH23060




CCDF\Band12 5MHz\16QAM RB25 0 CH23095




CCDF\Band12_10MHz\16QAM_RB50_0_CH23095



CCDF\Band12_5MHz\16QAM_RB25_0_CH23155



CCDF\Band12_10MHz\16QAM_RB50_0_CH23130



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the