

Page: 1 of 102

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: Quanta Computer Inc.

No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City

33377, Taiwan

Product Name: Clover Station Solo

Brand Name: clover Model No.: C501

Model Difference: N/A

Report Number: E2/2021/70041

FCC ID HFS-C501F

Issue Date: August 24, 2021

Date of Test: July 16, 2021~August 2, 2021

Date of EUT Received: July 16, 2021

Approved By

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 2 of 102

Revision History							
Report Number	Revision	Description	Issue Date	Revised By			
E2/2021/70041	00	Original	August 24, 2021	Susan Lin			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 3 of 102

Table of Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	10
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	14
6	CONDUCTED EMISSION TEST	15
7	DUTY CYCLE OF TEST SIGNAL	19
8	PEAK OUTPUT POWER MEASUREMENT	21
9	EMISSION BANDWIDTH MEASUREMENT	31
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	36
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	46
12	POWER SPECTRAL DENSITY	95
13	ANTENNA REQUIREMENT	102

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Page: 4 of 102

GENERAL INFORMATION

1.1 Product Description

Product Name:	Clover Station Solo
Brand Name:	clover
Model No.:	C501
Model Difference:	N/A
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	C051UQ12450327
Power Supply:	24V from AC/DC Adapter or 3.8V from Rechargeable Li-ion Polymer Battery

1.2 RF Specification

WLAN 2.4GHz

WLAIV 2.TOIIZ					
Wi-Fi	Frequency	Channels	Rated Power	Modulation	
V V I - I I	Range	Charmers	in dBm (Peak)	Technology	
802.11b	2412~2462	11	19.42	DSSS	
802.11g	2412~2462	11	20.79	OFDM	
802.11n20	2412~2462	11	24.61	OFDM	
802.11n40	2422~2452	7	25.10	OFDM	
802.11ac20	2412~2462	11	24.92	OFDM	
802.11ac40	2422~2452	7	25.11	OFDM	
1		CCK, DQPSK, DBPSK for DSSS			
		256 QAM, 64QAM, 16QAM, QPSK,			
Modulatio	n type:	BPSK for OFDM			
		64QAM, 16QAM, QPSK, BPSK for			
		OFDM			
		802.11 b: 1/2/5.5/11 Mbps			
		802.11 g: 6/9/12/18/24/36/48/54 Mbps			
Data Rate:		802.11 n_20MHz:6.5 - 144.4Mbps			
		802.11 n_40MHz:13.5 - 300Mbps			
		802.11 ac_20MHz:6.5 - 144.4Mbps			
		802.11 ac_40MHz:13.5 - 300Mbps			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 5 of 102

1.3 Antenna Designation

Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Worst Antenna Gain
DIEA	Quanta	WIFI-1 antenna	2402~2480	-1.04	
PIFA	Quanta	WIFI-2 antenna	2402~2480	1.27	V

Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 2. Antenna information is provided by the applicant.



Page: 6 of 102

1.4 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 15.247 Meas Guidance v05r02

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

ANSI C63.10:2013

1.5 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 3		
		Conduction 1		
	No.134, Wu Kung Road, New Taipei	Conducted 1		
	Industrial Park, Wuku District, New	Conducted 2	TW0027	TW3702
	Taipei City, Taiwan.	Conducted 3		
		Conducted 4	_	
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.	No O Kaii 444 Dd. Oviah an District	Conduction C		
(TAF code 3702)		SAC C		
(1A1 Code 3702)		SAC D		
		SAC G		
		Conducted A		
	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conducted B	TW0028	
	Taoyuan City, Taiwan 333	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.6 Special Accessories

There are no special accessories used while test was conducted.

1.7 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 7 of 102

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions at <a href="http://www.sgs.com.tw/Terms-and-Conditions" fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 8 of 102

2.4 Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*9m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.



Page: 9 of 102

2.5 Test Configuration

Fig. 2-1 Conduction (AC Power Line) Emission




Fig. 2-2 Conducted (Antenna Port) & Radiated Emission




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L430	P0000195	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 10 of 102

3 SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	Emission Bandwidth	Compliant
§15.205 §15.209 §15.247(d)	Radiated & Conducted Band Edge and Spurious Emission	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

台灣檢驗科技股份有限公司



Page: 11 of 102

4 DESCRIPTION OF TEST MODES

4.1 Operatin Frequencies

Modulation of 20MHz nominal bandwidth

CHANNEL	FREQUENCY
	(MHz)
1	2412
2	2417
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452
10	2457
11	2462

台灣檢驗科技股份有限公司

Modulation of 40MHz nominal bandwidth

CHANNEL	FREQUENCY (MHz)
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 12 of 102

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

The given UE is pre-scanned among below modes.

Modulation	Transmission Chain	Single Transmission Spatial	Multiple Transmission Spatial
⊠ 802.11 b	⊠ Ch0 ⊠ Ch1 □ Ch2 □ Ch3	☐ 1TX	□ 2TX
⊠ 802.11 g	⊠ Ch0 ⊠ Ch1 □ Ch2 □ Ch3	☐ 1TX	□ 2TX
⊠ 802.11 n	⊠ Ch0 ⊠ Ch1 □ Ch2 □ Ch3	□ SISO	⊠ MIMO
⊠ 802.11 ac	☐ Ch0 ☐ Ch1 ☐ Ch2 ☐ Ch3	□ SISO	⊠ MIMO

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 13 of 102

Conducted						
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11b	1 to 11	1,6,11	DSSS	1	ch0	
802.11g	1 to 11	1,6,11	OFDM	6	ch0	
802.11ac (VHT20)	1 to 11	1,6,11	OFDM	VHT0	MIMO	
802.11ac (VHT40)	3 to 9	3,6,9	OFDM	VHT0	MIMO	

RADIATED EMISSION TEST (BELOW 1 GHz)									
MODE AVAILABLE CHANNEL		TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT				
802.11g	1 to 11	1,6,11	OFDM	6	ch0				
802.11ac (VHT40)	3 to 9	3,6,9	OFDM	VHT0	MIMO				

RADIATED EMISSION TEST (ABOVE 1 GHz)								
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT			
802.11b	1 to 11	1,6,11	DSSS	1	ch0			
802.11g	1 to 11	1,6,11	OFDM	6	ch0			
802.11ac (VHT20)	1 to 11	1,6,11	OFDM	VHT0	MIMO			
802.11ac (VHT40)	3 to 9	3,6,9	OFDM	VHT0	MIMO			

Note:

The field strength of radiation emission was measured as EUT three orthogonal planes, E1 / E2 / H, are positioned to pre-scan the emission generating the highest one. The worst position is tested and recorded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/" lerms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 14 of 102

MEASUREMENT UNCERTAINTY

Test Items	Un	certain	ty
AC Power Line Conducted Emission	+/-	2.34	dB
Emission Bandwidth	+/-	1.53	Hz
The Maximum Output Power Measurement	+/-	1	dB
Peak Power Spectral Density Measurement	+/-	1.53	dB
Frequency Stability	+/-	1.53	Hz
Temperature	+/-	0.4	Ç
Humidity	+/-	3.5	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty						
	+/-	2.64	dB	9kHz~30MHz		
Deleviseties Vestical	+/-	4.93	dB	30MHz - 1000MHz		
Polarization: Vertical	+/-	4.81	dB	1GHz - 18GHz		
	+/-	4.52	dB	18GHz - 40GHz		
	+/-	2.64	dB	9kHz~30MHz		
	+/-	4.45	dB	30MHz - 1000MHz		
Polarization: Horizontal	+/-	4.81	dB	1GHz - 18GHz		
	+/-	4.52	dB	18GHz - 40GHz		

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/" lerms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 15 of 102

6 CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Eroguopov rango	Limits (dBuV)				
Frequency range	(ui	buv)			
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

Note

6.2 Measurement Equipment Used

Radiated Emission Test Site: Conduction C									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Test Software	audix	e3	Ver. 6.11- 20180419c	N.C.R	N.C.R				
LISN	SCHWARZBECK Mess-Elektronik	NSLK8127	974	04/19/2021	04/18/2022				
EMI Test Receiver	R&S	ESCI	101342	04/28/2021	04/27/2022				
Coaxial Cable	coaxial Cable EC Lab F		RF-HY-CAB- 250-01	03/27/2021	03/26/2022				
Pulse Limiter	EC Lab	VTSD 9561F-N	485	03/27/2021	03/26/2022				
Test Software	audix	e3	20923 sgs Ver.6	N.C.R	N.C.R				

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



Page: 16 of 102

6.4 Test SET-UP (Block Diagram of Configuration)



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

6.6 Measurement Result

台灣檢驗科技股份有限公司

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 17 of 102

AC POWER LINE CONDUCTED EMISSION TEST DATA


Report Number : E2/2021/70041 Test Site :Conduction Room C

Test Mode :2.4G **Test Date** :2021-07-27

Power :120V/60Hz Temp./Humi. :24.4/55

Probe :L1 Engineer :Jack Tseng

: Adapter:FSP120-AABN3 Note:



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.15	Average	15.60	10.30	25.90	55.74	-29.84
0.15	QP	34.90	10.30	45.20	65.74	-20.54
0.17	Peak	39.90	10.30	50.20	65.12	-14.92
0.18	Peak	37.81	10.30	48.11	64.46	-16.35
0.20	Peak	36.40	10.30	46.70	63.80	-17.10
0.21	Peak	33.93	10.30	44.23	63.14	-18.91
0.23	Peak	32.01	10.30	42.31	62.35	-20.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 18 of 102


Report Number : E2/2021/70041 **Test Site** :Conduction Room C

Test Mode :2.4G **Test Date** :2021-07-27

Power :120V/60Hz Temp./Humi. :24.4/55

Probe :N Engineer :Jack Tseng

Note: : Adapter:FSP120-AABN3



Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
PK/QP/AV	dΒμV	dB	dBµV	dBµV	dB
Average	15.40	10.31	25.71	55.82	-30.11
QP	35.50	10.31	45.81	65.82	-20.01
Peak	40.51	10.31	50.82	65.30	-14.48
Peak	38.82	10.30	49.12	64.64	-15.52
Peak	36.63	10.30	46.93	63.80	-16.87
Peak	34.25	10.30	44.55	62.92	-18.37
Peak	31.68	10.30	41.98	62.26	-20.28
	Mode PK/QP/AV Average QP Peak Peak Peak Peak	Mode PK/QP/AV Reading Level dBμV Average QP 15.40 Average QP 35.50 Peak 40.51 Peak 38.82 Peak 36.63 Peak 34.25	Mode PK/QP/AV Reading Level dBμV dB Average QP 15.40 10.31 QP 35.50 10.31 Peak 40.51 10.31 Peak 38.82 10.30 Peak 36.63 10.30 Peak 34.25 10.30	Mode PK/QP/AV Reading Level dB μV FS dB μV Average 15.40 10.31 25.71 QP 35.50 10.31 45.81 Peak 40.51 10.31 50.82 Peak 38.82 10.30 49.12 Peak 36.63 10.30 46.93 Peak 34.25 10.30 44.55	Mode PK/QP/AV Reading Level dB μV FS dB μV dB μV Average 15.40 10.31 25.71 55.82 QP 35.50 10.31 45.81 65.82 Peak 40.51 10.31 50.82 65.30 Peak 38.82 10.30 49.12 64.64 Peak 36.63 10.30 46.93 63.80 Peak 34.25 10.30 44.55 62.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 19 of 102

DUTY CYCLE OF TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

7.1 Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

7.2 Duty Cycle:

	Duty Cycle (%) = Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle	1/T (kHz)	VBW setting (kHz)
802.11b	99.20	0.03	0.08	0.01
802.11g	98.24	0.08	0.48	0.01
802.11n_20	98.11	0.08	0.52	0.01
802.11n_40	94.89	0.23	1.05	2.00
802.11ac_20	98.12	0.08	0.52	0.01
802.11ac_40	94.91	0.23	1.05	2.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemni-


fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 20 of 102

7.3 Duty Cycle test plots


802.11b 20MHz Chain0 2412MHz




802.11g_20MHz_Chain0_2412MHz




802.11n_20MHz_Chain0_2412MHz




802.11n_40MHz_Chain0_2422MHz



802.11ac_20MHz_Chain0_2412MHz



802.11ac_40MHz_Chain0_2422MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 21 of 102

PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• DirectionalGain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $q_{i,k} = 10^{Gk/20}$ if the kth antenna is being fed by spatial stream j, or zero if it is not;

G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions at http://www.sgs.com.tw/Terms-and-Conditions at http://www.sgs.com.tw/Terms-and-Conditions.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 22 of 102

8.2 Measurement Equipment Used

Conducted Emission Test Site: Conducted G									
EQUIPMENT TYPE	MFR	MFR MODEL SEI NUMBER NUM		LAST CAL.	CAL DUE.				
Power Meter	Anritsu	ML2496A	1804002	04/14/2021	04/13/2022				
Power Sensor	Anritsu	MA2411B	1726105	04/14/2021	04/13/2022				
Power Sensor	Anritsu	MA2411B	1726106	04/14/2021	04/13/2022				
Attenuator	Marvelous	MVE2213-10	RF09	11/19/2020	11/18/2021				
Attenuator	Marvelous	MVE2213-10	RF10	11/19/2020	11/18/2021				
Coaxial Cables	Woken	00100A1F2A196C	RF59	11/19/2020	11/18/2021				
Coaxial Cables	Woken	00100A1F2A196C	RF68	11/19/2020	11/18/2021				

8.3 Test Set-up

Power Meter:



8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

* Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 23 of 102

8.5 Measurement Result

802.1	802.11b Ch0								
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT			
1	2412	1	17	19.30	30.00	PASS			
6	2437	1	17	19.42	30.00	PASS			
11	2462	1	17	19.37	30.00	PASS			
802.1	1b Ch0								
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT			
1	2412	1	17	16.98	30.00	PASS			
6	2437	1	17	16.96	30.00	PASS			
11	2462	1	17	16.94	30.00	PASS			

802.11b Ch1								
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT		
1	2412	1	16.5	19.17	30.00	PASS		
6	2437	1	16.5	19.11	30.00	PASS		
11	2462	1	16.5	19.24	30.00	PASS		
802.1	1b Ch1							
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT		
1	2412	1	16.5	16.81	30.00	PASS		
6	2437	1	16.5	16.85	30.00	PASS		
11	2462	1	16.5	16.80	30.00	PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 24 of 102

802.11g Ch0									
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT			
1	2412	6	16.5	20.75	30.00	PASS			
6	2437	6	16.5	20.68	30.00	PASS			
11	2462	6	16.5	20.79	30.00	PASS			
802.1	1g Ch0								
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT			
1	2412	6	16.5	15.99	30.00	PASS			
6	2437	6	16.5	15.96	30.00	PASS			
11	2462	6	16.5	15.97	30.00	PASS			

802.1	802.11g Ch1										
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT					
1	2412	6	16	20.56	30.00	PASS					
6	2437	6	16	20.47	30.00	PASS					
11	2462	6	16	20.58	30.00	PASS					
802.11g Ch1											
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT					
1	2412	6	16	15.96	30.00	PASS					
6	2437	6	16	15.66	30.00	PASS					
11	2462	6	16	15.61	30.00	PASS					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 25 of 102

802.11n_HT20M Ch0									
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT			
1	2412	MCS0	17	21.48	30.00	PASS			
6	2437	MCS0	17	21.56	30.00	PASS			
11	2462	MCS0	17	21.36	30.00	PASS			
802.1	1n_HT20	M Ch0							
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT			
1	2412	MCS0	17	16.40	30.00	PASS			
6	2437	MCS0	17	16.44	30.00	PASS			
11	2462	MCS0	17	16.49	30.00	PASS			

802.1	802.11n_HT20M Ch1										
CH	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT					
1	2412	MCS0	16.5	20.98	30.00	PASS					
6	2437	MCS0	16.5	20.86	30.00	PASS					
11	2462	MCS0	16.5	20.93	30.00	PASS					
802.1	1n_HT20	M Ch1									
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT					
1	2412	MCS0	16.5	16.36	30.00	PASS					
6	2437	MCS0	16.5	16.33	30.00	PASS					
11	2462	MCS0	16.5	16.45	30.00	PASS					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 26 of 102

802.1	802.11n_HT20M MIMO										
СН	Freq. (MHz)	Data Rate	Power set	Pov	Jutput wer Rm) CH 1	Total Peak Output Power (dBm)	Limit (dBm)	RESULT			
1	2412	MCS8	16.5	21.33	20.62	24.00	30.00	PASS			
6	2437	MCS8	16.5	21.37	21.81	24.61	30.00	PASS			
11	2462	MCS8	16.5	21.35	20.94	24.16	30.00	PASS			
802.1	1n_HT20	M MIMO									
СН	Freq. (MHz)	Data Rate	Power set	Pov (dE	Output wer Bm)	Max. Avg. Output include tune up tolerance Power	Limit (dBm)	RESULT			
				CH 0	CH 1	(dBm)					
1	2412	MCS8	16.5	16.31	15.74	19.13	30.00	PASS			
6	2437	MCS8	16.5	16.17	15.91	19.14	30.00	PASS			
11	2462	MCS8	16.5	16.37	15.66	19.12	30.00	PASS			

802.1	1ac_VHT	20M Ch0				
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	VHT0	17.5	21.83	30.00	PASS
6	2437	VHT0	17.5	21.88	30.00	PASS
11	2462	VHT0	17.5	21.85	30.00	PASS
802.1	1ac_VHT	20M Ch0				
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
1	2412	VHT0	17.5	16.98	30.00	PASS
6	2437	VHT0	17.5	16.96	30.00	PASS
11	2462	VHT0	17.5	16.93	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 27 of 102

802.1	802.11ac_VHT20M Ch1									
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT				
1	2412	VHT0	17	21.76	30.00	PASS				
6	2437	VHT0	17	21.77	30.00	PASS				
11	2462	VHT0	17	21.69	30.00	PASS				
802.1	1ac_VHT	20M Ch1								
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT				
1	2412	VHT0	17	16.93	30.00	PASS				
6	2437	VHT0	17	16.72	30.00	PASS				
11	2462	VHT0	17	21.88	30.00	PASS				

802.1	1ac_VHT	20M MIMO						
СН	Freq. (MHz)	Data Rate	Power set	Pov	Output wer Rm) CH 1	Total Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	VHT0	17	21.58	21.26	24.43	30.00	PASS
6	2437	VHT0	17.5	21.97	21.77	24.88	30.00	PASS
11	2462	VHT0	17.5	22.05	21.76	24.92	30.00	PASS
802.1	1ac_VHT	20M MIMO						
СН	Freq. (MHz)	Data Rate	Power set	Avg. Output Power (dBm)		Max. Avg. Output include tune up tolerance Power	Limit (dBm)	RESULT
				CH 0	CH 1	(dBm)		
1	2412	VHT0	17	16.78	16.16	19.57	30.00	PASS
6	2437	VHT0	17.5	16.95	16.81	19.97	30.00	PASS
11	2462	VHT0	17.5	16.94	16.77	19.95	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 28 of 102

802.11n_HT40M Ch0									
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT			
3	2422	MCS0	15.5	21.79	30.00	PASS			
6	2437	MCS0	15.5	21.83	30.00	PASS			
9	2452	MCS0	15.5	21.89	30.00	PASS			
802.1	1n_HT40	M Ch0							
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT			
3	2422	MCS0	15.5	15.47	30.00	PASS			
6	2437	MCS0	15.5	15.48	30.00	PASS			
9	2452	MCS0	15.5	15.49	30.00	PASS			

802.1	802.11n_HT40M Ch1										
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT					
3	2422	MCS0	15	21.74	30.00	PASS					
6	2437	MCS0	15	21.77	30.00	PASS					
9	2452	MCS0	15	21.78	30.00	PASS					
802.1	802.11n_HT40M Ch1										
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT					
3	2422	MCS0	15	15.40	30.00	PASS					
6	2437	MCS0	15	15.39	30.00	PASS					
9	2452	MCS0	15	15.38	30.00	PASS					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 29 of 102

802.11n_HT40M MIMO										
Freq. (MHz)	Data Rate	Power set	Pov	ver .	Total Peak Output Power (dBm)	Limit (dBm)	RESULT			
2422	MCS8	15.5	22.02	21.78	24.91	30.00	PASS			
2437	MCS8	15.5	22.14	21.94	25.05	30.00	PASS			
2452	MCS8	15.5	22.29	21.89	25.10	30.00	PASS			
n_HT401	M MIMO									
Freq. (MHz)	Data Rate	Power set	Avg. Output Power (dBm)		Max. Avg. Output include tune up tolerance Power	Limit (dBm)	RESULT			
2422	MCCO	15.5		_	` '	20.00	DACC			
							PASS PASS			
							PASS			
	2422 2437 2452 n_HT40I Freq.	(MHz) Rate 2422 MCS8 2437 MCS8 2452 MCS8 n_HT40M MIMO Freq. Data (MHz) Rate 2422 MCS8 2437 MCS8	(MHz) Rate set 2422 MCS8 15.5 2437 MCS8 15.5 2452 MCS8 15.5 n_HT40M MIMO Freq. (MHz) Data Rate Power set 2422 MCS8 15.5 2437 MCS8 15.5	Freq. (MHz) Data Rate Power Set Power CH 0 2422 MCS8 15.5 22.02 2437 MCS8 15.5 22.14 2452 MCS8 15.5 22.29 n_HT40M MIMO Avg. (GR) Power Set CH 0 (MHz) Rate Set CH 0 2422 MCS8 15.5 15.43 2437 MCS8 15.5 15.41	(MHz) Rate set (dRm) 2422 MCS8 15.5 22.02 21.78 2437 MCS8 15.5 22.14 21.94 2452 MCS8 15.5 22.29 21.89 n_HT40M MIMO Avg. Output Power (dBm) (MHz) Rate Power (dBm) CH 0 CH 1 2422 MCS8 15.5 15.43 15.07 2437 MCS8 15.5 15.41 15.03	Freq. (MHz) Data Rate Power set Power (dRm) (dBm) Power (dBm) Power (dBm) Power (dBm) 2422 MCS8 15.5 22.02 21.78 24.91 2437 MCS8 15.5 22.14 21.94 25.05 2452 MCS8 15.5 22.29 21.89 25.10 n_HT40M MIMO Avg. Output Power (dBm) Max. Avg. Output Include tune up tolerance Power (dBm) CH 0 CH 1 (dBm) 2422 MCS8 15.5 15.43 15.07 18.49 2437 MCS8 15.5 15.41 15.03 18.46	Freq. (MHz) Data Rate Power set Power (dRm) (dRm) (dBm) Limit (dBm) (dBm) 2422 MCS8 15.5 22.02 21.78 24.91 30.00 2437 MCS8 15.5 22.14 21.94 25.05 30.00 2452 MCS8 15.5 22.29 21.89 25.10 30.00 n_HT40M MIMO Avg. Output (dBm) Max. Avg. Output include tune up (dBm) Limit (dBm) (MHz) Rate Power (dBm) tolerance Power (dBm) (dBm) 2422 MCS8 15.5 15.43 15.07 18.49 30.00 2437 MCS8 15.5 15.41 15.03 18.46 30.00			

802.1	1ac_VHT	40M Ch0						
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT		
3	2422	VHT0	16	22.29	30.00	PASS		
6	2437	VHT0	16	22.31	30.00	PASS		
9	2452	VHT0	16	22.27	30.00	PASS		
802.11ac_VHT40M Ch0								
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT		
3	2422	VHT0	16	15.97	30.00	PASS		
6	2437	VHT0	16	15.93	30.00	PASS		
9	2452	VHT0	16	15.95	30.00	PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 30 of 102

802.1	802.11ac_VHT40M Ch1									
СН	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT				
3	2422	VHT0	15.5	22.14	30.00	PASS				
6	2437	VHT0	15.5	22.24	30.00	PASS				
9	2452	VHT0	15.5	22.20	30.00	PASS				
802.1	1ac_VHT	40M Ch1								
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT				
3	2422	VHT0	15.5	15.93	30.00	PASS				
6	2437	VHT0	15.5	15.90	30.00	PASS				
9	2452	VHT0	15.5	15.92	30.00	PASS				

802.11ac_VHT40M MIMO									
СН	Freq. (MHz)	Data Rate	Power set	Pov	Output wer Rm) CH 1	Total Peak Output Power (dBm)	Limit (dBm)	RESULT	
3	2422	VHT0	15.5	22.10	21.84	24.98	30.00	PASS	
6	2437	VHT0	15.5	22.27	21.93	25.11	30.00	PASS	
9	2452	VHT0	15.5	22.30	21.77	25.05	30.00	PASS	
802.1	1ac_VHT	40M MIMO	•						
СН	Freq. (MHz)	Data Rate	Power set	Avg. Output Power (dBm)		Max. Avg. Output include tune up tolerance Power	Limit (dBm)	RESULT	
				CH 0	CH 1	(dBm)			
3	2422	VHT0	15.5	15.73	15.31	18.76	30.00	PASS	
6	2437	VHT0	15.5	15.64	15.41	18.76	30.00	PASS	
9	2452	VHT0	15.5	15.59	15.21	18.64	30.00	PASS	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 31 of 102

EMISSION BANDWIDTH MEASUREMENT


9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 Measurement Equipment Used

Conducted Emission Test Site: Conducted G										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	04/06/2021	04/05/2022					
Attenuator	Marvelous	MVE2213-10	RF09	11/19/2020	11/18/2021					
DC Block	PASTERNACK	PE8210	RF151	11/19/2020	11/18/2021					
Coaxial Cables	Woken	00100A1F2A196C	RF59	11/19/2020	11/18/2021					
Coaxial Cables	Woken	00100A1F2A196C	RF68	11/19/2020	11/18/2021					
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N/A	N/A					

9.3 Test Set-up



9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set the spectrum analyzer as

RBW= 100kHz,

VBW = 3 X RBW

Span= 2 to 5 times of the OBW,

Sweep=auto,

Detector = Peak, and Max hold for -6dB Bandwidth test.

5. Repeat above procedures until all test default channel is completed

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 32 of 102

9.5 6dB Bandwidth

802.11b Ch0 802.11g Ch0

Freq.	6dB BW	Limit	Dooula	Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Result	(MHz)	(kHz)	(kHz)	Result
2412	8110.00	≥ 500	PASS	2412	15350.00	≥ 500	PASS
2437	8112.00	≥ 500	PASS	2437	15190.00	≥ 500	PASS
2462	8103.00	≥ 500	PASS	2462	15490.00	≥ 500	PASS

802.11_ac_VHT20 Ch0 802.11_ac_VHT20 Ch1

Freq.	6dB BW	Limit	Result	Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Resuit	(MHz)	(kHz)	(kHz)	Kesuit
2412	15340.00	≥ 500	PASS	2412	15730.00	≥ 500	PASS
2437	15490.00	≥ 500	PASS	2437	16030.00	≥ 500	PASS
2462	15980.00	≥ 500	PASS	2462	15970.00	≥ 500	PASS

802.11 ac VHT40 Ch0 802.11 ac VHT40 Ch1

Freq.	6dB BW	Limit	Result	Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	KESUII	(MHz)	(kHz)	(kHz)	Result
2422	35180.00	≥ 500	PASS	2422	35380.00	≥ 500	PASS
2437	35190.00	≥ 500	PASS	2437	35520.00	≥ 500	PASS
2452	35430.00	≥ 500	PASS	2452	35480.00	≥ 500	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 33 of 102


802.11b_20MHz_Chain0_2412MHz




802.11g_20MHz_Chain0_2412MHz



802.11b_20MHz_Chain0_2437MHz




802.11g_20MHz_Chain0_2437MHz



802.11b_20MHz_Chain0_2462MHz



802.11g_20MHz_Chain0_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 34 of 102


802.11ac_20MHz_Chain0_2412MHz




802.11ac_20MHz_Chain1_2412MHz




802.11ac_20MHz_Chain0_2437MHz




802.11ac_20MHz_Chain1_2437MHz



802.11ac_20MHz_Chain0_2462MHz



802.11ac_20MHz_Chain1_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 35 of 102


802.11ac_40MHz_Chain0_2422MHz




802.11ac_40MHz_Chain1_2422MHz




802.11ac_40MHz_Chain0_2437MHz




802.11ac_40MHz_Chain1_2437MHz



802.11ac_40MHz_Chain0_2452MHz



802.11ac_40MHz_Chain1_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 36 of 102

10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.

In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

10.2 Measurement Equipment Used

Conducted Emission Test Site: Conducted G										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	04/06/2021	04/05/2022					
Attenuator	Marvelous	MVE2213-10	RF09	11/19/2020	11/18/2021					
DC Block	PASTERNACK	PE8210	RF151	11/19/2020	11/18/2021					
Coaxial Cables	Woken	00100A1F2A196C	RF59	11/19/2020	11/18/2021					
Coaxial Cables	Woken	00100A1F2A196C	RF68	11/19/2020	11/18/2021					
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N/A	N/A					

10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

· SGS Taiwan Ltd. No.134.Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 37 of 102

10.4 Measurement Procedure

Reference Level of Emission Limit:

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure for MIMO mode. Offset = cable loss + $10 \log (N)$, where N is number of transmitting antenna.

Conducted Band Edge:

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker of reference level measurement 20dBm
- 8. Mark the highest readings of the emissions outside of 2400MHz~2483.5MHz.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.
- 10. MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure for MIMO mode. Offset = cable loss + $10 \log (N)$, where N is number of transmitting antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 38 of 102

Conducted Spurious Emission:

- 1. To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set RBW = 100 kHz & VBW= 300 kHz, Detector = Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.
- 7. MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna.

Note:

For test of MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 39 of 102

10.5 Measurement Result

Refer	ence Lev	rel of Limit 802.11b mode	Reference Level of Limit 802.11g mode			
Freq.	· · ·		Freq.	PSD	Reference Level of Limit	
(MHz)			(MHz)	(dBm)	(dBm)	
2412	8.40	-11.60	2412	5.81	-14.19	
2437	8.18	-11.82	2437	5.67	-14.33	
2462	8.42	-11.59	2462	5.54	-14.46	

Referen	ice Level	of Limit 802 11ac20 MODE	Reference Level of Limit 802.11ac40 MODE			
Freq.	PSD	Reference Level of Limit	Freq.	PSD	Reference Level of Limit	
(MHz)	(dBm)	(dBm)	(MHz) (dBm)		(dBm)	
2412	10.01	-9.99	2422	5.41	-14.59	
2437	9.99	-10.01	2437	5.45	-14.55	
2462	10.51	-9.49	2452	5.69	-14.31	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 40 of 102


Reference Level 802.11b 20MHz Chain 0 2412MHz




802.11b_20MHz_Chain0_2437MHz




802.11b_20MHz_Chain0_2462MHz




802.11g_20MHz_Chain0_2412MHz



802.11g_20MHz_Chain0_2437MHz



802.11g_20MHz_Chain0_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 41 of 102


802.11ac_20MHz_Chain0_2412MHz




802.11ac_20MHz_Chain0_2437MHz




802.11ac_20MHz_Chain0_2462MHz




802.11ac_40MHz_Chain0_2422MHz



802.11ac_40MHz_Chain0_2437MHz



802.11ac_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 42 of 102


Band_Edge 802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2462MHz



802.11g_20MHz_Chain0_2412MHz



802.11g_20MHz_Chain0_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 43 of 102


802.11ac_20MHz_Chain0_2412MHz




802.11ac_20MHz_Chain0_2462MHz



802.11ac_40MHz_Chain0_2422MHz



802.11ac_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 44 of 102


Spurious_Emission 802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2437MHz




802.11b_20MHz_Chain0_2462MHz




802.11g_20MHz_Chain0_2412MHz



802.11g_20MHz_Chain0_2437MHz



802.11g_20MHz_Chain0_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/" lerms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 45 of 102


802.11ac_20MHz_Chain0_2412MHz




802.11ac_20MHz_Chain0_2437MHz




802.11ac_20MHz_Chain0_2462MHz




802.11ac_40MHz_Chain0_2422MHz



802.11ac_40MHz_Chain0_2437MHz



802.11ac_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 46 of 102

11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

1. The lower limit shall apply at the transition frequencies.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 47 of 102

11,2 Measurement Equipment Used:

	Radia	ted Emission Tes	t Site: SAC D		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Broadband Antenna	TESEQ	CBL 6112D	35240	09/08/2020	09/07/2021
Horn Antenna	Schwarzbeck	BBHA9120D	1341	06/04/2021	06/03/2022
Horn Antenna	Schwarzbeck	BBHA9170	184	12/11/2020	12/10/2021
Loop Antenna	ETS.LINDGREN	6502	143303	05/07/2021	05/06/2022
3m Site NSA	SGS	966 chamber D	N/A	07/12/2021	07/11/2022
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	03/22/2021	03/21/2022
Pre-Amplifier	EMC Instruments	EMC184045B	980135	10/27/2020	10/26/2021
Pre-Amplifier	EMC Instruments	EMC9135	980234	11/19/2020	11/18/2021
Pre-Amplifier	EMC Instruments	EMC12630SE	980271	11/19/2020	11/18/2021
Attenuator	Marvelous	WATT-218FS-10	RF25	11/19/2020	11/18/2021
High Pass Filter	R&S	F13 HPF 3GHz	RF175	11/19/2020	11/18/2021
Lowpass Filter	Woken	EWT-56-0019	RF173	11/19/2020	11/18/2021
Notch Filter	Woken	EWT-54-0038	RF178	11/19/2020	11/18/2021
Coaxial Cable	Huber Suhner	EMC106-SM- SM-7200	150703	11/19/2020	11/18/2021
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	11/19/2020	11/18/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17413/4	11/19/2020	11/18/2021
Test Software	audix	e3	20923 sgs Ver.9	N.C.R	N.C.R
USB Cable	廣寰	Z2110	N/A	N.C.R	N.C.R

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw Member of SGS Group




Page: 48 of 102

11.3 Test SET-UP


(A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz



(C) Radiated Emission Test Set-Up, Frequency Above 1GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 49 of 102

11.4 Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz.
- 6. Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Maximum Emission Measurements at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Emission Measurements at frequency above 1 GHz.
- 9. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 50 of 102

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Field Strength

CL = Cable Attenuation Factor (Cable Loss)

RA = Reading Amplitude

AG = Amplifier Gain

AF = Antenna Factor

The limit of the emission level is expressed in dBuV/m, which converts 20*log(uV/m)

Actual $FS(dB\mu V/m) = SPA$. Reading level(dB μV) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

11.6 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 Measurement Result

Note:

- 1. Refer to next page spectrum analyzer data chart and tabular data sheets.
- 2. Measurements are completed at peak and average level, the mark of average is the highest emission in restricted bands

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 51 of 102

11.7.1 Radiated Band Edge Measurement Result


Report Number :E2/2021/70041 **Test Site** :SAC D

Operation Mode :802.11b **Test Date** :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.0/64

:BE CH LOW Test Mode Antenna Pol. :Vertical

EUT Pol :H Plane :Jack Tseng Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBμV/m	dB
2331.120	Average	44.98	-7.63	37.35	54.00	-16.65
2331.120	Peak	59.57	-7.63	51.93	74.00	-22.07
2390.000	Average	46.00	-7.89	38.11	54.00	-15.89
2390.000	Peak	58.01	-7.89	50.12	74.00	-23.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 52 of 102


:E2/2021/70041 Report Number **Test Site** :SAC D

Operation Mode :802.11b **Test Date** :2021-07-27

Test Frequency Temp./Humi. :22.0/64 :2412 MHz

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



		_				
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	Ū
N 41 1		•	ı.D	. •	_	ın
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2366.160	Average	40.07	-7.71	32.36	54.00	-21.64
2366.160	Peak	55.02	-7.71	47.31	74.00	-26.69
				_		
2390.000	Average	41.05	-7.89	33.16	54.00	-20.84
2390.000	Peak	53.64	-7.89	45.75	74.00	-28.25
2000.000	i Can	JJ.U T	-1.03	70.70	1 1 .00	-20.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488




Page: 53 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11b Test Date :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.0/64
Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	_
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_		· · · · · · · · · · · · · · · · · · ·	<u>, </u>		<u>I</u>	<u> </u>	
		_					
	2483.500	Average	44.26	-8.15	36.11	54.00	-17.89
	2483.500	Peak	55.28	-8.15	47.13	74.00	-26.87
	2487.700	Average	45.37	-8.16	37.20	54.00	-16.80
	2487.700	Peak	55.79	-8.16	47.63	74.00	-26.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 54 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11b **Test Date** :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.0/64

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane :Jack Tseng Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dΒμV/m	dB
2483.500	Average	42.24	-8.15	34.09	54.00	-19.91
2483.500	Peak	53.66	-8.15	45.51	74.00	-28.49
2484.300	Average	41.46	-8.15	33.30	54.00	-20.70
2484.300	Peak	55.13	-8.15	46.97	74.00	-27.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 55 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11g Test Date :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.0/64
Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
2389.560	Average	49.30	-7.87	41.43	54.00	-12.57
2309.300	Average	49.50	-1.01	41.43	54.00	-12.57
2389.560	Peak	64.63	-7.87	56.75	74.00	-17.25
2390.000	Average	50.46	-7.89	42.57	54.00	-11.43
2390.000	Peak	63.88	-7.89	55.99	74.00	-18.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 56 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11g **Test Date** :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.0/64

:BE CH LOW Test Mode Antenna Pol. :Horizontal

EUT Pol :H Plane :Jack Tseng Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	_					
2390.000	Average	44.50	-7.89	36.61	54.00	-17.39
2390.000	Peak	58.90	-7.89	51.01	74.00	-22.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw




Page: 57 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11g Test Date :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.0/64
Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Frea.	Detector	Spectrum	Factor	Actual	Limit	Margin
'		•				3
		•			_	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		•				
2483.500	Average	47.01	-8.15	38.86	54.00	-15.14
2483 500	Peak	59 47	-8 15	51 31	74 00	-22.69
2484.000	Average	46.74	-8.15	38.59	54.00	-15.41
2484 000	Peak	61 64	-8 15	53 49	74 00	-20.51
	Freq. MHz 2483.500 2483.500 2484.000 2484.000	Mode PK/QP/AV 2483.500 Average 2483.500 Peak 2484.000 Average	Mode PK/QP/AV Reading Level dBμV 2483.500 Average Averag	Mode PK/QP/AV Reading Level dBμV dB 2483.500 Average A7.01 -8.15 2483.500 Peak Peak Peak Peak Peak Peak Peak Peak	Mode PK/QP/AV Reading Level dBμV FS dBμV/m 2483.500 Average A7.01 -8.15 38.86 2483.500 Peak Peak Peak Peak Peak Peak Peak Peak	Mode PK/QP/AVReading Level dBμVFS dBμV/m@3m dBμV/m2483.500Average A7.01-8.1538.8654.002483.500Peak 59.47-8.1551.3174.002484.000Average 46.74-8.1538.5954.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 58 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11g Test Date :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.0/64

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Average	44.99	-8.15	36.84	54.00	-17.16
2483.500	Peak	57.58	-8.15	49.43	74.00	-24.57
2485.100	Average	44.43	-8.16	36.27	54.00	-17.73
2485.100	Peak	59.09	-8.16	50.93	74.00	-23.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 59 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.0/64
Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.000	Average	53.22	-7.89	45.34	54.00	-8.66
2390.000	Peak	68.12	-7.89	60.23	74.00	-13.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 60 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.0/64

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.000	Average	59.48	-7.89	51.59	54.00	-2.41
2390.000	Peak	74.44	-7.89	66.55	74.00	-7.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 61 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.0/64
Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Average	55.07	-8.15	46.92	54.00	-7.08
2483.500	Peak	67.70	-8.15	59.54	74.00	-14.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 62 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.0/64

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dB _µ V	dB	dBμV/m	dBµV/m	dB
2483.500	Average	61.31	-8.15	53.15	54.00	-0.85
2483.500	Peak	76.03	-8.15	67.88	74.00	-6.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 63 of 102

Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac40 **Test Date** :2021-07-27

Test Frequency :2422 MHz Temp./Humi. :22.0/64 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2389.560	Average	55.66	-7.87	47.78	54.00	-6.22
2389.560	Peak	72.79	-7.87	64.92	74.00	-9.08
2390.000	Average	55.97	-7.89	48.09	54.00	-5.91
2390.000	Peak	71.61	-7.89	63.73	74.00	-10.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 64 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac40 **Test Date** :2021-07-27

Test Frequency :2422 MHz Temp./Humi. :22.0/64

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



		_				
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	J
		•			_	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
2389.440	Average	59.71	-7.87	51.84	54.00	-2.16
	•		_			_
2389.440	Peak	79.09	-7.87	71.22	74.00	-2.78
2390.000	Average	59.77	-7.89	51.88	54.00	-2.12
	Average		7.00			2.12
2390.000	Peak	77.86	-7.89	69.97	74.00	-4.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw Member of SGS Group




Page: 65 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2021-07-27

Test Frequency :2452 MHz Temp./Humi. :22.0/64
Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	····- 3···
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
2483.500	Average	55.44	-8.15	47.29	54.00	-6.71
2483.500	Peak	76.32	-8.15	68.17	74.00	-5.83
2483.700	Average	55.26	-8.15	47.11	54.00	-6.89
2483.700	Peak	77.79	-8.15	69.63	74.00	-4.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 66 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac40 **Test Date** :2021-07-27

Test Frequency :2452 MHz Temp./Humi. :22.0/64

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Average	57.94	-8.15	49.78	54.00	-4.22
2483.500	Peak	77.75	-8.15	69.60	74.00	-4.40
2483.800	Average	57.67	-8.15	49.52	54.00	-4.48
2483.800	Peak	78.36	-8.15	70.21	74.00	-3.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 67 of 102


11.7.2 Spurious Emission:

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11g Test Date :2021-07-26

Test Frequency :2437 MHz Temp./Humi. :22.1/67
Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
97.900	Peak	50.14	-22.38	27.76	43.50	-15.74
141.550	Peak	33.71	-16.98	16.73	43.50	-26.77
392.780	Peak	32.47	-13.87	18.60	46.00	-27.40
600.360	Peak	33.61	-8.84	24.77	46.00	-21.23
767.200	Peak	34.18	-6.60	27.59	46.00	-18.41
971.870	Peak	33.45	-4.05	29.39	54.00	-24.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 68 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11g Test Date :2021-07-26

Test Frequency :2437 MHz Temp./Humi. :22.1/67

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
N 41 1—		•	٩D		_	٩D
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
92.080	Peak	46.38	-23.16	23.21	43.50	-20.29
147.370	Peak	32.27	-16.81	15.46	43.50	-28.04
383.080	Peak	33.75	-14.23	19.53	46.00	-26.47
581.930	Peak	34.56	-10.60	23.95	46.00	-22.05
817.640	Peak	35.05	-6.75	28.29	46.00	-17.71
968.960	Peak	34.92	-4.04	30.88	54.00	-23.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 69 of 102

Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac40 **Test Date** :2021-07-26

Test Frequency :2437 MHz Temp./Humi. :22.1/67 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
71.710	Peak	38.43	-19.46	18.97	40.00	-21.03
208.480	Peak	36.95	-19.95	17.00	43.50	-26.50
324.880	Peak	34.24	-15.14	19.10	46.00	-26.90
484.930	Peak	34.58	-12.17	22.41	46.00	-23.59
686.690	Peak	34.57	-8.08	26.49	46.00	-19.51
913.670	Peak	35.31	-5.53	29.79	46.00	-16.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 70 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac40 **Test Date** :2021-07-26

Test Frequency :2437 MHz Temp./Humi. :22.1/67

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
49.400	Peak	33.70	-17.68	16.02	40.00	-23.98
156.100	Peak	33.13	-16.86	16.27	43.50	-27.23
398.600	Peak	32.34	-13.77	18.57	46.00	-27.43
600.360	Peak	33.31	-8.84	24.47	46.00	-21.53
825.400	Peak	34.28	-6.74	27.54	46.00	-18.46
967.990	Peak	34.36	-4.22	30.14	54.00	-23.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 71 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11b Test Date :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.1/65
Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	•	Mode	Reading Level		FS	@3m	Ü
	8.41.1		•	ı.D	. •	_	ın
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_							
		_					
	4824.000	Average	33.39	-3.18	30.22	54.00	-23.78
	4824.000	Peak	41.92	-3.18	38.74	74.00	-35.26
	7236.000	Average	31.27	2.41	33.68	54.00	-20.32
	7236.000	Peak	38.43	2.41	40.84	74.00	-33.16
	1 200.000	ı can	UU. T U	∠. ⊤ I	TU.UT	17.00	-00.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 72 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11b **Test Date** :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.1/65

Test Mode :TX CH LOW Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
4824.000	Average	32.38	-3.18	29.20	54.00	-24.80
4824.000	Peak	42.64	-3.18	39.47	74.00	-34.53
7236.000	Average	30.96	2.41	33.37	54.00	-20.63
7236.000	Peak	40.44	2.41	42.85	74.00	-31.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488




Page: 73 of 102

Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11b **Test Date** :2021-07-27

Test Frequency :2437 MHz Temp./Humi. :22.1/65 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane :Andy Wang Engineer



F	D - 4 4	0	C4	A -41	1 : :4	N 4 i
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
N / I I		•	٩D		_	4D
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.000	Average	30.31	-3.05	27.26	54.00	-26.74
4874.000	Peak	41.92	-3.05	38.87	74.00	-35.13
	Feak				74.00	
7311.000	Average	29.55	3.91	33.46	54.00	-20.54
	•					
7311.000	Peak	39.66	3.91	43.56	74.00	-30.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 74 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11b Test Date :2021-07-27

Test Frequency :2437 MHz Temp./Humi. :22.1/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	dB
4874.000	Average	32.43	-3.05	29.37	54.00	-24.63
4874.000	Peak	42.31	-3.05	39.26	74.00	-34.74
7311.000	Average	30.86	3.91	34.77	54.00	-19.23
7311.000	Peak	40.64	3.91	44.55	74.00	-29.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 75 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11b Test Date :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.1/65
Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dΒμV/m	dB
4924.000	Average	30.14	-3.21	26.93	54.00	-27.07
4924.000	Peak	43.73	-3.21	40.53	74.00	-33.47
7386.000	Average	29.88	3.24	33.12	54.00	-20.88
7386.000	Peak	38.68	3.24	41.92	74.00	-32.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 76 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11b **Test Date** :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.1/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.000	Average	32.36	-3.21	29.15	54.00	-24.85
4924.000	Peak	41.23	-3.21	38.03	74.00	-35.97
7386.000	Average	31.22	3.24	34.46	54.00	-19.54
7386.000	Peak	39.58	3.24	42.82	74.00	-31.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488




Page: 77 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11g Test Date :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.1/65
Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



	_			_			
	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	•	Mode	Reading Level		FS	@3m	ŭ
			•			_	
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_			•				
	4824.000	Average	27.98	-3.18	24.80	54.00	-29.20
		•	44.40	2.40	27.05	74.00	26 0E
	4824.000	Peak	41.12	-3.18	37.95	74.00	-36.05
	7236.000	Average	27.54	2.41	29.95	54.00	-24.05
		•	=				
	7236.000	Peak	40.19	2.41	42.60	74.00	-31.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 78 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11g **Test Date** :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.1/65

:TX CH LOW Test Mode Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
4824.000	Average	27.93	-3.18	24.75	54.00	-29.25
4824.000	Peak	40.96	-3.18	37.79	74.00	-36.21
7236.000	Average	27.64	2.41	30.05	54.00	-23.95
7236.000	Peak	39.71	2.41	42.13	74.00	-31.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 79 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11g Test Date :2021-07-27

Test Frequency :2437 MHz Temp./Humi. :22.1/65
Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
4874.000	Average	28.11	-3.05	25.06	54.00	-28.94
4874.000	Peak	41.87	-3.05	38.82	74.00	-35.18
7311.000	Average	27.31	3.91	31.22	54.00	-22.78
7311.000	Peak	39.79	3.91	43.69	74.00	-30.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 80 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11g Test Date :2021-07-27

Test Frequency :2437 MHz Temp./Humi. :22.1/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
4874.000	Average	28.59	-3.05	25.54	54.00	-28.46
4874.000	Peak	40.86	-3.05	37.81	74.00	-36.19
7311.000	Average	28.12	3.91	32.03	54.00	-21.97
7311.000	Peak	39.62	3.91	43.53	74.00	-30.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 81 of 102

Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11g **Test Date** :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.1/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	J
		•			_	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•				
4924.000	Average	27.21	-3.21	24.01	54.00	-29.99
4924.000	Peak	42.12	-3.21	38.91	74.00	-35.09
			-			
7386.000	Average	26.78	3.24	30.02	54.00	-23.98
7386.000	Peak	39.40	3.24	42.64	74.00	-31.36
, 000.000	i Jul	UU.TU	U.2T	12.07	1-1.00	01.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 82 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11g **Test Date** :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.1/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	•		FS	@3m	J
		•			_	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
4924.000	Average	27.55	-3.21	24.34	54.00	-29.66
	•	44.04	0.04	20.40	74.00	25.00
4924.000	Peak	41.31	-3.21	38.10	74.00	-35.90
7386 000	Average	26 56	3 24	29.80	54 00	-24.20
	•		-			_
7386.000	Peak	38.88	3.24	42.11	74.00	-31.89
	Freq. MHz 4924.000 4924.000 7386.000 7386.000	Mode MHz PK/QP/AV 4924.000 Average 4924.000 Peak 7386.000 Average	Mode PK/QP/AV Reading Level dBμV 4924.000 Average Averag	Mode PK/QP/AV Reading Level dBμV dB 4924.000 Average Av	Mode PK/QP/AV Reading Level dBμV FS dBμV/m 4924.000 Average 27.55 -3.21 24.34 4924.000 Peak 41.31 -3.21 38.10 7386.000 Average 26.56 3.24 29.80	Mode PK/QP/AV Reading Level dBμV FS dBμV/m @3m dBμV/m 4924.000 Average

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




Page: 83 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.1/65
Test Mode :TX CH LOW Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	•	Mode	Reading Level		FS	@3m	J
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
-	1711 12	110/01//10	чър ч	<u> </u>	аБрулп	αυμν/ιιι	<u> </u>
	4824.000	Average	29.13	-3.18	25.95	54.00	-28.05
	4824.000	Peak	41.86	-3.18	38.68	74.00	-35.32
	7236.000	Average	28.44	2.41	30.85	54.00	-23.15
	7236.000	Peak	39.76	2.41	42.17	74.00	-31.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 84 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac20 **Test Date** :2021-07-27

Test Frequency :2412 MHz Temp./Humi. :22.1/65

:TX CH LOW Test Mode Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	•	Mode	Reading Level		FS	@3m	J
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
-	1711 12	110/01//10	авру	u D	аБрулп	αυμν/ιιι	<u> </u>
	4824.000	Average	28.94	-3.18	25.77	54.00	-28.23
	4824.000	Peak	41.18	-3.18	38.01	74.00	-35.99
	7236.000	Average	28.36	2.41	30.77	54.00	-23.23
	7236.000	Peak	40.89	2.41	43.31	74.00	-30.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw




Page: 85 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2021-07-27

Test Frequency :2437 MHz Temp./Humi. :22.1/65
Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	•	Mode	Reading Level		FS	@3m	J
			•	15	. •	_	
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_							
		_					
	4874.000	Average	30.53	-3.05	27.48	54.00	-26.52
	4874.000	Peak	42.90	-3.05	39.85	74.00	-34.15
	7311.000	Average	29.11	3.91	33.02	54.00	-20.98
	7311.000	Peak	40.10	3.91	44.00	74.00	-30.00
	7011.000	i our	10.10	0.01	11.00	7 1.00	00.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 86 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2021-07-27

Test Frequency :2437 MHz Temp./Humi. :22.1/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Andy Wang



_			_			
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	O
		•			_	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		•		-	•	
4874.000	Average	29.87	-3.05	26.81	54.00	-27.19
	•					_
4874.000	Peak	41.99	-3.05	38.94	74.00	-35.06
7311.000	Average	29.33	3.91	33.24	54.00	-20.76
7011.000	/ werage	25.00	0.51	00.Z-T	04.00	20.70
7311.000	Peak	40.56	3.91	44.47	74.00	-29.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 87 of 102

Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac20 **Test Date** :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.1/65 Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane :Andy Wang Engineer



_		_				
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	J
N 41 1		•	ın		_	ın
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4004.000	A	00.00	0.04	00.40	54.00	07.00
4924.000	Average	29.60	-3.21	26.40	54.00	-27.60
4924.000	Peak	42.70	-3.21	39.49	74.00	-34.51
7386.000	Average	28.45	3.24	31.69	54.00	-22.31
	•		-			_
7386.000	Peak	40.49	3.24	43.73	74.00	-30.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 88 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2021-07-27

Test Frequency :2462 MHz Temp./Humi. :22.1/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Andy Wang



_						
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	J
		•		. •	_	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•				
4924.000	Average	29.52	-3.21	26.31	54.00	-27.69
4924.000	Peak	42.02	-3.21	38.81	74.00	-35.19
4924.000	reak	42.02	-3.21	30.01	74.00	-35.19
7386.000	Average	28.09	3.24	31.33	54.00	-22.67
	•					_
7386.000	Peak	38.77	3.24	42.00	74.00	-32.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 89 of 102

Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac40 **Test Date** :2021-07-27

Test Frequency :2422 MHz Temp./Humi. :22.1/65 :TX CH LOW Test Mode Antenna Pol. :Vertical

EUT Pol :H Plane :Andy Wang Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
4844.000	Average	28.05	-3.07	24.98	54.00	-29.02
4844.000	Peak	40.11	-3.07	37.04	74.00	-36.96
7266.000	Average	27.96	3.10	31.06	54.00	-22.94
7266.000	Peak	40.68	3.10	43.77	74.00	-30.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 90 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac40 **Test Date** :2021-07-27

Test Frequency :2422 MHz Temp./Humi. :22.1/65

:TX CH LOW Test Mode Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



Margin
9
ı dB
-28.98
-35.08
-23.06
-25.00
-29.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 91 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2021-07-27

Test Frequency :2437 MHz Temp./Humi. :22.1/65
Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



Frea.	Detector	Spectrum	Factor	Actual	Limit	Margin
	iviode	Reading Level		F5	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
1711 12	111/01//11	чърт		авруин	аБр (/////	
4874 000	Average	28 86	-3 05	25 81	54 00	-28.19
	•					
4874.000	Peak	41.98	-3.05	38.92	74.00	-35.08
7311 000	Average	27.83	3 01	31 7 <i>1</i>	54.00	-22.26
7311.000	Average	21.00	5.51	31.7 1	J -1 .00	-22.20
7311.000	Peak	39.70	3.91	43.61	74.00	-30.39
	Freq. MHz 4874.000 4874.000 7311.000 7311.000	Mode PK/QP/AV 4874.000 Average 4874.000 Peak 7311.000 Average	Mode PK/QP/AV Reading Level dBμV 4874.000 Average Averag	Mode PK/QP/AV Reading Level dBμV dB 4874.000 Average Av	Mode PK/QP/AV Reading Level dBμV FS dBμV/m 4874.000 Average Ave	Mode PK/QP/AV Reading Level dBμV FS dBμV/m @3m dBμV/m 4874.000 Average 28.86 -3.05 25.81 54.00 4874.000 Peak 41.98 -3.05 38.92 74.00 7311.000 Average 27.83 3.91 31.74 54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 92 of 102


Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2021-07-27

Test Frequency :2437 MHz Temp./Humi. :22.1/65

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.000	Average	28.64	-3.05	25.59	54.00	-28.41
4874.000	Peak	41.04	-3.05	37.99	74.00	-36.01
7311.000	Average	28.02	3.91	31.93	54.00	-22.07
7311.000	Peak	40.29	3.91	44.19	74.00	-29.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa




Page: 93 of 102

Report Number :E2/2021/70041 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2021-07-27

Test Frequency :2452 MHz Temp./Humi. :22.1/65
Test Mode :TX CH HIGH Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Andy Wang



_						
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	ŭ
		•		. •	_	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•		
4904.000	Average	28.78	-3.03	25.74	54.00	-28.26
	•			=		
4904.000	Peak	43.06	-3.03	40.03	74.00	-33.97
7356.000	Average	26.98	3.74	30.72	54.00	-23.28
	Average		0.7 4			
7356.000	Peak	40.27	3.74	44.01	74.00	-29.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa



Page: 94 of 102


Report Number Test Site :E2/2021/70041 :SAC D

Operation Mode :802.11ac40 **Test Date** :2021-07-27

Test Frequency :2452 MHz Temp./Humi. :22.1/65

Test Mode :TX CH HIGH Antenna Pol. :Horizontal

EUT Pol :H Plane :Andy Wang Engineer



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	•	Mode	Reading Level		FS	@3m	J
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	٩D
_	IVITZ	PN/QP/AV	αьμν	ub	иБµ v/пі	ασμν/ιιι	dB
	4904.000	Average	29.08	-3.03	26.05	54.00	-27.95
		•					
	4904.000	Peak	41.28	-3.03	38.25	74.00	-35.75
	7356.000	Average	28.64	3.74	32.38	54.00	-21.62
	7356.000	Peak	40.31	3.74	44.05	74.00	-29.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 95 of 102

12 POWER SPECTRAL DENSITY

12.1 Standard Applicable

Per Part 15.247 (e)


The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission. This power spectral density shall be determined in accordance with the provisions of para-

graph (b) of this section. The same method of determining the conducted output power shall be used to determine the power spectral density.

12.2 Measurement Equipment Used

	Conducted Emission Test Site: Conducted G						
EQUIPMENT TYPE MFR		MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	04/06/2021	04/05/2022		
Attenuator	Marvelous	MVE2213-10	RF09	11/19/2020	11/18/2021		
DC Block	PASTERNACK	PE8210	RF151	11/19/2020	11/18/2021		
Coaxial Cables	Woken	00100A1F2A196C	RF59	11/19/2020	11/18/2021		
Coaxial Cables	Woken	00100A1F2A196C	RF68	11/19/2020	11/18/2021		
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N/A	N/A		

12.3 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 96 of 102

12.4 Measurement Procedure

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz & VBW = 10 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure the PSD for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna.

Note:

For the test of MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

12.5 As per FCC KDB 662911 D01

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• Directional Gain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 97 of 102

 $g_{j,k}$ = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; G_k is the gain in dBi of the kth antenna.

The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.



Page: 98 of 102

12.6 Power spectral density

POWER DENSITY 802.11b							
Freq.	Ch0	PSD	Limit	Docult			
(MHz)	PSD	(dBm/3kHz)	(dBm/3kHz)	Result			
2412	-9	-9.00	8.00	PASS			
2437	-8.89	-8.89	8.00	PASS			
2462	-9.48	-9.48	8.00	PASS			

POWER DENSITY 802.11g						
Freq.	Ch0	PSD	Limit	Result		
(MHz)	PSD	(dBm/3kHz)	(dBm/3kHz)	Result		
2412	-12.3	-12.30	8.00	PASS		
2437	-11.8	-11.80	8.00	PASS		
2462	-11.7	-11.70	8.00	PASS		

POWER DENSITY 802.11ac VHT20							
Freq.	Ch0	Ch1	PSD	Limit	Result		
(MHz)	PSD	PSD	(dBm/3kHz)	(dBm/3kHz)	Result		
2412	-10.6	-10.8	-7.71	8.00	PASS		
2437	-9.83	-9.62	-6.71	8.00	PASS		
2462	-10	-10.3	-7.14	8.00	PASS		

POWER DENSITY 802.11ac VHT40							
Freq.	Ch0	Ch1	PSD	Limit	Docult		
(MHz)	PSD	PSD	(dBm/3kHz)	(dBm/3kHz)	Result		
2422	-13	-14.5	-10.66	8.00	PASS		
2437	-14.3	-13.8	-11.03	8.00	PASS		
2452	-14.7	-13.1	-10.80	8.00	PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有就明・此報告結末性對測試之樣品資質,同時此樣品度体留90天。本格告未經本公司書面許可,不可能份複聚。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


CST Tailwan Ltd.
No.324 With War Board No.324 Tailwan Ltd.
**No.324 With Wa

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 99 of 102


802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2437MHz




802.11b_20MHz_Chain0_2462MHz




802.11g_20MHz_Chain0_2412MHz



802.11g_20MHz_Chain0_2437MHz



802.11g_20MHz_Chain0_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 100 of 102


802.11ac_20MHz_Chain0_2412MHz




802.11ac_20MHz_Chain0_2437MHz




802.11ac_20MHz_Chain0_2462MHz




802.11ac_20MHz_Chain1_2412MHz



802.11ac_20MHz_Chain1_2437MHz



802.11ac_20MHz_Chain1_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 101 of 102


802.11ac_40MHz_Chain0_2422MHz




802.11ac_40MHz_Chain0_2437MHz




802.11ac_40MHz_Chain0_2452MHz




802.11ac_40MHz_Chain1_2422MHz



802.11ac_40MHz_Chain1_2437MHz



802.11ac_40MHz_Chain1_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 102 of 102

13 ANTENNA REQUIREMENT

13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

13.2 Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.