

Page: 1 of 51

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: Quanta Computer Inc.

No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City

33377, Taiwan

Manufacturer: Quanta Computer Inc.

No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City

33377. Taiwan

Product Name: Clover Compact

Brand Name: Clover

Model No.: C801

Report Number: TERF2403000755E2

FCC ID HFS-C801

Date of EUT Received: Mar. 21, 2024

Date of Test: Mar. 26, 2024~Apr. 25, 2024

Issue Date: Apr. 26, 2024

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI ANSI C63.26-2015 and the energy emitted by the sample EUT comply with FCC rule part 2, 22H & 24E & 27 C.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 2 of 51

Revision History										
Report Number	Revision	Description	Issue Date	Revised By	Remark					
TERF2403000755E2	00	Original	Apr. 22, 2024	Yami Kuo						
TERF2403000755E2	01	Added RSE Data	Apr. 26, 2024	Yami Kuo	*					

Note:

1 The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之样具合善,同时此样里属是例如于。木型生主概未从司事高纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 3 of 51

Contents

1	GENERAL PRODUCT INFORMATION	4
2	SYSTEM TEST CONFIGURATION	8
3	SUMMARY OF TEST RESULTS	10
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	12
6	MEASUREMENT EQUIPMENT USED	13
7	STANDARD APPLICABLE	14
8	TEST SETUP	16
9	TEST PROCEDURE	17
10	MEASUREMENT RESULTS	18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 4 of 51

1 GENERAL PRODUCT INFORMATION

1.1 Product Description

Product Name:	Clover Compact
Brand Name:	Clover
Model No.:	C801
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	C081UG40850161
Power Supply:	12Vdc
Test Software (Name/Version)	default(Link Call Box)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝展例の主。大報生主概太公司書面對可,不可可以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 5 of 51

Operation Frequency Range

	LTE Bar	nd 2							
BW (MHz)	Operation	Freque	ency (MHz)						
1.4	1850.7 - 1909.3								
3	1851.5	-	1908.5						
5	1852.5	-	1907.5						
10	1855.0	-	1905.0						
15	1857.5	-	1902.5						
20	1860.0	-	1900.0						
	LTE Bar	nd 4							
BW (MHz)	Operation Frequency (MHz)								
1.4	1710.7	-	1754.3						
3	1711.5	-	1753.5						
5	1712.5	-	1752.5						
10	1715.0	-	1750.0						
15	1717.5	-	1747.5						
20	1720.0	-	1745.0						
	LTE Bar	nd 5							
BW (MHz)	Operation	Freque	ency (MHz)						
1.4	824.7	-	848.3						
3	825.5	-	847.5						
5	826.5	_	846.5						
10	829.0	-	844.0						

	LTE Band 12						
BW (MHz)	Operation	Freque	ency (MHz)				
1.4	699.7	-	715.3				
3	700.5	-	714.5				
5	701.5	-	713.5				
10	704.0	-	711.0				
	LTE Ban	d 13					
BW (MHz)	Operation Frequency (MHz)						
5	779.5	779.5 - 784.5					
10 782.0							
LTE Band 17							
BW (MHz)	Operation	Freque	ency (MHz)				
5	706.5	-	713.5				
10	709.0	-	711.0				
	LTE Ban	d 66					
BW (MHz)	Operation	Freque	ency (MHz)				
1.4	1710.7	-	1779.3				
3	1711.5		1778.5				
5	1712.5	-	1777.5				
10	1715.0	-	1775.0				
15	1717.5	-	1772.5				
20	1720.0	-	1770.0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 6 of 51

1.3 Antenna Designation

Antenna Type	Part No.	Antenna No.					
PIFA	ALF00-000024	Ant0					
Note: Transmission frequencies in this test report are only available by							
the above an	the above antenna(s).						

Modulation		quen MHz	•	Peak Antenna Gain (dBi) Ant0
LTE-Band 2	1850	~	1910	0.44
LTE-Band 4	1710	~	1755	1.82
LTE-Band 5	824	~	849	-1.13
LTE-Band 12	699	~	716	-1.35
LTE-Band 13	777	~	787	-1.32
LTE-Band 17	704	~	716	-1.35
LTE-Band 66	1710	~	1780	0.44

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,此数华红用摄影测过之样具色素,同既此样具展展现的主。大数华土德太公司隶而连可,无可如公海测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 7 of 51

1.4 Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22H, 24E, 27C.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03r01

KDB412172 D01 Determining ERP and EIRP v01r01

1.5 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier			
		SAC 1					
		SAC 2					
		SAC 3	SAC 3 Conduction 1 Conducted 1 Conducted 2 Conducted 3 Conducted 4 Conducted 5 Conducted 6				
	No 124 Wu Kung Bood New Toingi	Conduction 1	nducted 1 TW0027 nducted 3 nducted 4				
	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New	Conducted 1	T\\/\0027	TW3702			
	Taipei City, Taiwan.	Conducted 2	1 440021				
	Taiper City, Taiwan.	Conducted 3	-				
		Conducted 4					
		Conducted 5					
SGS Taiwan Ltd.		Conducted 6					
Central RF Lab.		Conduction C					
(TAF code 3702)		Conduction C SAC C					
		SAC D					
		SAC G					
	No 2 Koji 1st Pd. Gujeban District	Conducted A					
	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conducted B	TW0028				
	ladydair City, Taiwair 333	Conducted C					
		Conducted D					
		Conducted E]				
		Conducted F]				
		Conducted G		ļ			

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.6 Special Accessories

No special accessories were used during testing.

1.7 Equipment Modifications

There was no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 8 of 51

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 Test Procedure

2.3.1 Conducted Measurement at Antenna Port

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 9 of 51

2.5 Test Configuration





Note: Radio Communication Analyzer is placed in remote side for radiated test.

2.6 Control Unit(s)

Radiated Emission Test Site: SAC D								
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.								
Adapter	dapter clover S024CEU1200200 N/A N/A N/A							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝展例の主。大報生主概太公司書面對可,不可可以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 10 of 51

3 SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(g) §27.53(h) §27.53(m)(4)	Field Strength of Spurious Radiation	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝展例の主。大報生主概太公司書面對可,不可可以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 11 of 51

4 DESCRIPTION OF TEST MODES

4.1 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case scenario from all possible combinations among available modulations, data rates and antenna ports, the worst case configurations listed below for the final test.
- 3. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

4.2 Measurement Configuration

	Test Ite	ms		Max. Output Power										
Dand	Tes	st Chan	nel		Bandwidth (MHz)				Modu	lation		RB#		
Band	L	М	Н	1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full
2	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧
4	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧
5	٧	٧	٧	٧	٧	٧	٧	-	-	٧	٧	٧	٧	٧
12	٧	٧	٧	٧	٧	٧	٧	-	-	٧	٧	٧	٧	٧
13	٧	٧	٧	-	-	٧	٧	-	-	٧	٧	٧	٧	٧
17	٧	٧	٧	-	-	٧	٧	-	-	٧	٧	٧	٧	٧
66	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧	٧

E-UTRA Band	Test Channel	Channel Bandwidth (MHz)	Modulation	Resource Blo	ock Allocation
		(1011 12)		RBs allocated	RB Offset
4	20050	20	QPSK	1	0
12	23130	10	QPSK	1	0

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.sqs.com.tw



Page: 12 of 51

MEASUREMENT UNCERTAINTY

Test Items	Und	certair	nty
Power Density	+/-	0.61	dB
RF Power Output	+/-	0.97	dB
ERP/ EIRP measurement	+/-	2.15	dB
ERP/ EIRP Measurement	+/-	2.15	dB
Emission Bandwidth	+/-	1.38	Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/-	0.77	dB
Peak to Average Ratio	+/-	0.97	dB
Frequency Stability vs. Temperature	+/-	1.48	Hz
Frequency Stability vs. Voltage	+/-	1.48	Hz
Temperature	+/-	0.6	°C
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

Radiated Spurious E	Emiss	ion Meas	uremer	nt Uncertainty
	+/-	1.89	dB	9kHz~30MHz
Polarization: Vertical	+/-	4.15	dB	30MHz - 1000MHz
Polarization: Vertical	+/-	3.43	dB	1GHz - 18GHz
	+/-	3.86	dB	18GHz - 40GHz
	+/-	1.89	dB	9kHz~30MHz
Polarization: Horizontal	+/-	4.02	dB	30MHz - 1000MHz
Polarization. Horizontal	+/-	3.43	dB	1GHz - 18GHz
	+/-	3.86	dB	18GHz - 40GHz
	+/-	2	dB	33GHz-50GHz
	+/-	1.59	dB	50GHz-60GHz
Radiated Spurious Emission	+/-	1.7	dB	60GHz-90GHz
	+/-	1.64	dB	90GHz-140GHz
	+/-	3.83	dB	140GHz-220GHz

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 13 of 51

MEASUREMENT EQUIPMENT USED

6.1 **Conducted Measurement**

	Conducted Emission Test Site: Conducted E										
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.											
DC Power Supply	Gwinstek	SPD-3606	GEV923152	05/10/2023	05/09/2024						
Radio Communication Analyer	Anritsu	MT8820C	6201107337	07/14/2023	07/13/2024						

6.2 **Radiated Measurement**

	Radiated Emission Test Site: SAC D										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-300	11/02/2023	11/01/2024						
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-617	12/14/2023	12/13/2024						
Horn Antenna	Schwarzbeck	BBHA9170	184	12/28/2023	12/27/2024						
Horn Antenna	Schwarzbeck	BBHA9170	185	08/21/2023	08/20/2024						
Horn Antenna	Schwarzbeck	BBHA9120D	1187	01/24/2024	01/23/2025						
Horn Antenna	Schwarzbeck	BBHA9120D	1341	05/26/2023	05/25/2024						
3m Site NSA	SGS	966 chamber D	N/A	04/30/2023	04/29/2024						
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	04/03/2024	04/02/2025						
Radio Communication Analyer	Anritsu	MT8821C	6262044732	11/16/2023	11/15/2024						
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R						
Pre-Amplifier	EMC Instruments	EMC330	980096	11/15/2023	11/14/2024						
Pre-Amplifier	EMC Instruments	EMC118A45SE	980789	11/15/2023	11/14/2024						
Pre-Amplifier	EMC Instruments	EMC18405SEE	980881	11/15/2023	11/14/2024						
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	11/15/2023	11/14/2024						
Coaxial Cable	Huber+Suhner	EMC106-SM-SM-7200	150703	11/15/2023	11/14/2024						
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	MY17413/4	11/15/2023	11/14/2024						

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 14 of 51

7 STANDARD APPLICABLE

7.1 Maximum Output Power

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

7.1.1 ERP/EIRP LIMIT

According to FCC §2.1046

FCC 22.913(a)

(5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50 (b)

- (9) Control stations and mobile stations transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 30 watts ERP.
- (10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

FCC 27.50(c)

- (9) Control and mobile stations in the 698-746 MHz band are limited to 30 watts ERP.
- (10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)

(4) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz, 1695-1710 MHz and 1755-1780 MHz bands are limited to 1W EIRP.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此起华红用陈彤测述之锋只会考,同既此锋只陈尺仞四千。大起华土领大八司事逼处可,不可测心掉剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 15 of 51

Field Strength Of Spurious Radiation Measurement

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

FCC §27.53(q)

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

- (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB;
- (3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 76 + 10 log (P) dB in a 6.25 kHz band segment, for base and fixed stations;
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

FCC §27.53(h)(1)

(h) AWS emission limits—(1) General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P) dB$.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.sqs.com.tw



Page: 16 of 51


TEST SETUP

8.1 **Maximum Output Power**




Note: Measurement setup for testing on Antenna connector

8.2 **Field Strength of Spurious Radiation Measurement**



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 17 of 51

9 TEST PROCEDURE

9.1 Maximum Output Power

9.1.1 Output Power Measurement Applicable Guideance

The transmitter output was connected to a communication tester. Transmitter output was read off the communication tester in dBm. The power output at the transmitter antenna port was determined by the communication tester reading.

KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results.

All LTE bands conducted average power is obtained from the simulator telecommunication test set.

9.1.2 Determining ERP and/or EIRP from conducted RF output power measurements

According to KDB 412172 D01 Power Approach,

 $EIRP = P_{T} + G_{T} - L_{C},$

ERP= EIRP-2.15,

Where:

ERP or EIRP = effective radiated power or equivalent isotropically radiated power

(expressed in the same units as PT, typically dBW, dBm, or power spectral density (PSD)2), relative to either a dipole antenna (ERP) or

an isotropic antenna (EIRP);

 P_T = transmitter output power, expressed in dBW, dBm, or PSD;

 G_{τ} = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

Lc = signal attenuation in the connecting cable between the transmitter

and antenna, in dB.

9.2 Field Strength of Spurious Radiation Measurement

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 18 of 51

10 MEASUREMENT RESULTS

10.1 **Maximum Output Power**

Antenna gain (dBi) 0.44

	gaiii (abi)	0.44							
		LTE	Band 2_Uplin	k frequ	ency ba	nd: 1850 to	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.06	22.50	33	-10.5
	10007	1050.7	ODCK	1	5	22.16	22.60	33	-10.4
	18607	1850.7	QP5K	3	2	22.02	22.46	33	-10.54
				6	0	21.07	21.51	33	-11.49
				1	0	22.09	22.53	33	-10.47
1.4	18900	1880	ODCK	1	5	22.13	22.57	33	-10.43
1.4	10900	1000	QF3N	3	2	22.05	22.49	33	-10.51
				6	0	21.15	21.59	33	-11.41
			1	0	22.13	22.57	33	-10.43	
	19193	1909.3	ODCK	1	5	22.13	22.57	33	-10.43
	19193	1909.5	QF3N	3	2	22.17	22.61	33	-10.39
				6	0	21.06	21.50	33	-11.5
				1	0	21.13	21.57	33	-11.43
	18607	1850.7	16OAM	1	5	21.16	21.60	33	-11.4
	10007	1000.7	IOQAW	3	2	20.99	21.43	33	-11.57
				6	0	20.15	20.59	33	-12.41
				1	0	21.12	21.56		-11.44
1.4	18900	1880	16OAM	1	5	21.00	21.44		-11.56
1.7	10300	1000	IOQAW			21.12	21.56		-11.44
	19193 1909.3			6			20.60		-12.4
			1	0	21.07	21.51		-11.49	
		1909 3	16QAM	Modulation RB Size RB Offset Average (dBm) Average (dBm) Limit (dBm) QPSK 1 0 22.06 22.50 33 2 22.00 33 3 3 2 33 3 3 3 33 3 3 3 3 33 3 3 3 3 3 33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	-11.39				
		1000.0	1000/1111				-11.47		
				6	0	20.09	20.53	33	-12.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 19 of 51

Antenna gain (dBi)

	• , ,											
	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	22.19	22.63	33	-10.37			
	18615	1851.5	QPSK	1	14	22.17	22.61	33	-10.39			
	10013	1001.0	QF3N	8	4	21.08	21.52	33	-11.48			
				15	0	21.09	21.53	33	-11.47			
				1	0	22.15	22.59	33	-10.41			
3	18900	1880	QPSK	1	14	22.10	22.54	33	-10.46			
]	10300	1000	QI SIN	8	4	21.05	21.49	33	-11.51			
				15	0	21.08	21.52	33	-11.48			
				1	0	22.00	22.44	33	-10.56			
	19185	1908.5	QPSK	1	14	22.07	22.51	33	-10.49			
	13103	1500.5	QIOIN	8	4	21.08	21.52		Limit (dBm) 33 -10.37 33 -10.39 33 -11.48 33 -11.47 33 -10.41 33 -10.46 33 -11.51 33 -11.48 33 -11.51			
				15	0	21.04	21.48					
				1	0	21.05	21.49		-11.51			
	18615	1851.5	16QAM	1	14	21.15	21.59					
	10010	1001.0	100/11/1	8	4				-12.44			
				15	0							
				1	_							
3	18900	1880	16QAM	1								
	10000	1000	100011111	8	4							
				15	0		20.57					
			1	_								
	19185	1908.5	16QAM	1	RB Offset							
		1000.0	100,111	8								
				15	0	20.08	20.52	33	-12.48			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 20 of 51

Antenna gain (dBi)

0.44

						1 40=0 (1040 14:					
	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	22.12	22.56	33	-10.44			
	18625	1852.5	QPSK	1	24	21.99	22.43	33	-10.57			
	10023	1002.0	QP3N	12	6	21.02	21.46	33	-11.54			
				25	0	21.14	21.58	33	-11.42			
				1	0	22.12	22.56	33	-10.44			
5	18900	1880	QPSK	1	24	22.05	22.49	33	-10.51			
	10300	1000	QI SIN	12	6	21.11	21.55	33	-11.45			
				25	0	21.05	21.49	33	-11.51			
			1	0	22.06	22.50	33	-10.5				
	19175	1907.5	QPSK	1	24	22.03	22.47	33	-10.53			
	10170	1507.0	QI OIX	12	6	21.19	21.63	33	-11.37			
				25	0	21.06	21.50	33	-11.5			
				1	0	21.02	21.46	33	-11.54			
	18625	1852.5	16QAM	1	24	21.13	21.57	33	-11.43			
	10020	1002.0	1000/1111	12	6	20.12	20.56	33	-12.44			
				25	0	20.14	20.58	33	-12.42			
				1	0	21.04	21.48	33	-11.52			
5	18900	1880	16QAM	1	24	20.99	21.43	33	-11.57			
	10000	1000	100011111	12	6	20.13	20.57	33	-12.43			
				25	0	20.12	20.56	33	-12.44			
			1	0	21.00	21.44	33	-11.56				
	19175	1907.5	16QAM	1	24	21.14	21.58	33	-11.42			
		1007.10	100,	12	6	20.12	20.56	33	-12.44			
				25	0	20.00	20.44	33	-12.56			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 21 of 51

Antenna gain (dBi)

		LTE	Band 2_Uplin	k frequ	ency ba	ind: 1850 to 1	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.03	22.47	33	-10.53
	18650	1855	QPSK	1	49	22.17	22.61	33	-10.39
	10000	1000	QF3N	25	12	21.07	21.51	33	-11.49
				50	0	21.10	21.54	33	-11.46
				1	0	22.13	22.57	33	-10.43
10	18900	1880	QPSK	1	49	22.13	22.57	33	-10.43
10	10300	1000	QI SIN	25	12	21.11	21.55	33	-11.45
				50	0	20.99	21.43	33	-11.57
				1	0	22.10	22.54	33	-10.46
	19150	1905	QPSK	1	49	22.10	22.54	33	-10.46
	10100	1000	QI OIX	25	12	21.05	21.49	33	-11.51
				50	0	21.13	21.57	33	-11.43
				1	0	21.18	21.62	33	-11.38
	18650	1855	16QAM	1	49	21.15	21.59	33	-11.41
	10000	1000	1000/1111	25	12	20.12	20.56	33	-12.44
				50	0	20.13	20.57	33	-12.43
				1	0	21.04	21.48	33	-11.52
10	18900	1880	16QAM	1	49	21.00	21.44	33	-11.56
	10000	1000	100,	25	12	20.16	20.60	33	-12.4
				50	0	20.13	20.57	33	-12.43
				1	0	21.12	21.56	33	-11.44
	19150 1909	1905	16QAM	1	49	21.07	21.51	33	-11.49
				25	12	20.02	20.46	33	-12.54
				50	0	20.00	20.44	33	-12.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 22 of 51

Antenna gain (dBi)

		LTE	Band 2_Uplin	k frequ	ency ba	ind : 1850 to 1	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.17	22.61	33	-10.39
	18675	1857.5	QPSK	1	74	22.12	22.56	33	-10.44
	10073	1007.0	QP3N	36	18	21.08	21.52	33	-11.48
				75	0	21.06	21.50	33	-11.5
				1	0	22.16	22.60	33	-10.4
15	18900	1880	QPSK	1	74	22.19	22.63	33	-10.37
13	10900	1000	QF3N	36	18	21.14	21.58	33	-11.42
				75	0	21.02	21.46	33	-11.54
			1	0	22.03	22.47	33	-10.53	
	19125	1902.5	QPSK	1	74	22.14	22.58	33	-10.42
	13123	1302.5	QIOIN	36	18	21.02	21.46	33	-11.54
				75	0	21.18	21.62	33	-11.38
				1	0	21.13	21.57	33	-11.43
	18675	1857.5	16QAM	1	74	21.12	21.56	33	-11.44
	10073	1007.0	IOQAWI	36	18	20.18	20.62	33	-12.38
				75	0	20.18	20.62	33	-12.38
				1	0	21.10	21.54	33	-11.46
15	18900	1880	16QAM	1	74	21.09	21.53	33	-11.47
10	10300	1000	IOQAWI	36	18	20.02	20.46	33	-12.54
				75	0	20.14	20.58	33	-12.42
				1	0	21.04	21.48	33	-11.52
	19125	1902.5	16QAM	1	74	21.15	21.59	33	-11.41
	19125	1002.0	100/1111	36	18	20.16	20.60	33	-12.4
				75	0	20.12	20.56	33	-12.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 23 of 51

Antenna gain (dBi)

		LTE	Band 2_Uplin	k frequ	ency ba	nd : 1850 to 1	1910 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.40	22.84	33	-10.16
	18700	1860	QPSK	1	99	22.08	22.52	33	-10.48
	10700	1000	QF3N	50	25	21.04	21.48	33	-11.52
				100	0	21.36	21.80	33	-11.2
				1	0	22.09	22.53	33	-10.47
20	18900	1880	QPSK	1	99	22.02	22.46	33	-10.54
20	10300	1000	QI SIN	50	25	21.08	21.52	33	-11.48
				100	0	21.02	21.46	33	-11.54
				1	0	22.04	22.48	33	-10.52
	19100	1900	QPSK	1	99	22.05	22.49	33	-10.51
	10100	1000	QI OIX	50	25	21.17	21.61	33	-11.39
				100	0	21.12	21.56	33	-11.44
				1	0	21.15	21.59	33	-11.41
	18700	1860	16QAM	1	99	21.10	21.54	33	-11.46
	10700	1000	1000/1111	50	25	20.04	20.48	33	-12.52
				100	0	20.17	20.61	33	-12.39
				1	0	21.14	21.58	33	-11.42
20	18900	1880	16QAM	1	99	21.12	21.56	33	-11.44
20	10000	1000	1000/1111	50	25	20.03	20.47	33	-12.53
				100	0	20.01	20.45	33	-12.55
				1	0	21.11	21.55	33	-11.45
	19100 19	1900	16QAM	1	99	21.09	21.53	33	-11.47
		1000	100,111	50	25	20.08	20.52	33	-12.48
				100	0	20.08	20.52	33	-12.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 24 of 51

Antenna gain (dBi)

1.82

	. ,											
	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	21.36	23.18	30	-6.82			
	19957	1710.7	ODCK	1	5	21.26	23.08	30	-6.92			
	19901	17 10.7	QF3N	3	2	21.33	23.15	30	-6.85			
				6	0	20.37	22.19	30	-7.81			
				1	0	21.35	23.17	30	-6.83			
1.4	20175	1732.5	ODSK	1	5	21.22	23.04	30	-6.96			
1.4	20173	1732.3	QI SIN	3	2	21.38	23.20	30	-6.8			
				6	0	20.33	22.15	30	-7.85			
				1	0	21.33	23.15	30	-6.85			
	20393	1754.3	OPSK	1	5	21.25	23.07	30	-6.93			
	20030	1704.0	QI OIX	3	2	21.29	23.11		Imit (Bm) Margin (dB) 30 -6.82 30 -6.92 30 -6.85 30 -7.81 30 -6.83 30 -6.96 30 -6.8 30 -7.85 30 -6.85			
				6	0	20.24	22.06					
				1	0	20.31	22.13					
	19957	1710.7	16QAM	1	5	20.35	22.17					
	10007	17 10.7	100,71111	3	2	20.19	22.01					
				6	0	19.20	21.02					
				1	0	20.34	22.16					
1.4	20175	1732.5	16QAM	1	5	20.19	22.01					
		1. 32.0		3	2	20.31	22.13					
				6	0	19.23	21.05					
				1	0	20.30	22.12					
	20393	1754.3	16QAM	1	5	20.34	22.16					
	20393		Modulation S QPSK QPSK QPSK 16QAM 16QAM	3	2	20.31	22.13					
				6	0	19.38	21.20	30	-8.8			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 25 of 51

Antenna gain (dBi)

1.82

	. ,								
		LTE	Band 4_Uplin	k frequ	ency ba	and: 1710 to 1	1755 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.34	23.16	30	-6.84
	19965	1711.5	QPSK	1	14	21.26	23.08	30	-6.92
	19900	1711.5	QF3N	8	4	20.27	22.09	30	-7.91
				15	0	20.37	22.19	30	-7.81
				1	0	21.22	23.04	30	-6.96
3	20175	1732.5	QPSK	1	14	21.32	23.14	30	-6.86
	20173	1702.0	QIOIN	8	4	20.32	22.14	30	-7.86
				15	0	20.22	22.04	30	-7.96
			1	0	21.29	23.11	30	-6.89	
	20385	1753.5	QPSK	1	14		23.18		-6.82
	20000	1700.0	QI OIX		4		22.03	Limit (dBm) 30	-7.97
				15					
				1	_				
	19965	1711.5	16QAM	1					
	10000	17 11.0	100,111						
				15					
				1	_				
3	20175	1732.5	16QAM						
		1702.0	100,						
					0				
					_				
	20385	1753.5	16QAM		RB Size RB Offset Conducted Average (dBm) EIRP Average (dBm) Limit (dBm) Marg (dBm) (dBm) 1 0 21.34 23.16 30 -6.8 1 14 21.26 23.08 30 -6.9 8 4 20.27 22.09 30 -7.9 15 0 20.37 22.19 30 -7.8 1 0 21.22 23.04 30 -6.9 1 14 21.32 23.14 30 -6.8 8 4 20.32 22.14 30 -6.8 8 4 20.32 22.14 30 -7.8 15 0 20.22 22.04 30 -7.9 1 1 21.29 23.11 30 -6.8 8 4 20.32 22.04 30 -7.9 1 14 21.36 23.18 30 -7.8 8 4 20.21 22.03<				
	20385	1700.0	100,111						
	ļ			15	0	19.20	21.02	30	-8.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 26 of 51

Antenna gain (dBi)

1.82

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz												
		LTE	Band 4_Uplin	k frequ	ency ba	ind: 1710 to 1	1/55 MHz					
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	21.33	23.15	30	-6.85			
	19975	1712.5	QPSK	1	24	21.23	23.05	30	-6.95			
	19975	17 12.5	QP3K	12	6	20.19	22.01	30	-7.99			
				25	0	20.29	22.11	30	-7.89			
				1	0	21.28	23.10	30	-6.9			
5	20175	1732.5	QPSK	1	24	21.25	23.07	30	-6.93			
	20173	1732.3	QI SIN	12	6	20.28	22.10	30	-7.9			
				25	0	20.35	22.17	30	-7.83			
	20375		QPSK	1	0	21.31	23.13	30	-6.87			
		1752.5		1	24	21.20	23.02	30	-6.98			
	20070	1702.0	QI OIX	12	6	20.27	22.09	30	-7.91			
				25	0	20.19	22.01	30	-7.99			
				1	0	20.21	22.03	30	-7.97			
	19975	1712.5	16QAM	1	24	20.28	22.10	30	-7.9			
	10070	17 12.0	100,111	12	6	19.32	21.14	30	-8.86			
				25	0	19.26	21.08	30	-8.92			
				1	0	20.26	22.08	30	-7.92			
5	20175	1732.5	16QAM	1	24	20.36	22.18	30	-7.82			
	20170	1702.0	100,111	12	6	19.26	21.08	30	-8.92			
				25	0	19.21	21.03	30	-8.97			
				1	0	20.35	22.17	30	-7.83			
	20375	1752.5	16QAM	1	24	20.36	22.18	30	-7.82			
				12	6	19.29	21.11	30	-8.89			
				25	0	19.30	21.12	30	-8.88			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 27 of 51

Antenna gain (dBi)

1.82

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz												
		LTE	Band 4_Uplin	k frequ	ency ba	ind : 1710 to <i>1</i>	1755 MHz					
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	21.29	23.11	30	-6.89			
	20000	1715	QPSK	1	49	21.25	23.07	30	-6.93			
	20000	1715	QP3K	25	12	20.23	22.05	30	-7.95			
				50	0	20.22	22.04	30	-7.96			
				1	0	21.32	23.14	30	-6.86			
10	20175	1732.5	QPSK	1	49	21.23	23.05	30	-6.95			
10	20173	1732.3	QF3N	25	12	20.33	22.15	30	-7.85			
				50	0	20.36	22.18	30	-7.82			
20350				1	0	21.21	23.03	30	-6.97			
	1750	QPSK	1	49	21.21	23.03	30	-6.97				
	20000	1750	QF 3N	25	12	20.34	22.16	30	-7.84			
				50	0	20.26	22.08	30	-7.92			
				1	0	20.20	22.02	30	-7.98			
	20000	1715	16QAM	1	49	20.34	22.16	30	-7.84			
	20000	1713	TOQAW	25	12	19.25	21.07	30	-8.93			
				50	0	19.35	21.17	30	-8.83			
				1	0	20.25	22.07	30	-7.93			
10	20175	1732.5	16QAM	1	49	20.20	22.02	30	-7.98			
10	20170	1702.0	100/11/1	25	12	19.33	21.15	30	-8.85			
				50	0	19.32	21.14	30	-8.86			
				1	0	20.32	22.14	30	-7.86			
	20350	1750	16QAM	1	49	20.31	22.13	30	-7.87			
		1100	16QAM	25	12	19.36	21.18	30	-8.82			
				50	0	19.26	21.08	30	-8.92			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 28 of 51

Antenna gain (dBi)

1.82

		LTE	Band 4_Uplin	k frequ	ency ba	ind : 1710 to 1	1755 MHz						
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)				
				1	0	21.23	23.05	30	-6.95				
	20025	1717.5	QPSK	1	74	21.28	23.10	30	-6.9				
	20023	1717.5	QF3N	36	18	20.33	22.15	30	-7.85				
				75	0	20.19	22.01	30	-7.99				
				1	0	21.28	23.10	30	-6.9				
15	20175	1732.5	QPSK	1	74	21.21	23.03	30	-6.97				
10	20173	1702.0	QIOIN	36	18	20.27	22.09	30	-7.91				
			75	0	20.30	22.12	30	-7.88					
	20325		QPSK	1	0	21.28	23.10	30	-6.9				
		1747.5		1	74	21.25	23.07	30	-6.93				
	20020			36	18	20.37	22.19	30	-7.81				
				75	0	20.29	22.11	30	-7.89				
				1	0	20.21	22.03	30	-7.97				
	20025	1717.5	16QAM	1	74	20.33	22.15	30	-7.85				
	20020	17 17.0	100,111	36	18	19.35	21.17	30	-8.83				
				75	0	19.34	21.16	30	-8.84				
				1	0	20.26	22.08	30	-7.92				
15	20175	1732.5	16QAM	1	74	20.31	22.13	30	-7.87				
				36	18	19.26	21.08	30	-8.92				
				75	0	19.36	21.18	30	-8.82				
				1	0	20.25	22.07	30	-7.93				
	20325	1747.5	16QAM	1	74	20.29	22.11	30	-7.89				
		1/4/.5		36	18	19.27	21.09	30	-8.91				
				75	0	19.28	21.10	30	-8.9				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 29 of 51

Antenna gain (dBi)

1.82

		LTE	Band 4_Uplin	k frequ	ency ba	and: 1710 to 1	1755 MHz					
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	21.85	23.67	30	-6.33			
	20050	1720	QPSK	1	99	21.19	23.01	30	-6.99			
	20030	1720	QF3N	50	25	20.23	22.05	30	-7.95			
				100	0	20.27	22.09	30	-7.91			
				1	0	21.20	23.02	30	-6.98			
20	20175	1732.5	QPSK	1	99	21.23	23.05	30	-6.95			
20	20173	1702.0	QIOIN	50	25	20.26	22.08	30	-7.92			
				100	0	20.31	22.13	30	-7.87			
	20300		QPSK	1	0	21.52	23.34	30	-6.66			
		1745		1	99	21.22	23.04	30	-6.96			
	20000			50	25	20.21	22.03	30	-7.97			
				100	0	20.19	22.01	30	-7.99			
				1	0	20.36	22.18	30	-7.82			
	20050	1720	16QAM	1	99	20.18	22.00	30	-8			
	20000	1120	1000/1111	50	25	19.37	21.19	30	-8.81			
				100	0	19.25	21.07	30	-8.93			
				1	0	20.33	22.15	30	-7.85			
20	20175	1732.5	16QAM	1	99	20.37	22.19	30	-7.81			
		1702.0	100,111	50	25	19.30	21.12	30	-8.88			
				100	0	19.19	21.01	30	-8.99			
				1	0	20.36	22.18	30	-7.82			
	20300	1745	16QAM	1	99	20.19	22.01	30	-7.99			
				50	25	19.27	21.09	30	-8.91			
				100	0	19.37	21.19	30	-8.81			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 30 of 51

Antenna gain (dBi)

			LTE Band	5_Upli	nk frequ	ency band : 8	824 to 849 MF	łz				
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)		
				1	0	21.48	20.35	18.20	38.45	-20.25		
				1	5	21.40	20.35	18.22	38.45	-20.23		
	20407	824.7	QPSK	3	2	21.47	20.37	18.19	38.45	-20.23		
				6	0	20.63	19.50	17.35	38.45	-20.20		
				1	0	21.50	20.37	18.22	38.45	-20.23		
				1	5	21.60	20.37	18.32	38.45	-20.23		
1.4	20525	836.5	QPSK	3	2	21.46	20.33	18.18	38.45	-20.27		
				6	0	20.48	19.35	17.20	38.45	-21.25		
			1	0	21.50	20.37	18.22	38.45	-20.23			
		848.3	QPSK	1	5	21.50	20.37	18.22	38.45	-20.23		
	20643			3	2	21.46	20.33	18.18	38.45	-20.27		
				6	0	20.45	19.32	17.17	38.45	-21.28		
				1	0	20.54	19.41	17.26	38.45	-21.19		
	20407	824.7	16QAM	1	5	20.50	19.37	17.22	38.45	-21.23		
	20407	024.7	IOQAW	3	2	20.60	19.47	17.32	38.45	-21.13		
				6	0	19.62	18.49	16.34	38.45	-22.11		
				1	0	20.58	19.45	17.30	38.45	-21.15		
1.4	20525	836.5	16QAM	1	5	20.49	19.36	17.21	38.45	-21.24		
1.4	20020	030.3	IOQAW	3	2	20.55	19.42	17.27	38.45	-21.18		
				6	0	19.47	18.34	16.19	38.45	-22.26		
				1	0	20.61	19.48	17.33	38.45	-21.12		
	20643	848.3	16OAM	1	5	20.61	19.48	17.33	38.45	-21.12		
	20040	848.3	16QAM —	3	2	20.54	19.41	17.26	38.45	-21.19		
				6	0	19.50	18.37	16.22	38.45	-22.23		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 31 of 51

Antenna gain (dBi)

			LTC Dand							3 (2-7)									
	LTE Band 5_Uplink frequency band : 824 to 849 MHz																		
BW	UL	Frequency		RB	RB	Conducted	EIRP	ERP	ERP	Margin									
(MHz)	Channel	(MHz)	Modulation	Size	Offset	Average	Average	Average	Limit	(dB)									
(1411 12)	Onamer	(1711 12)		OIZE	Oliset	(dBm)	(dBm)	(dBm)	(dBm)	(ub)									
				1	0	21.64	20.51	18.36	38.45	-20.09									
	20415	825.5	QPSK	1	14	21.47	20.34	18.19	38.45	-20.26									
	20410	020.0	QI OIX	8	4	20.61	19.48	17.33	38.45	-21.12									
				15	0	20.47	19.34	17.19	38.45	-21.26									
				1	0	21.56	20.43	18.28	38.45	-20.17									
3	20525	836.5	QPSK	1	14	21.63	20.50	18.35	38.45	-20.10									
	20020	000.0	QI OIX	8	4	20.60	19.47	17.32	38.45	-21.13									
			15	0	20.46	19.33	17.18	38.45	-21.27										
			QPSK	1	0	21.56	20.43	18.28	38.45	-20.17									
	20635	847.5		1	14	21.46	20.33	18.18	38.45	-20.27									
	20000			8	4	20.50	19.37	17.22	38.45	-21.23									
				15	0	20.51	19.38	17.23	38.45	-21.22									
				1	0	20.51	19.38	17.23	38.45	-21.22									
	20415	825.5	16QAM	1	14	20.64	19.51	17.36	38.45	-21.09									
	20410	020.0	IOQAW	8	4	19.47	18.34	16.19	38.45	-22.26									
				15	0	19.48	18.35	16.20	38.45	-22.25									
				1	0	20.58	19.45	17.30	38.45	-21.15									
3	20525	836.5	16QAM	1	14	20.64	19.51	17.36	38.45	-21.09									
	20020	030.3	IOQAW	8	4	19.59	18.46	16.31	38.45	-22.14									
				15	0	19.48	18.35	16.20	38.45	-22.25									
				1	0	20.54	19.41	17.26	38.45	-21.19									
	20635	847.5	16OAM	1	14	20.52	19.39	17.24	38.45	-21.21									
	20635	U-11.J	16QAM —	8	4	19.63	18.50	16.35	38.45	-22.10									
			_	15	0	19.44	18.31	16.16	38.45	-22.29									

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 32 of 51

Antenna gain (dBi)

	anomia gain (d.5.)									
			LTE Band	5_Upli	nk frequ	ency band : 8	324 to 849 MF	łz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	21.62	20.49	18.34	38.45	-20.11
	00405	000 5	ODOK	1	24	21.47	20.34	18.19	38.45	-20.26
	20425	826.5	QPSK	12	6	20.48	19.35	17.20	38.45	-21.25
				25	0	20.57	19.44	17.29	38.45	-21.16
				1	0	21.63	20.50	18.35	38.45	-20.10
5	20525	836.5	QPSK	1	24	21.50	20.37	18.22	38.45	-20.23
3	20020	030.3	QF3N	12	6	20.52	19.39	17.24	38.45	-21.21
				25	0	20.61	19.48	17.33	38.45	-21.12
				1	0	21.48	20.35	18.20	38.45	-20.25
	20625	846.5	QPSK	1	24	21.45	20.32	18.17	38.45	-20.28
	20023	040.5	QI SIN	12	6	20.54	19.41	17.26	38.45	-21.19
				25	0	20.59	19.46	17.31	38.45	-21.14
				1	0	20.50	19.37	17.22	38.45	-21.23
	20425	826.5	16QAM	1	24	20.60	19.47	17.32	38.45	-21.13
	20420	020.0	IOQAW	12	6	19.57	18.44	16.29	38.45	-22.16
				25	0	19.48	18.35	16.20	38.45	-22.25
				1	0	20.50	19.37	17.22	38.45	-21.23
5	20525	836.5	16QAM	1	24	20.59	19.46	17.31	38.45	-21.14
	20020	000.0	IOQAW	12	6	19.62	18.49	16.34	38.45	-22.11
				25	0	19.46	18.33	16.18	38.45	-22.27
				1	0	20.53	19.40	17.25	38.45	-21.20
	20625	846.5	16OAM	1	24	20.47	19.34	17.19	38.45	-21.26
	20020	040.0	16QAM	12	6	19.52	18.39	16.24	38.45	-22.21
				25	0	19.44	18.31	16.16	38.45	-22.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 33 of 51

Antenna gain (dBi)

/ title iiila	LTE Band 5_Uplink frequency band : 824 to 849 MHz										
			LTE Band	5_Uplii	nk frequ	ency band : 8	324 to 849 MF	lz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)	
				1	0	22.15	21.02	18.87	38.45	-19.58	
	20450	829	QPSK	1	49	21.49	20.36	18.21	38.45	-20.24	
	20430	029	QF3N	25	12	20.48	19.35	17.20	38.45	-21.25	
				50	0	20.54	19.41	17.26	38.45	-21.19	
				1	0	22.22	21.09	18.94	38.45	-19.51	
10	20525	836.5	QPSK	1	49	21.52	20.39	18.24	38.45	-20.21	
10	20020	000.0	Qi Oit	25	12	20.52	19.39	17.24	38.45	-21.21	
				50	0	20.59	19.46	17.31	38.45	-21.14	
20600		00 844		1	0	22.33	21.20	19.05	38.45	-19.40	
	20600		4 QPSK	1	49	21.58	20.45	18.30	38.45	-20.15	
		-, -	25	12	20.56	19.43	17.28	38.45	-21.17		
				50	0	20.47	19.34	17.19	38.45	-21.26	
				1	0	20.48	19.35	17.20	38.45	-21.25	
	20450	829	16QAM	1	49	20.51	19.38	17.23	38.45	-21.22	
				25	12	19.56	18.43	16.28	38.45	-22.17	
				50	0	19.45	18.32	16.17	38.45	-22.28	
				1	0	20.62	19.49	17.34	38.45	-21.11	
10	20525	836.5	16QAM	1	49	20.47	19.34	17.19	38.45	-21.26	
				25	12	19.58	18.45	16.30	38.45	-22.15	
				50	0	19.55	18.42	16.27	38.45	-22.18	
				1	0	20.60	19.47	17.32	38.45	-21.13	
	20600	844	16QAM	1	49	20.49	19.36	17.21	38.45	-21.24	
	20000	044	IOQAW	25	12	19.49	18.36	16.21	38.45	-22.24	
				50	0	19.56	18.43	16.28	38.45	-22.17	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 34 of 51

Antenna gain (dBi)

	Thomas gain (d.D.)									
			LTE Band	12_Upli	nk frequ	uency band :	699 to 716 MI	Hz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	21.56	20.21	18.06	34.77	-16.71
	02047	COO 7	ODOK	1	5	21.62	20.27	18.12	34.77	-16.65
	23017	699.7	QPSK	3	2	21.54	20.19	18.04	34.77	-16.73
				6	0	20.71	19.36	17.21	34.77	-17.56
				1	0	21.52	20.17	18.02	34.77	-16.75
1.4	23095	707.5	QPSK	1	5	21.55	20.20	18.05	34.77	-16.72
1.4	23093	101.3	QF3N	3	2	21.65	20.30	18.15	34.77	-16.62
				6	0	20.61	19.26	17.11	34.77	-17.66
				1	0	21.54	20.19	18.04	34.77	-16.73
	23173	715.3	QPSK	1	5	21.56	20.21	18.06	34.77	-16.71
	20170	7 10.0	QIOIN	3	2	21.61	20.26	18.11	34.77	-16.66
				6	0	20.68	19.33	17.18	34.77	-17.59
				1	0	20.53	19.18	17.03	34.77	-17.74
	23017	699.7	16QAM	1	5	20.60	19.25	17.10	34.77	-17.67
	20017	000.1	100/11/1	3	2	20.57	19.22	17.07	34.77	-17.70
				6	0	19.57	18.22	16.07	34.77	-18.70
				1	0	20.66	19.31	17.16	34.77	-17.61
1.4	23095	707.5	16QAM	1	5	20.71	19.36	17.21	34.77	-17.56
1.4	20000	707.5	100/11/1	3	2	20.57	19.22	17.07	34.77	-17.70
				6	0	19.66	18.31	16.16	34.77	-18.61
				1	0	20.53	19.18	17.03	34.77	-17.74
	23173	715.3	160AM	1	5	20.52	19.17	17.02	34.77	-17.75
	20110	7 10.0	16QAM —	3	2	20.67	19.32	17.17	34.77	-17.60
				6	0	19.71	18.36	16.21	34.77	-18.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 35 of 51

Antenna gain (dBi)

			LTE Band	12_Upli	nk frequ	ency band:	699 to 716 MI	-lz			
BW	UL	Frequency		RB	RB	Conducted	EIRP	ERP	ERP	Margin	
(MHz)	Channel	(MHz)	Modulation	Size	Offset	Average	Average	Average	Limit	(dB)	
(1711 12)	Onariner	(IVII IZ)		0126	Oliset	(dBm)	(dBm)	(dBm)	(dBm)	(UD)	
				1	0	21.53	20.18	18.03	34.77	-16.74	
	23025	700.5	QPSK	1	14	21.58	20.23	18.08	34.77	-16.69	
	20020	700.5	QIOIN	8	4	20.53	19.18	17.03	34.77	-17.74	
				15	0	20.70	19.35	17.20	34.77	-17.57	
				1	0	21.59	20.24	18.09	34.77	-16.68	
3	23095	707.5	QPSK	1	14	21.66	20.31	18.16	34.77	-16.61	
J J	20000	101.5	QIOIN	8	4	20.54	19.19	17.04	34.77	-17.73	
				15	0	20.70	19.35	17.20	34.77	-17.57	
			QPSK	1	0	21.65	20.30	18.15	34.77	-16.62	
	23165	714.5		1	14	21.53	20.18	18.03	34.77	-16.74	
	20100			8	4	20.58	19.23	17.08	34.77	-17.69	
				15	0	20.54	19.19	17.04	34.77	-17.73	
				1	0	20.53	19.18	17.03	34.77	-17.74	
	23025	700.5	16QAM	1	14	20.68	19.33	17.18	34.77	-17.59	
	20020	700.0	100/1111	8	4	19.65	18.30	16.15	34.77	-18.62	
				15	0	19.55	18.20	16.05	34.77	-18.72	
				1	0	20.61	19.26	17.11	34.77	-17.66	
3	23095	707.5	16QAM	1	14	20.58	19.23	17.08	34.77	-17.69	
0	20000	101.5	100/1111	8	4	19.57	18.22	16.07	34.77	-18.70	
				15	0	19.56	18.21	16.06	34.77	-18.71	
				1	0	20.53	19.18	17.03	34.77	-17.74	
	23165	714.5	16QAM	1	14	20.59	19.24	17.09	34.77	-17.68	
	20100	7 17.0	IOQANIII	8	4	19.56	18.21	16.06	34.77	-18.71	
				15	0	19.61	18.26	16.11	34.77	-18.66	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 36 of 51

Antenna gain (dBi)

	Thomas gain (abi)									
			LTE Band	12_Upli	nk frequ	uency band :	699 to 716 MI	Hz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	21.68	20.33	18.18	34.77	-16.59
	02025	701.5	QPSK	1	24	21.53	20.18	18.03	34.77	-16.74
	23035	701.5	QP3N	12	6	20.62	19.27	17.12	34.77	-17.65
				25	0	20.58	19.23	17.08	34.77	-17.69
				1	0	21.54	20.19	18.04	34.77	-16.73
5	23095	707.5	QPSK	1	24	21.56	20.21	18.06	34.77	-16.71
3	23033	101.5	QI SIN	12	6	20.66	19.31	17.16	34.77	-17.61
				25	0	20.64	19.29	17.14	34.77	-17.63
				1	0	21.66	20.31	18.16	34.77	-16.61
	23155	713.5	QPSK	1	24	21.62	20.27	18.12	34.77	-16.65
	20100	7 10.0	QIOIN	12	6	20.71	19.36	17.21	34.77	-17.56
				25	0	20.70	19.35	17.20	34.77	-17.57
				1	0	20.54	19.19	17.04	34.77	-17.73
	23035	701.5	16QAM	1	24	20.65	19.30	17.15	34.77	-17.62
	20000	701.5	100/1111	12	6	19.62	18.27	16.12	34.77	-18.65
				25	0	19.54	18.19	16.04	34.77	-18.73
				1	0	20.67	19.32	17.17	34.77	-17.60
5	23095	707.5	16QAM	1	24	20.69	19.34	17.19	34.77	-17.58
	20000	707.5	100/1111	12	6	19.57	18.22	16.07	34.77	-18.70
				25	0	19.58	18.23	16.08	34.77	-18.69
				1	0	20.52	19.17	17.02	34.77	-17.75
	23155	713.5	16QAM	1	24	20.55	19.20	17.05	34.77	-17.72
	20100	7 10.0	16QAM	12	6	19.66	18.31	16.16	34.77	-18.61
				25	0	19.60	18.25	16.10	34.77	-18.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 37 of 51

Antenna gain (dBi)

			<u> </u>							
			LTE Band	12_Upli	nk frequ	uency band :	699 to 716 MI	Hz		
BW	UL	Frequency	Modulation	RB	RB	Conducted Average	EIRP Average	ERP Average	ERP Limit	Margin
(MHz)	Channel	(MHz)	Modulation	Size	Offset	(dBm)	(dBm)	(dBm)	(dBm)	(dB)
				1	0	22.83	21.48	19.33	34.77	-15.44
	23060	704	QPSK	1	49	21.70	20.35	18.20	34.77	-16.57
	23000	704		25	12	20.56	19.21	17.06	34.77	-17.71
				50	0	20.59	19.24	17.09	34.77	-17.68
				1	0	22.74	21.39	19.24	34.77	-15.53
10	23005	23095 707.5	QPSK	1	49	21.71	20.36	18.21	34.77	-16.56
10	23033	101.5	QISIN	25	12	20.63	19.28	17.13	34.77	-17.64
				50	0	20.65	19.30	17.15	34.77	-17.62
	23130			1	0	22.93	21.58	19.43	34.77	-15.34
		711	QPSK	1	49	21.59	20.24	18.09	34.77	-16.68
				25	12	20.65	19.30	17.15	34.77	-17.62
				50	0	20.69	19.34	17.19	34.77	-17.58
				1	0	20.61	19.26	17.11	34.77	-17.66
	23060	704	16QAM	1	49	20.62	19.27	17.12	34.77	-17.65
	20000	704	100/11/1	25	12	19.56	18.21	16.06	34.77	-18.71
				50	0	19.57	18.22	16.07	34.77	-18.70
				1	0	20.59	19.24	17.09	34.77	-17.68
10	23095	707.5	16QAM	1	49	20.64	19.29	17.14	34.77	-17.63
10	20000	101.5	IOQAW	25	12	19.63	18.28	16.13	34.77	-18.64
				50	0	19.70	18.35	16.20	34.77	-18.57
				1	0	20.68	19.33	17.18	34.77	-17.59
	23130	711	16OAM	1	49	20.53	19.18	17.03	34.77	-17.74
	20100	, , , ,	16QAM —	25	12	19.69	18.34	16.19	34.77	-18.58
				50	0	19.67	18.32	16.17	34.77	-18.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 38 of 51

Antenna gain (dBi)

			<u> </u>							
			LTE Band	13_Upli	nk frequ	uency band :	777 to 787 MI	Hz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	21.58	20.26	18.11	34.77	-16.66
	02005	770 5	QPSK	1	24	21.49	20.17	18.02	34.77	-16.75
	23205	779.5		12	6	20.52	19.20	17.05	34.77	-17.72
				25	0	20.59	19.27	17.12	34.77	-17.65
			QPSK	1	0	21.46	20.14	17.99	34.77	-16.78
5	23230	782		1	24	21.47	20.15	18.00	34.77	-16.77
3	23230	102	QF3N	12	6	20.53	19.21	17.06	34.77	-17.71
				25	0	20.57	19.25	17.10	34.77	-17.67
				1	0	21.57	20.25	18.10	34.77	-16.67
	23255	784.5	QPSK	1	24	21.62	20.30	18.15	34.77	-16.62
				12	6	20.55	19.23	17.08	34.77	-17.69
				25	0	20.47	19.15	17.00	34.77	-17.77
				1	0	20.63	19.31	17.16	34.77	-17.61
	23205	779.5	16QAM	1	24	20.58	19.26	17.11	34.77	-17.66
	20200	110.0	1000 1111	12	6	19.47	18.15	16.00	34.77	-18.77
				25	0	19.44	18.12	15.97	34.77	-18.80
				1	0	20.52	19.20	17.05	34.77	-17.72
5	23230	782	16QAM	1	24	20.44	19.12	16.97	34.77	-17.80
	20200	102	1000	12	6	19.45	18.13	15.98	34.77	-18.79
				25	0	19.45	18.13	15.98	34.77	-18.79
				1	0	20.45	19.13	16.98	34.77	-17.79
	23255	784.5	16QAM	1	24	20.61	19.29	17.14	34.77	-17.63
			16QAM —	12	6	19.54	18.22	16.07	34.77	-18.70
				25	0	19.53	18.21	16.06	34.77	-18.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 39 of 51

Antenna gain (dBi)

	9 ()												
			LTE Band	13_Upli	nk frequ	uency band :	777 to 787 MI	77 to 787 MHz					
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)			
				1	0	21.54	20.22	18.07	34.77	-16.70			
10	23230	782	QPSK	1	49	21.53	20.21	18.06	34.77	-16.71			
10		102	QI OIX	25	12	20.54	19.22	17.07	34.77	-17.70			
				50	0	20.47	19.15	17.00	34.77	-17.77			
				1	0	20.62	19.30	17.15	34.77	-17.62			
10	23230	782	16OAM	1	49	20.46	19.14	16.99	34.77	-17.78			
	20200	102	16QAM 25 50	25	12	19.48	18.16	16.01	34.77	-18.76			
				50	0	19.50	18.18	16.03	34.77	-18.74			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 40 of 51

Antenna gain (dBi)

			LTE Band	17_Upli	nk frequ	uency band :	704 to 716 MI	-lz		
BW	UL	Eroguenov		RB	RB	Conducted	EIRP	ERP	ERP	Morain
		Frequency	Modulation		Offset	Average	Average	Average	Limit	Margin
(MHz)	Channel	(MHz)		Size	Oliset	(dBm)	(dBm)	(dBm)	(dBm)	(dB)
				1	0	21.48	20.13	17.98	34.77	-16.79
	23755	706.5	QPSK	1	24	21.50	20.15	18.00	34.77	-16.77
	23733	700.5	QF3N	12	6	20.57	19.22	17.07	34.77	-17.70
				25	0	20.47	19.12	16.97	34.77	-17.80
				1	0	21.48	20.13	17.98	34.77	-16.79
5	23790	710	QPSK	1	24	21.48	20.13	17.98	34.77	-16.79
3	23730	710	QISIN	12	6	20.60	19.25	17.10	34.77	-17.67
				25	0	20.42	19.07	16.92	34.77	-17.85
				1	0	21.61	20.26	18.11	34.77	-16.66
	23825	713.5	QPSK	1	24	21.47	20.12	17.97	34.77	-16.80
				12	6	20.56	19.21	17.06	34.77	-17.71
				25	0	20.53	19.18	17.03	34.77	-17.74
				1	0	20.60	19.25	17.10	34.77	-17.67
	23755	706.5	16QAM	1	24	20.46	19.11	16.96	34.77	-17.81
	20700	700.5	IOQAW	12	6	19.47	18.12	15.97	34.77	-18.80
				25	0	19.48	18.13	15.98	34.77	-18.79
				1	0	20.56	19.21	17.06	34.77	-17.71
5	23790	710	16QAM	1	24	20.54	19.19	17.04	34.77	-17.73
3	23730	710	IOQAIVI	12	6	19.44	18.09	15.94	34.77	-18.83
				25	0	19.45	18.10	15.95	34.77	-18.82
				1	0	20.57	19.22	17.07	34.77	-17.70
	23825	713.5	16OAM	1	24	20.50	19.15	17.00	34.77	-17.77
	20020	1 13.3	16QAM —	12	6	19.47	18.12	15.97	34.77	-18.80
				25	0	19.44	18.09	15.94	34.77	-18.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 41 of 51

Antenna gain (dBi)

	gairi (ubi)	-1.55								
			LTE Band	17_Upli	nk frequ	uency band :	704 to 716 MI	Hz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	22.40	21.05	18.90	34.77	-15.87
	23780	709	QPSK	1	49	21.52	20.17	18.02	34.77	-16.75
	23/00	709		25	12	20.51	19.16	17.01	34.77	-17.76
				50	0	20.51	19.16	17.01	34.77	-17.76
				1	0	22.28	20.93	18.78	34.77	-15.99
10	23790 710	QPSK	1	49	21.53	20.18	18.03	34.77	-16.74	
10	20130	710	QIOIN	25	12	20.50	19.15	17.00	34.77	-17.77
				50	0	20.42	19.07	16.92	34.77	-17.85
	23800		QPSK	1	0	22.44	21.09	18.94	34.77	-15.83
		711		1	49	21.51	20.16	18.01	34.77	-16.76
				25	12	20.53	19.18	17.03	34.77	-17.74
				50	0	20.52	19.17	17.02	34.77	-17.75
				1	0	20.46	19.11	16.96	34.77	-17.81
	23780	709	16QAM	1	49	20.48	19.13	16.98	34.77	-17.79
	20700	100	1000 1111	25	12	19.47	18.12	15.97	34.77	-18.80
				50	0	19.43	18.08	15.93	34.77	-18.84
				1	0	20.46	19.11	16.96	34.77	-17.81
10	23790	710	16QAM	1	49	20.55	19.20	17.05	34.77	-17.72
10	20700	110	1000 1111	25	12	19.55	18.20	16.05	34.77	-18.72
				50	0	19.54	18.19	16.04	34.77	-18.73
				1	0	20.58	19.23	17.08	34.77	-17.69
	23800	711	16QAM	1	49	20.43	19.08	16.93	34.77	-17.84
			16QAM	25	12	19.45	18.10	15.95	34.77	-18.82
				50	0	19.47	18.12	15.97	34.77	-18.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 42 of 51

Antenna gain (dBi)

0.44

	LTE Band 66_Uplink frequency band : 1710 to 1780 MHz									
		LTE	Band 66_Uplii	nk frequ	iency b	and: 1710 to	1780 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)	
				1	0	21.30	21.74	30	-8.26	
	131979	1710.7	QPSK	1	5	21.26	21.70	30	-8.3	
	131979	17 10.7		3	2	21.29	21.73	30	-8.27	
				6	0	20.16	20.60	30	-9.4	
				1	0	21.31	21.75	30	-8.25	
1.4	132322	1745	QPSK	1	5	21.20	21.64	30	-8.36	
1.4	132322	1743	QI SIN	3	2	21.25	21.69	30	-8.31	
				6	0	20.31	20.75	30	-9.25	
	132665 1779.3		QPSK	1	0	21.26	21.70	30	-8.3	
		1779.3		1	5	21.30	21.74	30	-8.26	
				3	2	21.33	21.77	30	-8.23	
				6	0	20.31	20.75	30	-9.25	
				1	0	20.30	20.74	30	-9.26	
	131979	1710.7	16QAM	1	5	20.19	20.63	30	-9.37	
	101373	17 10.7	TOQAW	3	2	20.25	20.69	30	-9.31	
				6	0	19.27	19.71	30	-10.29	
				1	0	20.32	20.76	30	-9.24	
1.4	132322	1745	16QAM	1	5	20.28	20.72	30	-9.28	
1.7	102022	1770	100/1111	3	2	20.16	20.60	30	-9.4	
				6	0	19.32	19.76	30	-10.24	
				1	0	20.34	20.78	30	-9.22	
	132665	1779.3	16QAM	1	5	20.16	20.60	30	-9.4	
	102000			3	2	20.34	20.78	30	-9.22	
				6	0	19.27	19.71	30	-10.29	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 43 of 51

Antenna gain (dBi)

0.44

	. ,										
		LTE I	Band 66_Uplii	nk frequ	uency b	and : 1710 to	1780 MHz				
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
				1	0	21.32	21.76	30	-8.24		
	131987	1711.5	QPSK	1	14	21.17	21.61	30	-8.39		
	131901	0.11	QP3N	8	4	20.29	20.73	30	-9.27		
				15	0	20.23	20.67	30	-9.33		
				1	0	21.30	21.74	30	-8.26		
3	132322	1745	QPSK	1	14	21.21	21.65	30	-8.35		
] 3	132322	1743	QF3N	8	4	20.19	20.63	30	-9.37		
				15	0	20.20	20.64	30	-9.36		
		57 1778.5 C		1	0	21.28	21.72	30	-8.28		
	132657		QPSK	1	14	21.35	21.79	30	-8.21		
				8	4	20.32	20.76	30	-9.24		
				15	0	20.21	20.65	30	-9.35		
				1	0	20.21	20.65	30	-9.35		
	131987	1711.5	16QAM	1	14	20.28	20.72	30	-9.28		
	101307	17 11.5	TOQAW	8	4	19.25	19.69	30	-10.31		
				15	0	19.28	19.72	30	-10.28		
				1	0	20.18	20.62	30	-9.38		
3	132322	1745	16QAM	1	14	20.17	20.61	30	-9.39		
	102022	1770	100/1111	8	4	19.27	19.71	30	-10.29		
				15	0	19.22	19.66	30	-10.34		
				1	0	20.19	20.63	30	-9.37		
	132657	1778.5	16QAM	1	14	20.30	20.74	30	-9.26		
	102007		16QAM	8	4	19.33	19.77	30	-10.23		
				15	0	19.18	19.62	30	-10.38		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 44 of 51

LTE Band 66_Uplink frequency band : 1710 to 1780 MHz									
		LTE I	Band 66_Upli	nk frequ	uency b	and: 1710 to	1780 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.33	21.77	30	-8.23
	131997	1712.5	QPSK	1	24	21.26	21.70	30	-8.3
	101001	17 12.5	QI OIX	12	6	20.34	20.78	30	-9.22
				25	0	20.28	20.72	30	-9.28
				1	0	21.19	21.63	30	-8.37
5	132322	1745	QPSK	1	24	21.29	21.73	30	-8.27
3	102022	1743	QI OIX	12	6	20.18	20.62	30	-9.38
				25	0	20.28	20.72	30	-9.28
	132647 1777.5		1	0	21.28	21.72	30	-8.28	
		1777.5	QPSK	1	24	21.16	21.60	30	-8.4
				12	6	20.24	20.68	30	-9.32
				25	0	20.17	20.61	30	-9.39
				1	0	20.29	20.73	30	-9.27
	131997	1712.5	16QAM	1	24	20.29	20.73	30	-9.27
	101007	17 12.0	TOQAW	12	6	19.20	19.64	30	-10.36
				25	0	19.17	19.61	30	-10.39
				1	0	20.16	20.60	30	-9.4
5	132322	1745	16QAM	1	24	20.20	20.64	30	-9.36
J	102022	1170	100/1111	12	6	19.24	19.68	30	-10.32
				25	0	19.16	19.60	30	-10.4
			1	0	20.34	20.78	30	-9.22	
	132647	1777 5	16OAM	1	24	20.31	20.75	30	-9.25
	102077	1777.5	16QAM —	12	6	19.32	19.76	30	-10.24
			25	0	19.34	19.78	30	-10.22	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 45 of 51

Antenna gain (dBi)

0.44

	. ,										
		LTE I	Band 66_Uplii	nk frequ	iency b	and: 1710 to	1780 MHz				
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
				1	0	21.28	21.72	30	-8.28		
	132022	1715	QPSK	1	49	21.23	21.67	30	-8.33		
	132022	1715	QF3N	25	12	20.31	20.75	30	-9.25		
				50	0	20.16	20.60	30	-9.4		
				1	0	21.18	21.62	30	-8.38		
10	132322	1745	QPSK	1	49	21.21	21.65	30	-8.35		
10	102022	1743	QIOIN	25	12	20.34	20.78	30	-9.22		
				50	0	20.18	20.62	30	-9.38		
	132622 1775		1	0	21.31	21.75	30	-8.25			
		1775	QPSK	1	49	21.15	21.59	30	-8.41		
				25	12	20.29	20.73	30	-9.27		
				50	0	20.22	20.66	30	-9.34		
				1	0	20.17	20.61	30	-9.39		
	132022	1715	16QAM	1	49	20.18	20.62	30	-9.38		
	102022	1710	1000/1111	25	12	19.27	19.71	30	-10.29		
				50	0	19.26	19.70	30	-10.3		
				1	0	20.33	20.77	30	-9.23		
10	132322	1745	16QAM	1	49	20.19	20.63	30	-9.37		
.0	102022		100,	25	12	19.16	19.60	30	-10.4		
				50	0	19.23	19.67	30	-10.33		
				1	0	20.24	20.68	30	-9.32		
	132622	1775	16QAM	1	49	20.25	20.69	30	-9.31		
				25	12	19.21	19.65	30	-10.35		
				50	0	19.28	19.72	30	-10.28		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 46 of 51

Antenna gain (dBi)

0.44

	. ,										
		LTE I	Band 66_Uplii	nk frequ	iency b	and: 1710 to	1780 MHz				
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
				1	0	21.30	21.74	30	-8.26		
	132047	1717.5	QPSK	1	74	21.31	21.75	30	-8.25		
	132047	1717.5	QF3N	36	18	20.28	20.72	30	-9.28		
				75	0	20.27	20.71	30	-9.29		
				1	0	21.29	21.73	30	-8.27		
15	132322	1745	QPSK	1	74	21.29	21.73	30	-8.27		
13	132322	1743	QI SIN	36	18	20.24	20.68	30	-9.32		
				75	0	20.21	20.65	30	-9.35		
	132597 1772.5		1	0	21.16	21.60	30	-8.4			
		1772.5	QPSK	1	74	21.22	21.66	30	-8.34		
				36	18	20.24	20.68	30	-9.32		
				75	0	20.19	20.63	30	-9.37		
				1	0	20.27	20.71	30	-9.29		
	132047	1717.5	16QAM	1	74	20.22	20.66	30	-9.34		
	1020+7	17 17.0	100/11/1	36	18	19.31	19.75	30	-10.25		
				75	0	19.23	19.67	30	-10.33		
				1	0	20.31	20.75	30	-9.25		
15	132322	1745	16QAM	1	74	20.22	20.66	30	-9.34		
	102022	17.10	1000/1111	36	18	19.33	19.77	30	-10.23		
				75	0	19.27	19.71	30	-10.29		
				1	0	20.23	20.67	30	-9.33		
	132597	1772.5	16QAM	1	74	20.27	20.71	30	-9.29		
	132597		100,	36	18	19.26	19.70	30	-10.3		
				75	0	19.19	19.63	30	-10.37		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 47 of 51

Antenna gain (dBi)

0.44

	. ,										
		LTE I	Band 66_Uplin	nk frequ	uency b	and : 1710 to	1780 MHz				
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
				1	0	21.87	22.31	30	-7.69		
	132072	1720	QPSK	1	99	21.29	21.73	30	-8.27		
	132072	1720	QF3N	50	25	20.18	20.62	30	-9.38		
				100	0	20.16	20.60	30	-9.4		
				1	0	22.28	22.72	30	-7.28		
20	132322	1745	QPSK	1	99	21.32	21.76	30	-8.24		
20	132322	1743	QI SIN	50	25	20.34	20.78	30	-9.22		
				100	0	20.17	20.61	30	-9.39		
	132572 1770		1	0	21.77	22.21	30	-7.79			
		1770	QPSK	1	99	21.33	21.77	30	-8.23		
				50	25	20.26	20.70	30	-9.3		
				100	0	20.21	20.65	30	-9.35		
				1	0	20.18	20.62	30	-9.38		
	132072	1720	16QAM	1	99	20.32	20.76	30	-9.24		
	102072	1720	100/11/1	50	25	19.22	19.66	30	-10.34		
				100	0	19.24	19.68	30	-10.32		
				1	0	20.28	20.72	30	-9.28		
20	132322	1745	16QAM	1	99	20.16	20.60	30	-9.4		
	102022	1, 10	100/11/1	50	25	19.22	19.66	30	-10.34		
				100	0	19.22	19.66	30	-10.34		
-				1	0	20.25	20.69	30	-9.31		
	132572	1770	16QAM	1	99	20.32	20.76	30	-9.24		
	.525.2		16QAM –	50	25	19.21	19.65	30	-10.35		
				100	0	19.27	19.71	30	-10.29		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 48 of 51

Field Strength of Spurious Radiation Measurement


:SAC D Report Number :TERF2403000755E2 Test Site

Operation Mode :LTE B4 Test Date :2024-04-25

:Tx Test Mode Temp./Humi. :21.3°C/71%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :1720 MHz Engineer :Howard Huang



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
48.430	-49.17	-36.42	-11.88	-0.87	-13.00	-36.17
83.350	-58.11	-55.10	-1.87	-1.14	-13.00	-45.11
96.930	-55.32	-53.40	-0.69	-1.23	-13.00	-42.32
109.540	-61.79	-59.04	-1.42	-1.33	-13.00	-48.79
239.520	-63.37	-65.42	4.01	-1.96	-13.00	-50.37
306.450	-61.19	-63.13	4.15	-2.21	-13.00	-48.19
3440.000	-58.25	-63.37	12.52	-7.40	-13.00	-45.25
5160.000	-53.43	-56.74	12.46	-9.15	-13.00	-40.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 49 of 51


Report Number :TERF2403000755E2 Test Site :SAC D

Operation Mode :LTE B4 Test Date :2024-04-25

Test Mode :Tx Temp./Humi. :21.3℃/71%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1720 MHz Engineer :Howard Huang



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
47.460	-55.50	-42.76	-11.88	-0.86	-13.00	-42.50
89.170	-59.94	-58.00	-0.75	-1.19	-13.00	-46.94
112.450	-66.02	-63.32	-1.36	-1.34	-13.00	-53.02
214.300	-64.79	-67.63	4.70	-1.86	-13.00	-51.79
240.490	-63.09	-65.11	3.98	-1.96	-13.00	-50.09
305.480	-61.38	-63.33	4.16	-2.21	-13.00	-48.38
3440.000	-58.16	-63.28	12.52	-7.40	-13.00	-45.16
5160.000	-53.83	-57.14	12.46	-9.15	-13.00	-40.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 50 of 51


Report Number :TERF2403000755E2 Test Site :SAC D

Operation Mode :LTE B12 Test Date :2024-04-25

Temp./Humi. :21.3°C/71% Test Mode :Tx

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :711 MHz Engineer :Howard Huang



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-52.11	-39.58	-11.65	-0.88	-13.00	-39.11
96.930	-56.19	-54.27	-0.69	-1.23	-13.00	-43.19
111.480	-61.34	-58.68	-1.32	-1.34	-13.00	-48.34
237.580	-63.67	-65.84	4.13	-1.96	-13.00	-50.67
289.960	-61.40	-63.27	4.03	-2.16	-13.00	-48.40
310.330	-62.45	-64.34	4.11	-2.22	-13.00	-49.45
1422.000	-59.49	-62.51	7.72	-4.70	-13.00	-46.49
2133.000	-53.52	-57.60	9.87	-5.79	-13.00	-40.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 51 of 51


Report Number :TERF2403000755E2 Test Site :SAC D

Operation Mode :LTE B12 Test Date :2024-04-25

Temp./Humi. :21.3°C/71% Test Mode :Tx

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :711 MHz Engineer :Howard Huang



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
34.850	-56.77	-42.57	-13.46	-0.74	-13.00	-43.77
46.490	-59.89	-46.97	-12.07	-0.85	-13.00	-46.89
89.170	-60.62	-58.68	-0.75	-1.19	-13.00	-47.62
224.000	-64.39	-67.77	5.26	-1.88	-13.00	-51.39
287.050	-61.66	-63.52	4.00	-2.14	-13.00	-48.66
307.420	-63.78	-65.71	4.14	-2.21	-13.00	-50.78
1422.000	-61.18	-64.20	7.72	-4.70	-13.00	-48.18
2133.000	-55.05	-59.13	9.87	-5.79	-13.00	-42.05

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司