



1. External Photograph of EUT

Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5






Model Name: XO-1.5






Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5



Model Name: XO-1.5



Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5



Model Name: XO-1.5





Model Name: XO-1.5





2. Photograph of Accessory

Model Name: XO-1.5

List of Accessory:

Specification of Accessory		
AC Adapter 1	Brand Name	Bestec
	Model Name	NA0241WAA
	Power Rating	I/P:100-240Vac, 50-60Hz, 1A; O/P: 12Vdc, 2A
	DC Power Cord Type	1.8 meter non-shielded cable with ferrite core
AC Adapter 2	Brand Name	Bestec
	Model Name	NA0241WAAA
	Power Rating	I/P:100-240Vac, 50-60Hz, 1A; O/P: 12Vdc, 2A
	DC Power Cord Type	1.8 meter non-shielded cable with ferrite core
Battery	Brand Name	OLPC
	Model Name	CL1
	Power Rating	6.5Vdc, 3100mAh, 20.15Wh
	Type	Li-Fe
LCD Panel	Brand Name	CHI MEI
	Model Name	LS075AT011
CPU	Brand Name	VIA
	Model Name	C7-M(1.0GHz)
Camera	Brand Name	Suyin
	Model Name	CM0316-OLPC01

Remark:

1. The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.
2. AC Adapter 1 and AC Adapter 2 are almost the same; the difference between them is color of appearance only. The AC Adapter 1 is black, and the AC Adapter 2 is white. Only the AC Adapter 2 for all tests.



Model Name: XO-1.5





Model Name: XO-1.5






Model Name: XO-1.5



Model Name: XO-1.5




Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5






Model Name: XO-1.5





Model Name: XO-1.5





Model Name: XO-1.5

