

Page: 1 of 9





## RF EXPOSURE REPORT

Applicant: Quanta Computer Inc.

No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City

33377, Taiwan

**Clover Station Pro Terminal Product Name:** 

**Brand Name:** clover Model No.: C503 **HVIN:** C503W

**Model Difference:** N/A

E2/2021/60100 **Report Number:** 

FCC ID HFS-CX03W

IC: 1787B-CX03W

Aug. 03, 2021 Issue Date:

Date of EUT Received: Jul. 01, 2021

Approved By

### We hereby certify that:

The above equipment was evaluate by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §2.1091 and RSS-102.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MM777月が、近秋日旬末田東月79年に東京 (MP77月が179年) 中の大学 (MP77 s. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwanl新北市五股區新北產業園區五工路 134 號



Page: 2 of 9

Revision History								
Report Number	Revision	Description	Issue Date	Revised By				
E2/2021/60100	Rev.00	Original.	Aug. 03, 2021	Yi-Shan Tsai				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 3 of 9

# **Contents**

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)4
2	FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 4 of 9

# **DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)**

# **Product Description**

Product Name:	Clover Station Pro Terminal
Brand Name:	clover
Model No.:	C503
HVIN:	C503W
Model Difference:	N/A
Hardware Version:	C503W
Firmware Version:	N/A
EUT Series No.:	PJ216216001 (Radiated) C053UQ11620145 (Conducted) C153UQ11620149 (Conduction)
Power Supply:	12V from AC/DC Adapter

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/Terms-and-Conditions">https://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is grawn to the limitation of illability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 5 of 9

#### 1.2 **Antenna Information:**

#### 1.2.1 BT

Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Worst Antenna Gain	
DIEA	SAA	GD9321-15-001-R	2402~2480	-0.20		
PIFA	Luxshare-ICT	LA81FP018-1H	2402~2480	0.9	V	

### Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- Antenna information is provided by the applicant.

#### 1.2.2 WLAN 2.4GHz

Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Worst Antenna Gain
	SAA	GD9320-15-001-R	2402~2480	1.15	
PIFA	SAA	GD9321-15-001-R	2402~2480	-0.2	
PIFA	Luxshare-ICT	LA81FP017-1H	2402~2480	2.1	V
	Luxshare-ICT	LA81FP018-1H	2402~2480	0.9	

### Note:

- 3. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 4. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 6 of 9

#### 1.2.3 **WLAN 5GHz**

Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Worst Antenna Gain
			5150~5250	5.43	
	SAA	GD9320-15-001-R	5250~5350	5.61	V
	SAA	GD9320-13-001-R	5470~5725	5.86	V
			5725~5850	5.04	
			5150~5250	5.88	V
	SAA	GD9321-15-001-R	5250~5350	4.73	
		GD9321-13-001-R	5470~5725	4.16	
PIFA			5725~5850	4.28	
FIFA			5150~5250	3.5	
	Luxshare-ICT	LA81FP017-1H	5250~5350	4.8	
	Luxsilale-IC1	LAOIFFUIT-IN	5470~5725	4.9	
			5725~5850	4.9	
			5150~5250	4.3	
	Luxshare-ICT	LA81FP018-1H	5250~5350	4.6	
	Luxsilaie-iC1	LACIFFUIO-III	5470~5725	4.8	
			5725~5850	5.1	V

### Note:

Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.

Antenna information is provided by the applicant.

Freq.(MHz)	Directional Gain (dBi)
5150~5250	8.67
5250~5350	8.19
5470~5725	8.36
5725~5850	8.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 7 of 9

# FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)

#### 2.1 **FCC Standard Applicable**

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time			
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm <sup>2</sup> )	(minute)			
Limits for General Population/Uncontrolled Exposure							
0.3-1.34	614	1.63	*(100)	30			
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30			
30-300	27.5	0.073	0.2	30			
300-1500	1	1	f/1500	30			
1500-100000	1	/	1.0	30			

f = frequency in MHz

Prediction of MPE limit at a given distance

 $S=PG/4\pi R^2$ 

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<sup>\* =</sup> Plane-wave equipment power density



Page: 8 of 9

#### 2.2 **ISED Standard Applicable**

This submittal(s) (test report) is intended to comply with RSS-102 issue 5 Radio frequency Radiation Exposure requirement.

This is a Mobile device, the MPE is required.

Limits for Maximum Permissive Exposure (MPE)

RF F	RF Field Strength Limits for Devices Used by the General Public (Uncontrolled Environment)								
Frequency Range (MHz)	Electric Field (V/m rms)	Magnetic Field Strength (A/m rms)	Power Density (W/m²)	Reference Period (minutes)					
0.003-10	83	90	-	Instantaneous*					
0.1-10	-	0.73/ f	-	6**					
1.1-10	87/ f <sup>0.5</sup>	-	•	6**					
10-20	27.46	0.0728	2	6					
20-48	58.07/ f <sup>0.25</sup>	0.1540/ f <sup>0.25</sup>	8.944/ f <sup>0.5</sup>	6					
48-300	22.06	0.05852	1.291	6					
300-6000	$3.142 f^{0.3417}$	$0.008335 f^{0.3417}$	$0.02619f^{0.6834}$	6					
6000-15000	61.4	0.163	10	6					
15000-150000	61.4	0.163	10	616000/ f <sup>1.2</sup>					
150000-300000	0.158 f <sup>0.5</sup>	4.21 x 10-4 f <sup>0.5</sup>	6.67 x 10-5 <i>f</i>	616000/ f <sup>1.2</sup>					

F = frequency in MHz

Maximum Permissible Exposure (MPE) Evaluation

Prediction of MPE limit at a given distance

 $S=PG/4\pi R^2$ 

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

,不可部份複製

MM777月が、近秋日旬末田東月79年に東京 (MP77月が179年) 中の大学 (MP77 s. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

<sup>\* =</sup> Based on nerve stimulation (NS).

<sup>\*\* =</sup> Based on specific absorption rate (SAR)



Page: 9 of 9

#### **Power Density Calculation (Worst Case)** 2.3

FCC Standalone MPE										
Operation Mode	Evaluation Frequency (MHz)	•	Max. output Power (dBm)	Antenna Gain (dBi)	Max. output Power EIRP (mW)	Power Density (PD) (mW/cm²)	Limit (mW/cm <sup>2</sup> )	Pass / Fail	Power Density / Limit	Collocated MPE
BT	2402.00	20	5.82	0.90	4.70	0.0009	1.000	Pass	0.0009	
WLAN 2.4G	2412.00	20	18.29	4.53	191.43	0.038	1.000	Pass	0.0380	
WLAN 5G	5500.00	20	18.76	8.36	515.23	0.103	1.000	Pass	0.1030	

ISED Standalone MPE										
Operation Mode	Evaluation Frequency (MHz)	•	Max. output Power (dBm)	Antenna Gain (dBi)	Output Power EIRP (mW)	Power Density (PD) (W/m²)	Limit (W/m²)	Pass / Fail	Power Density / Limit	Collocated MPE
BT	2402.00	20	5.82	0.90	4.70	0.009	5.351	Pass	0.0017	
WLAN 2.4G	2412.00	20	18.29	4.53	191.43	0.381	5.366	Pass	0.0710	
WLAN 5G	5500.00	20	18.76	8.36	515.23	1.026	9.425	Pass	0.1089	

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/Terms-and-Conditions">https://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is grawn to the limitation of illability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw