

Page: 1 of 11







FCC Applicant: Quanta Computer Inc

No.188, Wenhua 2nd Rd., Guishan Dist., Taoyuan City 33377,

Taiwan (R.O.C)

Product Name: All-in-One PC

Brand Name: HP

Model No.: TPC-Q085-24

Model Difference: N/A

Report Number: E2/2021/50088

FCC ID HFSQTA-N1C

Jun. 15, 2021 Issue Date:

Date of Test: May. 18, 2021 ~ Jun. 08, 2021

Date of EUT Received: May. 18, 2021

Approved By

We hereby certify that:

The above equipment was verified by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §2.1091.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 2 of 11

Revision History				
Report Number Revision Description Issue Date Revised By				
E2/2021/50088	Rev.00	Original.	Jun. 15, 2021	Yi-Shan Tsai

Note:

Antenna information is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488

台灣檢驗科技股份有限公司

www.sgs.com.tw



Page: 3 of 11

DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

1.1 **Product Description**

Product Name:	All-in-One PC
Brand Name:	HP
Model No.:	TPC-Q085-24
Model Difference:	N/A
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	8CC1160D62
Power Supply:	19.5Vdc from AC/DC Adapter

1.2 **Test Facility**

Laboratory	Test Site Address		FCC Designation number
SGS Taiwan Ltd. Central RF Lab.		No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan.	TW0027
(TAF code 3702)	\boxtimes	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	TW0028

台灣檢驗科技股份有限公司

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 4 of 11

MAXIMUM PERMISSIBLE EXPOSURE (MPE)

2.1 Standard Applicable

According to KDB 680106 D01 RF Exposure Wireless Charging App v03

RF exposure potential to users and bystanders is expected to vary according to factors inherent to the design of individual systems, which generally requires different evaluation considerations to show compliance.

When exposure concerns arise; for example, due to evolving products and operations, RF exposure evaluation may be requested under the provisions of Sections 1.1307 (c) and (d) to determine compliance. Because of significant variations in design and operating characteristics, the procedures required to evaluate RF exposure compliance for wireless power transfer are considered according to the exposure potentials of individual implementations

The RF exposure requirements must be determined in conjunction with the device operating characteristics, according to the mobile and portable exposure requirements in Sections 2.1091 and 2.1093 of the rules. SAR and MPE limits do not cover the frequency range for wireless power transfer applications which operate below 100 kHz and 300 kHz respectively; therefore, RF exposure compliance needs to be determined with respect to Sections 1.1307 (c) and (d) of the FCC rules.

2.2 **Limits for Maximum Permissive Exposure (MPE)**

Emissions between 100 kHz to 300 kHz should be assessed versus the limits at 300 kHz in Table 1 of Section 1.1310: 614 V/m and 1.63 A/m. A KDB inquiry is required to determine the applicable exposure limits below 100 kHz.

Power density Electric field strength Frequency range Magnetic field strength Averaging time (MHz) (V/m) (mW/cm²) (minutes) (A/m) (A) Limits for Occupational/Controlled Exposure 0.3-3.0 *100 6 614 1.63 6 3.0-30 1842/f 4.89/f *900/f² 6 30-300 61.4 0.163 1.0 6 f/300 300-1,500 6 1,500-100,000 (B) Limits for General Population/Uncontrolled Exposure 0.3-1.34 *100 30 614 1.63 1.34-30 824/f 2.19/f *180/f² 30

TABLE 1—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

f = frequency in MHz * = Plane-wave equivalent power density

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

27.5

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions.

and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their only and within the limits of clients institutions, it any. The company's social celent and this document does not excited be a transaction form exercising an treir rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

> t (886-2) 2299-3279 www.sgs.com.tw

30-300

300-1.500

1,500-100,000

0.073

0.2

1.0

f/1500

30



Page: 5 of 11

2.3 The Worst Charging Condition:

Ancillary Equipment	Charging Condition	Verdict
Load	Full Loading	PASS
Load	99% Loading	PASS
Load	50% Loading	PASS
Load	1% Loading	PASS

Note: For Wireless Power Consortium Qi specification, a lower operating frequency or high duty cycle result in the transfer of a higher amount of power and charging current.


2.4 **Measurement Procedure:**

For devices designed for typical desktop applications, such a wireless charging pads, RF exposure evaluation should be conducted assuming a user separation distance. E and H field strength measurements or numerical modeling may be used to demonstrate compliance. Measurements should be made from all sides and the top of the primary/client pair, with proper distances measured from the center of the probe(s) to the edge of the device as per KDB 680106 D01.

2.5 **Measurement Equipment Used:**

Conducted Emission Test Site: Conducted B						
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.						
EM RADIATION METER	Wandel&Goltermann	EMR-30	M-0006	2020/10/08	2021/10/07	

2.6 **Test Set-up:**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. -and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 6 of 11

Maximum Permissible Exposure (MPE) Evaluation: 2.7

Full Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	10 cm	0.52	0.0017	
Back	10 cm	0.53	0.0012	
Left	10 cm	0.59	0.0019	
Right	10 cm	0.64	0.0019	
Тор	10 cm	0.76	0.0032	
Bottom	10 cm	0.53	0.0014	
Limit		614	0.815	

99% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	10 cm	0.49	0.0014	
Back	10 cm	0.51	0.0010	
Left	10 cm	0.59	0.0019	
Right	10 cm	0.66	0.0018	
Тор	10 cm	0.75	0.0033	
Bottom	10 cm	0.53	0.0012	
Limit	-	614	0.815	

90% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	10 cm	0.50	0.0014	
Back	10 cm	0.53	0.0009	
Left	10 cm	0.57	0.0018	
Right	10 cm	0.67	0.0021	
Тор	10 cm	0.73	0.0029	
Bottom	10 cm	0.50	0.0014	
Limit		614	0.815	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 7 of 11

50% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	10 cm	0.51	0.0015	
Back	10 cm	0.53	0.0012	
Left	10 cm	0.59	0.0017	
Right	10 cm	0.67	0.0020	
Тор	10 cm	0.73	0.0032	
Bottom	10 cm	0.53	0.0010	
Limit		614	0.815	

10% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	10 cm	0.49	0.0013	
Back	10 cm	0.50	0.0010	
Left	10 cm	0.59	0.0019	
Right	10 cm	0.66	0.0015	
Тор	10 cm	0.74	0.0034	
Bottom	10 cm	0.50	0.0014	
Limit		614	0.815	

1% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	10 cm	0.53	0.0017	
Back	10 cm	0.51	0.0009	
Left	10 cm	0.56	0.0019	
Right	10 cm	0.65	0.0016	
Тор	10 cm	0.72	0.0029	
Bottom	10 cm	0.50	0.0011	
Limit		614	0.815	



Page: 8 of 11

Full Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	15 cm	0.47	0.0016	
Back	15 cm	0.52	0.0012	
Left	15 cm	0.48	0.0017	
Right	15 cm	0.61	0.0018	
Тор	15 cm	0.66	0.0026	
Bottom	15 cm	0.42	0.0010	
Limit		614	0.815	

99% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	15 cm	0.49	0.0014	
Back	15 cm	0.51	0.0008	
Left	15 cm	0.49	0.0014	
Right	15 cm	0.62	0.0016	
Тор	15 cm	0.67	0.0025	
Bottom	15 cm	0.41	0.0010	
Limit	-	614	0.815	

90% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	15 cm	0.49	0.0011	
Back	15 cm	0.50	0.0007	
Left	15 cm	0.47	0.0014	
Right	15 cm	0.64	0.0021	
Тор	15 cm	0.64	0.0021	
Bottom	15 cm	0.40	0.0010	
Limit	-	614	0.815	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號
1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309



Page: 9 of 11

50% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	15 cm	0.47	0.0015	
Back	15 cm	0.50	0.0011	
Left	15 cm	0.48	0.0016	
Right	15 cm	0.64	0.0019	
Тор	15 cm	0.65	0.0021	
Bottom	15 cm	0.39	0.0010	
Limit		614	0.815	

10% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	15 cm	0.49	0.0012	
Back	15 cm	0.50	0.0008	
Left	15 cm	0.49	0.0013	
Right	15 cm	0.64	0.0014	
Тор	15 cm	0.65	0.0024	
Bottom	15 cm	0.40	0.0010	
Limit		614	0.815	

1% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	15 cm	0.47	0.0014	
Back	15 cm	0.51	0.0007	
Left	15 cm	0.49	0.0015	
Right	15 cm	0.64	0.0015	
Тор	15 cm	0.64	0.0021	
Bottom	15 cm	0.41	0.0010	
Limit		614	0.815	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號
1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309-2370

1,1886-2), 2309



Page: 10 of 11

Full Loading

Maximum Permissible Exposure			
Probe from EUT Side	Test Distance	V/m	A/m
Front	20 cm	0.44	0.0009
Back	20 cm	0.46	0.0010
Left	20 cm	0.40	0.0014
Right	20 cm	0.50	0.0017
Тор	20 cm	0.49	0.0020
Bottom	20 cm	0.32	0.0008
Limit		614	0.815

99% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	20 cm	0.46	0.0009	
Back	20 cm	0.47	0.0006	
Left	20 cm	0.43	0.0012	
Right	20 cm	0.49	0.0015	
Тор	20 cm	0.51	0.0021	
Bottom	20 cm	0.34	0.0007	
Limit		614	0.815	

90% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	20 cm	0.47	0.0009	
Back	20 cm	0.44	0.0006	
Left	20 cm	0.41	0.0013	
Right	20 cm	0.53	0.0016	
Тор	20 cm	0.49	0.0020	
Bottom	20 cm	0.35	0.0009	
Limit		614	0.815	



Page: 11 of 11

50% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	20 cm	0.45	0.0011	
Back	20 cm	0.45	0.0008	
Left	20 cm	0.42	0.0015	
Right	20 cm	0.50	0.0016	
Тор	20 cm	0.49	0.0020	
Bottom	20 cm	0.35	0.0008	
Limit		614	0.815	

10% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	20 cm	0.44	0.0009	
Back	20 cm	0.46	0.0007	
Left	20 cm	0.41	0.0013	
Right	20 cm	0.49	0.0013	
Тор	20 cm	0.50	0.0024	
Bottom	20 cm	0.32	0.0010	
Limit		614	0.815	

1% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	V/m	A/m	
Front	20 cm	0.47	0.0006	
Back	20 cm	0.47	0.0006	
Left	20 cm	0.43	0.0013	
Right	20 cm	0.49	0.0013	
Тор	20 cm	0.49	0.0020	
Bottom	20 cm	0.32	0.0007	
Limit	•	614	0.815	