



| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5290 | 83.80 | 76.40 | No limit |

5290 MHz





Date: 28.JUL.2020 18:54:49





Date: 28.JUL.2020 18:53:59

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5530 | 84.40 | 76.40 | No limit |
| 5610 | 84.20 | 76.40 | No limit |


5530 MHz



5610 MHz




| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5775 | 77.20 | 76.40 | 500 | Pass |




| | |
|-----------|------------------------------------|
| Test Mode | IEEE 802.11ac (VHT160)_Aux Antenna |
|-----------|------------------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5250 | 163.20 | 153.60 | No limit |




| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5570 | 162.80 | 154.40 | No limit |

5570 MHz



Date: 29.JUL.2020 15:16:52




Date: 29.JUL.2020 15:16:03


Test Mode IEEE 802.11ax (HE20)_Aux Antenna

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5180 | 25.05 | 19.10 | No limit |
| 5200 | 25.15 | 19.10 | No limit |
| 5240 | 25.29 | 19.00 | No limit |

5180 MHz




Date: 29.JUL.2020 11:52:01




Date: 29.JUL.2020 11:51:27

5200 MHz




Date: 29.JUL.2020 12:00:24




Date: 29.JUL.2020 11:59:52

5240 MHz




Date: 29.JUL.2020 12:05:00




Date: 29.JUL.2020 12:04:27

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5260 | 26.25 | 19.20 | No limit |
| 5300 | 25.29 | 19.10 | No limit |
| 5320 | 24.89 | 19.00 | No limit |

5260 MHz




Date: 29.JUL.2020 12:07:48




Date: 29.JUL.2020 12:07:16

5300 MHz




Date: 29.JUL.2020 12:15:00




Date: 29.JUL.2020 12:14:25

5320 MHz




Date: 29.JUL.2020 12:17:10




Date: 29.JUL.2020 12:16:37

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5500 | 25.95 | 19.10 | No limit |
| 5580 | 25.46 | 19.20 | No limit |
| 5700 | 27.20 | 19.30 | No limit |

5500 MHz




Date: 29.JUL.2020 12:20:25




Date: 29.JUL.2020 12:19:50

5580 MHz




Date: 29.JUL.2020 12:24:55




Date: 29.JUL.2020 12:24:23

5700 MHz





Date: 29.JUL.2020 12:27:17





Date: 29.JUL.2020 12:26:43

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5745 | 15.15 | 19.10 | 500 | Pass |
| 5785 | 15.35 | 19.20 | 500 | Pass |
| 5825 | 15.50 | 19.10 | 500 | Pass |


5745 MHz




5785 MHz



5825 MHz





Date: 29.JUL.2020 12:46:56



Date: 29.JUL.2020 12:46:16


| | |
|-----------|----------------------------------|
| Test Mode | IEEE 802.11ax (HE40)_Aux Antenna |
|-----------|----------------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5190 | 45.50 | 38.00 | No limit |
| 5230 | 45.10 | 38.00 | No limit |




| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5270 | 46.20 | 38.00 | No limit |
| 5310 | 44.79 | 37.80 | No limit |

5270 MHz




Date: 29.JUL.2020 13:06:49




Date: 29.JUL.2020 19:46:29

5310 MHz




Date: 29.JUL.2020 13:09:52




Date: 29.JUL.2020 13:09:11

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5510 | 44.80 | 37.80 | No limit |
| 5550 | 46.70 | 38.00 | No limit |
| 5670 | 45.40 | 38.00 | No limit |

5510 MHz




Date: 29.JUL.2020 13:14:12




Date: 29.JUL.2020 13:13:33

5550 MHz




Date: 29.JUL.2020 13:41:28




Date: 29.JUL.2020 13:40:56

5670 MHz




Date: 29.JUL.2020 13:44:45




Date: 29.JUL.2020 13:44:10

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5755 | 31.81 | 37.80 | 500 | Pass |
| 5795 | 33.40 | 38.20 | 500 | Pass |

5755 MHz




Date: 29.JUL.2020 13:48:21




Date: 29.JUL.2020 13:47:06

5795 MHz




Date: 29.JUL.2020 14:09:23




Date: 29.JUL.2020 14:08:38

| | |
|-----------|----------------------------------|
| Test Mode | IEEE 802.11ax (HE80)_Aux Antenna |
|-----------|----------------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5210 | 84.60 | 76.00 | No limit |





| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5290 | 86.80 | 76.80 | No limit |





| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5530 | 90.79 | 77.20 | No limit |
| 5610 | 88.80 | 77.20 | No limit |


5530 MHz



5610 MHz




| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Minimum 6 dB Bandwidth Limit (kHz) | Result |
|----------------------|----------------------|-------------------------------|------------------------------------|--------|
| 5775 | 64.40 | 77.20 | 500 | Pass |




| | |
|-----------|-----------------------------------|
| Test Mode | IEEE 802.11ax (HE160)_Aux Antenna |
|-----------|-----------------------------------|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5250 | 165.60 | 156.00 | No limit |



| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit |
|----------------------|-----------------------|-------------------------------|----------|
| 5570 | 166.00 | 156.00 | No limit |



APPENDIX E CONDUCTED OUTPUT POWER

| | | | |
|-----------|--------------------------|-------------|-----------|
| Test Mode | IEEE 802.11a_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|--------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 13.33 | 0.0215 | 24.00 | 0.2500 | Complies |
| 5200 | 13.38 | 0.0218 | 24.00 | 0.2500 | Complies |
| 5240 | 13.38 | 0.0218 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 13.35 | 0.0216 | 24.00 | 0.2500 | Complies |
| 5300 | 13.36 | 0.0217 | 24.00 | 0.2500 | Complies |
| 5320 | 13.35 | 0.0216 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 13.47 | 0.0222 | 24.00 | 0.2500 | Complies |
| 5580 | 13.41 | 0.0219 | 24.00 | 0.2500 | Complies |
| 5700 | 13.37 | 0.0217 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 13.46 | 0.0222 | 30.00 | 1.0000 | Complies |
| 5785 | 13.43 | 0.0220 | 30.00 | 1.0000 | Complies |
| 5825 | 13.39 | 0.0218 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|---------------------------|-------------|-----------|
| Test Mode | IEEE 802.11a_Main Antenna | Tested Date | 2020/7/23 |
|-----------|---------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 13.44 | 0.0221 | 24.00 | 0.2500 | Complies |
| 5200 | 13.45 | 0.0221 | 24.00 | 0.2500 | Complies |
| 5240 | 13.38 | 0.0218 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 13.46 | 0.0222 | 24.00 | 0.2500 | Complies |
| 5300 | 13.45 | 0.0221 | 24.00 | 0.2500 | Complies |
| 5320 | 13.42 | 0.0220 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 13.44 | 0.0221 | 24.00 | 0.2500 | Complies |
| 5580 | 13.45 | 0.0221 | 24.00 | 0.2500 | Complies |
| 5700 | 13.48 | 0.0223 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 13.47 | 0.0222 | 30.00 | 1.0000 | Complies |
| 5785 | 13.39 | 0.0218 | 30.00 | 1.0000 | Complies |
| 5825 | 13.37 | 0.0217 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|---------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11n (HT20)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|---------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 10.49 | 0.0112 | 24.00 | 0.2500 | Complies |
| 5200 | 10.41 | 0.0110 | 24.00 | 0.2500 | Complies |
| 5240 | 10.43 | 0.0110 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 10.44 | 0.0111 | 24.00 | 0.2500 | Complies |
| 5300 | 10.30 | 0.0107 | 24.00 | 0.2500 | Complies |
| 5320 | 10.21 | 0.0105 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 10.41 | 0.0110 | 24.00 | 0.2500 | Complies |
| 5580 | 10.78 | 0.0120 | 24.00 | 0.2500 | Complies |
| 5700 | 10.57 | 0.0114 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 10.79 | 0.0120 | 30.00 | 1.0000 | Complies |
| 5785 | 10.81 | 0.0121 | 30.00 | 1.0000 | Complies |
| 5825 | 10.55 | 0.0114 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11n (HT20)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 10.44 | 0.0111 | 24.00 | 0.2500 | Complies |
| 5200 | 10.47 | 0.0111 | 24.00 | 0.2500 | Complies |
| 5240 | 10.33 | 0.0108 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 10.51 | 0.0112 | 24.00 | 0.2500 | Complies |
| 5300 | 10.35 | 0.0108 | 24.00 | 0.2500 | Complies |
| 5320 | 10.56 | 0.0114 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 10.29 | 0.0107 | 24.00 | 0.2500 | Complies |
| 5580 | 10.11 | 0.0103 | 24.00 | 0.2500 | Complies |
| 5700 | 10.02 | 0.0100 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 10.08 | 0.0102 | 30.00 | 1.0000 | Complies |
| 5785 | 9.97 | 0.0099 | 30.00 | 1.0000 | Complies |
| 5825 | 10.34 | 0.0108 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|---------------------------|-------------|-----------|
| Test Mode | IEEE 802.11n (HT20)_Total | Tested Date | 2020/7/23 |
|-----------|---------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 13.48 | 0.0223 | 24.00 | 0.2500 | Complies |
| 5200 | 13.45 | 0.0221 | 24.00 | 0.2500 | Complies |
| 5240 | 13.39 | 0.0218 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 13.49 | 0.0223 | 24.00 | 0.2500 | Complies |
| 5300 | 13.34 | 0.0216 | 24.00 | 0.2500 | Complies |
| 5320 | 13.40 | 0.0219 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 13.36 | 0.0217 | 24.00 | 0.2500 | Complies |
| 5580 | 13.47 | 0.0222 | 24.00 | 0.2500 | Complies |
| 5700 | 13.31 | 0.0214 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 13.46 | 0.0222 | 30.00 | 1.0000 | Complies |
| 5785 | 13.42 | 0.0220 | 30.00 | 1.0000 | Complies |
| 5825 | 13.46 | 0.0222 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|---------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11n (HT40)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|---------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5190 | 10.36 | 0.0109 | 30.00 | 1.0000 | Complies |
| 5230 | 10.31 | 0.0107 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5270 | 10.45 | 0.0111 | 24.00 | 0.2500 | Complies |
| 5310 | 10.28 | 0.0107 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5510 | 10.42 | 0.0110 | 24.00 | 0.2500 | Complies |
| 5550 | 10.37 | 0.0109 | 24.00 | 0.2500 | Complies |
| 5670 | 10.26 | 0.0106 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5755 | 10.51 | 0.0112 | 30.00 | 1.0000 | Complies |
| 5795 | 10.49 | 0.0112 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11n (HT40)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5190 | 10.41 | 0.0110 | 30.00 | 1.0000 | Complies |
| 5230 | 10.48 | 0.0112 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5270 | 10.50 | 0.0112 | 24.00 | 0.2500 | Complies |
| 5310 | 10.33 | 0.0108 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5510 | 10.27 | 0.0106 | 24.00 | 0.2500 | Complies |
| 5550 | 10.20 | 0.0105 | 24.00 | 0.2500 | Complies |
| 5670 | 10.22 | 0.0105 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5755 | 9.94 | 0.0099 | 30.00 | 1.0000 | Complies |
| 5795 | 10.10 | 0.0102 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|---------------------------|-------------|-----------|
| Test Mode | IEEE 802.11n (HT40)_Total | Tested Date | 2020/7/23 |
|-----------|---------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5190 | 13.40 | 0.0219 | 30.00 | 1.0000 | Complies |
| 5230 | 13.41 | 0.0219 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5270 | 13.49 | 0.0223 | 24.00 | 0.2500 | Complies |
| 5310 | 13.32 | 0.0215 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5510 | 13.36 | 0.0217 | 24.00 | 0.2500 | Complies |
| 5550 | 13.30 | 0.0214 | 24.00 | 0.2500 | Complies |
| 5670 | 13.25 | 0.0211 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5755 | 13.24 | 0.0211 | 30.00 | 1.0000 | Complies |
| 5795 | 13.31 | 0.0214 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT20)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|-----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 10.42 | 0.0110 | 24.00 | 0.2500 | Complies |
| 5200 | 10.49 | 0.0112 | 24.00 | 0.2500 | Complies |
| 5240 | 10.43 | 0.0110 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 10.42 | 0.0110 | 24.00 | 0.2500 | Complies |
| 5300 | 10.46 | 0.0111 | 24.00 | 0.2500 | Complies |
| 5320 | 10.46 | 0.0111 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 10.44 | 0.0111 | 24.00 | 0.2500 | Complies |
| 5580 | 10.57 | 0.0114 | 24.00 | 0.2500 | Complies |
| 5700 | 10.74 | 0.0119 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 10.91 | 0.0123 | 30.00 | 1.0000 | Complies |
| 5785 | 10.85 | 0.0122 | 30.00 | 1.0000 | Complies |
| 5825 | 10.82 | 0.0121 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|------------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT20)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|------------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 10.37 | 0.0109 | 24.00 | 0.2500 | Complies |
| 5200 | 10.36 | 0.0109 | 24.00 | 0.2500 | Complies |
| 5240 | 10.20 | 0.0105 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 10.25 | 0.0106 | 24.00 | 0.2500 | Complies |
| 5300 | 10.35 | 0.0108 | 24.00 | 0.2500 | Complies |
| 5320 | 10.24 | 0.0106 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 10.15 | 0.0104 | 24.00 | 0.2500 | Complies |
| 5580 | 10.07 | 0.0102 | 24.00 | 0.2500 | Complies |
| 5700 | 9.92 | 0.0098 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 9.92 | 0.0098 | 30.00 | 1.0000 | Complies |
| 5785 | 9.88 | 0.0097 | 30.00 | 1.0000 | Complies |
| 5825 | 10.02 | 0.0100 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT20)_Total | Tested Date | 2020/7/23 |
|-----------|-----------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 13.41 | 0.0219 | 24.00 | 0.2500 | Complies |
| 5200 | 13.44 | 0.0221 | 24.00 | 0.2500 | Complies |
| 5240 | 13.33 | 0.0215 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 13.35 | 0.0216 | 24.00 | 0.2500 | Complies |
| 5300 | 13.42 | 0.0220 | 24.00 | 0.2500 | Complies |
| 5320 | 13.36 | 0.0217 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 13.31 | 0.0214 | 24.00 | 0.2500 | Complies |
| 5580 | 13.34 | 0.0216 | 24.00 | 0.2500 | Complies |
| 5700 | 13.36 | 0.0217 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 13.45 | 0.0221 | 30.00 | 1.0000 | Complies |
| 5785 | 13.40 | 0.0219 | 30.00 | 1.0000 | Complies |
| 5825 | 13.45 | 0.0221 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT40)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|-----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5190 | 10.49 | 0.0112 | 30.00 | 1.0000 | Complies |
| 5230 | 10.41 | 0.0110 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5270 | 10.59 | 0.0115 | 24.00 | 0.2500 | Complies |
| 5310 | 10.63 | 0.0116 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5510 | 10.58 | 0.0114 | 24.00 | 0.2500 | Complies |
| 5550 | 10.88 | 0.0122 | 24.00 | 0.2500 | Complies |
| 5670 | 10.64 | 0.0116 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5755 | 10.74 | 0.0119 | 30.00 | 1.0000 | Complies |
| 5795 | 10.64 | 0.0116 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|------------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT40)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|------------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5190 | 10.30 | 0.0107 | 30.00 | 1.0000 | Complies |
| 5230 | 10.21 | 0.0105 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5270 | 10.26 | 0.0106 | 24.00 | 0.2500 | Complies |
| 5310 | 10.31 | 0.0107 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5510 | 10.37 | 0.0109 | 24.00 | 0.2500 | Complies |
| 5550 | 9.93 | 0.0098 | 24.00 | 0.2500 | Complies |
| 5670 | 10.02 | 0.0100 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5755 | 10.03 | 0.0101 | 30.00 | 1.0000 | Complies |
| 5795 | 10.03 | 0.0101 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT40)_Total | Tested Date | 2020/7/23 |
|-----------|-----------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5190 | 13.41 | 0.0219 | 30.00 | 1.0000 | Complies |
| 5230 | 13.32 | 0.0215 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5270 | 13.44 | 0.0221 | 24.00 | 0.2500 | Complies |
| 5310 | 13.48 | 0.0223 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5510 | 13.49 | 0.0223 | 24.00 | 0.2500 | Complies |
| 5550 | 13.44 | 0.0221 | 24.00 | 0.2500 | Complies |
| 5670 | 13.35 | 0.0216 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5755 | 13.41 | 0.0219 | 30.00 | 1.0000 | Complies |
| 5795 | 13.36 | 0.0217 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT80)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|-----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5210 | 10.33 | 0.0108 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5290 | 10.37 | 0.0109 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5530 | 10.32 | 0.0108 | 24.00 | 0.2500 | Complies |
| 5610 | 10.37 | 0.0109 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5775 | 10.57 | 0.0114 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|------------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT80)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|------------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5210 | 10.47 | 0.0111 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5290 | 10.49 | 0.0112 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5530 | 10.51 | 0.0112 | 24.00 | 0.2500 | Complies |
| 5610 | 10.39 | 0.0109 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5775 | 10.17 | 0.0104 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT80)_Total | Tested Date | 2020/7/23 |
|-----------|-----------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5210 | 13.41 | 0.0219 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5290 | 13.44 | 0.0221 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5530 | 13.43 | 0.0220 | 24.00 | 0.2500 | Complies |
| 5610 | 13.39 | 0.0218 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5775 | 13.38 | 0.0218 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|------------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT160)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|------------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5250 | 10.23 | 0.0105 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5570 | 10.49 | 0.0112 | 24.00 | 0.2500 | Complies |

| | | | |
|-----------|-------------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT160)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|-------------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5250 | 10.59 | 0.0115 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5570 | 10.27 | 0.0106 | 24.00 | 0.2500 | Complies |

| | | | |
|-----------|------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ac (VHT160)_Total | Tested Date | 2020/7/23 |
|-----------|------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5250 | 13.42 | 0.0220 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5570 | 13.39 | 0.0218 | 24.00 | 0.2500 | Complies |

| | | | |
|-----------|----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE20)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 10.28 | 0.0107 | 24.00 | 0.2500 | Complies |
| 5200 | 10.23 | 0.0105 | 24.00 | 0.2500 | Complies |
| 5240 | 10.32 | 0.0108 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 10.23 | 0.0105 | 24.00 | 0.2500 | Complies |
| 5300 | 10.20 | 0.0105 | 24.00 | 0.2500 | Complies |
| 5320 | 10.26 | 0.0106 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 10.36 | 0.0109 | 24.00 | 0.2500 | Complies |
| 5580 | 10.37 | 0.0109 | 24.00 | 0.2500 | Complies |
| 5700 | 10.44 | 0.0111 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 10.65 | 0.0116 | 30.00 | 1.0000 | Complies |
| 5785 | 10.67 | 0.0117 | 30.00 | 1.0000 | Complies |
| 5825 | 10.48 | 0.0112 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE20)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|-----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 10.54 | 0.0113 | 24.00 | 0.2500 | Complies |
| 5200 | 10.46 | 0.0111 | 24.00 | 0.2500 | Complies |
| 5240 | 10.56 | 0.0114 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 10.51 | 0.0112 | 24.00 | 0.2500 | Complies |
| 5300 | 10.61 | 0.0115 | 24.00 | 0.2500 | Complies |
| 5320 | 10.62 | 0.0115 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 10.59 | 0.0115 | 24.00 | 0.2500 | Complies |
| 5580 | 10.44 | 0.0111 | 24.00 | 0.2500 | Complies |
| 5700 | 10.21 | 0.0105 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 10.24 | 0.0106 | 30.00 | 1.0000 | Complies |
| 5785 | 10.23 | 0.0105 | 30.00 | 1.0000 | Complies |
| 5825 | 10.41 | 0.0110 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|----------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE20)_Total | Tested Date | 2020/7/23 |
|-----------|----------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5180 | 13.42 | 0.0220 | 24.00 | 0.2500 | Complies |
| 5200 | 13.36 | 0.0217 | 24.00 | 0.2500 | Complies |
| 5240 | 13.45 | 0.0221 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5260 | 13.38 | 0.0218 | 24.00 | 0.2500 | Complies |
| 5300 | 13.42 | 0.0220 | 24.00 | 0.2500 | Complies |
| 5320 | 13.45 | 0.0222 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5500 | 13.49 | 0.0223 | 24.00 | 0.2500 | Complies |
| 5580 | 13.42 | 0.0220 | 24.00 | 0.2500 | Complies |
| 5700 | 13.34 | 0.0216 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5745 | 13.46 | 0.0222 | 30.00 | 1.0000 | Complies |
| 5785 | 13.47 | 0.0222 | 30.00 | 1.0000 | Complies |
| 5825 | 13.46 | 0.0222 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE40)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5190 | 10.31 | 0.0107 | 30.00 | 1.0000 | Complies |
| 5230 | 10.29 | 0.0107 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5270 | 10.35 | 0.0108 | 24.00 | 0.2500 | Complies |
| 5310 | 10.02 | 0.0100 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5510 | 10.37 | 0.0109 | 24.00 | 0.2500 | Complies |
| 5550 | 10.53 | 0.0113 | 24.00 | 0.2500 | Complies |
| 5670 | 10.33 | 0.0108 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5755 | 10.57 | 0.0114 | 30.00 | 1.0000 | Complies |
| 5795 | 10.49 | 0.0112 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE40)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|-----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5190 | 10.51 | 0.0112 | 30.00 | 1.0000 | Complies |
| 5230 | 10.48 | 0.0112 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5270 | 10.41 | 0.0110 | 24.00 | 0.2500 | Complies |
| 5310 | 10.60 | 0.0115 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5510 | 10.46 | 0.0111 | 24.00 | 0.2500 | Complies |
| 5550 | 10.40 | 0.0110 | 24.00 | 0.2500 | Complies |
| 5670 | 10.44 | 0.0111 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5755 | 10.12 | 0.0103 | 30.00 | 1.0000 | Complies |
| 5795 | 10.18 | 0.0104 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|----------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE40)_Total | Tested Date | 2020/7/23 |
|-----------|----------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5190 | 13.42 | 0.0220 | 30.00 | 1.0000 | Complies |
| 5230 | 13.40 | 0.0219 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5270 | 13.39 | 0.0218 | 24.00 | 0.2500 | Complies |
| 5310 | 13.33 | 0.0215 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5510 | 13.43 | 0.0220 | 24.00 | 0.2500 | Complies |
| 5550 | 13.48 | 0.0223 | 24.00 | 0.2500 | Complies |
| 5670 | 13.40 | 0.0219 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5755 | 13.36 | 0.0217 | 30.00 | 1.0000 | Complies |
| 5795 | 13.35 | 0.0216 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE80)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5210 | 10.41 | 0.0110 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5290 | 10.37 | 0.0109 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5530 | 10.32 | 0.0108 | 24.00 | 0.2500 | Complies |
| 5610 | 10.37 | 0.0109 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5775 | 10.83 | 0.0121 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE80)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|-----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5210 | 10.47 | 0.0111 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5290 | 10.49 | 0.0112 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5530 | 10.51 | 0.0112 | 24.00 | 0.2500 | Complies |
| 5610 | 10.39 | 0.0109 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5775 | 10.05 | 0.0101 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|----------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE80)_Total | Tested Date | 2020/7/23 |
|-----------|----------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5210 | 13.45 | 0.0221 | 30.00 | 1.0000 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5290 | 13.44 | 0.0221 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5530 | 13.43 | 0.0220 | 24.00 | 0.2500 | Complies |
| 5610 | 13.39 | 0.0218 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5775 | 13.47 | 0.0222 | 30.00 | 1.0000 | Complies |

| | | | |
|-----------|-----------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE160)_Aux Antenna | Tested Date | 2020/7/23 |
|-----------|-----------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5250 | 10.13 | 0.0103 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5570 | 10.46 | 0.0111 | 24.00 | 0.2500 | Complies |

| | | | |
|-----------|------------------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE160)_Main Antenna | Tested Date | 2020/7/23 |
|-----------|------------------------------------|-------------|-----------|

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5250 | 10.47 | 0.0111 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5570 | 10.38 | 0.0109 | 24.00 | 0.2500 | Complies |

| | | | |
|-----------|-----------------------------|-------------|-----------|
| Test Mode | IEEE 802.11ax (HE160)_Total | Tested Date | 2020/7/23 |
|-----------|-----------------------------|-------------|-----------|





| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5250 | 13.31 | 0.0214 | 24.00 | 0.2500 | Complies |

| Frequency (MHz) | Conducted Power (dBm) | Conducted Power (W) | Max. Limit (dBm) | Max. Limit (W) | Result |
|-----------------|-----------------------|---------------------|------------------|----------------|----------|
| 5570 | 13.43 | 0.0220 | 24.00 | 0.2500 | Complies |





APPENDIX F POWER SPECTRAL DENSITY

Test Mode | IEEE 802.11a_Aux Antenna





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 2.91 | 0.13 | 3.04 | 17.00 | Pass |
| 5200 | 3.10 | 0.13 | 3.23 | 17.00 | Pass |
| 5240 | 3.17 | 0.13 | 3.30 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5260 | 3.41 | 0.13 | 3.54 | 11.00 | Pass |
| 5300 | 3.62 | 0.13 | 3.75 | 11.00 | Pass |
| 5320 | 3.55 | 0.13 | 3.68 | 11.00 | Pass |





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5500 | 2.88 | 0.13 | 3.01 | 11.00 | Pass |
| 5580 | 2.47 | 0.13 | 2.60 | 11.00 | Pass |
| 5700 | 2.45 | 0.13 | 2.58 | 11.00 | Pass |







| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 0.22 | 7.21 | 0.13 | 7.34 | 30.00 | Pass |
| 5785 | 0.46 | 7.45 | 0.13 | 7.58 | 30.00 | Pass |
| 5825 | 0.36 | 7.35 | 0.13 | 7.48 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$







Test Mode IEEE 802.11a_Main Antenna





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | 3.30 | 0.13 | 3.43 | 17.00 | Pass |
| 5200 | 3.53 | 0.13 | 3.66 | 17.00 | Pass |
| 5240 | 3.40 | 0.13 | 3.53 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5260 | 3.50 | 0.13 | 3.63 | 11.00 | Pass |
| 5300 | 3.66 | 0.13 | 3.79 | 11.00 | Pass |
| 5320 | 3.55 | 0.13 | 3.68 | 11.00 | Pass |





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5500 | 3.00 | 0.13 | 3.13 | 11.00 | Pass |
| 5580 | 2.66 | 0.13 | 2.79 | 11.00 | Pass |
| 5700 | 2.33 | 0.13 | 2.46 | 11.00 | Pass |







| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | 0.13 | 7.12 | 0.13 | 7.25 | 30.00 | Pass |
| 5785 | 0.50 | 7.49 | 0.13 | 7.62 | 30.00 | Pass |
| 5825 | 0.28 | 7.27 | 0.13 | 7.40 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$







Test Mode | IEEE 802.11ac (VHT20)_Aux Antenna





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | -0.96 | 0.07 | -0.89 | 17.00 | Pass |
| 5200 | -0.78 | 0.07 | -0.71 | 17.00 | Pass |
| 5240 | -0.74 | 0.07 | -0.67 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5260 | -0.78 | 0.07 | -0.71 | 11.00 | Pass |
| 5300 | -1.11 | 0.07 | -1.04 | 11.00 | Pass |
| 5320 | -0.67 | 0.07 | -0.60 | 11.00 | Pass |







| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5500 | -1.14 | 0.07 | -1.07 | 11.00 | Pass |
| 5580 | -1.61 | 0.07 | -1.54 | 11.00 | Pass |
| 5700 | -1.49 | 0.07 | -1.42 | 11.00 | Pass |







| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | -3.74 | 3.25 | 0.07 | 3.32 | 30.00 | Pass |
| 5785 | -3.33 | 3.66 | 0.07 | 3.73 | 30.00 | Pass |
| 5825 | -3.48 | 3.51 | 0.07 | 3.58 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$







Test Mode | IEEE 802.11ac (VHT20)_Main Antenna





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | -0.96 | 0.07 | -0.89 | 17.00 | Pass |
| 5200 | -3.86 | 0.07 | -3.79 | 17.00 | Pass |
| 5240 | -0.80 | 0.07 | -0.73 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5260 | -1.12 | 0.07 | -1.05 | 11.00 | Pass |
| 5300 | -1.16 | 0.07 | -1.09 | 11.00 | Pass |
| 5320 | -0.89 | 0.07 | -0.82 | 11.00 | Pass |







| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5500 | -1.39 | 0.07 | -1.32 | 11.00 | Pass |
| 5580 | -1.85 | 0.07 | -1.78 | 11.00 | Pass |
| 5700 | -2.01 | 0.07 | -1.94 | 11.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | -4.54 | 2.45 | 0.07 | 2.52 | 30.00 | Pass |
| 5785 | -4.26 | 2.73 | 0.07 | 2.80 | 30.00 | Pass |
| 5825 | -4.03 | 2.96 | 0.07 | 3.03 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



| | |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT20)_Total |
|-----------|-----------------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5180 | 2.12 | 17.00 | Pass |
| 5200 | 1.03 | 17.00 | Pass |
| 5240 | 2.31 | 17.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5260 | 2.13 | 11.00 | Pass |
| 5300 | 1.94 | 11.00 | Pass |
| 5320 | 2.30 | 11.00 | Pass |

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5500 | 1.82 | 11.00 | Pass |
| 5580 | 1.35 | 11.00 | Pass |
| 5700 | 1.34 | 11.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|--|-----------------------------|--------|
| 5745 | 5.95 | 30.00 | Pass |
| 5785 | 6.30 | 30.00 | Pass |
| 5825 | 6.32 | 30.00 | Pass |

| | |
|-----------|-----------------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_Aux Antenna |
|-----------|-----------------------------------|





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5190 | -2.40 | 0.20 | -2.20 | 17.00 | Pass |
| 5230 | -3.86 | 0.20 | -3.66 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5270 | -3.25 | 0.20 | -3.05 | 11.00 | Pass |
| 5310 | -4.04 | 0.20 | -3.84 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5510 | -4.30 | 0.20 | -4.10 | 11.00 | Pass |
| 5550 | -2.82 | 0.20 | -2.62 | 11.00 | Pass |
| 5670 | -3.84 | 0.20 | -3.64 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5755 | -6.01 | 0.98 | 0.20 | 1.18 | 30.00 | Pass |
| 5795 | -6.84 | 0.15 | 0.20 | 0.35 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$




| | |
|-----------|------------------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_Main Antenna |
|-----------|------------------------------------|





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5190 | -4.46 | 0.20 | -4.26 | 17.00 | Pass |
| 5230 | -5.84 | 0.20 | -5.64 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5270 | -4.13 | 0.20 | -3.93 | 11.00 | Pass |
| 5310 | -3.37 | 0.20 | -3.17 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5510 | -3.10 | 0.20 | -2.90 | 11.00 | Pass |
| 5550 | -5.05 | 0.20 | -4.85 | 11.00 | Pass |
| 5670 | -5.13 | 0.20 | -4.93 | 11.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5755 | -9.16 | -2.17 | 0.20 | -1.97 | 30.00 | Pass |
| 5795 | -7.41 | -0.42 | 0.20 | -0.22 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



| | |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT40)_Total |
|-----------|-----------------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5190 | -0.09 | 17.00 | Pass |
| 5230 | -1.52 | 17.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5270 | -0.45 | 11.00 | Pass |
| 5310 | -0.48 | 11.00 | Pass |

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5510 | -0.44 | 11.00 | Pass |
| 5550 | -0.58 | 11.00 | Pass |
| 5670 | -1.22 | 11.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|--|-----------------------------|--------|
| 5755 | 2.90 | 30.00 | Pass |
| 5795 | 3.09 | 30.00 | Pass |

| | |
|-----------|-----------------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_Aux Antenna |
|-----------|-----------------------------------|


| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5210 | -6.75 | 0.73 | -6.02 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5290 | -7.28 | 0.73 | -6.55 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5530 | -7.92 | 0.73 | -7.19 | 11.00 | Pass |
| 5610 | -8.23 | 0.73 | -7.50 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5775 | -10.62 | -3.63 | 0.73 | -2.90 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$




| | |
|-----------|------------------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_Main Antenna |
|-----------|------------------------------------|


| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5210 | -7.37 | 0.73 | -6.64 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5290 | -7.17 | 0.73 | -6.44 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5530 | -6.93 | 0.73 | -6.20 | 11.00 | Pass |
| 5610 | -7.34 | 0.73 | -6.61 | 11.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5775 | -11.05 | -4.06 | 0.73 | -3.33 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



| | |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11ac (VHT80)_Total |
|-----------|-----------------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5210 | -3.31 | 17.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5290 | -3.49 | 11.00 | Pass |

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5530 | -3.66 | 11.00 | Pass |
| 5610 | -4.02 | 11.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|--|-----------------------------|--------|
| 5775 | -0.10 | 30.00 | Pass |

| | |
|-----------|------------------------------------|
| Test Mode | IEEE 802.11ac (VHT160)_Aux Antenna |
|-----------|------------------------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5250 | -9.46 | 0.66 | -8.80 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5570 | -10.54 | 0.66 | -9.88 | 11.00 | Pass |




| | |
|-----------|-------------------------------------|
| Test Mode | IEEE 802.11ac (VHT160)_Main Antenna |
|-----------|-------------------------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5250 | -9.74 | 0.66 | -9.08 | 11.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5570 | -10.53 | 0.66 | -9.87 | 11.00 | Pass |







| | |
|-----------|------------------------------|
| Test Mode | IEEE 802.11ac (VHT160)_Total |
|-----------|------------------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5250 | -5.93 | 11.00 | Pass |





| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5570 | -6.87 | 11.00 | Pass |

| | |
|-----------|----------------------------------|
| Test Mode | IEEE 802.11ax (HE20)_Aux Antenna |
|-----------|----------------------------------|





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | -0.53 | 0.07 | -0.46 | 17.00 | Pass |
| 5200 | -0.29 | 0.07 | -0.22 | 17.00 | Pass |
| 5240 | -0.38 | 0.07 | -0.31 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5260 | -0.34 | 0.07 | -0.27 | 11.00 | Pass |
| 5300 | -0.23 | 0.07 | -0.16 | 11.00 | Pass |
| 5320 | -0.43 | 0.07 | -0.36 | 11.00 | Pass |







| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5500 | -0.99 | 0.07 | -0.92 | 11.00 | Pass |
| 5580 | -1.04 | 0.07 | -0.97 | 11.00 | Pass |
| 5700 | -0.82 | 0.07 | -0.75 | 11.00 | Pass |







| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | -3.54 | 3.45 | 0.07 | 3.51 | 30.00 | Pass |
| 5785 | -3.28 | 3.71 | 0.07 | 3.77 | 30.00 | Pass |
| 5825 | -3.35 | 3.64 | 0.07 | 3.70 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$







Test Mode | IEEE 802.11ax (HE20)_Main Antenna





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5180 | -0.04 | 0.07 | 0.03 | 17.00 | Pass |
| 5200 | -0.25 | 0.07 | -0.18 | 17.00 | Pass |
| 5240 | -0.58 | 0.07 | -0.51 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5260 | -0.48 | 0.07 | -0.41 | 11.00 | Pass |
| 5300 | -0.07 | 0.07 | 0.00 | 11.00 | Pass |
| 5320 | 0.09 | 0.07 | 0.16 | 11.00 | Pass |





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5500 | -0.91 | 0.07 | -0.84 | 11.00 | Pass |
| 5580 | -1.42 | 0.07 | -1.35 | 11.00 | Pass |
| 5700 | -1.00 | 0.07 | -0.93 | 11.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5745 | -3.73 | 3.26 | 0.07 | 3.32 | 30.00 | Pass |
| 5785 | -3.71 | 3.28 | 0.07 | 3.34 | 30.00 | Pass |
| 5825 | -3.79 | 3.20 | 0.07 | 3.26 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



| | |
|-----------|----------------------------|
| Test Mode | IEEE 802.11ax (HE20)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5180 | 2.80 | 17.00 | Pass |
| 5200 | 2.81 | 17.00 | Pass |
| 5240 | 2.60 | 17.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5260 | 2.67 | 11.00 | Pass |
| 5300 | 2.93 | 11.00 | Pass |
| 5320 | 2.91 | 11.00 | Pass |

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5500 | 2.13 | 11.00 | Pass |
| 5580 | 1.85 | 11.00 | Pass |
| 5700 | 2.17 | 11.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|--|-----------------------------|--------|
| 5745 | 6.43 | 30.00 | Pass |
| 5785 | 6.58 | 30.00 | Pass |
| 5825 | 6.50 | 30.00 | Pass |

| | |
|-----------|----------------------------------|
| Test Mode | IEEE 802.11ax (HE40)_Aux Antenna |
|-----------|----------------------------------|





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5190 | -3.77 | 0.09 | -3.68 | 17.00 | Pass |
| 5230 | -3.66 | 0.09 | -3.57 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5270 | -3.71 | 0.09 | -3.62 | 11.00 | Pass |
| 5310 | -3.72 | 0.09 | -3.63 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5510 | -3.24 | 0.09 | -3.15 | 11.00 | Pass |
| 5550 | -4.40 | 0.09 | -4.31 | 11.00 | Pass |
| 5670 | -4.27 | 0.09 | -4.18 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5755 | -6.04 | 0.95 | 0.09 | 1.04 | 30.00 | Pass |
| 5795 | -5.83 | 1.16 | 0.09 | 1.25 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$




| | |
|-----------|-----------------------------------|
| Test Mode | IEEE 802.11ax (HE40)_Main Antenna |
|-----------|-----------------------------------|





| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5190 | -2.90 | 0.09 | -2.81 | 17.00 | Pass |
| 5230 | -3.22 | 0.09 | -3.13 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5270 | -3.20 | 0.09 | -3.11 | 11.00 | Pass |
| 5310 | -3.41 | 0.09 | -3.32 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5510 | -4.33 | 0.09 | -4.24 | 11.00 | Pass |
| 5550 | -3.20 | 0.09 | -3.11 | 11.00 | Pass |
| 5670 | -2.74 | 0.09 | -2.65 | 11.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5755 | -7.71 | -0.72 | 0.09 | -0.63 | 30.00 | Pass |
| 5795 | -7.07 | -0.08 | 0.09 | 0.01 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



| | |
|-----------|----------------------------|
| Test Mode | IEEE 802.11ax (HE40)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5190 | -0.22 | 17.00 | Pass |
| 5230 | -0.34 | 17.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5270 | -0.35 | 11.00 | Pass |
| 5310 | -0.46 | 11.00 | Pass |

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5510 | -0.65 | 11.00 | Pass |
| 5550 | -0.66 | 11.00 | Pass |
| 5670 | -0.34 | 11.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|--|-----------------------------|--------|
| 5755 | 3.29 | 30.00 | Pass |
| 5795 | 3.68 | 30.00 | Pass |

| | |
|-----------|----------------------------------|
| Test Mode | IEEE 802.11ax (HE80)_Aux Antenna |
|-----------|----------------------------------|


| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5210 | -5.92 | 0.09 | -5.83 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5290 | -6.41 | 0.09 | -6.32 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5530 | -6.90 | 0.09 | -6.81 | 11.00 | Pass |
| 5610 | -7.05 | 0.09 | -6.96 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5775 | -9.97 | -12.98 | 0.09 | -12.89 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$




| | |
|-----------|-----------------------------------|
| Test Mode | IEEE 802.11ax (HE80)_Main Antenna |
|-----------|-----------------------------------|


| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5210 | -6.27 | 0.09 | -6.18 | 17.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5290 | -6.20 | 0.09 | -6.11 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5530 | -7.49 | 0.09 | -7.40 | 11.00 | Pass |
| 5610 | -6.94 | 0.09 | -6.85 | 11.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/100 kHz) | Power Density (dBm/500 kHz) | Duty Factor (dB) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|-----------------------------|-----------------------------|------------------|--|-----------------------------|--------|
| 5775 | -9.10 | -12.11 | 0.09 | -12.02 | 30.00 | Pass |

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



| | |
|-----------|----------------------------|
| Test Mode | IEEE 802.11ax (HE80)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5210 | -2.99 | 17.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5290 | -3.21 | 11.00 | Pass |

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5530 | -4.09 | 11.00 | Pass |
| 5610 | -3.90 | 11.00 | Pass |


| Test Frequency (MHz) | Calculated Power Density (dBm/500 kHz) | Maximum Limit (dBm/500 kHz) | Result |
|----------------------|--|-----------------------------|--------|
| 5775 | -9.43 | 30.00 | Pass |

| | |
|-----------|-----------------------------------|
| Test Mode | IEEE 802.11ax (HE160)_Aux Antenna |
|-----------|-----------------------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5250 | -9.46 | 0.09 | -9.37 | 11.00 | Pass |




| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5570 | -10.07 | 0.09 | -9.98 | 11.00 | Pass |




| | |
|-----------|------------------------------------|
| Test Mode | IEEE 802.11ax (HE160)_Main Antenna |
|-----------|------------------------------------|

| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5250 | -8.72 | 0.09 | -8.63 | 11.00 | Pass |



| Test Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor (dB) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------|------------------|------------------------------------|-------------------------|--------|
| 5570 | -10.39 | 0.09 | -10.30 | 11.00 | Pass |



| | |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11ax (HE160)_Total |
|-----------|-----------------------------|

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5250 | -5.98 | 11.00 | Pass |

| Test Frequency (MHz) | Calculated Power Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|------------------------------------|-------------------------|--------|
| 5570 | -7.13 | 11.00 | Pass |

End of Test Report