

FCC Test Report (Part 24 – WCDMA B2, LTE B2/B25)

Report No.: RFBCKT-WTW-P21031102-4

FCC ID: HFSQTAD53

Test Model: QTAD53

Received Date: Mar. 31, 2021

Test Date: Apr. 19 ~ May 21, 2021

Issued Date: May 26, 2021

Applicant: QUANTA COMPUTER INC

Address: No. 211, Wenhua 2nd Rd., Guishan Dist., Taoyuan City 33377, Taiwan

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Test Location: No. 19, Hwa Ya 2nd Rd., Wen Hwa Vil., Kwei Shan Dist., Taoyuan City
33383, TAIWAN

**FCC Registration /
Designation Number:** 788550 / TW0003



This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specifically mentioned, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification.

Table of Contents

Release Control Record	4
1 Certificate of Conformity	5
2 Summary of Test Results	6
2.1 Measurement Uncertainty.....	6
2.2 Test Site and Instruments.....	7
3 General Information	8
3.1 General Description of EUT.....	8
3.2 Configuration of System under Test.....	11
3.2.1 Description of Support Units.....	11
3.3 Test Mode Applicability and Tested Channel Detail.....	12
3.4 EUT Operating Conditions.....	21
3.5 General Description of Applied Standards and References.....	21
4 Test Types and Results	22
4.1 Output Power Measurement.....	22
4.1.1 Limits of Output Power Measurement.....	22
4.1.2 Test Procedures.....	22
4.1.3 Test Setup.....	22
4.1.4 Test Results.....	23
4.2 Modulation Characteristics Measurement.....	49
4.2.1 Limits of Modulation Characteristics.....	49
4.2.2 Test Procedure.....	49
4.2.3 Test Setup.....	49
4.2.4 Test Results.....	50
4.3 Frequency Stability Measurement.....	53
4.3.1 Limits of Frequency Stability Measurement.....	53
4.3.2 Test Procedure.....	53
4.3.3 Conducted Setup.....	53
4.3.4 Test Results.....	54
4.4 Occupied Bandwidth Measurement.....	67
4.4.1 Test Procedure.....	67
4.4.2 Test Setup.....	67
4.4.3 Test Result.....	68
4.5 Band Edge Measurement.....	82
4.5.1 Limits of Band Edge Measurement.....	82
4.5.2 Test Setup.....	82
4.5.3 Test Procedures.....	82
4.5.4 Test Results.....	83
4.6 Peak to Average Ratio.....	96
4.6.1 Limits of Peak to Average Ratio Measurement.....	96
4.6.2 Test Setup.....	96
4.6.3 Test Procedures.....	96
4.6.4 Test Results.....	97
4.7 Conducted Spurious Emissions.....	104
4.7.1 Limits of Conducted Spurious Emissions Measurement.....	104
4.7.2 Test Setup.....	104
4.7.3 Test Procedure.....	104
4.7.4 Test Results.....	105
4.8 Radiated Emission Measurement.....	126
4.8.1 Limits of Radiated Emission Measurement.....	126
4.8.2 Test Procedure.....	126
4.8.3 Deviation from Test Standard.....	126
4.8.4 Test Setup.....	127
4.8.5 Test Results.....	128

5	Pictures of Test Arrangements.....	148
	Appendix – Information of the Testing Laboratories	149



Release Control Record

Issue No.	Description	Date Issued
RFBCKT-WTW-P21031102-4	Original release	May 26, 2021

1 Certificate of Conformity

Product: 5G Hotspot

Brand: T-Mobile

Test Model: QTAD53

Sample Status: Engineering sample

Applicant: QUANTA COMPUTER INC

Test Date: Apr. 19 ~ May 21, 2021

Standards: FCC Part 24, Subpart E

The above equipment has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's RF characteristics under the conditions specified in this report.

Prepared by :  , **Date:** May 26, 2021
Polly Chien / Specialist

Approved by :  , **Date:** May 26, 2021
Bruce Chen / Senior Project Engineer

2 Summary of Test Results

Applied Standard: FCC Part 24 & Part 2			
FCC Clause	Test Item	Result	Remarks
2.1046 24.232	Effective Isotropically Radiated Power	Pass	Meet the requirement of limit.
2.1046 24.232 (d)	Peak To Average Ratio	Pass	Meet the requirement of limit.
2.1047	Modulation Characteristics	Pass	Meet the requirement
2.1055 24.235	Frequency Stability	Pass	Meet the requirement of limit.
2.1049	Occupied Bandwidth	Pass	Meet the requirement of limit.
24.238	Band Edge Measurements	Pass	Meet the requirement of limit.
2.1051 24.238	Conducted Spurious Emissions	Pass	Meet the requirement of limit.
2.1053 24.238	Radiated Spurious Emissions	Pass	Meet the requirement of limit. Minimum passing margin is -30.09dB at 150.28MHz.

Note: Determining compliance based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

2.1 Measurement Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2:

Measurement	Frequency	Expanded Uncertainty (k=2) (\pm)
Radiated Emissions up to 1 GHz	9kHz ~ 30MHz	3.04 dB
	30MHz ~ 200MHz	3.86 dB
	200MHz ~ 1000MHz	3.87 dB
Radiated Emissions above 1 GHz	1GHz ~ 18GHz	2.29 dB
	18GHz ~ 40GHz	2.29 dB

2.2 Test Site and Instruments

Description & Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Due
Test Receiver ROHDE & SCHWARZ	ESR3	102579	Jul. 07, 2020	Jul. 06, 2021
Spectrum Analyzer ROHDE & SCHWARZ	FSP40	100269	Jun. 09, 2020	Jun. 08, 2021
MXG Vector signal generator Agilent	N5182B	MY53050430	Nov. 25, 2020	Nov. 24, 2021
Radio Communication Analyzer Anritsu	MT8821C	6261806803	Jan. 22, 2021	Jan. 21, 2022
BILOG Antenna SCHWARZBECK	VULB9168	9168-171	Nov. 04, 2020	Nov. 03, 2021
HORN Antenna SCHWARZBECK	9120D	209	Nov. 22, 2020	Nov. 21, 2021
HORN Antenna SCHWARZBECK	BBHA 9170	BBHA9170241	Nov. 22, 2020	Nov. 21, 2021
Loop Antenna TESEQ	HLA 6121	45745	Jul. 06, 2020	Jul. 05, 2021
Preamplifier Agilent (Below 1GHz)	8447D	2944A10738	Aug. 16, 2020	Aug. 15, 2021
Preamplifier Agilent (Above 1GHz)	8449B	3008A02465	Mar. 22, 2021	Mar. 21, 2022
RF Coaxial Cable WOKEN With 5dB PAD	8D-FB	Cable-CH3-01	Aug. 16, 2020	Aug. 15, 2021
RF signal cable HUBER+SUHNER	SUCOFLEX 104	Cable-CH3-03 (223653/4)	Aug. 16, 2020	Aug. 15, 2021
RF signal cable HUBER+SUHNER& EMCI	SUCOFLEX 104&EMC104-SM-S M-8000	Cable-CH3-03 (309224+170907)	Aug. 16, 2020	Aug. 15, 2021
Software BV ADT	ADT_Radiated_ V7.6.15.9.5	NA	NA	NA
Antenna Tower inn-co GmbH	MA 4000	013303	NA	NA
Antenna Tower Controller BV ADT	AT100	AT93021702	NA	NA
Turn Table BV ADT	TT100	TT93021702	NA	NA
Turn Table Controller BV ADT	SC100	SC93021702	NA	NA
Boresight Antenna Fixture	FBA-01	FBA-SIP01	NA	NA
Standard Temperature And Humidity Chamber GIANT FORCE	GTH-120-40-CP-AR	MAA1306-019	Sep. 10, 2020	Sep. 09, 2021
JFW 20dB attenuation	50HF-020-SMA	NA	NA	NA
True RMS Clamp Meter Fluke	325	31130711WS	Jun 06, 2020	Jun 05, 2021
DC power supply Keysight	U8002A	MY56330015	NA	NA

Note: 1. The calibration interval of the above test instruments is 12 months and the calibrations are traceable to NML/ROC and NIST/USA.
2. The test was performed in HwaYa Chamber 3.

3 General Information

3.1 General Description of EUT

Product	5G Hotspot	
Brand	T-Mobile	
Test Model	QTAD53	
Sample Status	Engineering sample	
Power Supply Rating	5Vdc / 9Vdc / 12Vdc (Adapter) 3.85Vdc (Battery)	
Modulation Type	WCDMA: BPSK, QPSK HSDPA: BPSK HSUPA: QPSK LTE: QPSK, 16QAM, 64QAM, 256QAM	
Operating Frequency	WCDMA Band 2	1852.4MHz ~ 1907.6MHz
	LTE Band 2 (Channel Bandwidth 1.4MHz)	1850.7MHz ~ 1909.3MHz
	LTE Band 2 (Channel Bandwidth 3MHz)	1851.5MHz ~ 1908.5MHz
	LTE Band 2 (Channel Bandwidth 5MHz)	1852.5MHz ~ 1907.5MHz
	LTE Band 2 (Channel Bandwidth 10MHz)	1855.0MHz ~ 1905.0MHz
	LTE Band 2 (Channel Bandwidth 15MHz)	1857.5MHz ~ 1902.5MHz
	LTE Band 2 (Channel Bandwidth 20MHz)	1860.0MHz ~ 1900.0MHz
	LTE Band 25 (Channel Bandwidth 1.4MHz)	1850.7MHz ~ 1914.3MHz
	LTE Band 25 (Channel Bandwidth 3MHz)	1851.5MHz ~ 1913.5MHz
	LTE Band 25 (Channel Bandwidth 5MHz)	1852.5MHz ~ 1912.5MHz
	LTE Band 25 (Channel Bandwidth 10MHz)	1855.0MHz ~ 1910.0MHz
	LTE Band 25 (Channel Bandwidth 15MHz)	1857.5MHz ~ 1907.5MHz
	LTE Band 25 (Channel Bandwidth 20MHz)	1860.0MHz ~ 1905.0MHz

Max. EIRP Power	WCDMA Band 2	297.852mW (24.74dBm)			
		QPSK	16QAM	64QAM	256QAM
	LTE Band 2 (Channel Bandwidth 1.4MHz)	298.538mW (24.75dBm)	243.781mW (23.87dBm)	189.671mW (22.78dBm)	97.724mW (19.90dBm)
	LTE Band 2 (Channel Bandwidth 3MHz)	298.538mW (24.75dBm)	244.343mW (23.88dBm)	189.234mW (22.77dBm)	97.051mW (19.87dBm)
	LTE Band 2 (Channel Bandwidth 5MHz)	300.608mW (24.78dBm)	246.037mW (23.91dBm)	190.108mW (22.79dBm)	97.051mW (19.87dBm)
	LTE Band 2 (Channel Bandwidth 10MHz)	298.538mW (24.75dBm)	242.661mW (23.85dBm)	189.234mW (22.77dBm)	97.949mW (19.91dBm)
	LTE Band 2 (Channel Bandwidth 15MHz)	300.608mW (24.78dBm)	244.906mW (23.89dBm)	189.671mW (22.78dBm)	97.051mW (19.87dBm)
	LTE Band 2 (Channel Bandwidth 20MHz)	301.301mW (24.79dBm)	246.604mW (23.92dBm)	190.546mW (22.80dBm)	98.175mW (19.92dBm)
	LTE Band 25 (Channel Bandwidth 1.4MHz)	316.957mW (25.01dBm)	250.611mW (23.99dBm)	198.609mW (22.98dBm)	97.724mW (19.90dBm)
	LTE Band 25 (Channel Bandwidth 3MHz)	313.329mW (24.96dBm)	251.189mW (24.00dBm)	194.536mW (22.89dBm)	97.724mW (19.90dBm)
	LTE Band 25 (Channel Bandwidth 5MHz)	310.456mW (24.92dBm)	248.313mW (23.95dBm)	194.984mW (22.90dBm)	98.628mW (19.94dBm)
	LTE Band 25 (Channel Bandwidth 10MHz)	316.957mW (25.01dBm)	251.189mW (24.00dBm)	197.697mW (22.96dBm)	97.724mW (19.90dBm)
	LTE Band 25 (Channel Bandwidth 15MHz)	312.608mW (24.95dBm)	249.459mW (23.97dBm)	198.609mW (22.98dBm)	98.175mW (19.92dBm)
	LTE Band 25 (Channel Bandwidth 20MHz)	316.957mW (25.01dBm)	252.930mW (24.03dBm)	198.609mW (22.98dBm)	99.312mW (19.97dBm)
	Emission Designator	WCDMA Band 2	4M23F9W		
		QPSK	16QAM	64QAM	256QAM
LTE Band 2 (Channel Bandwidth 1.4MHz)		1M09G7D	1M09D7W	1M09D7W	1M09D7W
LTE Band 2 (Channel Bandwidth 3MHz)		2M70G7D	2M70D7W	2M70D7W	2M70D7W
LTE Band 2 (Channel Bandwidth 5MHz)		4M49G7D	4M49D7W	4M49D7W	4M49D7W
LTE Band 2 (Channel Bandwidth 10MHz)		8M98G7D	8M96D7W	8M97D7W	8M96D7W
LTE Band 2 (Channel Bandwidth 15MHz)		13M5G7D	13M5D7W	13M5D7W	13M4D7W
LTE Band 2 (Channel Bandwidth 20MHz)		18M0G7D	18M0D7W	18M0D7W	18M0D7W
LTE Band 25 (Channel Bandwidth 1.4MHz)		1M09G7D	1M09D7W	1M09D7W	1M09D7W
LTE Band 25 (Channel Bandwidth 3MHz)		2M70G7D	2M70D7W	2M70D7W	2M70D7W
LTE Band 25 (Channel Bandwidth 5MHz)		4M49G7D	4M49D7W	4M49D7W	4M49D7W
LTE Band 25 (Channel Bandwidth 10MHz)		9M00G7D	8M99D7W	8M99D7W	8M98D7W
LTE Band 25 (Channel Bandwidth 15MHz)		13M5G7D	13M5D7W	13M5D7W	13M4D7W
LTE Band 25 (Channel Bandwidth 20MHz)	18M0G7D	18M0D7W	18M0D7W	18M0D7W	
Antenna Type	Refer to Note as below				
Antenna Connector	Refer to Note as below				
Accessory Device	Refer to Note as below				
Cable Supplied	Refer to Note as below				

Note:

1. The EUT contains following accessory devices.

Product	Brand	Model	Description
Adapter 1	TEN PAO INTERNATIONAL LTD.	S018BYU1200150	I/P: 100-240Vac, 50/60Hz, 600mA O/P: 5Vdc/9Vdc/12Vdc=3A/2A/1.5A
Adapter 2	Aohai Technology Co., Ltd	A138A-120150U-US2	I/P: 100-240V~50/60Hz, 0.5A O/P: 5Vdc, 2.5A/9Vdc, 2A/12Vdc, 1.5A
USB Cable	Electronics Taiwai Ltd.	DDEMU110079	0.95m shielded USB cable without core
Battery	VEKEN	141033	3.85Vdc, 6240mAh, 24.02Wh

2. There are two sources for EUT's main board and memory. Only the supplier is different and the rest of the specifications are the same.

Sample	Item	Brand	Model
A	PCB - Main	Unimicron Technology Corporation.	12VPL4024C for MODEM board, 06VPL4028C for Main board
	Memory - Main	Nanya Technology Corporation	NM4888KSPAXAI-3E
B	PCB -Second	AKM Meadville	HI12C124A for MODEM board, HI06T221A for Main board
	Memory - Second	Jeju Semiconductor Corp.	JSFDDQ5QHAFGD-405

* After pre-tested, sample A was the worse and chosen for final test.


3. The following antennas were provided to the EUT.

2G / 3G Band					
Ant. No.	Type	Connector	Gain (dBi)		
			WCDMA B2	LTE B2	LTE B25
0	PIFA	MUR	1.23871	1.23871	1.23871
1	PIFA	IPEX	-	-	-
2	PIFA	IPEX	0.861738	0.861738	0.861738
3	PIFA	MUR	-	-	-
4	PIFA	IPEX	-	-	-

* There are diversity on WCDMA and LTE mode at ANT. No. 0 and 2. The max. gain are chosen for final test.

* The above Antenna information is declared by manufacturer and for more detailed features description, please refer to the manufacturer's specifications, the laboratory shall not be held responsible.

3.2 Configuration of System under Test



3.2.1 Description of Support Units

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

ID	Product	Brand	Model No.	Serial No.	FCC ID	Remarks
A.	Radio Communication Analyzer	Anritsu	MT8821C	6261806803	NA	-

Note:

1. All power cords of the above support units are non-shielded (1.8m).
2. Item A acted as a communication partner to transfer data.

3.3 Test Mode Applicability and Tested Channel Detail

Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, XYZ axis and antenna ports. The worst case was found when positioned as the table below. Following channel(s) was (were) selected for the final test as listed below:

Band	Radiated Emission
WCDMA Band 2	X-plane
LTE Band 2	X-plane
LTE Band 25	X-plane

WCDMA Band 2

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Mode
-	EIRP	9262 to 9538	9262 (1852.4MHz), 9400 (1880.0MHz), 9538 (1907.6MHz)	WCDMA, HSDPA, HSUPA
-	Modulation Characteristics	9262 to 9538	9400 (1880.0MHz)	WCDMA, HSDPA, HSUPA
-	Frequency Stability	9262 to 9538	9262 (1852.4MHz), 9538 (1907.6MHz)	WCDMA
-	Occupied Bandwidth	9262 to 9538	9262 (1852.4MHz), 9400 (1880.0MHz), 9538 (1907.6MHz)	WCDMA, HSDPA, HSUPA
-	Band Edge	9262 to 9538	9262 (1852.4MHz), 9538 (1907.6MHz)	WCDMA, HSDPA, HSUPA
-	Peak To Average Ratio	9262 to 9538	9262 (1852.4MHz), 9400 (1880.0MHz), 9538 (1907.6MHz)	WCDMA, HSDPA, HSUPA
-	Conducted Emission	9262 to 9538	9262 (1852.4MHz), 9400 (1880.0MHz), 9538 (1907.6MHz)	WCDMA, HSDPA, HSUPA
-	Radiated Emission Below 1GHz	9262 to 9538	9400 (1880.0MHz)	WCDMA
-	Radiated Emission Above 1GHz	9262 to 9538	9262 (1852.4MHz), 9400 (1880.0MHz), 9538 (1907.6MHz)	WCDMA

Note: For radiated emission below 1GHz, select the worst radiated emission channel (above 1GHz) for final testing.

LTE Band 2

EUT Configure Mode	Test item	Available channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	EIRP	18607 to 19193	18607 (1850.7MHz), 18900 (1880.0MHz), 19193 (1909.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 2 RB Offset 1 RB / 5 RB Offset 3 RB / 0 RB Offset 3 RB / 1 RB Offset 3 RB / 3 RB Offset 6 RB / 0 RB Offset
		18615 to 19185	18615 (1851.5MHz), 18900 (1880.0MHz), 19185 (1908.5MHz)	3MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 7 RB Offset 1 RB / 14 RB Offset 8 RB / 0 RB Offset 8 RB / 3 RB Offset 8 RB / 7 RB Offset 15 RB / 0 RB Offset
		18625 to 19175	18625 (1852.5MHz), 18900 (1880.0MHz), 19175 (1907.5MHz)	5MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		18650 to 19150	18650 (1855.0MHz), 18900 (1880.0MHz), 19150 (1905.0MHz)	10MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
		18675 to 19125	18675 (1857.5MHz), 18900 (1880.0MHz), 19125 (1902.5MHz)	15MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 37 RB Offset 1 RB / 74 RB Offset 36 RB / 0 RB Offset 36 RB / 19 RB Offset 36 RB / 39 RB Offset 75 RB / 0 RB Offset
		18700 to 19100	18700 (1860.0MHz), 18900 (1880.0MHz), 19100 (1900.0MHz)	20MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 50 RB Offset 1 RB / 99 RB Offset 50 RB / 0 RB Offset 50 RB / 25 RB Offset 50 RB / 50 RB Offset 100 RB / 0 RB Offset
-	Modulation Characteristics	18700 to 19100	18900 (1880.0MHz)	20MHz	QPSK / 16QAM / 64QAM / 256QAM	100 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Frequency Stability	18607 to 19193	18607 (1850.7MHz), 19193 (1909.3MHz)	1.4MHz	QPSK	6 RB / 0 RB Offset
		18615 to 19185	18615 (1851.5MHz), 19185 (1908.5MHz)	3MHz	QPSK	15 RB / 0 RB Offset
		18625 to 19175	18625 (1852.5MHz), 19175 (1907.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		18650 to 19150	18650 (1855.0MHz), 19150 (1905.0MHz)	10MHz	QPSK	50 RB / 0 RB Offset
		18675 to 19125	18675 (1857.5MHz), 19125 (1902.5MHz)	15MHz	QPSK	75 RB / 0 RB Offset
		18700 to 19100	18700 (1860.0MHz), 19100 (1900.0MHz)	20MHz	QPSK	100 RB / 0 RB Offset
-	Occupied Bandwidth	18607 to 19193	18607 (1850.7MHz), 18900 (1880.0MHz), 19193 (1909.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM / 256QAM	6 RB / 0RB Offset
		18615 to 19185	18615 (1851.5MHz), 18900 (1880.0MHz), 19185 (1908.5MHz)	3MHz	QPSK / 16QAM / 64QAM / 256QAM	15 RB / 0RB Offset
		18625 to 19175	18625 (1852.5MHz), 18900 (1880.0MHz), 19175 (1907.5MHz)	5MHz	QPSK / 16QAM / 64QAM / 256QAM	25RB / 0RB Offset
		18650 to 19150	18650 (1855.0MHz), 18900 (1880.0MHz), 19150 (1905.0MHz)	10MHz	QPSK / 16QAM / 64QAM / 256QAM	50RB / 0RB Offset
		18675 to 19125	18675 (1857.5MHz), 18900 (1880.0MHz), 19125 (1902.5MHz)	15MHz	QPSK / 16QAM / 64QAM / 256QAM	75 RB / 0 RB Offset
		18700 to 19100	18700 (1860.0MHz), 18900 (1880.0MHz), 19100 (1900.0MHz)	20MHz	QPSK / 16QAM / 64QAM / 256QAM	100 RB / 0 RB Offset
-	Band Edge	18607 to 19193	18607 (1850.7MHz), 19193 (1909.3MHz)	1.4MHz	QPSK	1 RB / 0 RB Offset 1 RB / 5 RB Offset 6 RB / 0 RB Offset
		18615 to 19185	18615 (1851.5MHz), 19185 (1908.5MHz)	3MHz	QPSK	1 RB / 0 RB Offset 1 RB / 14 RB Offset 15 RB / 0 RB Offset
		18625 to 19175	18625 (1852.5MHz), 19175 (1907.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		18650 to 19150	18650 (1855.0MHz), 19150 (1905.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
		18675 to 19125	18675 (1857.5MHz), 19125 (1902.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset 1 RB / 74 RB Offset 75 RB / 0 RB Offset
		18700 to 19100	18700 (1860.0MHz), 19100 (1900.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset 1 RB / 99 RB Offset 100 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Peak to Average Ratio	18607 to 19193	18607 (1850.7MHz), 18900 (1880.0MHz), 19193 (1909.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM / 256QAM	3 RB / 0 RB Offset
		18615 to 19185	18615 (1851.5MHz), 18900 (1880.0MHz), 19185 (1908.5MHz)	3MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 14 RB Offset
		18625 to 19175	18625 (1852.5MHz), 18900 (1880.0MHz), 19175 (1907.5MHz)	5MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
		18650 to 19150	18650 (1855.0MHz), 18900 (1880.0MHz), 19150 (1905.0MHz)	10MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
		18675 to 19125	18675 (1857.5MHz), 18900 (1880.0MHz), 19125 (1902.5MHz)	15MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
		18700 to 19100	18700 (1860.0MHz), 18900 (1880.0MHz), 19100 (1900.0MHz)	20MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
-	Conducted Emission	18607 to 19193	18607 (1850.7MHz), 18900 (1880.0MHz), 19193 (1909.3MHz)	1.4MHz	QPSK	3 RB / 0 RB Offset
		18615 to 19185	18615 (1851.5MHz), 18900 (1880.0MHz), 19185 (1908.5MHz)	3MHz	QPSK	1 RB / 14 RB Offset
		18625 to 19175	18625 (1852.5MHz), 18900 (1880.0MHz), 19175 (1907.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
		18650 to 19150	18650 (1855.0MHz), 18900 (1880.0MHz), 19150 (1905.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset
		18675 to 19125	18675 (1857.5MHz), 18900 (1880.0MHz), 19125 (1902.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset
		18700 to 19100	18700 (1860.0MHz), 18900 (1880.0MHz), 19100 (1900.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Radiated Emission Below 1GHz	18700 to 19100	18625 (1852.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
-	Radiated Emission Above 1GHz	18607 to 19193	18607 (1850.7MHz), 18900 (1880.0MHz), 19193 (1909.3MHz)	1.4MHz	QPSK	3 RB / 0 RB Offset
		18625 to 19175	18625 (1852.5MHz), 18900 (1880.0MHz), 19175 (1907.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
		18700 to 19100	18700 (1860.0MHz), 18900 (1880.0MHz), 19100 (1900.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset

Note:

1. For radiated emission below 1GHz, select the worst radiated emission channel (above 1GHz) for final testing.
2. For radiated emission above 1GHz, according to 3GPP 36.521 Section 6.6.3.1.4, choose the lowest, 5MHz & highest channel bandwidth for final test.
3. The output power for QPSK, 16QAM, 64QAM and 256QAM, measured value of QPSK is higher than 16QAM, 64QAM and 256QAM mode. Therefore, only Modulation characteristics, occupied bandwidth and Peak to average ratio items had been tested under QPSK, 16QAM, 64QAM and 256QAM modes, the other test items were performed under QPSK mode only.

LTE Band 25

EUT Configure Mode	Test item	Available channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	EIRP	26047 to 26683	26047 (1850.7MHz), 26365 (1882.5MHz), 26683 (1914.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 2 RB Offset 1 RB / 5 RB Offset 3 RB / 0 RB Offset 3 RB / 1 RB Offset 3 RB / 3 RB Offset 6 RB / 0 RB Offset
		26055 to 26675	26055 (1851.5MHz), 26365 (1882.5MHz), 26675 (1913.5MHz)	3MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 7 RB Offset 1 RB / 14 RB Offset 8 RB / 0 RB Offset 8 RB / 3 RB Offset 8 RB / 7 RB Offset 15 RB / 0 RB Offset
		26065 to 26665	26065 (1852.5MHz), 26365 (1882.5MHz), 26665 (1912.5MHz)	5MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		26090 to 26640	26090 (1855.0MHz), 26365 (1882.5MHz), 26640 (1910.0MHz)	10MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
		26115 to 26615	26115 (1857.5MHz), 26365 (1882.5MHz), 26615 (1907.5MHz)	15MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 37 RB Offset 1 RB / 74 RB Offset 36 RB / 0 RB Offset 36 RB / 19 RB Offset 36 RB / 39 RB Offset 75 RB / 0 RB Offset
		26140 to 26590	26140 (1860.0MHz), 26365 (1882.5MHz), 26590 (1905.0MHz)	20MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset 1 RB / 50 RB Offset 1 RB / 99 RB Offset 50 RB / 0 RB Offset 50 RB / 25 RB Offset 50 RB / 50 RB Offset 100 RB / 0 RB Offset
-	Modulation Characteristics	26140 to 26590	26365 (1882.5MHz)	20MHz	QPSK / 16QAM / 64QAM / 256QAM	100 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Frequency Stability	26047 to 26683	26047 (1850.7MHz), 26683 (1914.3MHz)	1.4MHz	QPSK	6 RB / 0 RB Offset
		26055 to 26675	26055 (1851.5MHz), 26675 (1913.5MHz)	3MHz	QPSK	15 RB / 0 RB Offset
		26065 to 26665	26065 (1852.5MHz), 26665 (1912.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		26090 to 26640	26090 (1855.0MHz), 26640 (1910.0MHz)	10MHz	QPSK	50 RB / 0 RB Offset
		26115 to 26615	26115 (1857.5MHz), 26615 (1907.5MHz)	15MHz	QPSK	75 RB / 0 RB Offset
		26140 to 26590	26140 (1860.0MHz), 26590 (1905.0MHz)	20MHz	QPSK	100 RB / 0 RB Offset
-	Occupied Bandwidth	26047 to 26683	26047 (1850.7MHz), 26365 (1882.5MHz), 26683 (1914.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM / 256QAM	6 RB / 0RB Offset
		26055 to 26675	26055 (1851.5MHz), 26365 (1882.5MHz), 26675 (1913.5MHz)	3MHz	QPSK / 16QAM / 64QAM / 256QAM	15 RB / 0RB Offset
		26065 to 26665	26065 (1852.5MHz), 26365 (1882.5MHz), 26665 (1912.5MHz)	5MHz	QPSK / 16QAM / 64QAM / 256QAM	25RB / 0RB Offset
		26090 to 26640	26090 (1855.0MHz), 26365 (1882.5MHz), 26640 (1910.0MHz)	10MHz	QPSK / 16QAM / 64QAM / 256QAM	50RB / 0RB Offset
		26115 to 26615	26115 (1857.5MHz), 26365 (1882.5MHz), 26615 (1907.5MHz)	15MHz	QPSK / 16QAM / 64QAM / 256QAM	75 RB / 0 RB Offset
		26140 to 26590	26140 (1860.0MHz), 26365 (1882.5MHz), 26590 (1905.0MHz)	20MHz	QPSK / 16QAM / 64QAM / 256QAM	100 RB / 0 RB Offset
-	Band Edge	26047 to 26683	26047 (1850.7MHz), 26683 (1914.3MHz)	1.4MHz	QPSK	1 RB / 0 RB Offset 1 RB / 5 RB Offset 6 RB / 0 RB Offset
		26055 to 26675	26055 (1851.5MHz), 26675 (1913.5MHz)	3MHz	QPSK	1 RB / 0 RB Offset 1 RB / 14 RB Offset 15 RB / 0 RB Offset
		26065 to 26665	26065 (1852.5MHz), 26665 (1912.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		26090 to 26640	26090 (1855.0MHz), 26640 (1910.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
		26115 to 26615	26115 (1857.5MHz), 26615 (1907.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset 1 RB / 74 RB Offset 75 RB / 0 RB Offset
		26140 to 26590	26140 (1860.0MHz), 26590 (1905.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset 1 RB / 99 RB Offset 100 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Peak to Average Ratio	26047 to 26683	26047 (1850.7MHz), 26365 (1882.5MHz), 26683 (1914.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
		26055 to 26675	26055 (1851.5MHz), 26365 (1882.5MHz), 26675 (1913.5MHz)	3MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
		26065 to 26665	26065 (1852.5MHz), 26365 (1882.5MHz), 26665 (1912.5MHz)	5MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
		26090 to 26640	26090 (1855.0MHz), 26365 (1882.5MHz), 26640 (1910.0MHz)	10MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
		26115 to 26615	26115 (1857.5MHz), 26365 (1882.5MHz), 26615 (1907.5MHz)	15MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
		26140 to 26590	26140 (1860.0MHz), 26365 (1882.5MHz), 26590 (1905.0MHz)	20MHz	QPSK / 16QAM / 64QAM / 256QAM	1 RB / 0 RB Offset
-	Conducted Emission	26047 to 26683	26047 (1850.7MHz), 26365 (1882.5MHz), 26683 (1914.3MHz)	1.4MHz	QPSK	1 RB / 0 RB Offset
		26055 to 26675	26055 (1851.5MHz), 26365 (1882.5MHz), 26675 (1913.5MHz)	3MHz	QPSK	1 RB / 0 RB Offset
		26065 to 26665	26065 (1852.5MHz), 26365 (1882.5MHz), 26665 (1912.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
		26090 to 26640	26090 (1855.0MHz), 26365 (1882.5MHz), 26640 (1910.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset
		26115 to 26615	26115 (1857.5MHz), 26365 (1882.5MHz), 26615 (1907.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset
		26140 to 26590	26140 (1860.0MHz), 26365 (1882.5MHz), 26590 (1905.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Radiated Emission Below 1GHz	26140 to 26590	26683 (1914.3MHz)	1.4MHz	QPSK	1 RB / 0 RB Offset
-	Radiated Emission Above 1GHz	26047 to 26683	26047 (1850.7MHz), 26365 (1882.5MHz), 26683 (1914.3MHz)	1.4MHz	QPSK	1 RB / 0 RB Offset
		26065 to 26665	26065 (1852.5MHz), 26365 (1882.5MHz), 26665 (1912.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
		26140 to 26590	26140 (1860.0MHz), 26365 (1882.5MHz), 26590 (1905.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset

Note:

1. For radiated emission below 1GHz, select the worst radiated emission channel (above 1GHz) for final testing.
2. For radiated emission above 1GHz, according to 3GPP 36.521 Section 6.6.3.1.4, choose the lowest, 5MHz & highest channel bandwidth for final test.
3. The output power for QPSK, 16QAM, 64QAM and 256QAM, measured value of QPSK is higher than 16QAM, 64QAM and 256QAM mode. Therefore, only Modulation characteristics, occupied bandwidth and Peak to average ratio items had been tested under QPSK, 16QAM, 64QAM and 256QAM modes, the other test items were performed under QPSK mode only.

Test Condition:

Test Item	Environmental Conditions	Input Power	Tested By
EIRP	25deg. C, 60%RH	120Vac, 60Hz	James Yang
Modulation Characteristics	25deg. C, 60%RH	120Vac, 60Hz	James Yang
Frequency Stability	25deg. C, 60%RH	3.85Vdc	James Yang
Occupied Bandwidth	25deg. C, 60%RH	120Vac, 60Hz	James Yang
Band Edge	25deg. C, 60%RH	120Vac, 60Hz	James Yang
Peak To Average Ratio	25deg. C, 60%RH	120Vac, 60Hz	James Yang
Conducted Emission	25deg. C, 60%RH	120Vac, 60Hz	James Yang
Radiated Emission	25deg. C, 70%RH	120Vac, 60Hz	Edison Lee, Noah Chang, Hans Wu

3.4 EUT Operating Conditions

The EUT makes a call to the communication simulator. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency

3.5 General Description of Applied Standards and References

The EUT is a RF Product. According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

Test Standard:

FCC 47 CFR Part 2

FCC 47 CFR Part 24

ANSI/TIA/EIA-603-E 2016

ANSI 63.26-2015

References Test Guidance:

KDB 971168 D01 Power Meas License Digital Systems v03r01

All test items have been performed and recorded as per the above standards.

4 Test Types and Results

4.1 Output Power Measurement

4.1.1 Limits of Output Power Measurement

Mobile / Portable station are limited to 2 watts e.i.r.p.

4.1.2 Test Procedures

Conducted Power Measurement:

The EUT was set up for the maximum power with WCDMA, LTE link data modulation and link up with simulator. Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.

Maximum EIRP / ERP

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation as follows:

$$\text{EIRP} = P_{\text{Meas}} + G_{\text{T}}$$

$$\text{ERP} = P_{\text{Meas}} + G_{\text{T}} - 2.15$$

where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively
(expressed in the same units as P_{Meas} , e.g., dBm or dBW)

P_{Meas} measured transmitter output power or PSD, in dBm or dBW

G_{T} gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

4.1.3 Test Setup

Conducted Power Measurement:



4.1.4 Test Results

Conducted Output Power (dBm)

Band	WCDMA II		
	9262	9400	9538
TX Channel	9262	9400	9538
Rx Channel	9662	9800	9938
Frequency	1852.4	1880	1907.6
RMC 12.2K	23.50	23.45	23.38
HSDPA Subtest-1	23.22	22.90	22.52
HSDPA Subtest-2	23.11	22.88	22.50
HSDPA Subtest-3	22.65	22.40	22.00
HSDPA Subtest-4	22.65	22.38	21.97
DC-HSDPA Subtest-1	23.10	22.78	22.40
DC-HSDPA Subtest-2	22.99	22.76	22.38
DC-HSDPA Subtest-3	22.53	22.28	21.88
DC-HSDPA Subtest-4	22.53	22.26	21.85
HSUPA Subtest-1	21.70	21.61	21.55
HSUPA Subtest-2	21.25	21.00	20.78
HSUPA Subtest-3	22.26	22.01	21.59
HSUPA Subtest-4	20.73	20.73	20.27
HSUPA Subtest-5	22.20	22.00	21.90
HSPA+ Subtest-1	20.13	20.13	19.67

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18700	18900	19100
		Frequency (MHz)		1860	1880	1900
20M	QPSK	1	0	23.55	23.52	23.47
		1	50	23.53	23.50	23.45
		1	99	23.47	23.44	23.39
		50	0	22.69	22.66	22.61
		50	25	22.65	22.62	22.57
		50	50	22.62	22.59	22.54
		100	0	22.61	22.58	22.53
20M	16QAM	1	0	22.68	22.65	22.60
		1	50	22.65	22.62	22.57
		1	99	22.63	22.60	22.55
		50	0	21.65	21.62	21.57
		50	25	21.58	21.55	21.50
		50	50	21.57	21.54	21.49
		100	0	21.53	21.50	21.45
20M	64QAM	1	0	21.56	21.53	21.48
		1	50	21.54	21.51	21.46
		1	99	21.53	21.50	21.45
		50	0	20.75	20.72	20.67
		50	25	20.67	20.64	20.59
		50	50	20.65	20.62	20.57
		100	0	20.61	20.58	20.53
20M	256QAM	1	0	18.68	18.60	18.55
		1	50	18.67	18.64	18.59
		1	99	18.59	18.56	18.51
		50	0	18.63	18.60	18.55
		50	25	18.63	18.60	18.55
		50	50	18.58	18.55	18.50
		100	0	18.61	18.58	18.53

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18675	18900	19125
		Frequency (MHz)		1857.5	1880	1902.5
15M	QPSK	1	0	23.54	23.46	23.43
		1	37	23.48	23.41	23.42
		1	74	23.43	23.44	23.38
		36	0	22.62	22.59	22.53
		36	19	22.58	22.53	22.51
		36	39	22.60	22.54	22.45
		75	0	22.59	22.51	22.43
15M	16QAM	1	0	22.65	22.62	22.54
		1	37	22.60	22.59	22.52
		1	74	22.53	22.54	22.54
		36	0	21.65	21.60	21.49
		36	19	21.52	21.45	21.40
		36	39	21.57	21.51	21.40
		75	0	21.47	21.48	21.43
15M	64QAM	1	0	21.54	21.51	21.42
		1	37	21.51	21.51	21.36
		1	74	21.53	21.41	21.42
		36	0	20.65	20.70	20.60
		36	19	20.65	20.61	20.53
		36	39	20.59	20.54	20.52
		75	0	20.52	20.56	20.51
15M	256QAM	1	0	18.63	18.59	18.50
		1	37	18.60	18.61	18.58
		1	74	18.59	18.54	18.46
		36	0	18.57	18.51	18.54
		36	19	18.57	18.54	18.49
		36	39	18.57	18.52	18.45
		75	0	18.52	18.57	18.47

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18650	18900	19150
		Frequency (MHz)		1855	1880	1905
10M	QPSK	1	0	23.45	23.51	23.40
		1	24	23.48	23.50	23.45
		1	49	23.45	23.43	23.36
		25	0	22.64	22.60	22.57
		25	12	22.60	22.57	22.48
		25	25	22.55	22.55	22.46
		50	0	22.54	22.53	22.53
10M	16QAM	1	0	22.61	22.60	22.50
		1	24	22.57	22.60	22.55
		1	49	22.53	22.55	22.48
		25	0	21.61	21.62	21.48
		25	12	21.53	21.48	21.45
		25	25	21.51	21.49	21.44
		50	0	21.51	21.49	21.37
10M	64QAM	1	0	21.51	21.48	21.39
		1	24	21.53	21.49	21.45
		1	49	21.43	21.50	21.42
		25	0	20.69	20.67	20.65
		25	12	20.61	20.57	20.49
		25	25	20.65	20.56	20.54
		50	0	20.51	20.58	20.44
10M	256QAM	1	0	18.62	18.52	18.54
		1	24	18.67	18.59	18.51
		1	49	18.54	18.46	18.51
		25	0	18.56	18.51	18.52
		25	12	18.58	18.60	18.49
		25	25	18.57	18.45	18.41
		50	0	18.60	18.55	18.44

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18625	18900	19175
		Frequency (MHz)		1852.5	1880	1907.5
5M	QPSK	1	0	23.54	23.47	23.37
		1	12	23.49	23.46	23.41
		1	24	23.47	23.41	23.35
		12	0	22.64	22.58	22.53
		12	6	22.60	22.55	22.47
		12	13	22.53	22.50	22.53
		25	0	22.60	22.48	22.49
5M	16QAM	1	0	22.67	22.60	22.56
		1	12	22.57	22.56	22.49
		1	24	22.62	22.55	22.49
		12	0	21.56	21.62	21.50
		12	6	21.57	21.53	21.40
		12	13	21.55	21.54	21.40
		25	0	21.48	21.44	21.45
5M	64QAM	1	0	21.55	21.49	21.38
		1	12	21.47	21.45	21.38
		1	24	21.53	21.50	21.44
		12	0	20.69	20.69	20.61
		12	6	20.58	20.56	20.53
		12	13	20.63	20.58	20.54
		25	0	20.56	20.51	20.49
5M	256QAM	1	0	18.63	18.56	18.49
		1	12	18.58	18.60	18.57
		1	24	18.53	18.52	18.43
		12	0	18.55	18.59	18.52
		12	6	18.58	18.56	18.54
		12	13	18.57	18.55	18.48
		25	0	18.57	18.57	18.44

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18615	18900	19185
		Frequency (MHz)		1851.5	1880	1908.5
3M	QPSK	1	0	23.47	23.47	23.37
		1	7	23.51	23.40	23.43
		1	14	23.40	23.37	23.34
		8	0	22.67	22.57	22.60
		8	3	22.63	22.55	22.52
		8	7	22.53	22.49	22.50
		15	0	22.56	22.49	22.45
3M	16QAM	1	0	22.64	22.55	22.55
		1	7	22.57	22.59	22.56
		1	14	22.56	22.51	22.54
		8	0	21.55	21.56	21.56
		8	3	21.49	21.53	21.49
		8	7	21.49	21.51	21.39
		15	0	21.48	21.43	21.40
3M	64QAM	1	0	21.51	21.46	21.48
		1	7	21.53	21.48	21.36
		1	14	21.50	21.48	21.44
		8	0	20.66	20.68	20.67
		8	3	20.62	20.60	20.59
		8	7	20.56	20.60	20.54
		15	0	20.55	20.57	20.51
3M	256QAM	1	0	18.63	18.54	18.50
		1	7	18.59	18.62	18.56
		1	14	18.56	18.49	18.46
		8	0	18.60	18.59	18.53
		8	3	18.59	18.55	18.49
		8	7	18.55	18.54	18.43
		15	0	18.61	18.58	18.43

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18607	18900	19193
		Frequency (MHz)		1850.7	1880	1909.3
1.4M	QPSK	1	0	23.51	23.44	23.45
		1	2	23.45	23.45	23.42
		1	5	23.47	23.34	23.34
		3	0	22.63	22.60	22.51
		3	1	22.57	22.55	22.49
		3	3	22.52	22.52	22.45
		6	0	22.58	22.49	22.50
1.4M	16QAM	1	0	22.61	22.60	22.58
		1	2	22.63	22.57	22.50
		1	5	22.55	22.53	22.45
		3	0	21.59	21.57	21.56
		3	1	21.53	21.46	21.46
		3	3	21.57	21.51	21.47
		6	0	21.48	21.47	21.41
1.4M	64QAM	1	0	21.52	21.53	21.48
		1	2	21.54	21.48	21.43
		1	5	21.46	21.44	21.36
		3	0	20.70	20.68	20.66
		3	1	20.58	20.58	20.57
		3	3	20.59	20.53	20.47
		6	0	20.56	20.49	20.46
1.4M	256QAM	1	0	18.63	18.55	18.54
		1	2	18.66	18.55	18.57
		1	5	18.52	18.52	18.46
		3	0	18.59	18.55	18.45
		3	1	18.58	18.60	18.51
		3	3	18.53	18.52	18.49
		6	0	18.61	18.49	18.45

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26140	26365	26590
		Frequency (MHz)		1860	1882.5	1905
20M	QPSK	1	0	23.77	23.68	23.64
		1	50	23.72	23.63	23.59
		1	99	23.65	23.56	23.52
		50	0	22.86	22.77	22.73
		50	25	22.85	22.76	22.72
		50	50	22.83	22.74	22.70
		100	0	22.82	22.73	22.69
20M	16QAM	1	0	22.79	22.70	22.66
		1	50	22.77	22.68	22.64
		1	99	22.71	22.62	22.58
		50	0	21.85	21.76	21.72
		50	25	21.79	21.70	21.66
		50	50	21.76	21.67	21.63
		100	0	21.68	21.59	21.55
20M	64QAM	1	0	21.74	21.65	21.61
		1	50	21.71	21.62	21.58
		1	99	21.68	21.59	21.55
		50	0	20.86	20.77	20.73
		50	25	20.84	20.75	20.71
		50	50	20.81	20.72	20.68
		100	0	20.78	20.69	20.65
20M	256QAM	1	0	18.73	18.64	18.60
		1	50	18.67	18.58	18.54
		1	99	18.66	18.57	18.53
		50	0	18.64	18.55	18.51
		50	25	18.63	18.54	18.50
		50	50	18.61	18.52	18.48
		100	0	18.58	18.49	18.45

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26115	26365	26615
		Frequency (MHz)		1857.5	1882.5	1907.5
15M	QPSK	1	0	23.71	23.61	23.59
		1	37	23.70	23.63	23.54
		1	74	23.60	23.54	23.45
		36	0	22.83	22.74	22.63
		36	19	22.84	22.66	22.72
		36	39	22.82	22.70	22.65
		75	0	22.75	22.71	22.61
15M	16QAM	1	0	22.73	22.62	22.63
		1	37	22.67	22.58	22.60
		1	74	22.61	22.53	22.57
		36	0	21.81	21.70	21.64
		36	19	21.69	21.62	21.60
		36	39	21.66	21.67	21.60
		75	0	21.68	21.57	21.50
15M	64QAM	1	0	21.74	21.56	21.58
		1	37	21.66	21.60	21.48
		1	74	21.62	21.58	21.54
		36	0	20.82	20.75	20.69
		36	19	20.80	20.66	20.69
		36	39	20.71	20.71	20.61
		75	0	20.77	20.66	20.60
15M	256QAM	1	0	18.68	18.55	18.60
		1	37	18.64	18.55	18.46
		1	74	18.63	18.50	18.45
		36	0	18.60	18.50	18.51
		36	19	18.61	18.53	18.42
		36	39	18.53	18.42	18.41
		75	0	18.55	18.42	18.39

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26090	26365	26640
		Frequency (MHz)		1855	1882.5	1910
10M	QPSK	1	0	23.77	23.68	23.64
		1	24	23.63	23.59	23.51
		1	49	23.58	23.48	23.51
		25	0	22.86	22.73	22.69
		25	12	22.84	22.75	22.70
		25	25	22.75	22.72	22.68
		50	0	22.79	22.65	22.59
10M	16QAM	1	0	22.76	22.69	22.65
		1	24	22.67	22.59	22.55
		1	49	22.71	22.57	22.53
		25	0	21.79	21.68	21.68
		25	12	21.71	21.69	21.60
		25	25	21.69	21.59	21.55
		50	0	21.63	21.58	21.54
10M	64QAM	1	0	21.72	21.55	21.54
		1	24	21.67	21.61	21.58
		1	49	21.68	21.49	21.50
		25	0	20.83	20.72	20.70
		25	12	20.82	20.70	20.67
		25	25	20.71	20.70	20.63
		50	0	20.72	20.65	20.61
10M	256QAM	1	0	18.66	18.62	18.59
		1	24	18.60	18.55	18.50
		1	49	18.64	18.51	18.43
		25	0	18.64	18.48	18.50
		25	12	18.61	18.53	18.49
		25	25	18.59	18.42	18.39
		50	0	18.53	18.42	18.40

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26065	26365	26665
		Frequency (MHz)		1852.5	1882.5	1912.5
5M	QPSK	1	0	23.67	23.63	23.62
		1	12	23.68	23.61	23.50
		1	24	23.58	23.52	23.47
		12	0	22.85	22.76	22.68
		12	6	22.79	22.70	22.67
		12	13	22.79	22.69	22.70
		25	0	22.80	22.71	22.59
5M	16QAM	1	0	22.70	22.64	22.62
		1	12	22.71	22.60	22.56
		1	24	22.69	22.54	22.53
		12	0	21.83	21.73	21.67
		12	6	21.73	21.64	21.64
		12	13	21.70	21.61	21.53
		25	0	21.67	21.51	21.52
5M	64QAM	1	0	21.66	21.59	21.56
		1	12	21.64	21.62	21.49
		1	24	21.63	21.52	21.48
		12	0	20.84	20.69	20.71
		12	6	20.83	20.73	20.70
		12	13	20.74	20.65	20.65
		25	0	20.78	20.62	20.61
5M	256QAM	1	0	18.70	18.61	18.55
		1	12	18.60	18.51	18.47
		1	24	18.57	18.57	18.48
		12	0	18.56	18.49	18.51
		12	6	18.55	18.54	18.41
		12	13	18.51	18.46	18.40
		25	0	18.50	18.40	18.40

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26055	26365	26675
		Frequency (MHz)		1851.5	1882.5	1913.5
3M	QPSK	1	0	23.68	23.61	23.54
		1	7	23.72	23.59	23.51
		1	14	23.63	23.51	23.43
		8	0	22.84	22.76	22.65
		8	3	22.77	22.69	22.67
		8	7	22.74	22.68	22.67
		15	0	22.73	22.72	22.63
3M	16QAM	1	0	22.76	22.70	22.60
		1	7	22.67	22.66	22.61
		1	14	22.68	22.55	22.49
		8	0	21.79	21.67	21.66
		8	3	21.75	21.64	21.56
		8	7	21.74	21.65	21.63
		15	0	21.58	21.49	21.53
3M	64QAM	1	0	21.65	21.59	21.59
		1	7	21.63	21.60	21.54
		1	14	21.59	21.58	21.53
		8	0	20.82	20.74	20.68
		8	3	20.80	20.74	20.70
		8	7	20.76	20.71	20.58
		15	0	20.78	20.68	20.62
3M	256QAM	1	0	18.66	18.62	18.54
		1	7	18.59	18.52	18.53
		1	14	18.61	18.52	18.47
		8	0	18.63	18.51	18.44
		8	3	18.53	18.46	18.50
		8	7	18.53	18.52	18.40
		15	0	18.49	18.47	18.41

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26047	26365	26683
		Frequency (MHz)		1850.7	1882.5	1914.3
1.4M	QPSK	1	0	23.77	23.59	23.58
		1	2	23.69	23.61	23.54
		1	5	23.61	23.46	23.50
		3	0	22.83	22.68	22.67
		3	1	22.83	22.71	22.65
		3	3	22.79	22.67	22.62
		6	0	22.73	22.70	22.67
1.4M	16QAM	1	0	22.74	22.62	22.58
		1	2	22.75	22.62	22.60
		1	5	22.71	22.57	22.56
		3	0	21.84	21.72	21.72
		3	1	21.75	21.60	21.61
		3	3	21.76	21.57	21.60
		6	0	21.63	21.54	21.55
1.4M	64QAM	1	0	21.74	21.60	21.61
		1	2	21.70	21.56	21.58
		1	5	21.58	21.58	21.55
		3	0	20.78	20.75	20.63
		3	1	20.76	20.70	20.67
		3	3	20.71	20.62	20.58
		6	0	20.68	20.62	20.57
1.4M	256QAM	1	0	18.64	18.58	18.51
		1	2	18.66	18.52	18.46
		1	5	18.62	18.48	18.48
		3	0	18.56	18.52	18.45
		3	1	18.62	18.48	18.44
		3	3	18.58	18.50	18.46
		6	0	18.51	18.46	18.45

EIRP Power (dBm)

Band	WCDMA II		
TX Channel	9262	9400	9538
Rx Channel	9662	9800	9938
Frequency	1852.4	1880	1907.6
RMC 12.2K	24.74	24.69	24.62
HSDPA Subtest-1	24.46	24.14	23.76
HSDPA Subtest-2	24.35	24.12	23.74
HSDPA Subtest-3	23.89	23.64	23.24
HSDPA Subtest-4	23.89	23.62	23.21
DC-HSDPA Subtest-1	24.34	24.02	23.64
DC-HSDPA Subtest-2	24.23	24.00	23.62
DC-HSDPA Subtest-3	23.77	23.52	23.12
DC-HSDPA Subtest-4	23.77	23.50	23.09
HSUPA Subtest-1	22.94	22.85	22.79
HSUPA Subtest-2	22.49	22.24	22.02
HSUPA Subtest-3	23.50	23.25	22.83
HSUPA Subtest-4	21.97	21.97	21.51
HSUPA Subtest-5	23.44	23.24	23.14
HSPA+ Subtest-1	21.37	21.37	20.91

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18700	18900	19100
		Frequency (MHz)		1860	1880	1900
20M	QPSK	1	0	24.79	24.76	24.71
		1	50	24.77	24.74	24.69
		1	99	24.71	24.68	24.63
		50	0	23.93	23.90	23.85
		50	25	23.89	23.86	23.81
		50	50	23.86	23.83	23.78
		100	0	23.85	23.82	23.77
20M	16QAM	1	0	23.92	23.89	23.84
		1	50	23.89	23.86	23.81
		1	99	23.87	23.84	23.79
		50	0	22.89	22.86	22.81
		50	25	22.82	22.79	22.74
		50	50	22.81	22.78	22.73
		100	0	22.77	22.74	22.69
20M	64QAM	1	0	22.80	22.77	22.72
		1	50	22.78	22.75	22.70
		1	99	22.77	22.74	22.69
		50	0	21.99	21.96	21.91
		50	25	21.91	21.88	21.83
		50	50	21.89	21.86	21.81
		100	0	21.85	21.82	21.77
20M	256QAM	1	0	19.92	19.84	19.79
		1	50	19.91	19.88	19.83
		1	99	19.83	19.80	19.75
		50	0	19.87	19.84	19.79
		50	25	19.87	19.84	19.79
		50	50	19.82	19.79	19.74
		100	0	19.85	19.82	19.77

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18675	18900	19125
		Frequency (MHz)		1857.5	1880	1902.5
15M	QPSK	1	0	24.78	24.70	24.67
		1	37	24.72	24.65	24.66
		1	74	24.67	24.68	24.62
		36	0	23.86	23.83	23.77
		36	19	23.82	23.77	23.75
		36	39	23.84	23.78	23.69
		75	0	23.83	23.75	23.67
15M	16QAM	1	0	23.89	23.86	23.78
		1	37	23.84	23.83	23.76
		1	74	23.77	23.78	23.78
		36	0	22.89	22.84	22.73
		36	19	22.76	22.69	22.64
		36	39	22.81	22.75	22.64
		75	0	22.71	22.72	22.67
15M	64QAM	1	0	22.78	22.75	22.66
		1	37	22.75	22.75	22.60
		1	74	22.77	22.65	22.66
		36	0	21.89	21.94	21.84
		36	19	21.89	21.85	21.77
		36	39	21.83	21.78	21.76
		75	0	21.76	21.80	21.75
15M	256QAM	1	0	19.87	19.83	19.74
		1	37	19.84	19.85	19.82
		1	74	19.83	19.78	19.70
		36	0	19.81	19.75	19.78
		36	19	19.81	19.78	19.73
		36	39	19.81	19.76	19.69
		75	0	19.76	19.81	19.71

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18650	18900	19150
		Frequency (MHz)		1855	1880	1905
10M	QPSK	1	0	24.69	24.75	24.64
		1	24	24.72	24.74	24.69
		1	49	24.69	24.67	24.60
		25	0	23.88	23.84	23.81
		25	12	23.84	23.81	23.72
		25	25	23.79	23.79	23.70
		50	0	23.78	23.77	23.77
10M	16QAM	1	0	23.85	23.84	23.74
		1	24	23.81	23.84	23.79
		1	49	23.77	23.79	23.72
		25	0	22.85	22.86	22.72
		25	12	22.77	22.72	22.69
		25	25	22.75	22.73	22.68
		50	0	22.75	22.73	22.61
10M	64QAM	1	0	22.75	22.72	22.63
		1	24	22.77	22.73	22.69
		1	49	22.67	22.74	22.66
		25	0	21.93	21.91	21.89
		25	12	21.85	21.81	21.73
		25	25	21.89	21.80	21.78
		50	0	21.75	21.82	21.68
10M	256QAM	1	0	19.86	19.76	19.78
		1	24	19.91	19.83	19.75
		1	49	19.78	19.70	19.75
		25	0	19.80	19.75	19.76
		25	12	19.82	19.84	19.73
		25	25	19.81	19.69	19.65
		50	0	19.84	19.79	19.68

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18625	18900	19175
		Frequency (MHz)		1852.5	1880	1907.5
5M	QPSK	1	0	24.78	24.71	24.61
		1	12	24.73	24.70	24.65
		1	24	24.71	24.65	24.59
		12	0	23.88	23.82	23.77
		12	6	23.84	23.79	23.71
		12	13	23.77	23.74	23.77
		25	0	23.84	23.72	23.73
5M	16QAM	1	0	23.91	23.84	23.80
		1	12	23.81	23.80	23.73
		1	24	23.86	23.79	23.73
		12	0	22.80	22.86	22.74
		12	6	22.81	22.77	22.64
		12	13	22.79	22.78	22.64
		25	0	22.72	22.68	22.69
5M	64QAM	1	0	22.79	22.73	22.62
		1	12	22.71	22.69	22.62
		1	24	22.77	22.74	22.68
		12	0	21.93	21.93	21.85
		12	6	21.82	21.80	21.77
		12	13	21.87	21.82	21.78
		25	0	21.80	21.75	21.73
5M	256QAM	1	0	19.87	19.80	19.73
		1	12	19.82	19.84	19.81
		1	24	19.77	19.76	19.67
		12	0	19.79	19.83	19.76
		12	6	19.82	19.80	19.78
		12	13	19.81	19.79	19.72
		25	0	19.81	19.81	19.68

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18615	18900	19185
		Frequency (MHz)		1851.5	1880	1908.5
3M	QPSK	1	0	24.71	24.71	24.61
		1	7	24.75	24.64	24.67
		1	14	24.64	24.61	24.58
		8	0	23.91	23.81	23.84
		8	3	23.87	23.79	23.76
		8	7	23.77	23.73	23.74
		15	0	23.80	23.73	23.69
3M	16QAM	1	0	23.88	23.79	23.79
		1	7	23.81	23.83	23.80
		1	14	23.80	23.75	23.78
		8	0	22.79	22.80	22.80
		8	3	22.73	22.77	22.73
		8	7	22.73	22.75	22.63
		15	0	22.72	22.67	22.64
3M	64QAM	1	0	22.75	22.70	22.72
		1	7	22.77	22.72	22.60
		1	14	22.74	22.72	22.68
		8	0	21.90	21.92	21.91
		8	3	21.86	21.84	21.83
		8	7	21.80	21.84	21.78
		15	0	21.79	21.81	21.75
3M	256QAM	1	0	19.87	19.78	19.74
		1	7	19.83	19.86	19.80
		1	14	19.80	19.73	19.70
		8	0	19.84	19.83	19.77
		8	3	19.83	19.79	19.73
		8	7	19.79	19.78	19.67
		15	0	19.85	19.82	19.67

LTE Band 2						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18607	18900	19193
		Frequency (MHz)		1850.7	1880	1909.3
1.4M	QPSK	1	0	24.75	24.68	24.69
		1	2	24.69	24.69	24.66
		1	5	24.71	24.58	24.58
		3	0	23.87	23.84	23.75
		3	1	23.81	23.79	23.73
		3	3	23.76	23.76	23.69
		6	0	23.82	23.73	23.74
1.4M	16QAM	1	0	23.85	23.84	23.82
		1	2	23.87	23.81	23.74
		1	5	23.79	23.77	23.69
		3	0	22.83	22.81	22.80
		3	1	22.77	22.70	22.70
		3	3	22.81	22.75	22.71
		6	0	22.72	22.71	22.65
1.4M	64QAM	1	0	22.76	22.77	22.72
		1	2	22.78	22.72	22.67
		1	5	22.70	22.68	22.60
		3	0	21.94	21.92	21.90
		3	1	21.82	21.82	21.81
		3	3	21.83	21.77	21.71
		6	0	21.80	21.73	21.70
1.4M	256QAM	1	0	19.87	19.79	19.78
		1	2	19.90	19.79	19.81
		1	5	19.76	19.76	19.70
		3	0	19.83	19.79	19.69
		3	1	19.82	19.84	19.75
		3	3	19.77	19.76	19.73
		6	0	19.85	19.73	19.69

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26140	26365	26590
		Frequency (MHz)		1860	1882.5	1905
20M	QPSK	1	0	25.01	24.92	24.88
		1	50	24.96	24.87	24.83
		1	99	24.89	24.80	24.76
		50	0	24.10	24.01	23.97
		50	25	24.09	24.00	23.96
		50	50	24.07	23.98	23.94
		100	0	24.06	23.97	23.93
20M	16QAM	1	0	24.03	23.94	23.90
		1	50	24.01	23.92	23.88
		1	99	23.95	23.86	23.82
		50	0	23.09	23.00	22.96
		50	25	23.03	22.94	22.90
		50	50	23.00	22.91	22.87
		100	0	22.92	22.83	22.79
20M	64QAM	1	0	22.98	22.89	22.85
		1	50	22.95	22.86	22.82
		1	99	22.92	22.83	22.79
		50	0	22.10	22.01	21.97
		50	25	22.08	21.99	21.95
		50	50	22.05	21.96	21.92
		100	0	22.02	21.93	21.89
20M	256QAM	1	0	19.97	19.88	19.84
		1	50	19.91	19.82	19.78
		1	99	19.90	19.81	19.77
		50	0	19.88	19.79	19.75
		50	25	19.87	19.78	19.74
		50	50	19.85	19.76	19.72
		100	0	19.82	19.73	19.69

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26115	26365	26615
		Frequency (MHz)		1857.5	1882.5	1907.5
15M	QPSK	1	0	24.95	24.85	24.83
		1	37	24.94	24.87	24.78
		1	74	24.84	24.78	24.69
		36	0	24.07	23.98	23.87
		36	19	24.08	23.90	23.96
		36	39	24.06	23.94	23.89
		75	0	23.99	23.95	23.85
15M	16QAM	1	0	23.97	23.86	23.87
		1	37	23.91	23.82	23.84
		1	74	23.85	23.77	23.81
		36	0	23.05	22.94	22.88
		36	19	22.93	22.86	22.84
		36	39	22.90	22.91	22.84
		75	0	22.92	22.81	22.74
15M	64QAM	1	0	22.98	22.80	22.82
		1	37	22.90	22.84	22.72
		1	74	22.86	22.82	22.78
		36	0	22.06	21.99	21.93
		36	19	22.04	21.90	21.93
		36	39	21.95	21.95	21.85
		75	0	22.01	21.90	21.84
15M	256QAM	1	0	19.92	19.79	19.84
		1	37	19.88	19.79	19.70
		1	74	19.87	19.74	19.69
		36	0	19.84	19.74	19.75
		36	19	19.85	19.77	19.66
		36	39	19.77	19.66	19.65
		75	0	19.79	19.66	19.63

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26090	26365	26640
		Frequency (MHz)		1855	1882.5	1910
10M	QPSK	1	0	25.01	24.92	24.88
		1	24	24.87	24.83	24.75
		1	49	24.82	24.72	24.75
		25	0	24.10	23.97	23.93
		25	12	24.08	23.99	23.94
		25	25	23.99	23.96	23.92
		50	0	24.03	23.89	23.83
10M	16QAM	1	0	24.00	23.93	23.89
		1	24	23.91	23.83	23.79
		1	49	23.95	23.81	23.77
		25	0	23.03	22.92	22.92
		25	12	22.95	22.93	22.84
		25	25	22.93	22.83	22.79
		50	0	22.87	22.82	22.78
10M	64QAM	1	0	22.96	22.79	22.78
		1	24	22.91	22.85	22.82
		1	49	22.92	22.73	22.74
		25	0	22.07	21.96	21.94
		25	12	22.06	21.94	21.91
		25	25	21.95	21.94	21.87
		50	0	21.96	21.89	21.85
10M	256QAM	1	0	19.90	19.86	19.83
		1	24	19.84	19.79	19.74
		1	49	19.88	19.75	19.67
		25	0	19.88	19.72	19.74
		25	12	19.85	19.77	19.73
		25	25	19.83	19.66	19.63
		50	0	19.77	19.66	19.64

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26065	26365	26665
		Frequency (MHz)		1852.5	1882.5	1912.5
5M	QPSK	1	0	24.91	24.87	24.86
		1	12	24.92	24.85	24.74
		1	24	24.82	24.76	24.71
		12	0	24.09	24.00	23.92
		12	6	24.03	23.94	23.91
		12	13	24.03	23.93	23.94
		25	0	24.04	23.95	23.83
5M	16QAM	1	0	23.94	23.88	23.86
		1	12	23.95	23.84	23.80
		1	24	23.93	23.78	23.77
		12	0	23.07	22.97	22.91
		12	6	22.97	22.88	22.88
		12	13	22.94	22.85	22.77
		25	0	22.91	22.75	22.76
5M	64QAM	1	0	22.90	22.83	22.80
		1	12	22.88	22.86	22.73
		1	24	22.87	22.76	22.72
		12	0	22.08	21.93	21.95
		12	6	22.07	21.97	21.94
		12	13	21.98	21.89	21.89
		25	0	22.02	21.86	21.85
5M	256QAM	1	0	19.94	19.85	19.79
		1	12	19.84	19.75	19.71
		1	24	19.81	19.81	19.72
		12	0	19.80	19.73	19.75
		12	6	19.79	19.78	19.65
		12	13	19.75	19.70	19.64
		25	0	19.74	19.64	19.64

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26055	26365	26675
		Frequency (MHz)		1851.5	1882.5	1913.5
3M	QPSK	1	0	24.92	24.85	24.78
		1	7	24.96	24.83	24.75
		1	14	24.87	24.75	24.67
		8	0	24.08	24.00	23.89
		8	3	24.01	23.93	23.91
		8	7	23.98	23.92	23.91
		15	0	23.97	23.96	23.87
3M	16QAM	1	0	24.00	23.94	23.84
		1	7	23.91	23.90	23.85
		1	14	23.92	23.79	23.73
		8	0	23.03	22.91	22.90
		8	3	22.99	22.88	22.80
		8	7	22.98	22.89	22.87
		15	0	22.82	22.73	22.77
3M	64QAM	1	0	22.89	22.83	22.83
		1	7	22.87	22.84	22.78
		1	14	22.83	22.82	22.77
		8	0	22.06	21.98	21.92
		8	3	22.04	21.98	21.94
		8	7	22.00	21.95	21.82
		15	0	22.02	21.92	21.86
3M	256QAM	1	0	19.90	19.86	19.78
		1	7	19.83	19.76	19.77
		1	14	19.85	19.76	19.71
		8	0	19.87	19.75	19.68
		8	3	19.77	19.70	19.74
		8	7	19.77	19.76	19.64
		15	0	19.73	19.71	19.65

LTE Band 25						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26047	26365	26683
		Frequency (MHz)		1850.7	1882.5	1914.3
1.4M	QPSK	1	0	25.01	24.83	24.82
		1	2	24.93	24.85	24.78
		1	5	24.85	24.70	24.74
		3	0	24.07	23.92	23.91
		3	1	24.07	23.95	23.89
		3	3	24.03	23.91	23.86
		6	0	23.97	23.94	23.91
1.4M	16QAM	1	0	23.98	23.86	23.82
		1	2	23.99	23.86	23.84
		1	5	23.95	23.81	23.80
		3	0	23.08	22.96	22.96
		3	1	22.99	22.84	22.85
		3	3	23.00	22.81	22.84
		6	0	22.87	22.78	22.79
1.4M	64QAM	1	0	22.98	22.84	22.85
		1	2	22.94	22.80	22.82
		1	5	22.82	22.82	22.79
		3	0	22.02	21.99	21.87
		3	1	22.00	21.94	21.91
		3	3	21.95	21.86	21.82
		6	0	21.92	21.86	21.81
1.4M	256QAM	1	0	19.88	19.82	19.75
		1	2	19.90	19.76	19.70
		1	5	19.86	19.72	19.72
		3	0	19.80	19.76	19.69
		3	1	19.86	19.72	19.68
		3	3	19.82	19.74	19.70
		6	0	19.75	19.70	19.69

4.2 Modulation Characteristics Measurement

4.2.1 Limits of Modulation Characteristics

N/A


4.2.2 Test Procedure

Connect the EUT to Communication Simulator via the antenna connector, The frequency band is set as EUT supported Modulation and Channels, the EUT output is matched with 50 ohm load, the waveform quality and constellation of the EUT was tested.

4.2.3 Test Setup




4.2.4 Test Results



LTE Band 2

Spectrum Plot of Measurement Value

Channel: 18900 / Frequency (MHz): 1880.0MHz




LTE Band 25


Spectrum Plot of Measurement Value

Channel: 26365 / Frequency (MHz): 1882.5MHz


QPSK



16QAM



64QAM



256QAM

