

Date: May, 16, 2002

To: Mr. Diane Pool, FCC Application Processing Branch.  
From: Iwao Oyaizu, Matsushita Electric Works, LTD.

Re: FCC ID HHV20011107

Applicant: Matsushita Electric Works, Ltd  
Correspondence Reference Number: 22726  
Form 731 Confirmation Number: EA829170

>1. Users manual has been changed, but again please  
>consider using the suggested text from Suppl. C:  
>  
>"For body worn operation, this phone has been tested  
>and meets the FCC RF exposure guidelines when used with  
>the (manufacturer name) accessories supplied or  
>designated for this product. Use of other accessories  
>may not ensure compliance with FCC RF exposure guidelines."

**Reply to Item 1:**

[Revised page 2 of Operating Instructions \(EXHIBIT 20\) is uploaded](#)

>2. "Caution label" looks like a package insert. Please  
>consider to use a stick-on label on the exterior of the  
>device. If used, please submit photos of label placement  
>on device.

Reply to Item 2:

The caution label will be inserted (see EXHIBIT 42) so that the user see it when taking the device from the package. Considering the following points, this seems enough way to avoid the situation which the user uses it near his ear like a conventional portable cellular telephone.

(1) The user has the special contract with the service provider for emergency call service, and the device has not any conventional keypad for dialing.

There would be few chance for other person to uses it.

(2) The device has no ear receiver usually used for handset.

The devise has a loudspeaker and a high sensitive microphone to enable the user to hear and speak at 10 feet away from the device.

Since the device has not any volume control for loudspeaker, the user actually cannot hold it near his ear in a phone call because of its loud sound from the loudspeaker.

Caution label of the following photo is attached. Also, Revised caution label is uploaded..



>3. For Part 22 amps mode when the ERP is greater than  
>600 mW, we list 600 mW but the SAR must be tested at  
>maximum ERP (target output power + any listed tolerance).  
>We place a note in the remarks field that indicates this  
>ERP and state that the device cannot exceed this level.

[We noted your comment.](#)

Sincerely,

Iwao Oyaizu  
Matsushita Electric Works, Ltd.