


B2\_N41(100M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_Mid\_CH




B2\_N41(100M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_Mid\_CH



B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




## Occupied Bandwidth


| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | OBW (MHz) | 26dB BW (MHz) |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------|---------------|
| 41      | 30        | 20              | 518598 | 2592.99    | CP-OFDM QPSK    | 51@0  | 18.258    | 19.59         |
| 41      | 30        | 20              | 518598 | 2592.99    | CP-OFDM 16 QAM  | 51@0  | 18.207    | 19.39         |
| 41      | 30        | 20              | 518598 | 2592.99    | CP-OFDM 64 QAM  | 51@0  | 18.17     | 19.16         |
| 41      | 30        | 20              | 518598 | 2592.99    | CP-OFDM 256 QAM | 51@0  | 18.222    | 19.45         |
| 41      | 30        | 30              | 518598 | 2592.99    | CP-OFDM QPSK    | 78@0  | 27.797    | 29.79         |
| 41      | 30        | 30              | 518598 | 2592.99    | CP-OFDM 16 QAM  | 78@0  | 27.933    | 29.2          |
| 41      | 30        | 30              | 518598 | 2592.99    | CP-OFDM 64 QAM  | 78@0  | 27.852    | 29.02         |
| 41      | 30        | 30              | 518598 | 2592.99    | CP-OFDM 256 QAM | 78@0  | 27.882    | 29.04         |
| 41      | 30        | 40              | 518598 | 2592.99    | CP-OFDM QPSK    | 106@0 | 37.878    | 39.46         |
| 41      | 30        | 40              | 518598 | 2592.99    | CP-OFDM 16 QAM  | 106@0 | 37.828    | 39.59         |
| 41      | 30        | 40              | 518598 | 2592.99    | CP-OFDM 64 QAM  | 106@0 | 37.932    | 39.72         |
| 41      | 30        | 40              | 518598 | 2592.99    | CP-OFDM 256 QAM | 106@0 | 37.948    | 39.58         |
| 41      | 30        | 50              | 518598 | 2592.99    | CP-OFDM QPSK    | 133@0 | 47.554    | 49.26         |
| 41      | 30        | 50              | 518598 | 2592.99    | CP-OFDM 16 QAM  | 133@0 | 47.639    | 49.69         |
| 41      | 30        | 50              | 518598 | 2592.99    | CP-OFDM 64 QAM  | 133@0 | 47.427    | 49.59         |
| 41      | 30        | 50              | 518598 | 2592.99    | CP-OFDM 256 QAM | 133@0 | 47.632    | 49.18         |
| 41      | 30        | 60              | 518598 | 2592.99    | CP-OFDM QPSK    | 162@0 | 57.826    | 59.8          |
| 41      | 30        | 60              | 518598 | 2592.99    | CP-OFDM 16 QAM  | 162@0 | 57.785    | 59.81         |
| 41      | 30        | 60              | 518598 | 2592.99    | CP-OFDM 64 QAM  | 162@0 | 57.739    | 59.66         |
| 41      | 30        | 60              | 518598 | 2592.99    | CP-OFDM 256 QAM | 162@0 | 57.841    | 59.91         |
| 41      | 30        | 70              | 518598 | 2592.99    | CP-OFDM QPSK    | 189@0 | 67.369    | 69.68         |
| 41      | 30        | 70              | 518598 | 2592.99    | CP-OFDM 16 QAM  | 189@0 | 67.468    | 69.51         |
| 41      | 30        | 70              | 518598 | 2592.99    | CP-OFDM 64 QAM  | 189@0 | 67.426    | 69.71         |
| 41      | 30        | 70              | 518598 | 2592.99    | CP-OFDM 256 QAM | 189@0 | 67.286    | 69.7          |
| 41      | 30        | 80              | 518598 | 2592.99    | CP-OFDM QPSK    | 217@0 | 77.485    | 80.32         |
| 41      | 30        | 80              | 518598 | 2592.99    | CP-OFDM 16 QAM  | 217@0 | 77.648    | 80.02         |

|    |    |     |        |         |                    |       |        |       |
|----|----|-----|--------|---------|--------------------|-------|--------|-------|
| 41 | 30 | 80  | 518598 | 2592.99 | CP-OFDM<br>64 QAM  | 217@0 | 77.429 | 79.92 |
| 41 | 30 | 80  | 518598 | 2592.99 | CP-OFDM<br>256 QAM | 217@0 | 77.604 | 79.97 |
| 41 | 30 | 90  | 518598 | 2592.99 | CP-OFDM<br>QPSK    | 245@0 | 87.615 | 90.32 |
| 41 | 30 | 90  | 518598 | 2592.99 | CP-OFDM<br>16 QAM  | 245@0 | 87.465 | 90.16 |
| 41 | 30 | 90  | 518598 | 2592.99 | CP-OFDM<br>64 QAM  | 245@0 | 87.454 | 90.28 |
| 41 | 30 | 90  | 518598 | 2592.99 | CP-OFDM<br>256 QAM | 245@0 | 87.641 | 90.43 |
| 41 | 30 | 100 | 518598 | 2592.99 | CP-OFDM<br>QPSK    | 273@0 | 97.468 | 100.8 |
| 41 | 30 | 100 | 518598 | 2592.99 | CP-OFDM<br>16 QAM  | 273@0 | 97.574 | 100.5 |
| 41 | 30 | 100 | 518598 | 2592.99 | CP-OFDM<br>64 QAM  | 273@0 | 97.544 | 100.6 |
| 41 | 30 | 100 | 518598 | 2592.99 | CP-OFDM<br>256 QAM | 273@0 | 97.577 | 100.3 |


### B2\_N41(20M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### B2\_N41(20M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(20M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(20M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(30M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### B2\_N41(30M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




B2\_N41(30M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




B2\_N41(30M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




B2\_N41(40M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




B2\_N41(40M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




B2\_N41(40M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




B2\_N41(40M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(50M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### B2\_N41(50M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(50M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(50M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(60M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### B2\_N41(60M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(60M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(60M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(70M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### B2\_N41(70M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(70M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(70M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(80M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### B2\_N41(80M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(80M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### B2\_N41(80M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH



### B2\_N41(90M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### B2\_N41(90M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH







B2\_N41(90M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




B2\_N41(90M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




B2\_N41(100M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




B2\_N41(100M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH



B2\_N41(100M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH



B2\_N41(100M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH



## Conducted Spurious Emissions

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation         | RB  | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|--------------------|-----|-----------|---------|
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---     |
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---     |
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 518598 | 2592.99    | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---     |
| 41      | 30        | 20              | 518598 | 2592.99    | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 518598 | 2592.99    | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 518598 | 2592.99    | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---     |
| 41      | 30        | 20              | 518598 | 2592.99    | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 518598 | 2592.99    | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---     |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---     |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 60              | 505200 | 2526.0     | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---     |
| 41      | 30        | 60              | 505200 | 2526.0     | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS    |
| 41      | 30        | 60              | 505200 | 2526.0     | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS    |


|    |    |     |        |         |                 |     |           |      |
|----|----|-----|--------|---------|-----------------|-----|-----------|------|
| 41 | 30 | 60  | 505200 | 2526.0  | DFT-s-OFDM QPSK | 1@0 | see graph | ---  |
| 41 | 30 | 60  | 505200 | 2526.0  | DFT-s-OFDM QPSK | 1@0 | see graph | PASS |
| 41 | 30 | 60  | 505200 | 2526.0  | DFT-s-OFDM QPSK | 1@0 | see graph | PASS |
| 41 | 30 | 60  | 518598 | 2592.99 | DFT-s-OFDM BPSK | 1@0 | see graph | ---  |
| 41 | 30 | 60  | 518598 | 2592.99 | DFT-s-OFDM BPSK | 1@0 | see graph | PASS |
| 41 | 30 | 60  | 518598 | 2592.99 | DFT-s-OFDM BPSK | 1@0 | see graph | PASS |
| 41 | 30 | 60  | 518598 | 2592.99 | DFT-s-OFDM QPSK | 1@0 | see graph | ---  |
| 41 | 30 | 60  | 518598 | 2592.99 | DFT-s-OFDM QPSK | 1@0 | see graph | PASS |
| 41 | 30 | 60  | 518598 | 2592.99 | DFT-s-OFDM QPSK | 1@0 | see graph | PASS |
| 41 | 30 | 60  | 531996 | 2659.98 | DFT-s-OFDM BPSK | 1@0 | see graph | ---  |
| 41 | 30 | 60  | 531996 | 2659.98 | DFT-s-OFDM BPSK | 1@0 | see graph | PASS |
| 41 | 30 | 60  | 531996 | 2659.98 | DFT-s-OFDM BPSK | 1@0 | see graph | PASS |
| 41 | 30 | 60  | 531996 | 2659.98 | DFT-s-OFDM QPSK | 1@0 | see graph | ---  |
| 41 | 30 | 60  | 531996 | 2659.98 | DFT-s-OFDM QPSK | 1@0 | see graph | PASS |
| 41 | 30 | 60  | 531996 | 2659.98 | DFT-s-OFDM QPSK | 1@0 | see graph | PASS |
| 41 | 30 | 100 | 509202 | 2546.01 | DFT-s-OFDM BPSK | 1@0 | see graph | ---  |
| 41 | 30 | 100 | 509202 | 2546.01 | DFT-s-OFDM BPSK | 1@0 | see graph | PASS |
| 41 | 30 | 100 | 509202 | 2546.01 | DFT-s-OFDM BPSK | 1@0 | see graph | PASS |
| 41 | 30 | 100 | 509202 | 2546.01 | DFT-s-OFDM QPSK | 1@0 | see graph | ---  |
| 41 | 30 | 100 | 509202 | 2546.01 | DFT-s-OFDM QPSK | 1@0 | see graph | PASS |
| 41 | 30 | 100 | 509202 | 2546.01 | DFT-s-OFDM QPSK | 1@0 | see graph | PASS |
| 41 | 30 | 100 | 518598 | 2592.99 | DFT-s-OFDM BPSK | 1@0 | see graph | ---  |
| 41 | 30 | 100 | 518598 | 2592.99 | DFT-s-OFDM BPSK | 1@0 | see graph | PASS |
| 41 | 30 | 100 | 518598 | 2592.99 | DFT-s-OFDM BPSK | 1@0 | see graph | PASS |

|    |    |     |        |         |                 |     |           |             |
|----|----|-----|--------|---------|-----------------|-----|-----------|-------------|
| 41 | 30 | 100 | 518598 | 2592.99 | DFT-s-OFDM QPSK | 1@0 | see graph | ---         |
| 41 | 30 | 100 | 518598 | 2592.99 | DFT-s-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 41 | 30 | 100 | 518598 | 2592.99 | DFT-s-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 41 | 30 | 100 | 528000 | 2640.0  | DFT-s-OFDM BPSK | 1@0 | see graph | ---         |
| 41 | 30 | 100 | 528000 | 2640.0  | DFT-s-OFDM BPSK | 1@0 | see graph | <b>PASS</b> |
| 41 | 30 | 100 | 528000 | 2640.0  | DFT-s-OFDM BPSK | 1@0 | see graph | <b>PASS</b> |
| 41 | 30 | 100 | 528000 | 2640.0  | DFT-s-OFDM QPSK | 1@0 | see graph | ---         |
| 41 | 30 | 100 | 528000 | 2640.0  | DFT-s-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 41 | 30 | 100 | 528000 | 2640.0  | DFT-s-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |


### B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



### B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




### B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




B2\_N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




B2\_N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




B2\_N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




B2\_N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




B2\_N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




B2\_N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




### B2\_N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### B2\_N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### B2\_N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




### B2\_N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



### B2\_N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




### B2\_N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH







### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




## Conducted Band Edge

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------|---------|
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM BPSK | 50@0  | see graph | PASS    |
| 41      | 30        | 20              | 501204 | 2506.02    | DFT-s-OFDM QPSK | 50@0  | see graph | PASS    |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM BPSK | 1@50  | see graph | PASS    |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM QPSK | 1@50  | see graph | PASS    |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM BPSK | 50@0  | see graph | PASS    |
| 41      | 30        | 20              | 535998 | 2679.99    | DFT-s-OFDM QPSK | 50@0  | see graph | PASS    |
| 41      | 30        | 60              | 505200 | 2526.0     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 41      | 30        | 60              | 505200 | 2526.0     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 41      | 30        | 60              | 505200 | 2526.0     | DFT-s-OFDM BPSK | 162@0 | see graph | PASS    |
| 41      | 30        | 60              | 505200 | 2526.0     | DFT-s-OFDM QPSK | 162@0 | see graph | PASS    |
| 41      | 30        | 60              | 531996 | 2659.98    | DFT-s-OFDM BPSK | 1@161 | see graph | PASS    |
| 41      | 30        | 60              | 531996 | 2659.98    | DFT-s-OFDM QPSK | 1@161 | see graph | PASS    |
| 41      | 30        | 60              | 531996 | 2659.98    | DFT-s-OFDM BPSK | 162@0 | see graph | PASS    |
| 41      | 30        | 60              | 531996 | 2659.98    | DFT-s-OFDM QPSK | 162@0 | see graph | PASS    |
| 41      | 30        | 100             | 509202 | 2546.01    | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 41      | 30        | 100             | 509202 | 2546.01    | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 41      | 30        | 100             | 509202 | 2546.01    | DFT-s-OFDM BPSK | 270@0 | see graph | PASS    |
| 41      | 30        | 100             | 509202 | 2546.01    | DFT-s-OFDM QPSK | 270@0 | see graph | PASS    |
| 41      | 30        | 100             | 528000 | 2640.0     | DFT-s-OFDM BPSK | 1@272 | see graph | PASS    |
| 41      | 30        | 100             | 528000 | 2640.0     | DFT-s-OFDM QPSK | 1@272 | see graph | PASS    |
| 41      | 30        | 100             | 528000 | 2640.0     | DFT-s-OFDM BPSK | 270@0 | see graph | PASS    |
| 41      | 30        | 100             | 528000 | 2640.0     | DFT-s-OFDM QPSK | 270@0 | see graph | PASS    |


B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




B2\_N41(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




B2\_N41(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




B2\_N41(60M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




B2\_N41(60M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




B2\_N41(60M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




B2\_N41(60M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




B2\_N41(60M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




B2\_N41(60M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH\_PASS




B2\_N41(60M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




B2\_N41(60M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH




B2\_N41(60M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH




B2\_N41(100M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PASS




### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PASS




### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH



### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH\_CHP\_PASS



### B2\_N41(100M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH



### B2\_N41(100M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH





# FR1 N66 (ANT0)

## Transmitter Conducted Output Power And EIRP, (G<sub>T</sub>-L<sub>C</sub>)=0.9dB

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation           | RB    | Conducted Power(dBm) | EIRP (dBm) | EIRP (W) |
|---------|-----------|-----------------|--------|------------|----------------------|-------|----------------------|------------|----------|
| 66      | 15        | 5               | 342500 | 1712.5     | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.77                | 23.67      | 0.2328   |
| 66      | 15        | 5               | 342500 | 1712.5     | DFT-s-OFDM QPSK      | 1@1   | 22.9                 | 23.8       | 0.2399   |
| 66      | 15        | 5               | 342500 | 1712.5     | DFT-s-OFDM 16 QAM    | 1@1   | 21.92                | 22.82      | 0.1914   |
| 66      | 15        | 5               | 349000 | 1745       | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.62                | 23.52      | 0.2249   |
| 66      | 15        | 5               | 349000 | 1745       | DFT-s-OFDM QPSK      | 1@1   | 22.62                | 23.52      | 0.2249   |
| 66      | 15        | 5               | 349000 | 1745       | DFT-s-OFDM 16 QAM    | 1@1   | 21.79                | 22.69      | 0.1858   |
| 66      | 15        | 5               | 355500 | 1777.5     | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.31                | 23.21      | 0.2094   |
| 66      | 15        | 5               | 355500 | 1777.5     | DFT-s-OFDM QPSK      | 1@1   | 22.46                | 23.36      | 0.2168   |
| 66      | 15        | 5               | 355500 | 1777.5     | DFT-s-OFDM 16 QAM    | 1@1   | 21.45                | 22.35      | 0.1718   |
| 66      | 15        | 10              | 343000 | 1715       | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.75                | 23.65      | 0.2317   |
| 66      | 15        | 10              | 343000 | 1715       | DFT-s-OFDM QPSK      | 1@1   | 22.86                | 23.76      | 0.2377   |
| 66      | 15        | 10              | 343000 | 1715       | DFT-s-OFDM 16 QAM    | 1@1   | 21.94                | 22.84      | 0.1923   |
| 66      | 15        | 10              | 349000 | 1745       | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.6                 | 23.5       | 0.2239   |
| 66      | 15        | 10              | 349000 | 1745       | DFT-s-OFDM QPSK      | 1@1   | 22.62                | 23.52      | 0.2249   |
| 66      | 15        | 10              | 349000 | 1745       | DFT-s-OFDM 16 QAM    | 1@1   | 21.75                | 22.65      | 0.1841   |
| 66      | 15        | 10              | 355000 | 1775       | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.41                | 23.31      | 0.2143   |
| 66      | 15        | 10              | 355000 | 1775       | DFT-s-OFDM QPSK      | 1@1   | 22.37                | 23.27      | 0.2123   |
| 66      | 15        | 10              | 355000 | 1775       | DFT-s-OFDM 16 QAM    | 1@1   | 21.47                | 22.37      | 0.1726   |
| 66      | 15        | 15              | 343500 | 1717.5     | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.89                | 23.79      | 0.2393   |
| 66      | 15        | 15              | 343500 | 1717.5     | DFT-s-OFDM QPSK      | 1@1   | 23                   | 23.9       | 0.2455   |
| 66      | 15        | 15              | 343500 | 1717.5     | DFT-s-OFDM 16 QAM    | 1@1   | 21.98                | 22.88      | 0.1941   |
| 66      | 15        | 15              | 349000 | 1745       | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.67                | 23.57      | 0.2275   |
| 66      | 15        | 15              | 349000 | 1745       | DFT-s-OFDM QPSK      | 1@1   | 22.86                | 23.76      | 0.2377   |
| 66      | 15        | 15              | 349000 | 1745       | DFT-s-OFDM 16 QAM    | 1@1   | 21.77                | 22.67      | 0.1849   |
| 66      | 15        | 15              | 354500 | 1772.5     | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.37                | 23.27      | 0.2123   |
| 66      | 15        | 15              | 354500 | 1772.5     | DFT-s-OFDM QPSK      | 1@1   | 22.5                 | 23.4       | 0.2188   |
| 66      | 15        | 15              | 354500 | 1772.5     | DFT-s-OFDM 16 QAM    | 1@1   | 21.51                | 22.41      | 0.1742   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM PI/2 BPSK | 50@25 | 22.76                | 23.66      | 0.2323   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.78                | 23.68      | 0.2333   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM PI/2 BPSK | 1@104 | 22.59                | 23.49      | 0.2234   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM QPSK      | 50@25 | 22.81                | 23.71      | 0.2350   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM QPSK      | 1@1   | 23.04                | 23.94      | 0.2477   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM QPSK      | 1@104 | 22.7                 | 23.6       | 0.2291   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM 16 QAM    | 50@25 | 21.72                | 22.62      | 0.1828   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM 16 QAM    | 1@1   | 21.97                | 22.87      | 0.1936   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM 16 QAM    | 1@104 | 21.78                | 22.68      | 0.1854   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM 64 QAM    | 50@25 | 20.3                 | 21.2       | 0.1318   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM 64 QAM    | 1@1   | 20.49                | 21.39      | 0.1377   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM 64 QAM    | 1@104 | 20.26                | 21.16      | 0.1306   |
| 66      | 15        | 20              | 344000 | 1720       | DFT-s-OFDM 256 QAM   | 50@25 | 18.2                 | 19.1       | 0.0813   |

|    |    |    |        |      |                      |       |       |       |        |
|----|----|----|--------|------|----------------------|-------|-------|-------|--------|
| 66 | 15 | 20 | 344000 | 1720 | DFT-s-OFDM 256 QAM   | 1@1   | 18.05 | 18.95 | 0.0785 |
| 66 | 15 | 20 | 344000 | 1720 | DFT-s-OFDM 256 QAM   | 1@104 | 17.91 | 18.81 | 0.0760 |
| 66 | 15 | 20 | 344000 | 1720 | CP-OFDM QPSK         | 53@26 | 21.29 | 22.19 | 0.1656 |
| 66 | 15 | 20 | 344000 | 1720 | CP-OFDM QPSK         | 1@1   | 21.4  | 22.3  | 0.1698 |
| 66 | 15 | 20 | 344000 | 1720 | CP-OFDM QPSK         | 1@104 | 20.87 | 21.77 | 0.1503 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM PI/2 BPSK | 50@25 | 22.67 | 23.57 | 0.2275 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.66 | 23.56 | 0.2270 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM PI/2 BPSK | 1@104 | 22.35 | 23.25 | 0.2113 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM QPSK      | 50@25 | 22.58 | 23.48 | 0.2228 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM QPSK      | 1@1   | 22.57 | 23.47 | 0.2223 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM QPSK      | 1@104 | 22.37 | 23.27 | 0.2123 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM 16 QAM    | 50@25 | 21.59 | 22.49 | 0.1774 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM 16 QAM    | 1@1   | 21.74 | 22.64 | 0.1837 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM 16 QAM    | 1@104 | 21.48 | 22.38 | 0.1730 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM 64 QAM    | 50@25 | 20.17 | 21.07 | 0.1279 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM 64 QAM    | 1@1   | 20.27 | 21.17 | 0.1309 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM 64 QAM    | 1@104 | 19.99 | 20.89 | 0.1227 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM 256 QAM   | 50@25 | 18.05 | 18.95 | 0.0785 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM 256 QAM   | 1@1   | 17.88 | 18.78 | 0.0755 |
| 66 | 15 | 20 | 349000 | 1745 | DFT-s-OFDM 256 QAM   | 1@104 | 17.66 | 18.56 | 0.0718 |
| 66 | 15 | 20 | 349000 | 1745 | CP-OFDM QPSK         | 53@26 | 21.16 | 22.06 | 0.1607 |
| 66 | 15 | 20 | 349000 | 1745 | CP-OFDM QPSK         | 1@1   | 21.21 | 22.11 | 0.1626 |
| 66 | 15 | 20 | 349000 | 1745 | CP-OFDM QPSK         | 1@104 | 20.64 | 21.54 | 0.1426 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM PI/2 BPSK | 50@25 | 22.43 | 23.33 | 0.2153 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM PI/2 BPSK | 1@1   | 22.41 | 23.31 | 0.2143 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM PI/2 BPSK | 1@104 | 22.3  | 23.2  | 0.2089 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM QPSK      | 50@25 | 22.49 | 23.39 | 0.2183 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM QPSK      | 1@1   | 22.39 | 23.29 | 0.2133 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM QPSK      | 1@104 | 22.35 | 23.25 | 0.2113 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM 16 QAM    | 50@25 | 21.37 | 22.27 | 0.1687 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM 16 QAM    | 1@1   | 21.47 | 22.37 | 0.1726 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM 16 QAM    | 1@104 | 21.48 | 22.38 | 0.1730 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM 64 QAM    | 50@25 | 20    | 20.9  | 0.1230 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM 64 QAM    | 1@1   | 20.01 | 20.91 | 0.1233 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM 64 QAM    | 1@104 | 20.02 | 20.92 | 0.1236 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM 256 QAM   | 50@25 | 17.85 | 18.75 | 0.0750 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM 256 QAM   | 1@1   | 17.63 | 18.53 | 0.0713 |
| 66 | 15 | 20 | 354000 | 1770 | DFT-s-OFDM 256 QAM   | 1@104 | 17.58 | 18.48 | 0.0705 |
| 66 | 15 | 20 | 354000 | 1770 | CP-OFDM QPSK         | 53@26 | 20.92 | 21.82 | 0.1521 |
| 66 | 15 | 20 | 354000 | 1770 | CP-OFDM QPSK         | 1@1   | 21.01 | 21.91 | 0.1552 |
| 66 | 15 | 20 | 354000 | 1770 | CP-OFDM QPSK         | 1@104 | 20.6  | 21.5  | 0.1413 |

## Frequency Stability

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | Deviation (ppm) | Verdict | Environment |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------------|---------|-------------|
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.0016          | PASS    | NV          |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.0011          | PASS    | LV          |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | -0.0019         | PASS    | HV          |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.0025          | PASS    | -30°C       |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.0013          | PASS    | -20°C       |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | -0.0009         | PASS    | -10°C       |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.0021          | PASS    | 0°C         |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.0006          | PASS    | 10°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.0028          | PASS    | 20°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.0013          | PASS    | 30°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | -0.0015         | PASS    | 40°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.0027          | PASS    | 50°C        |

## Peak to Average Ratio

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation           | RB    | Result (dB) | Limit (dB) | Verdict |
|---------|-----------|-----------------|--------|------------|----------------------|-------|-------------|------------|---------|
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM PI/2 BPSK | 100@0 | 4.28        | 13         | PASS    |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM PI/2 BPSK | 1@0   | 3.8         | 13         | PASS    |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK      | 100@0 | 5.63        | 13         | PASS    |
| 66      | 15        | 20              | 349000 | 1745.0     | DFT-s-OFDM QPSK      | 1@0   | 5.51        | 13         | PASS    |