


Appendix D. SAR Test Setup Photos


Head Exposure Condition




Right Cheek, Test Separation 0 mm



Right Tilted, Test Separation 0 mm



Left Cheek, Test Separation 0 mm



Left Tilted, Test Separation 0 mm

Hotspot Exposure Condition



Front, Test Separation 10 mm




Back, Test Separation 10 mm



Left Side, Test Separation 10 mm



Right Side, Test Separation 10 mm



Top Side, Test Separation 10 mm



Bottom Side, Test Separation 10 mm

Body-worn Exposure Condition



Front, Test Separation 10 mm



Back, Test Separation 10 mm

Sensor off



Back, Test Separation 11 mm



Back, Test Separation 12 mm



Back, Test Separation 15 mm

Product Specific 10g SAR



Front, Test Separation 0 mm



Back, Test Separation 0 mm



Left Side, Test Separation 0 mm



Right Side, Test Separation 0 mm



Top Side, Test Separation 0 mm


Sensor off



Back, Test Separation 12 mm




Back, Test Separation 15 mm



Right Side, Test Separation 3 mm

Antenna Location



Antenna	Support Band
Antenna 0	GSM: 850/1900<TX/RX> UMTS: B2/4/5<TX/RX> LTE: B2/4/5/12/13/14/17/66<TX/RX> NR: n2/n5/n12/n14/n66 <TX/RX>
Antenna 1	GSM: 850<TX/RX> UMTS: B5<TX/RX> LTE: B5/7/12/13/14/17/38/41<TX/RX> NR: n5/n7/n12/n14/n38/n41<TX/RX>
Antenna 2	WLAN 2.4GHz Chain 0<TX/RX> Bluetooth <TX/RX>
Antenna 3	WLAN 5GHz&6GHz Chain 0<TX/RX>
Antenna 4	WLAN 2.4GHz Chain 1<TX/RX> WLAN 5GHz&6GHz Chain 1<TX/RX>
Antenna 5	LTE: B2/7/66/38/41<TX/RX> NR: n2/n7/n66/n38/n41/n48/n77/n78<TX/RX>
Antenna 6	LTE: B7/38/41<TX/RX> NR: n7/n38/n41/n77/n78<TX/RX>
Antenna 7	LTE: B7/38/41<TX/RX> NR: n7/n38/n41 <TX/RX>
Antenna 8	LTE: B48<TX/RX> NR: n48/n77/n78<TX/RX>
Antenna 9	NR: n77/n78<TX/RX>
Antenna 10	NFC<TX/RX>

Note:

1. LTE B2/66 at Antenna 5 was limited to EN-DC combination.
2. 5GNR n48 at Antenna 5 was limited to UL MIMO combination.

Distance of the Antenna to the EUT surface/edge						
Antennas	Back	Front	Top Side	Bottom Side	Right Side	Left Side
Antenna 0	≤ 25mm	≤ 25mm	>25mm	≤ 25mm	≤ 25mm	≤ 25mm
Antenna 1	≤ 25mm	≤ 25mm	≤ 25mm	>25mm	>25mm	≤ 25mm
Antenna 2	≤ 25mm	≤ 25mm	≤ 25mm	>25mm	≤ 25mm	>25mm
Antenna 3	≤ 25mm	≤ 25mm	≤ 25mm	>25mm	≤ 25mm	>25mm
Antenna 4	≤ 25mm	≤ 25mm	≤ 25mm	>25mm	>25mm	≤ 25mm
Antenna 5	≤ 25mm	≤ 25mm	>25mm	>25mm	>25mm	≤ 25mm
Antenna 6	≤ 25mm	≤ 25mm	>25mm	≤ 25mm	>25mm	≤ 25mm
Antenna 7	≤ 25mm	≤ 25mm	>25mm	> 25mm	≤ 25mm	>25mm
Antenna 8	≤ 25mm	≤ 25mm	≤ 25mm	>25mm	≤ 25mm	>25mm
Antenna 9	≤ 25mm	≤ 25mm	>25mm	≤ 25mm	≤ 25mm	>25mm
NFC Antenna	≤ 25mm	≤ 25mm	≤ 25mm	>25mm	≤ 25mm	≤ 25mm

Distance of the Antenna to the EUT surface/edge						
Antennas	Back	Front	Top Side	Bottom Side	Right Side	Left Side
Antenna 0	Yes	Yes	No	Yes	Yes	Yes
Antenna 1	Yes	Yes	Yes	No	No	Yes
Antenna 2	Yes	Yes	Yes	No	Yes	No
Antenna 3	Yes	Yes	Yes	No	Yes	No
Antenna 4	Yes	Yes	Yes	No	No	Yes
Antenna 5	Yes	Yes	No	No	No	Yes
Antenna 6	Yes	Yes	No	Yes	No	Yes
Antenna 7	Yes	Yes	No	No	Yes	No
Antenna 8	Yes	Yes	Yes	No	Yes	No
Antenna 9	Yes	Yes	No	Yes	Yes	No
NFC Antenna	Yes	Yes	Yes	No	Yes	Yes

Note: Referring to KDB 941225 D06 v02r01, when the overall device length and width are ≥ 9cm*5cm, the test distance is 10 mm. SAR must be measured for all sides and surfaces with a transmitting antenna located within 25mm from that surface or edge.