

Page: 1 of 218

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E AND REQUIREMENT

OF

Product Name: abTouchPhone

acer **Brand Name:**

ASP-9100 Model No.:

Model Difference: N/A

FCC ID: HLZ-ASP9100

Report No.: ER/2016/50047

Issue Date: Sep. 06, 2016

FCC Rule Part: §15.407

Acer Incorporated

Prepared for: 8F., No. 88, Sec. 1, Xintai 5th Rd., Xizhi,

New Taipei City 22181, Taiwan (R.O.C)

SGS Taiwan Ltd.

Electronics & Communication Laboratory

Prepared by: No.134, Wu Kung Road, New Taipei

Industrial Park, Wuku District, New Taipei

City, Taiwan 24803





Testing Laboratory

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the

revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 2 of 218

VERIFICATION OF COMPLIANCE

Acer Incorporated

Applicant (FCC): 8F., No. 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City 22181,

Taiwan (R.O.C)

Product Name: abTouchPhone

Brand Name:

Model No.: ASP-9100

Model Difference: N/A

FCC ID: HLZ-ASP9100 **File Number:** ER/2016/50047

Date of Test: May. 09, 2016 ~ Aug. 29, 2016

Date of EUT Received: May. 09, 2016

We hereby certify that:

Test By:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Marcus Tseng / Sr. Engineer

Prepared By: Sep. 06, 2016

Date:

Tiffany Kao / Clerk

Approved By: Sep. 06, 2016

Jim Chang / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

an Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Sep. 06, 2016



Page: 3 of 218

Revision History

Report Number	Revision	Description	Issue Date
ER/2016/50047	Rev.00	Initial creation of document	Sep. 06, 2016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 4 of 218

Contents

1.	GEN	IERAL INFORMATION	6
	1.1	Product Description	6
	1.2	Product Feature of Equipment Under Test	9
	1.3	Test Methodology of Applied Standards	10
	1.4	Test Facility	10
	1.5	Special Accessories	10
	1.6	Equipment Modifications	10
2.	SYS	TEM TEST CONFIGURATION	11
	2.1	EUT Configuration	11
	2.2	EUT Exercise	11
	2.3	Test Procedure	11
	2.4	Measurement Results Explanation Example	12
	2.5	Configuration of Tested System	13
3.	SUM	IMARY OF TEST RESULT	14
4.	DES	CRIPTION OF TEST MODES	15
	4.1	Operated in U-NII Bands	15
	4.2	The Worst Test Modes and Channel Details	17
5.	MEA	SUREMENT UNCERTAINTY	20
6.	CON	IDUCTED EMISSION TEST	21
	6.1.	Standard Applicable	21
	6.2.	Measurement Equipment Used	21
	6.3.	EUT Setup	21
	6.4.	Test SET-UP	22
	6.5.	Measurement Procedure	22
	6.6.	Measurement Result	22
7.	DUT	Y CYCLE TEST SIGNAL	25
8.	26dE	3 & 6dB EMISSION BANDWIDTH MEASUREMENT	28
	8.1	Standard Applicable	28
	8.2	Measurement Procedure	28
	8.3	Measurement Equipment Used	29
	8.4	Test Set-up	29
	8.5	Measurement Result	30
9.	MAX	(IMUM CONDUCTED OUTPUT POWER MEASUREMENT	57
	9.1	Standard Applicable	57



Page: 5 of 218

	9.2	Measurement Procedure	58
	9.3	Measurement Equipment Used	58
	9.4	Test Set-up	58
	9.5	Measurement Result	59
10.	PEA	C POWER SPECTRAL DENSITY	62
	10.1	Standard Applicable	62
	10.2	Measurement Procedure	63
	10.3	Measurement Equipment Used	63
	10.4	Test Set-up	63
	10.5	Measurement Result	64
11.	UND	ESIRABLE RADIATED EMISSION MEASUREMENT	90
	11.1	Standard Applicable	90
	11.2	Measurement Equipment Used	92
	11.3	Test SET-UP	93
	11.4	Measurement Procedure	94
	11.5	Field Strength Calculation	94
	11.6	Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz	95
	11.7	Measurement Result	95
12.	TRAN	NSMISSION IN THE ABSENCE OF DATA	207
	12.1	Standard Applicable	207
	12.2	Result	207
13.	FREC	QUENCY STABILITY	208
	13.1	Standard Applicable	208
	13.2	Measurement Procedure	208
	13.3	Test SET-UP	208
	13.4	Measurement Equipment Used:	208
	13.5	Measurement Result	209
14.	ANTE	ENNA REQUIREMENT	214
	14.1	Standard Applicable	214
	14.2	Antenna Connected Construction	214
15.	FCC	MAXIMUM PERMISSIBLE EXPOSURE (MPE)	215
	15.1	Standard Applicable	215
	15.2	Maximum Permissible Exposure (MPE) Evaluation	216

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 6 of 218

1. GENERAL INFORMATION

1.1 Product Description

General:

Product Name:	abTouchPhone		
Brand Name:	acer		
Model No.:	ASP-9100		
Model Difference:	N/A		
Product SW/HW version:	N/A / N/A		
Radio SW/HW version:	N/A / N/A		
Test SW Version:	N/A		
RF power setting in TEST SW:	N/A		
	5Vdc from	AC/DC Adapter	
Power Supply:	Adapter:	Model No.: ASSA53W-050300; Supplier: AQUIL STAR PRECISION INDUSTRIAL (SHENZHEN) CO., LTD.	



Page: 7 of 218

WLAN 5GHz:

WLAN 5GHZ:				
Wi-Fi	Frequency Range	Channels	Rated Power (Avg.)	Modulation Technology
	5150~5250	4	10.47 dBm (Avg.)	
11a	5250~5350	4	11.26 dBm (Avg.)	OFDM
IIa	5470~5725 12 10.47 dBm (Avg.)	OFDIVI		
	5725-5850	5	10.27 dBm	
	HT / VHT20 5150~5250	4	HT: 11.50 dBm (Avg.) (Worst Case)	
11n /	HT / VHT20 5250~5350	4	HT: 11.09 dBm (Avg.) (Worst Case)	OFDM
ac_20M	HT / VHT20 5470~5725	11	HT: 10.35 dBm (Avg.) (Worst Case)	OI DIVI
	HT / VHT20 5725-5850	5	HT: 10.31 dBm (Worst Case)	
	HT / VHT40 5150~5250	2	HT: 10.58 dBm (Avg.) (Worst Case)	
11n / ac 40M	HT / VHT40 5250~5350	2	HT: 9.28 dBm (Avg.) (Worst Case)	OFDM
_	HT / VHT40 5470~5725	5	HT: 10.19 dBm (Avg.) (Worst Case)	
	HT / VHT40 5725-5850	2	HT: 10.59 dBm (Worst Case)	
	VHT80 5150~5250	1	8.77 dBm (Avg.)	
11ac_80M	VHT80 5250~5350	1	10.71 dBm (Avg.)	OFDM
1.140_00101	VHT80 5470~5725	2	9.16 dBm (Avg.)	C. 51W
	VHT80 5725-5850	1	10.37 dBm	

t (886-2) 2299-3279



Page: 8 of 218

Antenna Designation	PIFA Antenna, Antenna: 5GHz Gain: 2.63dBi (5150MHz-5250MHz) 5GHz Gain: 2.28dBi (5250MHz-5350MHz) 5GHz Gain: 4.08dBi (5470MHz-5725MHz) 5GHz Gain: 3.63dBi (5725MHz-5850MHz)
Modulation type	64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only
Transition Rate:	802.11 a: 6/9/12/18/24/36/48/54 Mbps; 802.11 n_20 / ac VHT20MHz: 6.5 - 86.7Mbps 802.11 n_40 / ac VHT40MHz: 13.5 - 260Mbps 802.11 ac_80MHz: 29.3 - 433.3Mbps



Page: 9 of 218

1.2 Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) is abTouchPhone, supporting Wi-Fi 802.11abgn/ac, Bluetooth, features, and below is details of information

Product Feature		
Product Name:	abTouchPhone	
Brand Name:	acer	
Model No.:	ASP-9100	
Model Difference:	N/A	
FCC ID:	HLZ-ASP9100	
Bluetooth Version	V4.0 dual mode	
Wi-Fi- Specification 802.11a/b/g/n/ac		

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 10 of 218

Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules

FCC KDB 644545 D03 Guidance for IEEE 802.11ac v01

ANSI C63.10:2013

Note:

All test items have been performed and record as per the above standards.

1.4 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803. (TAF code 0513)

FCC Registration Numbers are: 509634

1.5 Special Accessories

There are no special accessories used while test was conducted.

Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

f (886-2) 2298-0488

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 11 of 218

SYSTEM TEST CONFIGURATION

EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 12 of 218

Measurement Results Explanation Example For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss 1.5dB, and 10dB attenuator.

= RF cable loss (dB)+ attenuation factor(dB)=11.5(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 13 of 218

Configuration of Tested System

Fig. 2-1 Radiated Emission & Conducted (Antenna Port)



Fig. 2-2 Conduction (AC Power Line) Configuration




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L420	LR-7HXZA	Shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 14 of 218

SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	26 dB & 6dB Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.407(g)	Frequency Stability	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant



Page: 15 of 218

DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

4 channels are provided for 802.11a, 802.11n HT20, 802.11ac VHT20

-				
	CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
	36	5180 MHz	44	5220 MHz
	40	5200 MHz	48	5240 MHz

2 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
38	5190 MHz	46	5230 MHz

1 channel is provided for 802.11ac_VHT80

CHANNEL	FREQUENCY
42	5210 MHz

Operated band in 5250 MHz ~5350 MHz:

4 channels are provided for 802.11a, 802.11n_HT20, 802.11ac_VHT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
52	5260 MHz	60	5300 MHz
56	5280 MHz	64	5320 MHz

2 channels are provided for 802.11n HT40, 802.11ac VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
54	5270 MHz	62	5310 MHz

1 channel is provided for 802.11ac VHT80

<u> </u>	
CHANNEL	FREQUENCY
58	5290 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 小元報告題未僅對測試之樣必負負 "四呼政保の理味噌如不。今報告不經本公司者國計可,不可能的模表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior withen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 16 of 218

Operated band in 5470 MHz ~5725 MHz:

11 channels are provided for 802.11a, 802.11n HT20, 802.11ac VHT20

<u> </u>					
CHANNEL	FREQUENCY	CHANNEL	FREQUENCY		
100	5500 MHz	124	5620 MHz		
104	5520 MHz	128	5640 MHz		
108	5540 MHz	132	5660 MHz		
112	5560 MHz	136	5680 MHz		
116	5580 MHz	140	5700 MHz		
120	5600 MHz				

5 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
102	5510 MHz	126	5630 MHz
110	5550 MHz	134	5670 MHz
118	5590 MHz		

2 channesl are provided for 802.11ac_VHT80

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
106	5530 MHz	122	5610 MHz

Operated band in 5725 MHz ~5850 MHz:

5 channels are provided for 802.11a, 802.11n_HT20, 802.11ac_VHT20

	,	,	
CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
149	5745 MHz	161	5805 MHz
153	5765 MHz	165	5825 MHz
157	5785 MHz		

2 channels are provided for 802.11n HT40, 802.11ac VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
151	5755 MHz	159	5795 MHz

1 channel is provided for 802.11ac VHT80

CHANNEL	FREQUENCY	
155	5775 MHz	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 17 of 218

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.
- 4. The given UE is pre-scanned among 802.11n and ac modes, and 802.11n yields the highest reading that generates the highest emission. Therefore, 802.11n as the mode of test configuration is chosen to carry out the relevantly mandatory test items.

RADIATED EMISSION TEST

RADIA I ED EIVII	RADIATED EMISSION TEST:							
	RADIATED EMISSION TEST (BELOW 1 GHz)							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11a	5180~5240	36 to 48	36,44,48	OFDM	1	MAIN		
802.11a	5260~5320	52 to 64	52,60,64	OFDM	1	MAIN		
802.11a	5500~5720	100 to 140	100,116,140	OFDM	1	MAIN		
802.11a	5745~5825	149 to 165	149,157,165	OFDM	1	MAIN		
	RADI	ATED EMISS	SION TEST (A	BOVE 1 GHz)				
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11a	E190 - E040	26 to 49	26 44 49	OFDM	1	MAIN		
802.11n_HT20	5180~5240	36 to 48	36,44,48	OFDM	MCS0	MAIN		
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS0	MAIN		
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MAIN		
802.11a	5260~5320	52 to 64	52,60,64	OFDM	1	MAIN		
802.11n_HT20	5260~5520	32 10 64	52,60,64	OFDM	MCS0	MAIN		
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS0	MAIN		
802.11ac_VHT80	5290	58	58	OFDM	MCS0	MAIN		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 18 of 218

MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	5500 . 5700	100 to 144	100 116 140	OFDM	1	MAIN
802.11n_HT20	5500~5720	100 to 144	100,116,140	OFDM	MCS0	MAIN
802.11n_HT40	5510~5710	102 to 142	102,110,134	OFDM	MCS0	MAIN
802.11ac_VHT80	5530~5610	106 to 122	106,122	OFDM	MCS0	MAIN
802.11a	5745500 5	149 to 165	149,157,165	OFDM	1	MAIN
802.11n_HT20	5745~5825	149 to 165	149,107,100	OFDM	MCS0	MAIN
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS0	MAIN
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MAIN

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case H position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 19 of 218

ANTENNA PORT CONDUCTED MEASUREMENT:

ANTENNA FO	CONDUCTED TEST						
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	E100E040	36 to 48	26 44 49	OFDM	1	MAIN	
802.11n_HT20	5180~5240	30 10 40	36,44,48	OFDM	MCS0	MAIN	
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS0	MAIN	
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MAIN	
802.11a	5260~5320	52 to 64	52,60,64	OFDM	1	MAIN	
802.11n_HT20	5260~5320	32 10 64	52,60,64	OFDM	MCS0	MAIN	
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS0	MAIN	
802.11ac_VHT80	5290	58	58	OFDM	MCS0	MAIN	
802.11a	5500~5700	100 to 140	100 110 140	OFDM	1	MAIN	
802.11n_HT20	5500~5700	100 to 140	100,116,140	OFDM	MCS0	MAIN	
802.11n_HT40	5510~5670	102 to 134	102,110,134	OFDM	MCS0	MAIN	
802.11ac_VHT80	5530~5610	106 to 122	106,122	OFDM	MCS0	MAIN	
802.11a	5745 500F	440 +- 405	140 157 105	OFDM	1	MAIN	
802.11n_HT20	5745~5825	149 to 165	149,157,165	OFDM	MCS0	MAIN	
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS0	MAIN	
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MAIN	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 20 of 218

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Peak Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

·	9kHz-30MHz: +/-2.87dB	
	30MHz - 180MHz: +/- 3.37dB	
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB	
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB	
	1GHz - 18GHz: +/- 4.04dB	
	18GHz - 40GHz: +/- 4.04dB	

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 21 of 218

CONDUCTED EMISSION TEST

6.1. Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)		
MHz	Quasi-peak	Average	
0.15 to 0.50	66 to 56	56 to 46	
0.50 to 5	56	46	
5 to 30	60	50	

Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

6.2. Measurement Equipment Used

Conducted Emission Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017	
LISN	SCHWARZBECK	NSLK 8127	8127-649	05/16/2016	05/15/2017	
LISN	MESS TEC	FCC-LISN-50/250 -25-2-01	4034	05/16/2016	05/15/2017	
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2015	11/25/2016	

6.3. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未總本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 22 of 218

6.4. Test SET-UP



6.5. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

6.6. Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 23 of 218

AC POWER LINE CONDUCTED EMISSION TEST DATA

Test Date: Jun. 22, 2016 Operation Mode: Operation mode

Temperature: 20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com




20 °C

Page: 24 of 218

Site Conduction Room Temperature: Limit FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 58 %

Mode: Operation

Note: Adapter : ASSA53W-050300



No.	Mk.	Freq	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1940	46.30	0.08	46.38	63.86	-17.48	QP	
2		0.1940	31.70	0.08	31.78	53.86	-22.08	AVG	
3	•	0.2140	45.70	0.08	45.78	63.05	-17.27	QP	
4		0.2140	26.30	0.08	26.38	53.05	-26.67	AVG	
5		0.2620	39.50	0.09	39.59	61.37	-21.78	QP	
6		0.2620	19.40	0.09	19.49	51.37	-31 88	AVG	
7		0.3100	32.40	0.09	32.49	59,97	-27.48	QP	
8	-	0.3100	20.10	0.09	20.19	49.97	-29.78	AVG	
9		0.4140	28.60	0.10	28.70	57.57	-28.87	QP	
10		0.4140	16.80	0.10	16.90	47.57	-30.67	AVG	
11		0.5060	36.20	0.10	36.30	56.00	-19.70	QP	
12		0.5060	26.60	0.10	26.70	46.00	-19.30	AVG	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 25 of 218

7. DUTY CYCLE TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz.
- 4. Detector = Peak

Duty Cycle:

Mode	Duty Cycle (%)	Duty Factor (dB) =10*log (1/Duty
802.11a	97.11	0.13
802.11n_20	96.98	0.13
802.11n_40	93.99	0.27
802.11ac_80	88.77	0.52

Duty Cycle Factor: $10 * \log(1/0.9711) = 0.13$ Duty Cycle Factor: $10 * \log(1/0.9698) = 0.13$ Duty Cycle Factor: $10 * \log(1/0.9399) = 0.27$ Duty Cycle Factor: $10 * \log(1/0.8877) = 0.52$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Page: 26 of 218

DUTY CYCLE TEST SIGNAL Measurement Result 802.11a



802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司




Page: 27 of 218

802.11n HT 40



802.11 ac VHT 80



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 28 of 218

26dB & 6dB & 99% EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C.

The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
 - b. Mark the peak frequency and -26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Minimum Emission Bandwidth for the band 5.725-5.850GHz.
 - a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak, Sweep=auto
 - b. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. Repeat above procedures until all test default channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Page: 29 of 218

Measurement Equipment Used

SGS Conducted Room					
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016
EXA Spectrum					
Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017
Coaxial Cable	HUBER+SUHNER	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017

Test Set-up 8.4



t (886-2) 2299-3279



Page: 30 of 218

8.5 Measurement Result 26dB Bandwidth

802.11a Main

602.11a_Wain			
Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	
5180	21.48	13.321	
5220	21.48	13.321	
5240	21.43	13.310	
5260	21.44	13.312	
5300	21.60	13.344	
5320	21.59	13.342	
5500	21.62	13.348	
5580	21.62	13.348	
5700	21.53	13.331	

802.11n_HT20_Main

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	22.00	13.423
5220	21.52	13.328
5240	21.46	13.316
5260	22.09	13.441
5300	21.46	13.317
5320	21.50	13.325
5500	21.70	13.365
5580	22.44	13.509
5700	21.69	13.363

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 31 of 218

802.11n _HT40_Main

_		
Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	40.21	16.044
5230	39.96	16.016
5270	39.85	16.005
5310	39.90	16.010
5510	39.87	16.007
5550	44.80	16.512
5670	40.22	16.044
5670	40.22	16.044

802.11ac VHT80 Main

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	81.95	19.135
5290	81.37	19.105
5530	81.92	19.134
5610	81.59	19.116

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 32 of 218

6dB Bandwidth (5725 MHz~ 5850 MHz) measure with Peak detector for FCC

802.11a_Main

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.38	12.143
5785	16.38	12.142
5825	16.37	12.141

802.11n_HT20_Main

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	17.62	12.461
5785	17.63	12.462
5825	17.61	12.456

802.11n HT40 Main

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	36.36	15.606
5795	36.36	15.606

802.11ac _VHT80_Main

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	76.27	18.824

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

f (886-2) 2298-0488

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 33 of 218

802.11a, 5150~5250 MHz (Main) 26dB Band Width Test Data CH-Low (5180MHz)



26dB Band Width Test Data CH-Mid (5220MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and the sole of the company is the time of its intervention only and within the limits of the transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 34 of 218

26dB Band Width Test Data CH-High (5240MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the lateration of the document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com




Page: 35 of 218

802.11a, 5250~5350 MHz (Main) 26dB Band Width Test Data CH-Low (5260MHz)



26dB Band Width Test Data CH-Mid (5300MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 36 of 218

26dB Band Width Test Data CH-High (5320MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the lateration of the document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 37 of 218

802.11a, 5470~5725 MHz (Main) 26dB Band Width Test Data CH-Low (5500MHz)



26dB Band Width Test Data CH-Mid (5580MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 38 of 218

26dB Band Width Test Data CH-High (5700MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the price of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 39 of 218

802.11n HT20, 5150~5250 MHz (Main) 26dB Band Width Test Data CH-Low (5180 MHz)



26dB Band Width Test Data CH-Mid (5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page: 40 of 218

26dB Band Width Test Data CH-High (5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the price of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 41 of 218

802.11n HT20, 5250~5350 MHz (Main) 26dB Band Width Test Data CH-Low (5260 MHz)



26dB Band Width Test Data CH-Mid (5300 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sgs.com



Page: 42 of 218

26dB Band Width Test Data CH-High (5320 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the price of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 43 of 218

802.11n HT20, 5470~5725 MHz (Main) 26dB Band Width Test Data CH-Low (5500 MHz)



26dB Band Width Test Data CH-Mid (5580 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 44 of 218

26dB Band Width Test Data CH-High (5700 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the price of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 45 of 218

802.11n HT40, 5150~5250 MHz (Main) 26dB Band Width Test Data CH-Low (5190 MHz)



26dB Band Width Test Data CH-High (5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and the sole of the company is the time of its intervention only and within the limits of the transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 46 of 218

802.11n HT40, 5250~5350 MHz (Main) 26dB Band Width Test Data CH-Low (5270 MHz)



26dB Band Width Test Data CH-High (5310MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prints without approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com




Page: 47 of 218

802.11n HT40, 5470~5725 MHz (Main) 26dB Band Width Test Data CH-Low (5510 MHz)



26dB Band Width Test Data CH-Mid (5550 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

t (886-2) 2299-3279

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 48 of 218

26dB Band Width Test Data CH-High (5670 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the price of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page: 49 of 218

802.11ac VHT80, 5150~5250 MHz (Main) 26dB Band Width Test Data CH-Mid (5210 MHz)



802.11ac VHT80, 5250~5350 MHz 26dB Band Width Test Data CH-Mid (5290 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page: 50 of 218

802.11ac VHT80, 5470~5725 MHz (Main) 26dB Band Width Test Data CH-Low (5530 MHz)



802.11ac VHT80, 5470~5725 MHz (Main) 26dB Band Width Test Data CH-High (5610 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 51 of 218

6dB Band Width measure with Peak detector for FCC 802.11a, 5725~5850 MHz (Main)

6dB Band Width Test Data CH-Low (5745 MHz)



6dB Band Width Test Data CH-Mid (5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prints without approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 52 of 218

6dB Band Width Test Data CH-High (5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the price of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 53 of 218

802.11n HT20, 5725~5850 MHz (Main) 6dB Band Width Test Data CH-Low (5745 MHz)



6dB Band Width Test Data CH-Mid (5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prints without approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 54 of 218

6dB Band Width Test Data CH-High (5825 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the price of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page: 55 of 218

802.11n HT40, 5725~5850 MHz (Main) 6dB Band Width Test Data CH-Low (5755 MHz)



6dB Band Width Test Data CH-Mid (5795 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 來放客來學本之可書面評明 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 56 of 218

802.11ac VHT80, 5725~5850 MHz (Main) 6dB Band Width Test Data CH-Low (5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the price of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 57 of 218

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

Standard Applicable

OPERATION Band	EUT CATEGORY	LIMIT
-------------------	--------------	-------

U-NII-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 58 of 218


9.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- 4. Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- 5. Record the max. reading and add 10 log(1/duty cycle).
- 6. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

9.3 Measurement Equipment Used

	SGS Conducted Room								
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016				
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016				
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017				
Coaxial Cable	HUBER+SUHNER	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017				
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017				
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017				

9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 59 of 218

9.5 Measurement Result **Conducted output power**

802.11a Main

002.11a_								
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	10.45	11.092		23.98		PASS
44	5220	MCS0	10.47	11.143		23.98		PASS
48	5240	MCS0	10.40	10.965		23.98		PASS
52	5260	MCS0	11.26	13.366	23.98	or 11+10log(B) =	24.31	PASS
60	5300	MCS0	11.03	12.677	23.98	or 11+10log(B) =	24.34	PASS
64	5320	MCS0	11.06	12.764	23.98	or $11+10\log(B) =$	24.34	PASS
100	5500	MCS0	10.47	11.143	23.98	or 11+10log(B) =	24.35	PASS
116	5580	MCS0	9.83	9.616	23.98	or $11+10\log(B) =$	24.35	PASS
140	5700	MCS0	9.46	8.831	23.98	or $11+10\log(B) =$	24.33	PASS
149	5745	MCS0	10.27	10.641		30		PASS
157	5785	MCS0	9.30	8.511		30		PASS
165	5825	MCS0	9.45	8.810		30		PASS

802.11n_HT20_Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	9.29	8.492		23.98		PASS
44	5220	MCS0	10.50	11.220		23.98		PASS
48	5240	MCS0	10.38	10.914		23.98		PASS
52	5260	MCS0	11.03	12.677	23.98	or $11+10\log(B) =$	24.44	PASS
60	5300	MCS0	11.09	12.853	23.98	or $11+10\log(B) =$	24.32	PASS
64	5320	MCS0	10.89	12.274	23.98	or $11+10\log(B) =$	24.32	PASS
100	5500	MCS0	10.35	10.839	23.98	or $11+10\log(B) =$	24.36	PASS
116	5580	MCS0	9.72	9.376	23.98	or $11+10\log(B) =$	24.51	PASS
140	5700	MCS0	9.29	8.492	23.98	or $11+10\log(B) =$	24.36	PASS
149	5745	MCS0	10.31	10.740		30		PASS
157	5785	MCS0	9.47	8.851		30		PASS
165	5825	MCS0	9.34	8.590		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488 www.tw.sgs.com



Page: 60 of 218

802.11ac VHT20 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	9.84	9.638		23.98		PASS
44	5220	MCS0	10.45	11.092		23.98		PASS
48	5240	MCS0	10.42	11.015		23.98		PASS
52	5260	MCS0	11.14	13.002	23.98	or 11+10log(B) =	24.44	PASS
60	5300	MCS0	11.06	12.764	23.98	or 11+10log(B) =	24.32	PASS
64	5320	MCS0	11.03	12.677	23.98	or 11+10log(B) =	24.32	PASS
100	5500	MCS0	10.35	10.839	23.98	or 11+10log(B) =	24.36	PASS
116	5580	MCS0	9.78	9.506	23.98	or 11+10log(B) =	24.51	PASS
140	5700	MCS0	9.30	8.511	23.98	or 11+10log(B) =	24.36	PASS
149	5745	MCS0	10.28	10.666		30		PASS
157	5785	MCS0	9.42	8.750		30		PASS
165	5825	MCS0	9.43	8.770		30		PASS

802.11n_HT40_Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	9.09	8.110		23.98		PASS
46	5230	MCS0	10.58	11.429		23.98		PASS
54	5270	MCS0	9.28	8.472	23.98	or $11+10\log(B) =$	27.00	PASS
62	5310	MCS0	9.22	8.356	23.98	or $11+10\log(B) =$	27.01	PASS
102	5510	MCS0	7.98	6.281	23.98	or $11+10\log(B) =$	27.01	PASS
110	5550	MCS0	10.19	10.447	23.98	or $11+10\log(B) =$	27.51	PASS
134	5670	MCS0	9.62	9.162	23.98	or 11+10log(B) =	27.04	PASS
151	5755	MCS0	10.59	11.455		30		PASS
159	5795	MCS0	9.68	9.290		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 61 of 218

802.11ac VHT40 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	9.13	8.185		23.98		PASS
46	5230	MCS0	10.65	11.614		23.98		PASS
54	5270	MCS0	9.35	8.610	23.98	or 11+10log(B) =	27.00	PASS
62	5310	MCS0	9.18	8.279	23.98	or $11+10\log(B) =$	27.01	PASS
102	5510	MCS0	10.55	11.350	23.98	or $11+10\log(B) =$	27.01	PASS
110	5550	MCS0	10.31	10.740	23.98	or $11+10\log(B) =$	27.51	PASS
134	5670	MCS0	9.68	9.290	23.98	or $11+10\log(B) =$	27.04	PASS
151	5755	MCS0	10.57	11.402		30		PASS
159	5795	MCS0	9.77	9.484		30		PASS

802.11ac VHT80 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	MCS0	8.77	7.534		23.98		PASS
58	5290	MCS0	10.71	11.776	23.98	or $11+10\log(B) =$	30.10	PASS
106	5530	MCS0	7.89	6.152	23.98	or 11+10log(B) =	30.13	PASS
122	5610	MCS0	9.16	8.241	23.98	or 11+10log(B) =	30.12	PASS
155	5775	MCS0	10.37	10.889		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 62 of 218

10. PEAK POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

OPERATION Band	EUT CATEGORY	LIMIT
-------------------	--------------	-------

U-NII-1

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page: 63 of 218

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:


Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

10.3 Measurement Equipment Used

SGS Conducted Room							
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due		
EXA Spectrum							
Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017		
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017		
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017		

10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 64 of 218

10.5 Measurement Result

POWER DENSITY 802.11a MODE								
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)					
5180	-3.88	17	-20.88					
5220	-4.55	17	-21.55					
5240	-4.06	17	-21.06					
5260	-3.54	11	-14.54					
5300	-3.80	11	-14.80					
5320	-3.38	11	-14.38					
5500	-4.42	11	-15.42					
5580	-5.00	11	-16.00					
5700	-4.52	11	-15.52					
5745	3.28	30	-26.72					
5785	2.15	30	-27.85					
5825	2.42	30	-27.58					

POWER DE	POWER DENSITY 802.11n HT20 MODE								
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)						
5180	-3.95	17	-20.95						
5220	-4.43	17	-21.43						
5240	-4.22	17	-21.22						
5260	-4.14	11	-15.14						
5300	-3.08	11	-14.08						
5320	-3.14	11	-14.14						
5500	-4.13	11	-15.13						
5580	-4.74	11	-15.74						
5700	-4.90	11	-15.90						
5745	2.94	30	-27.06						
5785	1.72	30	-28.28						
5825	1.50	30	-28.50						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 65 of 218

POWER DENSITY 802.11n HT40 MODE				
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)	
5190	-9.87	17	-26.87	
5230	-7.42	17	-24.42	
5270	-9.03	11	-20.03	
5310	-9.15	11	-20.15	
5510	-7.77	11	-18.77	
5550	-7.61	11	-18.61	
5670	-7.99	11	-18.99	
5755	-0.01	30	-30.01	
5795	-0.72	30	-30.72	

POWER DENSITY 802.11ac VHT80 MODE				
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)	
5210	-13.97	17	-30.97	
5290	-12.13	11	-23.13	
5530	-12.64	11	-23.64	
5610	-12.46	11	-23.46	
5775	-2.31	30	-32.31	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 66 of 218

802.11a 5150~5250 MHz

Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such rearrange (s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可可价複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation and provided and the support of this decument is unquisated and the provided to the full extent of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 67 of 218

Peak Power Spectral Density Data Plot (CH High 5240 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the price of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 68 of 218

802.11a 5250~5350 MHz Peak Power Spectral Density Data Plot (CH Low 5260 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5300 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質的化。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 69 of 218

Peak Power Spectral Density Data Plot (CH High 5320 MHz)



t (886-2) 2299-3279


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 70 of 218

802.11a 5470~5725 MHz Peak Power Spectral Density Data Plot (CH Low 5500 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5580 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質的化。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 71 of 218

Peak Power Spectral Density Data Plot (CH High 5700 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 72 of 218

802.11a 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Low 5745 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prints without approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 73 of 218

Peak Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 74 of 218

802.11n HT20, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 75 of 218

Peak Power Spectral Density Data Plot (CH High 5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 76 of 218

802.11n HT20, 5250~5350 MHz Peak Power Spectral Density Data Plot (CH Low 5260MHz)



Peak Power Spectral Density Data Plot (CH Mid 5300 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質的化。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 77 of 218

Peak Power Spectral Density Data Plot (CH High 5320 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

www.tw.sgs.com



Page: 78 of 218

802.11n HT20, 5470~5725 MHz Peak Power Spectral Density Data Plot (CH Low 5500 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5580MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質的化。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 79 of 218

Peak Power Spectral Density Data Plot (CH High 5700 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sgs.com



Page: 80 of 218

802.11n HT20, 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Low 5745 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prints without approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 81 of 218

Peak Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 82 of 218

802.11n HT40, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Low 5190 MHz)



Peak Power Spectral Density Data Plot (CH High 5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質的化。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

www.tw.sgs.com




Page: 83 of 218

802.11n HT40, 5250~5350 MHz Peak Power Spectral Density Data Plot (CH Low 5270 MHz)



Peak Power Spectral Density Data Plot (CH High 5310 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279


家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質的化。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 84 of 218

802.11n HT40, 5470~5725 MHz Peak Power Spectral Density Data Plot (CH Low 5510 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5550 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質的化。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 85 of 218

Peak Power Spectral Density Data Plot (CH High 5670 MHz)



t (886-2) 2299-3279


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 86 of 218

802.11n HT40, 5725~5850 MHz Peak Power Spectral Density Data Plot (CH Low 5755 MHz)



Peak Power Spectral Density Data Plot (CH High 5795 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 87 of 218

802.11ac VHT80, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Mid 5210 MHz)



802.11ac VHT80, 5250~5350 MHz

Peak Power Spectral Density Data Plot (CH Mid 5290 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家子方名就可了比較容易未僅對測減之樣必負責。可可此就必能性情報切光。本報告未經本之可看面許可了不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

限公司 t (886-2) 2299-3279



Page: 88 of 218

802.11ac VHT80, 5470~5725 MHz Peak Power Spectral Density Data Plot (CH Low 5530 MHz)



802.11ac VHT80, 5470~5725 MHz Peak Power Spectral Density Data Plot (CH High 5610 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家子方名就可了比較容易未僅對測減之樣必負責。可可此就必能性情報切光。本報告未經本之可看面許可了不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

分有限公司 t (886-2) 2299-3279



Page: 89 of 218

802.11ac VHT80, 5725~5850 MHz Peak Power Spectral Density Data Plot (CH Mid 5775 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price views the later views of this document is unavailable of the content or approach the independent and the produced except in full. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 90 of 218

11. UNDESIRABLE RADIATED EMISSION MEASUREMENT

Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LIMIT				
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRENGTH AT 3m				
v01r01	PK: 74 (dBμV/m)	AV 54 (dBμV/m)			
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m			
15.407(b)(1)					
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBμV/m)			
15.407(b)(3)					
15.407(b)(4)	PK: -27 (dBm/MHz) PK: -17 (dBm/MHz)	PK: 68.3 (dBμV/m) PK: 78.2 (dBμV/m)			
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4			

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = $((E^*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 91 of 218

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 92 of 218

11.2 Measurement Equipment Used

	SGS SAC-III								
Name of Equipment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due				
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017				
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2016	01/28/2017				
Loop Antenna	ETS.LINDGREN	6502	148045	09/07/2015	09/06/2016				
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/14/2015	12/13/2016				
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/01/2016	07/31/2017				
Pre-Amplifier	Agilent	8447D	2944A07676	01/02/2016	01/01/2017				
Pre-Amplifier	EMC Instru- ments Corp.	EMC0126530	980038	01/02/2016	01/01/2017				
Turn Table	HD	DT420	N/A	N.C.R	N.C.R				
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R				
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R				
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2016	01/01/2017				
3m Site NSA	SGS	966 chamber	N/A	07/01/2016	06/30/2017				
Low Loss Cable	Huber Suhner	966 TX	1	01/02/2016	01/01/2017				
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2015	12/11/2016				
Pre-Amplifier	EMC Instru- ments Corp.	EMC184045	980135	01/02/2016	01/01/2017				

Note: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 93 of 218

11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 94 of 218

11.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequen-3. cy> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 5. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) 6. and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency 7. above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 8. 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relear only to the samplets) tested and such radius are featured for 90 days only.

Ref. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.



Page: 95 of 218

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 **Measurement Result**

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 小元報告題未僅對測試之樣必負負 "四呼政保の理味噌如文"。本報告不經本公司者國計可、不可能的模表"
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price without provided the full less deviced to the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Page: 96 of 218

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data: 802.11a 5150~5250 MHz

Operation Mode: Test Date: 08/17/2016 802.11aB1

Fundamental Frequency: 5220 MHz Temp. / Humi.: 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
41.64	S	Peak	35.64	44.01	-8.38	40.00	-4.36
259.89	S	Peak	25.27	32.56	-7.28	46.00	-20.73
374.35	S	Peak	29.41	33.94	-4.53	46.00	-16.59
527.61	S	Peak	28.59	29.90	-1.32	46.00	-17.41
754.59	S	Peak	30.27	27.57	2.70	46.00	-15.73
982.54	S	Peak	32.72	26.70	6.02	54.00	-21.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page: 97 of 218

Operation Mode: 802.11aB1 Test Date: 08/17/2016

Fundamental Frequency: 5220 MHz Temp. / Humi. : 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
122.15	S	Peak	29.68	39.93	-10.25	43.50	-13.82
262.80	S	Peak	26.83	33.97	-7.14	46.00	-19.17
374.35	S	Peak	36.84	41.38	-4.53	46.00	-9.16
527.61	S	Peak	28.37	29.69	-1.32	46.00	-17.63
750.71	S	Peak	30.25	27.49	2.76	46.00	-15.75
973.81	S	Peak	32.88	26.73	6.16	54.00	-21.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 98 of 218

802.11a 5250~5350 MHz

Operation Mode: 802.11aB2 Test Date: 08/17/2016

Fundamental Frequency: 5300 MHz Temp. / Humi. : 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
41.64	S	Peak	34.91	43.28	-8.38	40.00	-5.09
259.89	S	Peak	25.32	32.61	-7.28	46.00	-20.68
374.35	S	Peak	29.08	33.62	-4.53	46.00	-16.92
527.61	S	Peak	32.70	34.01	-1.32	46.00	-13.30
728.40	S	Peak	30.72	29.08	1.65	46.00	-15.28
922.40	S	Peak	32.63	27.48	5.15	46.00	-13.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 99 of 218

Operation Mode: 802.11aB2 Test Date: 08/17/2016

Fundamental Frequency: 5300 MHz Temp. / Humi. : 21 deg C / 61 RH

Operation Band: Tx CH MID Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
122.15	S	Peak	29.28	39.53	-10.25	43.50	-14.22
216.24	S	Peak	25.89	35.32	-9.43	46.00	-20.11
374.35	S	Peak	35.75	40.28	-4.53	46.00	-10.25
527.61	S	Peak	31.03	32.35	-1.32	46.00	-14.97
749.74	S	Peak	30.09	27.37	2.72	46.00	-15.91
973.81	S	Peak	33.42	27.26	6.16	54.00	-20.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 100 of 218

802.11a, 5470~5725 MHz

Operation Mode: Test Date: 08/17/2016 802.11aB3

Fundamental Frequency: 5580 MHz Temp. / Humi. : 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
41.64	S	Peak	35.10	43.48	-8.38	40.00	-4.90
260.86	S	Peak	25.07	32.31	-7.24	46.00	-20.93
374.35	S	Peak	29.14	33.67	-4.53	46.00	-16.86
527.61	S	Peak	30.10	31.42	-1.32	46.00	-15.90
749.74	S	Peak	31.11	28.39	2.72	46.00	-14.89
944.71	S	Peak	33.13	27.79	5.34	46.00	-12.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 101 of 218

Operation Mode: 802.11aB3 Test Date: 08/17/2016

Fundamental Frequency: 5580 MHz Temp. / Humi. : 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
120.21	S	Peak	30.31	40.77	-10.45	43.50	-13.19
212.36	S	Peak	26.47	36.12	-9.65	43.50	-17.03
374.35	S	Peak	35.68	40.22	-4.53	46.00	-10.32
527.61	S	Peak	31.00	32.32	-1.32	46.00	-15.00
747.80	S	Peak	30.23	27.74	2.50	46.00	-15.77
978.66	S	Peak	33.35	27.07	6.28	54.00	-20.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 102 of 218

802.11a, 5725~5850 MHz

802.11aB4 Operation Mode: Test Date: 08/17/2016

Fundamental Frequency: 5785 MHz Temp. / Humi. : 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
41.64	S	Peak	34.81	43.18	-8.38	40.00	-5.19
256.01	S	Peak	24.39	31.89	-7.50	46.00	-21.61
374.35	S	Peak	29.57	34.11	-4.53	46.00	-16.43
527.61	S	Peak	31.03	32.35	-1.32	46.00	-14.97
749.74	S	Peak	29.80	27.08	2.72	46.00	-16.20
987.39	S	Peak	33.88	27.83	6.04	54.00	-20.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 103 of 218

Operation Mode: 802.11aB4 Test Date: 08/17/2016

Fundamental Frequency: 5785 MHz Temp. / Humi. : 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
124.09	S	Peak	29.78	39.84	-10.06	43.50	-13.72
151.25	S	Peak	26.40	34.10	-7.70	43.50	-17.10
374.35	S	Peak	35.90	40.43	-4.53	46.00	-10.10
527.61	S	Peak	31.01	32.32	-1.32	46.00	-14.99
750.71	S	Peak	29.62	26.86	2.76	46.00	-16.38
975.75	S	Peak	33.42	27.21	6.21	54.00	-20.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 104 of 218


Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

Test Date: Operation Mode: 802.11aB1 08/17/2016

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10360.00	Н	Peak	51.93	33.63	18.29	68.30	-16.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 105 of 218

Operation Mode: 802.11aB1 Test Date: 08/17/2016

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10360.00	Н	Peak	51.93	33.64	18.29	68.30	-16.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 106 of 218

Operation Mode: 802.11aB1 Test Date: 08/17/2016

Fundamental Frequency: 5220 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10440.00	Н	Peak	51.89	33.20	18.68	68.30	-16.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page: 107 of 218

Operation Mode: 802.11aB1 Test Date: 08/17/2016

Fundamental Frequency: 5220 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10440.00	Н	Peak	51.78	33.10	18.68	68.30	-16.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 108 of 218

Operation Mode: 802.11aB1 Test Date: 08/17/2016

Fundamental Frequency: 5240 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10480.00	Н	Peak	50.88	32.59	18.29	68.30	-17.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 109 of 218

Operation Mode: 802.11aB1 Test Date: 08/17/2016

Fundamental Frequency: 5240 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10480.00	Н	Peak	51.35	33.05	18.29	68.30	-16.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 110 of 218

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

Operation Mode: 802.11aB2 Test Date: 08/17/2016

Fundamental Frequency: 5260 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10520.00	Н	Peak	52.30	32.93	19.37	68.30	-16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 111 of 218

Operation Mode: 802.11aB2 Test Date: 08/17/2016

Fundamental Frequency: 5260 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
10520.00	Н	Peak	52.57	33.20	19.37	68.30	-15.73	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 112 of 218

Operation Mode: 802.11aB2 Test Date: 08/17/2016

Fundamental Frequency: 5300 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10600.00	Н	Average	39.89	20.98	18.91	54.00	-14.11
10600.00	Н	Peak	52.61	33.70	18.91	74.00	-21.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 113 of 218

Operation Mode: 802.11aB2 Test Date: 08/17/2016

Fundamental Frequency: 5300 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10600.00	Н	Average	39.87	20.96	18.91	54.00	-14.13
10600.00	Н	Peak	54.32	35.41	18.91	74.00	-19.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 114 of 218

Operation Mode: 802.11aB2 Test Date: 08/17/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Fre	eq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
M	Ηz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10640	00.0	Н	Average	40.63	21.45	19.18	54.00	-13.37
10640	00.0	Н	Peak	53.47	34.28	19.18	74.00	-20.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 115 of 218

Operation Mode: 802.11aB2 Test Date: 08/17/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10640.00	Н	Average	40.74	21.56	19.18	54.00	-13.26
10640.00	Н	Peak	53.20	34.02	19.18	74.00	-20.80




Page: 116 of 218

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

Operation Mode: 802.11aB3 Test Date: 08/17/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
11000.00	Н	Average	41.62	21.45	20.17	54.00	-12.38	
11000.00	Н	Peak	53.12	32.96	20.17	74.00	-20.88	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com




Page: 117 of 218

Operation Mode: 802.11aB3 Test Date: 08/17/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11000.00	Н	Average	41.55	21.38	20.17	54.00	-12.45
11000.00	Н	Peak	53.12	32.95	20.17	74.00	-20.88




Page: 118 of 218

Operation Mode: 802.11aB3 Test Date: 08/17/2016

Fundamental Frequency: 5580 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11160.00	Н	Average	41.30	20.85	20.45	54.00	-12.70
11160.00	Н	Peak	53.69	33.25	20.45	74.00	-20.31




Page: 119 of 218

Operation Mode: 802.11aB3 Test Date: 08/17/2016

Fundamental Frequency: 5580 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11160.00	Н	Average	41.33	20.88	20.45	54.00	-12.67
11160.00	Н	Peak	53.52	33.07	20.45	74.00	-20.48




Page: 120 of 218

Operation Mode: 802.11aB3 Test Date: 08/17/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11400.00	Н	Average	40.87	20.31	20.56	54.00	-13.13
11400.00	Н	Peak	53.43	32.87	20.56	74.00	-20.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 121 of 218

Operation Mode: 802.11aB3 Test Date: 08/17/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11400.00	Н	Average	40.88	20.32	20.56	54.00	-13.12
11400.00	Н	Peak	52.99	32.44	20.56	74.00	-21.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 122 of 218

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

Operation Mode: 802.11aB4 Test Date: 08/17/2016

Fundamental Frequency: 5745 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
11490.00	Н	Average	40.87	20.45	20.42	54.00	-13.13	
11490.00	Н	Peak	53.76	33.34	20.42	74.00	-20.24	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 123 of 218

Operation Mode: 802.11aB4 Test Date: 08/17/2016

Fundamental Frequency: 5745 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11490.00	Н	Average	41.04	20.62	20.42	54.00	-12.96
11490.00	Н	Peak	53.38	32.96	20.42	74.00	-20.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 124 of 218

Operation Mode: 802.11aB4 Test Date: 08/17/2016

Fundamental Frequency: 5785 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11570.00	Н	Average	41.45	20.86	20.59	54.00	-12.55
11570.00	Н	Peak	53.52	32.94	20.59	74.00	-20.48




Page: 125 of 218

Operation Mode: 802.11aB4 Test Date: 08/17/2016

Fundamental Frequency: 5785 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11570.00	Н	Average	41.35	20.76	20.59	54.00	-12.65
11570.00	Н	Peak	53.80	33.21	20.59	74.00	-20.20




Page: 126 of 218

Operation Mode: 802.11aB4 Test Date: 08/17/2016

Fundamental Frequency: 5825 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11650.00	Н	Average	40.55	20.12	20.43	54.00	-13.45
11650.00	Н	Peak	53.03	32.60	20.43	74.00	-20.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 127 of 218

Operation Mode: 802.11aB4 Test Date: 08/17/2016

Fundamental Frequency: 5825 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11650.00	Н	Average	40.47	20.04	20.43	54.00	-13.53
11650.00	Н	Peak	52.72	32.28	20.43	74.00	-21.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 128 of 218

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

Operation Mode: 802.11n20B1 Test Date: 08/17/2016

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10360.00	Н	Peak	52.67	34.38	18.29	68.30	-15.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 129 of 218

Operation Mode: 802.11n20B1 Test Date: 08/17/2016

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
10360.00	Н	Peak	51.43	33.13	18.29	68.30	-16.87	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 130 of 218

Operation Mode: 802.11n20B1 Test Date: 08/17/2016

Fundamental Frequency: 5220 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10440.00	Н	Peak	51.84	33.16	18.68	68.30	-16.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 131 of 218

Operation Mode: 802.11n20B1 Test Date: 08/17/2016

Fundamental Frequency: 5220 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH MID Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10440.00	Н	Peak	51.65	32.97	18.68	68.30	-16.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 132 of 218

Operation Mode: 802.11n20B1 Test Date: 08/17/2016

Fundamental Frequency: 5240 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10480.00	Н	Peak	50.55	32.25	18.29	68.30	-17.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 133 of 218

Operation Mode: 802.11n20B1 Test Date: 08/17/2016

Fundamental Frequency: 5240 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
10480.00	Н	Peak	50.76	32.47	18.29	68.30	-17.54	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 134 of 218

Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz

Operation Mode: 802.11n20B2 Test Date: 08/17/2016

Fundamental Frequency: 5260 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10520.00	Н	Peak	53.37	34.00	19.37	68.30	-14.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 135 of 218

Operation Mode: 802.11n20B2 Test Date: 08/17/2016

Fundamental Frequency: 5260 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
10520.00	Н	Peak	52.24	32.87	19.37	68.30	-16.06	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 136 of 218

Operation Mode: 802.11n20B2 Test Date: 08/17/2016

Fundamental Frequency: 5300 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10600.00	Н	Average	39.86	20.95	18.91	54.00	-14.14
10600.00	Н	Peak	52.87	33.96	18.91	74.00	-21.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 137 of 218

Operation Mode: 802.11n20B2 Test Date: 08/17/2016

Fundamental Frequency: 5300 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10600.00	Н	Average	39.88	20.97	18.91	54.00	-14.12
10600.00	Н	Peak	52.49	33.58	18.91	74.00	-21.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 138 of 218

Operation Mode: 802.11n20B2 Test Date: 08/17/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10640.00	Н	Average	40.71	21.53	19.18	54.00	-13.29
10640.00	Н	Peak	53.08	33.90	19.18	74.00	-20.92




Page: 139 of 218

Operation Mode: 802.11n20B2 Test Date: 08/17/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10640.00	Н	Average	40.63	21.45	19.18	54.00	-13.37
10640.00	Н	Peak	53.73	34.54	19.18	74.00	-20.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 140 of 218

Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

Operation Mode: 802.11n20B3 Test Date: 08/17/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
11000.00	Н	Average	41.51	21.34	20.17	54.00	-12.49	
11000.00	Н	Peak	53.51	33.34	20.17	74.00	-20.49	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 141 of 218

Operation Mode: 802.11n20B3 Test Date: 08/17/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11000.00	Н	Average	41.56	21.39	20.17	54.00	-12.44
11000.00	Н	Peak	53.30	33.13	20.17	74.00	-20.70




Page: 142 of 218

Operation Mode: 802.11n20B3 Test Date: 08/17/2016

Fundamental Frequency: 5580 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11160.00	Н	Average	41.31	20.86	20.45	54.00	-12.69
11160.00	Н	Peak	53.52	33.07	20.45	74.00	-20.48




Page: 143 of 218

Operation Mode: 802.11n20B3 Test Date: 08/17/2016

Fundamental Frequency: 5580 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11160.00	Н	Average	41.58	21.13	20.45	54.00	-12.42
11160.00	Н	Peak	53.08	32.63	20.45	74.00	-20.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 144 of 218

Operation Mode: 802.11n20B3 Test Date: 08/17/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11400.00	Н	Average	40.87	20.31	20.56	54.00	-13.13
11400.00	Н	Peak	53.07	32.52	20.56	74.00	-20.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 145 of 218

Operation Mode: 802.11n20B3 Test Date: 08/17/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11400.00	Н	Average	41.57	21.01	20.56	54.00	-12.43
11400.00	Н	Peak	53.58	33.02	20.56	74.00	-20.42




Page: 146 of 218

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

Operation Mode: 802.11n20B4 Test Date: 08/17/2016

Fundamental Frequency: 5745 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
11490.00	Н	Average	40.79	20.37	20.42	54.00	-13.21	_
11490.00	Н	Peak	53.53	33.11	20.42	74.00	-20.47	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 147 of 218

Operation Mode: 802.11n20B4 Test Date: 08/17/2016

Fundamental Frequency: 5745 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11490.00	Н	Average	40.84	20.42	20.42	54.00	-13.16
11490.00	Н	Peak	53.27	32.85	20.42	74.00	-20.73




Page: 148 of 218

Operation Mode: 802.11n20B4 Test Date: 08/17/2016

Fundamental Frequency: 5785 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11570.00	Н	Average	41.26	20.67	20.59	54.00	-12.74
11570.00	Н	Peak	53.69	33.10	20.59	74.00	-20.31




Page: 149 of 218

Operation Mode: 802.11n20B4 Test Date: 08/17/2016

Fundamental Frequency: 5785 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11570.00	Н	Average	41.17	20.58	20.59	54.00	-12.83
11570.00	Н	Peak	53.66	33.07	20.59	74.00	-20.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 150 of 218

Operation Mode: 802.11n20B4 Test Date: 08/17/2016

Fundamental Frequency: 5825 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11650.00	Н	Average	40.49	20.06	20.43	54.00	-13.51
11650.00	Н	Peak	53.00	32.57	20.43	74.00	-21.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 151 of 218

Operation Mode: 802.11n20B4 Test Date: 08/17/2016

Fundamental Frequency: 5825 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11650.00	Н	Average	40.56	20.13	20.43	54.00	-13.44
11650.00	Н	Peak	52.76	32.33	20.43	74.00	-21.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 152 of 218

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Mode: 802.11n40B1 Test Date: 08/17/2016

Fundamental Frequency: 5190 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10380.00	Н	Peak	51.05	32.92	18.12	68.30	-17.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 153 of 218

Operation Mode: 802.11n40B1 Test Date: 08/17/2016

Fundamental Frequency: 5190 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10380.00	Н	Peak	51.28	33.16	18.12	68.30	-17.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 154 of 218

Operation Mode: 802.11n40B1 Test Date: 08/17/2016

Fundamental Frequency: 5230 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
10460.00	Н	Peak	51.89	33.35	18.54	68.30	-16.41	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 155 of 218

Operation Mode: 802.11n40B1 Test Date: 08/17/2016

Fundamental Frequency: 5230 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10460.00	Н	Peak	51.23	32.69	18.54	68.30	-17.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 156 of 218

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Mode: 802.11n40B2 Test Date: 08/17/2016

Fundamental Frequency: 5270 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10540.00	Н	Peak	52.18	33.01	19.17	68.30	-16.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 157 of 218

Operation Mode: 802.11n40B2 Test Date: 08/17/2016

Fundamental Frequency: 5270 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10540.00	Н	Peak	52.69	33.52	19.17	68.30	-15.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 158 of 218

Operation Mode: 802.11n40B2 Test Date: 08/17/2016

Fundamental Frequency: 5310 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10620.00	Н	Average	40.34	21.23	19.11	54.00	-13.66
10620.00	Н	Peak	52.97	33.86	19.11	74.00	-21.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 159 of 218

Operation Mode: 802.11n40B2 Test Date: 08/17/2016

Fundamental Frequency: 5310 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10620.00	Н	Average	40.27	21.16	19.11	54.00	-13.73
10620.00	Н	Peak	53.17	34.07	19.11	74.00	-20.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 160 of 218

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

Operation Mode: 802.11n40B3 Test Date: 08/17/2016

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
11020.00	Н	Average	41.52	21.36	20.16	54.00	-12.48	
11020.00	Н	Peak	53.18	33.02	20.16	74.00	-20.82	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 161 of 218

Operation Mode: 802.11n40B3 Test Date: 08/17/2016

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11020.00	Н	Average	41.45	21.29	20.16	54.00	-12.55
11020.00	Н	Peak	52.66	32.50	20.16	74.00	-21.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page: 162 of 218

Operation Mode: 802.11n40B3 Test Date: 08/17/2016

Fundamental Frequency: 5550 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11100.00	Н	Average	41.48	21.16	20.32	54.00	-12.52
11100.00	Н	Peak	54.08	33.76	20.32	74.00	-19.92




Page: 163 of 218

Operation Mode: 802.11n40B3 Test Date: 08/17/2016

Fundamental Frequency: 5550 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11100.00	Н	Average	41.48	21.16	20.32	54.00	-12.52
11100.00	Н	Peak	53.33	33.01	20.32	74.00	-20.67




Page: 164 of 218

Operation Mode: 802.11n40B3 Test Date: 08/17/2016

Fundamental Frequency: 5670 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11340.00	Н	Average	40.84	20.46	20.38	54.00	-13.16
11340.00	Н	Peak	53.19	32.81	20.38	74.00	-20.81




Page: 165 of 218

Operation Mode: 802.11n40B3 Test Date: 08/17/2016

Fundamental Frequency: 5670 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11340.00	Н	Average	41.06	20.68	20.38	54.00	-12.94
11340.00	Н	Peak	53.05	32.67	20.38	74.00	-20.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 166 of 218


Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

Operation Mode: 802.11n40B4 Test Date: 08/17/2016

Fundamental Frequency: 5755 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
11510.00	Н	Average	40.53	20.14	20.39	54.00	-13.47	-
11510.00	Н	Peak	53.36	32.98	20.39	74.00	-20.64	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 167 of 218

Operation Mode: 802.11n40B4 Test Date: 08/17/2016

Fundamental Frequency: 5755 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11510.00	Н	Average	40.58	20.19	20.39	54.00	-13.42
11510.00	Н	Peak	53.35	32.96	20.39	74.00	-20.65




Page: 168 of 218

Operation Mode: 802.11n40B4 Test Date: 08/17/2016

Fundamental Frequency: 5795 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11590.00	Н	Average	41.00	20.57	20.43	54.00	-13.00
11590.00	Н	Peak	53.23	32.80	20.43	74.00	-20.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 169 of 218

Operation Mode: 802.11n40B4 Test Date: 08/17/2016

Fundamental Frequency: 5795 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11590.00	Н	Average	41.04	20.61	20.43	54.00	-12.96
11590.00	Н	Peak	53.63	33.20	20.43	74.00	-20.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 170 of 218

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Mode: 802.11ac80B1 Test Date: 08/17/2016

Fundamental Frequency: 5210 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10420.00	Н	Peak	51.52	32.80	18.71	68.30	-16.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 171 of 218

Operation Mode: 802.11ac80B1 Test Date: 08/17/2016

Fundamental Frequency: 5210 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10420.00	Н	Peak	51.27	32.56	18.71	68.30	-17.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 172 of 218

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Operation Mode: 802.11ac80B2 Test Date: 08/17/2016

Fundamental Frequency: 5290 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10580.00	Н	Peak	52.50	33.62	18.88	68.30	-15.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 173 of 218

Operation Mode: 802.11ac80B2 Test Date: 08/17/2016

Fundamental Frequency: 5290 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
10580.00	Н	Peak	52.83	33.96	18.88	68.30	-15.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 174 of 218

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

Operation Mode: 802.11ac80B3 Test Date: 08/17/2016

Fundamental Frequency: 5530 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11060.00) Н	Average	41.22	20.96	20.26	54.00	-12.78
11060.00) Н	Peak	53.41	33.15	20.26	74.00	-20.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 175 of 218

Operation Mode: 802.11ac80B3 Test Date: 08/17/2016

Fundamental Frequency: 5530 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH LOW Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11060.00	Н	Average	41.17	20.91	20.26	54.00	-12.83
11060.00	Н	Peak	53.30	33.04	20.26	74.00	-20.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 176 of 218

Operation Mode: 802.11ac80B3 Test Date: 08/17/2016

Fundamental Frequency: 5610 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
11220.00	Н	Average	41.11	20.63	20.48	54.00	-12.89	•
11220.00	Н	Peak	53.52	33.04	20.48	74.00	-20.48	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 177 of 218

Operation Mode: 802.11ac80B3 Test Date: 08/17/2016

Fundamental Frequency: 5610 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH MID Kane Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11220.00	Н	Average	41.00	20.52	20.48	54.00	-13.00
11220.00	Н	Peak	52.78	32.30	20.48	74.00	-21.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 178 of 218

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz

Operation Mode: 802.11ac80B4 Test Date: 08/17/2016

Fundamental Frequency: 5775 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11550.00	Н	Average	40.94	20.42	20.52	54.00	-13.06
11550.00	Н	Peak	53.79	33.27	20.52	74.00	-20.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 179 of 218

Test Date: Operation Mode: 802.11ac80B4 08/17/2016

Fundamental Frequency: 5775 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
11550.00	Н	Average	40.89	20.37	20.52	54.00	-13.11
11550.00	Н	Peak	53.34	32.82	20.52	74.00	-20.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 180 of 218

Band edge falling to restricted band 802.11a mode

Operation Mode: Test Date: 802.11aB1 08/10/2016

Fundamental Frequency: 5180 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	43.40	37.52	5.88	54.00	-10.60
5150.00	Е	Peak	56.20	50.31	5.88	74.00	-17.80

Operation Mode: 802.11aB1 Test Date: 08/10/2016

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5150.00	Е	Average	43.46	37.58	5.88	54.00	-10.54	
5150.00	Е	Peak	57.52	51.64	5.88	74.00	-16.48	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 181 of 218

Operation Mode: Test Date: 08/10/2016 802.11aB2

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	42.89	36.74	6.15	54.00	-11.11
5350.00	F	Peak	56.59	50.44	6.15	74 00	-17.41

Test Date: Operation Mode: 802.11aB2 08/10/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5350.00	Е	Average	43.26	37.11	6.15	54.00	-10.74	
5350.00	Е	Peak	58.81	52.66	6.15	74.00	-15.19	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 182 of 218

Operation Mode: Test Date: 08/10/2016 802.11aB3

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
			Mode	Reading Level	FS		@3m		
_	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
	5460.00	Е	Average	42.94	36.71	6.23	54.00	-11.06	_
	5460.00	F	Peak	55.65	49.41	6.23	74.00	-18.35	

Test Date: Operation Mode: 802.11aB3 08/10/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	43.27	37.04	6.23	54.00	-10.73
5460.00	Ε	Peak	56.27	50.03	6.23	74.00	-17.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com

台灣檢驗科技股份有限公司



Page: 183 of 218

Operation Mode: Test Date: 08/10/2016 802.11aB3

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq. Note Decetor Actual Spectrum Factor Limit Margin

> FS Mode Reading Level @3m

QP/AV/PK dBµV/m dBµV/m dB dBu V/m F/H/E/S dB 5470.00 Ε Peak 55.33 49.06 6.26 68.30 -12.97

Operation Mode: 802.11aB3 Test Date: 08/10/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Actual Freq. Note Decetor Spectrum Factor Limit Margin

> Mode Reading Level FS @3m

QP/AV/PK $dB\mu V/m$ dBµV/m dBu V/m F/H/E/S dΒ dB MHz 5470.00 Peak 58.60 52.34 6.26 68.30 -9.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the company approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 184 of 218

Operation Mode: Test Date: 08/10/2016 802.11aB3

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq. Note Decetor Actual Spectrum Factor Limit Margin

> FS Mode Reading Level @3m

QP/AV/PK dBµV/m dB dBu V/m F/H/E/S dBµV/m dB 49.07 5725.00 Ε Peak 55.66 6.59 68.30 -12.64

Test Date: Operation Mode: 802.11aB3 08/10/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Actual Freq. Note Decetor Spectrum Factor Limit Margin

> Mode Reading Level FS @3m

QP/AV/PK $dB\mu V/m$ dBµV/m dBu V/m F/H/E/S dΒ dB MHz 5725.00 Peak 63.84 57.25 6.59 68.30 -4.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the company approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 185 of 218

Operation Mode: Test Date: 08/10/2016 802.11aB4

Fundamental Frequency: 5745 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	55.87	49.39	6.48	68.23	-12.36
5700.00	E	Peak	56.06	49.39	6.68	105.23	-49.17
5720.00	Е	Peak	58.03	51.43	6.60	110.83	-52.80
5725.00	Е	Peak	66.22	59.63	6.59	122.23	-56.01

Operation Mode: 802.11aB4 Test Date: 08/10/2016

Fundamental Frequency: 5745 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	55.93	49.45	6.48	68.23	-12.30
5700.00	E	Peak	55.70	49.02	6.68	105.23	-49.53
5720.00	Е	Peak	60.79	54.19	6.60	110.83	-50.04
5725.00	Ε	Peak	65.60	59.01	6.59	122.23	-56.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 186 of 218

Operation Mode: Test Date: 08/10/2016 802.11aB4

Fundamental Frequency: 5825 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	58.45	51.16	7.28	122.23	-63.78
5855.00	Е	Peak	56.89	49.57	7.32	110.83	-53.94
5875.00	Е	Peak	57.17	49.80	7.37	105.23	-48.06
5925.00	E	Peak	57.97	50.58	7.39	68.23	-10.26

Operation Mode: 802.11aB4 Test Date: 08/10/2016

Fundamental Frequency: 5825 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	60.30	53.02	7.28	122.23	-61.93
5855.00	Е	Peak	58.70	51.38	7.32	110.83	-52.13
5875.00	Е	Peak	56.87	49.50	7.37	105.23	-48.36
5925.00	Е	Peak	58.84	51.45	7.39	68.23	-9.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 187 of 218

802.11n20 HT mode

Operation Mode: Test Date: 08/10/2016 802.11n20B1

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Margin Freq. Note Decetor Actual Spectrum Factor Limit FS Mode Reading Level @3m F/H/E/S QP/AV/PK dBuV/m dBu V/m dBu V/m MHz dB dB 5150.00 Ε 43.43 37.55 54.00 -10.57Average 5.88 5150.00 Ε Peak 59.57 53.69 5.88 74.00 -14.43

Test Date: Operation Mode: 802.11n20B1 08/10/2016

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	43.81	37.93	5.88	54.00	-10.19
5150.00	Ε	Peak	60.67	54.78	5.88	74.00	-13.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

台灣檢驗科技股份有限公司



Page: 188 of 218

Operation Mode: Test Date: 08/10/2016 802.11n20B2

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	43.43	37.28	6.15	54.00	-10.57
5350.00	E	Peak	64.88	58.73	6.15	74.00	-9.12

Test Date: Operation Mode: 802.11n20B2 08/10/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	44.18	38.03	6.15	54.00	-9.82
5350.00	Ε	Peak	63.78	57.63	6.15	74.00	-10.22
5354.64	S	Average	44.05	37.93	6.12	54.00	-9.95
5354.64	S	Peak	65.13	59.01	6.12	74.00	-8.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



Page: 189 of 218

Operation Mode: Test Date: 08/10/2016 802.11n20B3

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5460.00	Е	Average	43.38	37.15	6.23	54.00	-10.62	-
5460.00	F	Peak	56.76	50.53	6.23	74.00	-17.24	

Test Date: Operation Mode: 802.11n20B3 08/10/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5460.00	Е	Average	43.88	37.65	6.23	54.00	-10.12	_
5460.00	Е	Peak	57.26	51.02	6.23	74.00	-16.74	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 190 of 218

Operation Mode: Test Date: 08/10/2016 802.11n20B3

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq. Note Decetor Actual Spectrum Factor Limit Margin

FS Mode Reading Level @3m

QP/AV/PK dBµV/m dB dBu V/m dΒ F/H/E/S dBµV/m 5470.00 Ε Peak 60.28 54.01 6.26 68.30 -8.02

Operation Mode: 802.11n20B3 Test Date: 08/10/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Actual Freq. Note Decetor Spectrum Factor Limit Margin

> Mode Reading Level FS @3m

QP/AV/PK $dB\mu V/m$ dBµV/m dBu V/m F/H/E/S dΒ dB MHz 5470.00 Peak 62.34 56.08 6.26 68.30 -5.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the company approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 191 of 218

Operation Mode: Test Date: 08/10/2016 802.11n20B3

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq. Note Decetor Actual Spectrum Factor Limit Margin

> FS Mode Reading Level @3m

QP/AV/PK dBµV/m dB dBu V/m dB F/H/E/S dBµV/m 5725.00 Ε Peak 58.88 52.29 6.59 68.30 -9.42

Operation Mode: 802.11n20B3 Test Date: 08/10/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Actual Freq. Note Decetor Spectrum Factor Limit Margin

> Mode Reading Level FS @3m

QP/AV/PK $dB\mu V/m$ dBµV/m dBu V/m F/H/E/S dΒ dB MHz 5725.00 Peak 63.40 56.81 6.59 68.30 -4.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the company approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 192 of 218

Operation Mode: Test Date: 08/10/2016 802.11n20B4

Fundamental Frequency: 5745 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	55.66	49.17	6.48	68.23	-12.57
5700.00	Ε	Peak	56.22	49.55	6.68	105.23	-49.01
5720.00	Ε	Peak	62.28	55.68	6.60	110.83	-48.55
5725.00	Е	Peak	68.78	62.19	6.59	122.23	-53.45

Operation Mode: 802.11n20B4 Test Date: 08/10/2016

Fundamental Frequency: 5745 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	55.44	48.96	6.48	68.23	-12.79
5700.00	Ε	Peak	56.61	49.93	6.68	105.23	-48.62
5720.00	Е	Peak	64.90	58.30	6.60	110.83	-45.93
5725.00	Е	Peak	69.10	62.51	6.59	122.23	-53.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 193 of 218

Operation Mode: Test Date: 08/10/2016 802.11n20B4

Fundamental Frequency: 5825 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	62.51	55.23	7.28	122.23	-59.72
5855.00	Ε	Peak	58.24	50.92	7.32	110.83	-52.59
5875.00	Ε	Peak	57.11	49.74	7.37	105.23	-48.12
5925.00	E	Peak	58.31	50.92	7.39	68.23	-9.92

Operation Mode: 802.11n20B4 Test Date: 08/10/2016

Fundamental Frequency: 5825 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	64.64	57.36	7.28	122.23	-57.59
5855.00	E	Peak	60.69	53.37	7.32	110.83	-50.14
5875.00	Е	Peak	57.46	50.09	7.37	105.23	-47.77
5925.00	Ε	Peak	57.99	50.60	7.39	68.23	-10.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 194 of 218

802.11n40 HT mode

Operation Mode: Test Date: 08/10/2016 802.11n40B1

Fundamental Frequency: 5190 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq. Note Decetor Actual Spectrum Factor Limit Margin FS Mode Reading Level @3m F/H/E/S QP/AV/PK $dB\mu V/m$ dBu V/m dBu V/m MHz dB dB 5150.00 Ε 45.33 39.45 54.00 -8.67 Average 5.88 5150.00 Ε Peak 60.11 54.23 5.88 74.00 -13.89

Test Date: Operation Mode: 802.11n40B1 08/10/2016

Fundamental Frequency: 5190 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	46.50	40.62	5.88	54.00	-7.50
5150.00	Ε	Peak	65.00	59.11	5.88	74.00	-9.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 195 of 218

Operation Mode: Test Date: 08/10/2016 802.11n40B2

Fundamental Frequency: 5310 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5350.00	Е	Average	43.66	37.51	6.15	54.00	-10.34	
5350.00	Е	Peak	57.79	51.64	6.15	74.00	-16.21	

Operation Mode: Test Date: 802.11n40B2 08/10/2016

Fundamental Frequency: 5310 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5350.00	Е	Average	44.41	38.26	6.15	54.00	-9.59	_
5350.00	Е	Peak	61.65	55.50	6.15	74.00	-12.35	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com

SGS Taiwan Ltd.



Page: 196 of 218

Operation Mode: Test Date: 08/10/2016 802.11n40B3

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5460.00	Е	Average	45.91	39.68	6.23	54.00	-8.09	
5460.00	F	Peak	65.35	59.12	6.23	74.00	-8.65	

Test Date: Operation Mode: 802.11n40B3 08/10/2016

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5460.00	Е	Average	47.14	40.91	6.23	54.00	-6.86	_
5460.00	Е	Peak	64.40	58.16	6.23	74.00	-9.60	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> f (886-2) 2298-0488 www.tw.sgs.com



Page: 197 of 218

Operation Mode: Test Date: 08/10/2016 802.11n40B3

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq. Note Decetor Actual Spectrum Factor Limit Margin

> FS Mode Reading Level @3m

QP/AV/PK dBµV/m dBµV/m dB dBu V/m dΒ F/H/E/S 58.23 5470.00 Ε Peak 64.50 6.26 68.30 -3.80

Operation Mode: 802.11n40B3 Test Date: 08/10/2016

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Actual Freq. Note Decetor Spectrum Factor Limit Margin

> Mode Reading Level FS @3m

QP/AV/PK $dB\mu V/m$ dBu V/m F/H/E/S dBµV/m dΒ dB MHz 5470.00 Peak 67.47 61.21 6.26 68.30 -0.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the company approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 198 of 218

Operation Mode: Test Date: 08/10/2016 802.11n40B3

Fundamental Frequency: 5670 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Factor Freq. Note Decetor Actual Spectrum Limit Margin

> FS Mode Reading Level @3m

QP/AV/PK dBµV/m dB dBu V/m F/H/E/S dBµV/m dB 50.45 5725.00 Ε Peak 57.04 6.59 68.30 -11.26

Operation Mode: 802.11n40B3 Test Date: 08/10/2016

Fundamental Frequency: 5670 MHz Temp. / Humi. : 21 deg C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Actual Freq. Note Decetor Spectrum Factor Limit Margin

> Mode Reading Level FS @3m

QP/AV/PK $dB\mu V/m$ dBu V/m F/H/E/S dBµV/m dΒ dB MHz 5725.00 Peak 57.60 51.01 6.59 68.30 -10.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the company approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 199 of 218

Operation Mode: Test Date: 08/10/2016 802.11n40B4

Fundamental Frequency: 5755 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	56.44	49.96	6.48	68.23	-11.79
5700.00	Е	Peak	57.17	50.50	6.68	105.23	-48.06
5720.00	Е	Peak	68.07	61.47	6.60	110.83	-42.76
5725.00	Е	Peak	69.36	62.76	6.59	122.23	-52.87

Operation Mode: 802.11n40B4 Test Date: 08/10/2016

Fundamental Frequency: 5755 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	57.42	50.93	6.48	68.23	-10.81
5700.00	Ε	Peak	62.47	55.79	6.68	105.23	-42.76
5720.00	Е	Peak	71.89	65.29	6.60	110.83	-38.94
5725.00	Е	Peak	75.19	68.60	6.59	122.23	-47.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 200 of 218

Operation Mode: Test Date: 802.11n40B4 08/10/2016

Fundamental Frequency: 5795 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq. Note Decetor Actual Spectrum Factor Limit Margin FS Mode Reading Level @3m MHz F/H/E/S QP/AV/PK dBµV/m dBµV/m dB dBu V/m dB 5850.00 57.70 7.28 Peak 50.41 122.23 -64.535855.00 Ε 57.89 -52.94 Peak 50.57 7.32 110.83 Ε 5875.00 58.28 50.91 7.37 105.23 -46.95Peak Ε 5925.00 Peak 58.38 50.99 7.39 68.23 -9.85

Operation Mode: 802.11n40B4 Test Date: 08/10/2016

Fundamental Frequency: 5795 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	58.34	51.06	7.28	122.23	-63.89
5855.00	Ε	Peak	59.52	52.20	7.32	110.83	-51.31
5875.00	Е	Peak	57.88	50.51	7.37	105.23	-47.35
5925.00	Е	Peak	57.95	50.56	7.39	68.23	-10.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the company approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 201 of 218

802.11ac80 VHT mode

802.11ac80B1 Test Date: Operation Mode: 08/10/2016

Fundamental Frequency: 5210 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq. Note Decetor Actual Spectrum Factor Limit Margin FS Mode Reading Level @3m F/H/E/S QP/AV/PK dBuV/m dBu V/m dBu V/m dB MHz dB 5150.00 Ε 45.06 39.18 54.00 Average 5.88 -8.945150.00 Ε Peak 64.09 58.21 5.88 74.00 -9.91

Test Date: Operation Mode: 802.11ac80B1 08/10/2016

Fundamental Frequency: 5210 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	44.67	38.79	5.88	54.00	-9.33
5150.00	Е	Peak	62.20	56.32	5.88	74.00	-11.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 202 of 218

Operation Mode: Test Date: 08/10/2016 802.11ac80B2

Fundamental Frequency: 5290 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5350.00	Е	Average	45.21	39.06	6.15	54.00	-8.79	
5350.00	F	Peak	67.23	61.08	6.15	74.00	-6.77	

Test Date: Operation Mode: 802.11ac80B2 08/10/2016

Fundamental Frequency: 5290 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	45.74	39.59	6.15	54.00	-8.26
5350.00	Е	Peak	69.71	63.56	6.15	74.00	-4.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Page: 203 of 218

Operation Mode: 802.11ac80B3 Test Date: 08/10/2016

Fundamental Frequency: 5530 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5457.00	S	Average	47.11	40.89	6.22	54.00	-6.89	
5457.00	S	Peak	65.73	59.51	6.22	74.00	-8.27	
5460.00	E	Average	47.22	40.99	6.23	54.00	-6.78	
5460.00	Е	Peak	63.61	57.37	6.23	74.00	-10.39	

Operation Mode: 802.11ac80B3 Test Date: 08/10/2016

Fundamental Frequency: 5530 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	48.61	42.38	6.23	54.00	-5.39
5460.00	F	Peak	64.52	58.29	6.23	74.00	-9.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 204 of 218

Operation Mode: Test Date: 08/10/2016 802.11ac80B3

Fundamental Frequency: 5530 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5469.60	Е	Peak	66.30	60.04	6.26	68.30	-2.00	_
5470.00	Е	Peak	64.49	58.22	6.26	68.30	-3.81	

Test Date: Operation Mode: 802.11ac80B3 08/10/2016

Fundamental Frequency: 5530 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer:

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5469.70	Е	Peak	67.28	61.01	6.26	68.30	-1.02
5470.00	Ε	Peak	66.58	60.31	6.26	68.30	-1.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 205 of 218

802.11ac80B4 Operation Mode: Test Date: 08/10/2016

Fundamental Frequency: 5775 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	58.70	52.22	6.48	68.23	-9.53
5700.00	Е	Peak	58.75	52.07	6.68	105.23	-46.48
5720.00	Е	Peak	65.70	59.10	6.60	110.83	-45.13
5725.00	Е	Peak	64.59	58.00	6.59	122.23	-57.64

Operation Mode: 802.11ac80B4 Test Date: 08/10/2016

Fundamental Frequency: 5775 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	63.14	56.66	6.48	68.23	-5.09
5700.00	Ε	Peak	65.68	59.01	6.68	105.23	-39.55
5720.00	Е	Peak	68.71	62.11	6.60	110.83	-42.12
5725.00	Е	Peak	68.59	62.00	6.59	122.23	-53.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 206 of 218

Operation Mode: 802.11ac80B4 Test Date: 08/10/2016

Fundamental Frequency: 5775 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: H Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	58.16	50.88	7.28	122.23	-64.07
5855.00	Ε	Peak	57.56	50.24	7.32	110.83	-53.27
5875.00	Ε	Peak	58.10	50.73	7.37	105.23	-47.13
5925.00	Е	Peak	57.65	50.26	7.39	68.23	-10.58

Operation Mode: 802.11ac80B4 Test Date: 08/10/2016

Fundamental Frequency: 5775 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: H Plane Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	62.08	54.80	7.28	122.23	-60.15
5855.00	Ε	Peak	62.32	55.00	7.32	110.83	-48.51
5875.00	Е	Peak	61.54	54.17	7.37	105.23	-43.69
5925.00	Е	Peak	59.21	51.82	7.39	68.23	-9.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which prove the prevention of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 207 of 218

TRANSMISSION IN THE ABSENCE OF DATA

Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Page: 208 of 218

13. FREQUENCY STABILITY

13.1 Standard Applicable


Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 Test SET-UP

Temperature Chamber



Variable AC Power Supply

Measurement Equipment Used: 13.4

	modernioni =quipmont occur						
SGS Conducted Room							
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due		
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017		
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017		
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 209 of 218

Measurement Result 13.5

Test Date 2016.08.19

Test By Curry

	36	5180	5,179.98486	0.00000292
	44	5220	5,219.98486	0.00000290
	48	5240	5,239.98486	0.00000289
	52	5260	5,259.98486	0.00000288
	60	5300	5,299.98486	0.00000286
5.5V	64	5320	5,319.98486	0.00000285
	100	5500	5,499.98486	0.00000275
	116	5580	5,579.98486	0.00000271
	140	5700	5,699.98486	0.00000266
	149	5745	5,745.00000	0.00000000
	157	5785	5,784.98486	0.00000262
	165	5825	5,824.98486	0.00000260

0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**No.134.WuKungRoad.NewTaipeilndustrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134.WuKungRoad.NewTaipeilndustrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134.WuKungRoad.NewTaipeilndustrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 210 of 218

36	5180	5,179.98486	0.00000292
44	5220	5,219.98486	0.00000290
48	5240	5,239.98486	0.00000289
52	5260	5,259.98486	0.00000288
60	5300	5.299.98486	0.00000286

25



Page: 211 of 218

Test Date 2016.08.19 Curry

Test By

	38	5190	5,190.00000	0.00000000
	46	5230	5,230.00000	0.00000000
	54	5270	5,269.97510	0.00000473
	62	5310	5,309.97510	0.00000469
5.5V	102	5510	5,509.97510	0.00000452
	110	5550	5,550.00000	0.00000000
	134	5670	5,669.97510	0.00000439
	151	5755	5,755.00000	0.00000000

0



Page: 212 of 218

38	5190	5,190.00000	0.00000000
46	5230	5,230.00000	0.0000000
54	5270	5,269.97510	0.00000473
62	5310	5,310.00000	0.00000000

25



Page: 213 of 218

Test Date 2016.08.19

Test By Curry

	42	5210	5,209.95020	0.00000956
	58	5290	5,289.95020	0.00000941
5.5V	106	5530	5,529.95020	0.00000901
	122	5610	5.609.95020	0.00000888

0

f (886-2) 2298-0488



Page: 214 of 218

14. ANTENNA REQUIREMENT

14.1 Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

14.2 Antenna Connected Construction

PIFA antenna designs are used.

The antenna is designed with permanent attached and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 215 of 218

15. FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)

15.1 Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1093 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm ²)	(minute)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	F/1500	30
1500-15000	/	/	1.0	30

F = frequency in MHz

Prediction of MPE limit at a given distance Equation from page 18 of OET Bulletin 65, Edition 97-01

 $S=PG/4\pi R^2$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and the sole of the company is the time of its intervention only and within the limits of the transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

^{* =} Plane-wave equipment power density



Page: 216 of 218

15.2 Maximum Permissible Exposure (MPE) Evaluation (Worst Case)

802.11a Max. output power

802.11a Main

002.11a_								
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	10.45	11.092		23.98		PASS
44	5220	MCS0	10.47	11.143		23.98		PASS
48	5240	MCS0	10.40	10.965		23.98		PASS
52	5260	MCS0	11.26	13.366	23.98	or $11+10\log(B) =$	24.31	PASS
60	5300	MCS0	11.03	12.677	23.98	or $11+10\log(B) =$	24.34	PASS
64	5320	MCS0	11.06	12.764	23.98	or $11+10\log(B) =$	24.34	PASS
100	5500	MCS0	10.47	11.143	23.98	or $11+10\log(B) =$	24.35	PASS
116	5580	MCS0	9.83	9.616	23.98	or $11+10\log(B) =$	24.35	PASS
140	5700	MCS0	9.46	8.831	23.98	or $11+10\log(B) =$	24.33	PASS
149	5745	MCS0	10.27	10.641		30		PASS
157	5785	MCS0	9.30	8.511		30		PASS
165	5825	MCS0	9.45	8.810		30		PASS

MPE Prediction (802.11a 5150~5250)

Average output power at antenna input terminal:	10.47	(dBm)
Average output power at antenna input terminal:	11.142945	(mW)
Duty cycle:	97.11	(%)
Maximum Pav :	10.820914	(mW)
Peak Antenna gain (Maximum):	2.63	(dBi)
Peak Antenna gain (linear):	1.8323144	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	5220	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.004	(mW/cm^2)
Macaurament Decult		

Measurement Result

The predicted power density level at 20 cm is 0.004 mW/cm2.

This is below the uncontrolled exposure limit of 1 mW/cm2 at 5220MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488 www.tw.sgs.com



Page: 217 of 218

MPE Prediction (802.11a 5250~5350)

Average output power at antenna input terminal:	11.26	(dBm)
Average output power at antenna input terminal:	13.365955	(mW)
Duty cycle:	97.11	(%)
Maximum Pav :	12.979679	(mW)
Peak Antenna gain (Maximum):	2.28	(dBi)
Peak Antenna gain (linear):	1.6904409	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	5260	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.004	(mW/cm ²)
	•	

Measurement Result

The predicted power density level at 20 cm is 0.004 mW/cm2.

This is below the uncontrolled exposure limit of 1 mW/cm2 at 5260MHz.

MPE Prediction (802.11a 5470~5725)

Average output power at antenna input terminal:	10.47	(dBm)
Average output power at antenna input terminal:	11.142945	(mW)
Duty cycle:	97.11	(%)
Maximum Pav :	10.820914	(mW)
Peak Antenna gain (Maximum):	4.08	(dBi)
Peak Antenna gain (linear):	2.5585859	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	5500	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.006	(mW/cm ²)
	•	•

Measurement Result

The predicted power density level at 20 cm is 0.006 mW/cm2.

This is below the uncontrolled exposure limit of 1 mW/cm2 at 5500MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 218 of 218

MPE Prediction (802.11a 5725~5850)

Average output power at antenna input terminal:	10.27	(dBm)
Average output power at antenna input terminal:	10.64143	(mW)
Duty cycle:	97.11	(%)
Maximum Pav :	10.333893	(mW)
Peak Antenna gain (Maximum):	3.63	(dBi)
Peak Antenna gain (linear):	2.3067472	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	5745	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.005	(mW/cm ²)

Measurement Result

The predicted power density level at 20 cm is 0.005 mW/cm2.

This is below the uncontrolled exposure limit of 1 mW/cm2 at 5745MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488