



Mode	15																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5413.38</td> <td>51.84</td> <td>74.00</td> <td>-22.16</td> <td>37.62</td> <td>32.55</td> <td>11.19</td> <td>33.61</td> <td>4.09</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>190 156 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5413.38	51.84	74.00	-22.16	37.62	32.55	11.19	33.61	4.09									190 156 PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>103.21</td> <td>-----</td> <td>-----</td> <td>89.22</td> <td>32.50</td> <td>10.89</td> <td>33.47</td> <td>4.07</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>190 156 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5320.00	103.21	-----	-----	89.22	32.50	10.89	33.47	4.07									190 156 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5413.38	51.84	74.00	-22.16	37.62	32.55	11.19	33.61	4.09																																																																																				
								190 156 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5320.00	103.21	-----	-----	89.22	32.50	10.89	33.47	4.07																																																																																				
								190 156 PEAK																																																																																				
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.66</td> <td>44.34</td> <td>54.00</td> <td>-9.66</td> <td>30.27</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>190 156 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5350.66	44.34	54.00	-9.66	30.27	32.50	11.00	33.51	4.00									190 156 AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>96.60</td> <td>-----</td> <td>-----</td> <td>82.61</td> <td>32.50</td> <td>10.89</td> <td>33.47</td> <td>4.07</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>190 156 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5320.00	96.60	-----	-----	82.61	32.50	10.89	33.47	4.07									190 156 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5350.66	44.34	54.00	-9.66	30.27	32.50	11.00	33.51	4.00																																																																																				
								190 156 AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5320.00	96.60	-----	-----	82.61	32.50	10.89	33.47	4.07																																																																																				
								190 156 AVERAGE																																																																																				



Mode	15																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5425.70</td> <td>51.61</td> <td>74.00</td> <td>-22.39</td> <td>37.35</td> <td>32.60</td> <td>11.19</td> <td>33.63</td> <td>4.10</td> <td>100</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5425.70	51.61	74.00	-22.39	37.35	32.60	11.19	33.63	4.10	100	165	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNI) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.22</td> <td>-----</td> <td>-----</td> <td>87.23</td> <td>32.50</td> <td>10.89</td> <td>33.47</td> <td>4.07</td> <td>100</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	101.22	-----	-----	87.23	32.50	10.89	33.47	4.07	100	165	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5425.70	51.61	74.00	-22.39	37.35	32.60	11.19	33.63	4.10	100	165	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	101.22	-----	-----	87.23	32.50	10.89	33.47	4.07	100	165	PEAK																																																																						
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.90</td> <td>43.00</td> <td>54.00</td> <td>-11.00</td> <td>28.65</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>100</td> <td>165</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5457.90	43.00	54.00	-11.00	28.65	32.72	11.20	33.68	4.11	100	165	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.38</td> <td>-----</td> <td>-----</td> <td>80.39</td> <td>32.50</td> <td>10.89</td> <td>33.47</td> <td>4.07</td> <td>100</td> <td>165</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	94.38	-----	-----	80.39	32.50	10.89	33.47	4.07	100	165	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5457.90	43.00	54.00	-11.00	28.65	32.72	11.20	33.68	4.11	100	165	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	94.38	-----	-----	80.39	32.50	10.89	33.47	4.07	100	165	AVERAGE																																																																						



Mode	15																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																												
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>49.33</td> <td>74.00</td> <td>-24.67</td> <td>33.86</td> <td>37.40</td> <td>14.93</td> <td>39.01</td> <td>2.15</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>40.78</td> <td>54.00</td> <td>-13.22</td> <td>25.31</td> <td>37.40</td> <td>14.93</td> <td>39.01</td> <td>2.15</td> <td>--</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>52.39</td> <td>74.00</td> <td>-21.61</td> <td>35.78</td> <td>40.60</td> <td>18.26</td> <td>45.10</td> <td>2.85</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>45.10</td> <td>54.00</td> <td>-8.90</td> <td>28.49</td> <td>40.60</td> <td>18.25</td> <td>45.09</td> <td>2.85</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10640.00	49.33	74.00	-24.67	33.86	37.40	14.93	39.01	2.15	--	--	Peak	2	10640.00	40.78	54.00	-13.22	25.31	37.40	14.93	39.01	2.15	--	--	Average	3	15960.00	52.39	74.00	-21.61	35.78	40.60	18.26	45.10	2.85	--	--	Peak	4	15960.00	45.10	54.00	-8.90	28.49	40.60	18.25	45.09	2.85	--	--	Average	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>49.70</td> <td>74.00</td> <td>-24.30</td> <td>34.23</td> <td>37.40</td> <td>14.93</td> <td>39.01</td> <td>2.15</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>40.67</td> <td>54.00</td> <td>-13.33</td> <td>25.20</td> <td>37.40</td> <td>14.93</td> <td>39.01</td> <td>2.15</td> <td>--</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>52.65</td> <td>74.00</td> <td>-21.35</td> <td>36.04</td> <td>40.60</td> <td>18.26</td> <td>45.10</td> <td>2.85</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>45.39</td> <td>54.00</td> <td>-8.61</td> <td>28.78</td> <td>40.60</td> <td>18.25</td> <td>45.09</td> <td>2.85</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10640.00	49.70	74.00	-24.30	34.23	37.40	14.93	39.01	2.15	--	--	Peak	2	10640.00	40.67	54.00	-13.33	25.20	37.40	14.93	39.01	2.15	--	--	Average	3	15960.00	52.65	74.00	-21.35	36.04	40.60	18.26	45.10	2.85	--	--	Peak	4	15960.00	45.39	54.00	-8.61	28.78	40.60	18.25	45.09	2.85	--	--	Average
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	10640.00	49.33	74.00	-24.67	33.86	37.40	14.93	39.01	2.15	--	--	Peak																																																																																																																																																		
2	10640.00	40.78	54.00	-13.22	25.31	37.40	14.93	39.01	2.15	--	--	Average																																																																																																																																																		
3	15960.00	52.39	74.00	-21.61	35.78	40.60	18.26	45.10	2.85	--	--	Peak																																																																																																																																																		
4	15960.00	45.10	54.00	-8.90	28.49	40.60	18.25	45.09	2.85	--	--	Average																																																																																																																																																		
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	10640.00	49.70	74.00	-24.30	34.23	37.40	14.93	39.01	2.15	--	--	Peak																																																																																																																																																		
2	10640.00	40.67	54.00	-13.33	25.20	37.40	14.93	39.01	2.15	--	--	Average																																																																																																																																																		
3	15960.00	52.65	74.00	-21.35	36.04	40.60	18.26	45.10	2.85	--	--	Peak																																																																																																																																																		
4	15960.00	45.39	54.00	-8.61	28.78	40.60	18.25	45.09	2.85	--	--	Average																																																																																																																																																		



Mode	16																																																							
	Band Edge - L																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																							
ANT	1																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5015.39 54.14 74.00 -19.86</td> <td>40.10</td> <td>32.70</td> <td>10.46</td> <td>33.00</td> <td>3.88</td> <td>200</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5015.39 54.14 74.00 -19.86	40.10	32.70	10.46	33.00	3.88	200	155	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00 100.24</td> <td>86.31</td> <td>32.56</td> <td>10.70</td> <td>33.39</td> <td>4.06</td> <td>200</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5270.00 100.24	86.31	32.56	10.70	33.39	4.06	200	155	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 5015.39 54.14 74.00 -19.86	40.10	32.70	10.46	33.00	3.88	200	155	PEAK																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 5270.00 100.24	86.31	32.56	10.70	33.39	4.06	200	155	PEAK																																																
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5067.77 44.31 54.00 -9.69</td> <td>30.31</td> <td>32.70</td> <td>10.45</td> <td>33.00</td> <td>3.93</td> <td>200</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5067.77 44.31 54.00 -9.69	30.31	32.70	10.45	33.00	3.93	200	155	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00 92.74</td> <td>78.81</td> <td>32.57</td> <td>10.68</td> <td>33.38</td> <td>4.06</td> <td>200</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5270.00 92.74	78.81	32.57	10.68	33.38	4.06	200	155	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 5067.77 44.31 54.00 -9.69	30.31	32.70	10.45	33.00	3.93	200	155	AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 5270.00 92.74	78.81	32.57	10.68	33.38	4.06	200	155	AVERAGE																																																



Mode	16																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																														
ANT	1																																														
Pol.	Horizontal	Fundamental																																													
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5445.18</td> <td>51.96</td> <td>74.00</td> <td>-22.04</td> <td>37.63</td> <td>32.68</td> <td>11.20</td> <td>33.66</td> <td>4.11</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200 155 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5445.18	51.96	74.00	-22.04	37.63	32.68	11.20	33.66	4.11									200 155 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5445.18	51.96	74.00	-22.04	37.63	32.68	11.20	33.66	4.11																																							
								200 155 PEAK																																							
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5352.27</td> <td>43.09</td> <td>54.00</td> <td>-10.91</td> <td>29.02</td> <td>32.50</td> <td>11.01</td> <td>33.52</td> <td>4.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200 155 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5352.27	43.09	54.00	-10.91	29.02	32.50	11.01	33.52	4.00									200 155 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5352.27	43.09	54.00	-10.91	29.02	32.50	11.01	33.52	4.00																																							
								200 155 AVERAGE																																							



Mode	16																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Freq Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5115.56 53.63 74.00 -20.37 39.71 32.67 10.44 33.16 3.97 117 167 PEAK</td> <td>1 5270.00 98.65 ----- 84.72 32.57 10.68 33.38 4.06 117 167 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg								1 5115.56 53.63 74.00 -20.37 39.71 32.67 10.44 33.16 3.97 117 167 PEAK	1 5270.00 98.65 ----- 84.72 32.57 10.68 33.38 4.06 117 167 PEAK								<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Freq Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5115.56 53.63 74.00 -20.37 39.71 32.67 10.44 33.16 3.97 117 167 PEAK</td> <td>1 5270.00 98.65 ----- 84.72 32.57 10.68 33.38 4.06 117 167 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg								1 5115.56 53.63 74.00 -20.37 39.71 32.67 10.44 33.16 3.97 117 167 PEAK	1 5270.00 98.65 ----- 84.72 32.57 10.68 33.38 4.06 117 167 PEAK							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																									
1 5115.56 53.63 74.00 -20.37 39.71 32.67 10.44 33.16 3.97 117 167 PEAK	1 5270.00 98.65 ----- 84.72 32.57 10.68 33.38 4.06 117 167 PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																									
1 5115.56 53.63 74.00 -20.37 39.71 32.67 10.44 33.16 3.97 117 167 PEAK	1 5270.00 98.65 ----- 84.72 32.57 10.68 33.38 4.06 117 167 PEAK																																																																									
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Freq Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5014.31 44.13 54.00 -9.87 30.09 32.70 10.46 33.00 3.88 117 167 AVERAGE</td> <td>1 5270.00 91.62 ----- 77.69 32.57 10.68 33.38 4.06 117 167 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg								1 5014.31 44.13 54.00 -9.87 30.09 32.70 10.46 33.00 3.88 117 167 AVERAGE	1 5270.00 91.62 ----- 77.69 32.57 10.68 33.38 4.06 117 167 AVERAGE								<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Freq Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5014.31 44.13 54.00 -9.87 30.09 32.70 10.46 33.00 3.88 117 167 AVERAGE</td> <td>1 5270.00 91.62 ----- 77.69 32.57 10.68 33.38 4.06 117 167 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg								1 5014.31 44.13 54.00 -9.87 30.09 32.70 10.46 33.00 3.88 117 167 AVERAGE	1 5270.00 91.62 ----- 77.69 32.57 10.68 33.38 4.06 117 167 AVERAGE							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																									
1 5014.31 44.13 54.00 -9.87 30.09 32.70 10.46 33.00 3.88 117 167 AVERAGE	1 5270.00 91.62 ----- 77.69 32.57 10.68 33.38 4.06 117 167 AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																									
1 5014.31 44.13 54.00 -9.87 30.09 32.70 10.46 33.00 3.88 117 167 AVERAGE	1 5270.00 91.62 ----- 77.69 32.57 10.68 33.38 4.06 117 167 AVERAGE																																																																									



<p><b>Mode</b></p>	<p style="text-align: center;">16</p> <p style="text-align: center;">Band Edge - R</p> <p style="text-align: center;">U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz</p>																																								
<p><b>ANT</b></p>	<p style="text-align: center;">1</p>																																								
<p><b>Pol.</b></p>	<p style="text-align: center;">Vertical</p>	<p style="text-align: center;">Fundamental</p>																																							
<p><b>Peak</b></p>	<p>Site : 03CH23-HY          Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz SNT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5443.47</td> <td>52.11</td> <td>74.00</td> <td>-21.89</td> <td>37.78</td> <td>32.67</td> <td>11.20</td> <td>33.65</td> <td>4.11</td> <td>117</td> <td>167 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5443.47	52.11	74.00	-21.89	37.78	32.67	11.20	33.65	4.11	117	167 PEAK	<p style="text-align: center;">Blank</p>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5443.47	52.11	74.00	-21.89	37.78	32.67	11.20	33.65	4.11	117	167 PEAK																															
<p><b>Avg</b></p>	<p>Site : 03CH23-HY          Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL          : RBW:1000.000kHz VBW:1.600kHz SNT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5436.25</td> <td>42.96</td> <td>54.00</td> <td>-11.04</td> <td>28.65</td> <td>32.65</td> <td>11.20</td> <td>33.64</td> <td>4.10</td> <td>117</td> <td>167 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5436.25	42.96	54.00	-11.04	28.65	32.65	11.20	33.64	4.10	117	167 AVERAGE	<p style="text-align: center;">Blank</p>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5436.25	42.96	54.00	-11.04	28.65	32.65	11.20	33.64	4.10	117	167 AVERAGE																															



Mode	16																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>49.93</td> <td>68.20</td> <td>-18.27</td> <td>34.55</td> <td>37.27</td> <td>14.87</td> <td>38.90</td> <td>2.14</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>55.58</td> <td>74.00</td> <td>-18.42</td> <td>38.76</td> <td>40.68</td> <td>18.20</td> <td>44.88</td> <td>2.82</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>45.39</td> <td>54.00</td> <td>-8.61</td> <td>28.57</td> <td>40.68</td> <td>18.20</td> <td>44.88</td> <td>2.82</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10540.00	49.93	68.20	-18.27	34.55	37.27	14.87	38.90	2.14	--	--	Peak	2	15810.00	55.58	74.00	-18.42	38.76	40.68	18.20	44.88	2.82	--	--	Peak	3	15810.00	45.39	54.00	-8.61	28.57	40.68	18.20	44.88	2.82	--	--	Average	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>50.53</td> <td>68.20</td> <td>-17.67</td> <td>35.15</td> <td>37.27</td> <td>14.87</td> <td>38.90</td> <td>2.14</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>55.23</td> <td>74.00</td> <td>-18.77</td> <td>38.41</td> <td>40.68</td> <td>18.20</td> <td>44.88</td> <td>2.82</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>44.99</td> <td>54.00</td> <td>-9.01</td> <td>28.17</td> <td>40.68</td> <td>18.20</td> <td>44.88</td> <td>2.82</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10540.00	50.53	68.20	-17.67	35.15	37.27	14.87	38.90	2.14	--	--	Peak	2	15810.00	55.23	74.00	-18.77	38.41	40.68	18.20	44.88	2.82	--	--	Peak	3	15810.00	44.99	54.00	-9.01	28.17	40.68	18.20	44.88	2.82	--	--	Average
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10540.00	49.93	68.20	-18.27	34.55	37.27	14.87	38.90	2.14	--	--	Peak																																																																																																																								
2	15810.00	55.58	74.00	-18.42	38.76	40.68	18.20	44.88	2.82	--	--	Peak																																																																																																																								
3	15810.00	45.39	54.00	-8.61	28.57	40.68	18.20	44.88	2.82	--	--	Average																																																																																																																								
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10540.00	50.53	68.20	-17.67	35.15	37.27	14.87	38.90	2.14	--	--	Peak																																																																																																																								
2	15810.00	55.23	74.00	-18.77	38.41	40.68	18.20	44.88	2.82	--	--	Peak																																																																																																																								
3	15810.00	44.99	54.00	-9.01	28.17	40.68	18.20	44.88	2.82	--	--	Average																																																																																																																								





Mode	17																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Freq Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5008.68 53.41 74.00 -20.59 39.36 32.70 10.46 32.99 3.88 258 155 PEAK</td> <td>1 5310.00 100.34 -----</td> <td>86.37</td> <td>32.50</td> <td>10.86</td> <td>33.46</td> <td>4.07</td> <td>258</td> <td>155 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5008.68 53.41 74.00 -20.59 39.36 32.70 10.46 32.99 3.88 258 155 PEAK	1 5310.00 100.34 -----	86.37	32.50	10.86	33.46	4.07	258	155 PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Freq Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5310.00 100.34 -----</td> <td>1 5310.00 100.34 -----</td> <td>86.37</td> <td>32.50</td> <td>10.86</td> <td>33.46</td> <td>4.07</td> <td>258</td> <td>155 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5310.00 100.34 -----	1 5310.00 100.34 -----	86.37	32.50	10.86	33.46	4.07	258	155 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																									
1 5008.68 53.41 74.00 -20.59 39.36 32.70 10.46 32.99 3.88 258 155 PEAK	1 5310.00 100.34 -----	86.37	32.50	10.86	33.46	4.07	258	155 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																									
1 5310.00 100.34 -----	1 5310.00 100.34 -----	86.37	32.50	10.86	33.46	4.07	258	155 PEAK																																																																		
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Freq Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5008.60 44.17 54.00 -9.83 30.18 32.70 10.45 33.10 3.94 258 155 AVERAGE</td> <td>1 5310.00 93.35 -----</td> <td>79.38</td> <td>32.50</td> <td>10.86</td> <td>33.46</td> <td>4.07</td> <td>258</td> <td>155 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5008.60 44.17 54.00 -9.83 30.18 32.70 10.45 33.10 3.94 258 155 AVERAGE	1 5310.00 93.35 -----	79.38	32.50	10.86	33.46	4.07	258	155 AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Freq Level</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5310.00 93.35 -----</td> <td>1 5310.00 93.35 -----</td> <td>79.38</td> <td>32.50</td> <td>10.86</td> <td>33.46</td> <td>4.07</td> <td>258</td> <td>155 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1 5310.00 93.35 -----	1 5310.00 93.35 -----	79.38	32.50	10.86	33.46	4.07	258	155 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																									
1 5008.60 44.17 54.00 -9.83 30.18 32.70 10.45 33.10 3.94 258 155 AVERAGE	1 5310.00 93.35 -----	79.38	32.50	10.86	33.46	4.07	258	155 AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																									
1 5310.00 93.35 -----	1 5310.00 93.35 -----	79.38	32.50	10.86	33.46	4.07	258	155 AVERAGE																																																																		





Mode	17																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																														
ANT	1																																														
Pol.	Horizontal	Fundamental																																													
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5352.90</td> <td>58.42</td> <td>74.00</td> <td>-15.58</td> <td>44.35</td> <td>32.50</td> <td>11.01</td> <td>33.52</td> <td>4.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258 155 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5352.90	58.42	74.00	-15.58	44.35	32.50	11.01	33.52	4.00									258 155 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5352.90	58.42	74.00	-15.58	44.35	32.50	11.01	33.52	4.00																																							
								258 155 PEAK																																							
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.20</td> <td>46.41</td> <td>54.00</td> <td>-7.59</td> <td>32.34</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258 155 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.20	46.41	54.00	-7.59	32.34	32.50	11.00	33.51	4.00									258 155 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5350.20	46.41	54.00	-7.59	32.34	32.50	11.00	33.51	4.00																																							
								258 155 AVERAGE																																							



Mode	17																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5093.62 52.92 74.00 -21.08 38.94 32.70 10.45 33.12 3.95 106 157 PEAK</td> <td>52.92</td> <td>-21.08</td> <td>38.94</td> <td>32.70</td> <td>10.45</td> <td>33.12</td> <td>3.95</td> <td>106 157 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	dBuV/m	dB	dB	dB	dB	dB	dB	cm deg	1 5093.62 52.92 74.00 -21.08 38.94 32.70 10.45 33.12 3.95 106 157 PEAK	52.92	-21.08	38.94	32.70	10.45	33.12	3.95	106 157 PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00 99.43 ----- 85.46 32.50 10.86 33.46 4.07 106 157 PEAK</td> <td>99.43</td> <td>-----</td> <td>85.46</td> <td>32.50</td> <td>10.86</td> <td>33.46</td> <td>4.07</td> <td>106 157 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	dBuV/m	dB	dB	dB	dB	dB	dB	cm deg	1 5310.00 99.43 ----- 85.46 32.50 10.86 33.46 4.07 106 157 PEAK	99.43	-----	85.46	32.50	10.86	33.46	4.07	106 157 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	dBuV/m	dB	dB	dB	dB	dB	dB	cm deg																																																																		
1 5093.62 52.92 74.00 -21.08 38.94 32.70 10.45 33.12 3.95 106 157 PEAK	52.92	-21.08	38.94	32.70	10.45	33.12	3.95	106 157 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	dBuV/m	dB	dB	dB	dB	dB	dB	cm deg																																																																		
1 5310.00 99.43 ----- 85.46 32.50 10.86 33.46 4.07 106 157 PEAK	99.43	-----	85.46	32.50	10.86	33.46	4.07	106 157 PEAK																																																																		
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5065.72 44.11 54.00 -9.89 30.11 32.70 10.45 33.00 3.93 106 157 AVERAGE</td> <td>44.11</td> <td>-9.89</td> <td>30.11</td> <td>32.70</td> <td>10.45</td> <td>33.00</td> <td>3.93</td> <td>106 157 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	dBuV/m	dB	dB	dB	dB	dB	dB	cm deg	1 5065.72 44.11 54.00 -9.89 30.11 32.70 10.45 33.00 3.93 106 157 AVERAGE	44.11	-9.89	30.11	32.70	10.45	33.00	3.93	106 157 AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00 92.31 ----- 78.34 32.50 10.86 33.46 4.07 106 157 AVERAGE</td> <td>92.31</td> <td>-----</td> <td>78.34</td> <td>32.50</td> <td>10.86</td> <td>33.46</td> <td>4.07</td> <td>106 157 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	dBuV/m	dB	dB	dB	dB	dB	dB	cm deg	1 5310.00 92.31 ----- 78.34 32.50 10.86 33.46 4.07 106 157 AVERAGE	92.31	-----	78.34	32.50	10.86	33.46	4.07	106 157 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	dBuV/m	dB	dB	dB	dB	dB	dB	cm deg																																																																		
1 5065.72 44.11 54.00 -9.89 30.11 32.70 10.45 33.00 3.93 106 157 AVERAGE	44.11	-9.89	30.11	32.70	10.45	33.00	3.93	106 157 AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg	dBuV/m	dB	dB	dB	dB	dB	dB	cm deg																																																																		
1 5310.00 92.31 ----- 78.34 32.50 10.86 33.46 4.07 106 157 AVERAGE	92.31	-----	78.34	32.50	10.86	33.46	4.07	106 157 AVERAGE																																																																		



Mode	17																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	 <p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.65</td> <td>58.45</td> <td>74.00</td> <td>-15.55</td> <td>44.38</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> <td>106</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.65	58.45	74.00	-15.55	44.38	32.50	11.00	33.51	4.00	106	157	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5350.65	58.45	74.00	-15.55	44.38	32.50	11.00	33.51	4.00	106	157	PEAK																														
Avg	 <p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.50</td> <td>46.23</td> <td>54.00</td> <td>-7.77</td> <td>32.16</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> <td>106</td> <td>157</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.50	46.23	54.00	-7.77	32.16	32.50	11.00	33.51	4.00	106	157	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5350.50	46.23	54.00	-7.77	32.16	32.50	11.00	33.51	4.00	106	157	AVERAGE																														





Mode	17																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>50.05</td> <td>74.00</td> <td>-23.95</td> <td>34.57</td> <td>37.40</td> <td>14.92</td> <td>38.99</td> <td>2.15</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10620.00</td> <td>39.69</td> <td>54.00</td> <td>-14.31</td> <td>24.21</td> <td>37.40</td> <td>14.92</td> <td>38.99</td> <td>2.15</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15930.00</td> <td>54.14</td> <td>74.00</td> <td>-19.86</td> <td>37.50</td> <td>40.60</td> <td>18.24</td> <td>45.05</td> <td>2.85</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	50.05	74.00	-23.95	34.57	37.40	14.92	38.99	2.15	--	Peak	2	10620.00	39.69	54.00	-14.31	24.21	37.40	14.92	38.99	2.15	--	Average	3	15930.00	54.14	74.00	-19.86	37.50	40.60	18.24	45.05	2.85	--	Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>50.79</td> <td>74.00</td> <td>-23.21</td> <td>35.31</td> <td>37.40</td> <td>14.92</td> <td>38.99</td> <td>2.15</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10620.00</td> <td>40.57</td> <td>54.00</td> <td>-13.43</td> <td>25.09</td> <td>37.40</td> <td>14.92</td> <td>38.99</td> <td>2.15</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15930.00</td> <td>54.45</td> <td>74.00</td> <td>-19.55</td> <td>37.81</td> <td>40.60</td> <td>18.24</td> <td>45.05</td> <td>2.85</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	50.79	74.00	-23.21	35.31	37.40	14.92	38.99	2.15	--	Peak	2	10620.00	40.57	54.00	-13.43	25.09	37.40	14.92	38.99	2.15	--	Average	3	15930.00	54.45	74.00	-19.55	37.81	40.60	18.24	45.05	2.85	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10620.00	50.05	74.00	-23.95	34.57	37.40	14.92	38.99	2.15	--	Peak																																																																																																																													
2	10620.00	39.69	54.00	-14.31	24.21	37.40	14.92	38.99	2.15	--	Average																																																																																																																													
3	15930.00	54.14	74.00	-19.86	37.50	40.60	18.24	45.05	2.85	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10620.00	50.79	74.00	-23.21	35.31	37.40	14.92	38.99	2.15	--	Peak																																																																																																																													
2	10620.00	40.57	54.00	-13.43	25.09	37.40	14.92	38.99	2.15	--	Average																																																																																																																													
3	15930.00	54.45	74.00	-19.55	37.81	40.60	18.24	45.05	2.85	--	Peak																																																																																																																													



Mode	18																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5085.55</td> <td>53.40</td> <td>74.00</td> <td>-20.60</td> <td>39.42</td> <td>32.70</td> <td>10.45</td> <td>33.11</td> <td>3.94</td> <td>176</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5085.55	53.40	74.00	-20.60	39.42	32.70	10.45	33.11	3.94	176	158	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>98.07</td> <td>-----</td> <td>-----</td> <td>84.14</td> <td>32.51</td> <td>10.79</td> <td>33.43</td> <td>4.06</td> <td>176</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.07	-----	-----	84.14	32.51	10.79	33.43	4.06	176	158	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5085.55	53.40	74.00	-20.60	39.42	32.70	10.45	33.11	3.94	176	158	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	98.07	-----	-----	84.14	32.51	10.79	33.43	4.06	176	158	PEAK																																																																								
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5082.36</td> <td>44.83</td> <td>54.00</td> <td>-9.17</td> <td>30.85</td> <td>32.70</td> <td>10.45</td> <td>33.11</td> <td>3.94</td> <td>176</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5082.36	44.83	54.00	-9.17	30.85	32.70	10.45	33.11	3.94	176	158	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>89.96</td> <td>-----</td> <td>-----</td> <td>76.03</td> <td>32.52</td> <td>10.77</td> <td>33.42</td> <td>4.06</td> <td>176</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.96	-----	-----	76.03	32.52	10.77	33.42	4.06	176	158	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5082.36	44.83	54.00	-9.17	30.85	32.70	10.45	33.11	3.94	176	158	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	89.96	-----	-----	76.03	32.52	10.77	33.42	4.06	176	158	AVERAGE																																																																								



Mode	18																																					
	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																					
ANT	1																																					
Pol.	Horizontal	Fundamental																																				
Peak	 <p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1" data-bbox="279 1176 774 1288"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5379.25</td> <td>58.03</td> <td>74.00</td> <td>-15.97</td> <td>43.90</td> <td>32.50</td> <td>11.11</td> <td>33.56</td> <td>4.00</td> <td></td> <td>176</td> <td>158 PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5379.25	58.03	74.00	-15.97	43.90	32.50	11.11	33.56	4.00		176	158 PEAK	Blank
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 5379.25	58.03	74.00	-15.97	43.90	32.50	11.11	33.56	4.00		176	158 PEAK																											
Avg	 <p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto</p> <table border="1" data-bbox="279 1848 774 1960"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.35</td> <td>50.12</td> <td>54.00</td> <td>-3.88</td> <td>36.05</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> <td></td> <td>176</td> <td>158 AVERAGE</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5350.35	50.12	54.00	-3.88	36.05	32.50	11.00	33.51	4.00		176	158 AVERAGE	Blank
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 5350.35	50.12	54.00	-3.88	36.05	32.50	11.00	33.51	4.00		176	158 AVERAGE																											



Mode	18																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5083.81</td> <td>52.91</td> <td>74.00</td> <td>-21.09</td> <td>38.93</td> <td>32.70</td> <td>10.45</td> <td>33.11</td> <td>3.94</td> <td>118</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5083.81	52.91	74.00	-21.09	38.93	32.70	10.45	33.11	3.94	118	167	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>95.22</td> <td>-----</td> <td>-----</td> <td>81.29</td> <td>32.52</td> <td>10.77</td> <td>33.42</td> <td>4.06</td> <td>118</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	95.22	-----	-----	81.29	32.52	10.77	33.42	4.06	118	167	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5083.81	52.91	74.00	-21.09	38.93	32.70	10.45	33.11	3.94	118	167	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	95.22	-----	-----	81.29	32.52	10.77	33.42	4.06	118	167	PEAK																																																																								
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5054.81</td> <td>44.86</td> <td>54.00</td> <td>-9.14</td> <td>30.85</td> <td>32.70</td> <td>10.45</td> <td>33.06</td> <td>3.92</td> <td>118</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5054.81	44.86	54.00	-9.14	30.85	32.70	10.45	33.06	3.92	118	167	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>88.05</td> <td>-----</td> <td>-----</td> <td>74.12</td> <td>32.53</td> <td>10.75</td> <td>33.41</td> <td>4.06</td> <td>118</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.05	-----	-----	74.12	32.53	10.75	33.41	4.06	118	167	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5054.81	44.86	54.00	-9.14	30.85	32.70	10.45	33.06	3.92	118	167	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	88.05	-----	-----	74.12	32.53	10.75	33.41	4.06	118	167	AVERAGE																																																																								





Mode	18																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																														
ANT	1																																														
Pol.	Vertical	Fundamental																																													
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.69</td> <td>58.30</td> <td>74.00</td> <td>-15.70</td> <td>44.23</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>118 167 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.69	58.30	74.00	-15.70	44.23	32.50	11.00	33.51	4.00									118 167 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5350.69	58.30	74.00	-15.70	44.23	32.50	11.00	33.51	4.00																																							
								118 167 PEAK																																							
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.18</td> <td>49.65</td> <td>54.00</td> <td>-4.35</td> <td>35.58</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>118 167 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.18	49.65	54.00	-4.35	35.58	32.50	11.00	33.51	4.00									118 167 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5350.18	49.65	54.00	-4.35	35.58	32.50	11.00	33.51	4.00																																							
								118 167 AVERAGE																																							



Mode	18																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>49.34</td> <td>68.20</td> <td>-18.86</td> <td>33.90</td> <td>37.35</td> <td>14.89</td> <td>38.94</td> <td>2.14</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>54.03</td> <td>74.00</td> <td>-19.97</td> <td>37.34</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.83</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15870.00</td> <td>45.91</td> <td>54.00</td> <td>-8.09</td> <td>29.21</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable Loss	Preamp	Aux	APos	TPos	Remark	1	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10580.00	49.34	68.20	-18.86	33.90	37.35	14.89	38.94	2.14	--	--	Peak	2	15870.00	54.03	74.00	-19.97	37.34	40.60	18.22	44.96	2.83	--	--	Peak	3	15870.00	45.91	54.00	-8.09	29.21	40.60	18.22	44.96	2.84	--	--	Average	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>48.91</td> <td>68.20</td> <td>-19.29</td> <td>33.47</td> <td>37.35</td> <td>14.89</td> <td>38.94</td> <td>2.14</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>53.71</td> <td>74.00</td> <td>-20.29</td> <td>37.02</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.83</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15870.00</td> <td>46.09</td> <td>54.00</td> <td>-7.91</td> <td>29.39</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable Loss	Preamp	Aux	APos	TPos	Remark	1	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10580.00	48.91	68.20	-19.29	33.47	37.35	14.89	38.94	2.14	--	--	Peak	2	15870.00	53.71	74.00	-20.29	37.02	40.60	18.22	44.96	2.83	--	--	Peak	3	15870.00	46.09	54.00	-7.91	29.39	40.60	18.22	44.96	2.84	--	--	Average
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																																																																																								
1	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10580.00	49.34	68.20	-18.86	33.90	37.35	14.89	38.94	2.14	--	--	Peak																																																																																																																								
2	15870.00	54.03	74.00	-19.97	37.34	40.60	18.22	44.96	2.83	--	--	Peak																																																																																																																								
3	15870.00	45.91	54.00	-8.09	29.21	40.60	18.22	44.96	2.84	--	--	Average																																																																																																																								
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																																																																																								
1	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10580.00	48.91	68.20	-19.29	33.47	37.35	14.89	38.94	2.14	--	--	Peak																																																																																																																								
2	15870.00	53.71	74.00	-20.29	37.02	40.60	18.22	44.96	2.83	--	--	Peak																																																																																																																								
3	15870.00	46.09	54.00	-7.91	29.39	40.60	18.22	44.96	2.84	--	--	Average																																																																																																																								



Mode	19																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.50</td> <td>52.01</td> <td>74.00</td> <td>-21.99</td> <td>37.66</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>344</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.55</td> <td>52.87</td> <td>68.20</td> <td>-15.33</td> <td>38.52</td> <td>32.73</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>344</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	52.01	74.00	-21.99	37.66	32.72	11.20	33.68	4.11	344	156	PEAK	2	5466.55	52.87	68.20	-15.33	38.52	32.73	11.20	33.69	4.11	344	156	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.51</td> <td>-----</td> <td>-----</td> <td>90.13</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>344</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.51	-----	-----	90.13	32.80	11.20	33.74	4.12	344	156	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.50	52.01	74.00	-21.99	37.66	32.72	11.20	33.68	4.11	344	156	PEAK																																																																																					
2	5466.55	52.87	68.20	-15.33	38.52	32.73	11.20	33.69	4.11	344	156	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	104.51	-----	-----	90.13	32.80	11.20	33.74	4.12	344	156	PEAK																																																																																					
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.30</td> <td>43.63</td> <td>54.00</td> <td>-10.37</td> <td>29.28</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>344</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.30	43.63	54.00	-10.37	29.28	32.72	11.20	33.68	4.11	344	156	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.89</td> <td>-----</td> <td>-----</td> <td>83.51</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>344</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.89	-----	-----	83.51	32.80	11.20	33.74	4.12	344	156	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.30	43.63	54.00	-10.37	29.28	32.72	11.20	33.68	4.11	344	156	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	97.89	-----	-----	83.51	32.80	11.20	33.74	4.12	344	156	AVERAGE																																																																																					



Mode	19																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(U-NII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.60</td> <td>52.67</td> <td>74.00</td> <td>-21.33</td> <td>38.32</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>104</td> <td>154</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.50</td> <td>54.27</td> <td>68.20</td> <td>-13.93</td> <td>39.91</td> <td>32.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>104</td> <td>154</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.60	52.67	74.00	-21.33	38.32	32.72	11.20	33.68	4.11	104	154	PEAK	2	5468.50	54.27	68.20	-13.93	39.91	32.74	11.20	33.69	4.11	104	154	PEAK	<p>Site : 03CH23-HY Condition: PEAK(U-NII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.57</td> <td>-----</td> <td>-----</td> <td>92.19</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>104</td> <td>154</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.57	-----	-----	92.19	32.80	11.20	33.74	4.12	104	154	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5458.60	52.67	74.00	-21.33	38.32	32.72	11.20	33.68	4.11	104	154	PEAK																																																																																											
2	5468.50	54.27	68.20	-13.93	39.91	32.74	11.20	33.69	4.11	104	154	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	106.57	-----	-----	92.19	32.80	11.20	33.74	4.12	104	154	PEAK																																																																																											
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(U-NII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.00</td> <td>43.89</td> <td>54.00</td> <td>-10.11</td> <td>29.54</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>104</td> <td>154</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	43.89	54.00	-10.11	29.54	32.72	11.20	33.68	4.11	104	154	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.11</td> <td>-----</td> <td>-----</td> <td>84.73</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>104</td> <td>154</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.11	-----	-----	84.73	32.80	11.20	33.74	4.12	104	154	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5450.00	43.89	54.00	-10.11	29.54	32.72	11.20	33.68	4.11	104	154	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	99.11	-----	-----	84.73	32.80	11.20	33.74	4.12	104	154	AVERAGE																																																																																											



Mode	19																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>51.47</td> <td>74.00</td> <td>-22.53</td> <td>35.82</td> <td>37.71</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>41.22</td> <td>54.00</td> <td>-12.78</td> <td>25.58</td> <td>37.70</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>55.16</td> <td>68.20</td> <td>-13.04</td> <td>38.71</td> <td>40.59</td> <td>18.56</td> <td>45.75</td> <td>3.05</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	51.47	74.00	-22.53	35.82	37.71	15.16	39.39	2.17	--	Peak	2	11000.00	41.22	54.00	-12.78	25.58	37.70	15.16	39.39	2.17	--	Average	3	16500.00	55.16	68.20	-13.04	38.71	40.59	18.56	45.75	3.05	--	Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>51.17</td> <td>74.00</td> <td>-22.83</td> <td>35.52</td> <td>37.71</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>40.81</td> <td>54.00</td> <td>-13.19</td> <td>25.17</td> <td>37.70</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>54.71</td> <td>68.20</td> <td>-13.49</td> <td>38.26</td> <td>40.59</td> <td>18.56</td> <td>45.75</td> <td>3.05</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	51.17	74.00	-22.83	35.52	37.71	15.16	39.39	2.17	--	Peak	2	11000.00	40.81	54.00	-13.19	25.17	37.70	15.16	39.39	2.17	--	Average	3	16500.00	54.71	68.20	-13.49	38.26	40.59	18.56	45.75	3.05	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11000.00	51.47	74.00	-22.53	35.82	37.71	15.16	39.39	2.17	--	Peak																																																																																																																													
2	11000.00	41.22	54.00	-12.78	25.58	37.70	15.16	39.39	2.17	--	Average																																																																																																																													
3	16500.00	55.16	68.20	-13.04	38.71	40.59	18.56	45.75	3.05	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11000.00	51.17	74.00	-22.83	35.52	37.71	15.16	39.39	2.17	--	Peak																																																																																																																													
2	11000.00	40.81	54.00	-13.19	25.17	37.70	15.16	39.39	2.17	--	Average																																																																																																																													
3	16500.00	54.71	68.20	-13.49	38.26	40.59	18.56	45.75	3.05	--	Peak																																																																																																																													



Mode	20																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.21</td> <td>51.79</td> <td>74.00</td> <td>-22.21</td> <td>37.45</td> <td>32.69</td> <td>11.20</td> <td>33.66</td> <td>4.11</td> <td>271</td> <td>162</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.38</td> <td>51.32</td> <td>68.20</td> <td>-16.88</td> <td>36.97</td> <td>32.73</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>271</td> <td>162</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.21	51.79	74.00	-22.21	37.45	32.69	11.20	33.66	4.11	271	162	PEAK	2	5466.38	51.32	68.20	-16.88	36.97	32.73	11.20	33.69	4.11	271	162	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>104.55</td> <td>-----</td> <td>-----</td> <td>89.90</td> <td>33.07</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>271</td> <td>162</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	104.55	-----	-----	89.90	33.07	11.22	33.79	4.15	271	162	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5448.21	51.79	74.00	-22.21	37.45	32.69	11.20	33.66	4.11	271	162	PEAK																																																																																											
2	5466.38	51.32	68.20	-16.88	36.97	32.73	11.20	33.69	4.11	271	162	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5580.00	104.55	-----	-----	89.90	33.07	11.22	33.79	4.15	271	162	PEAK																																																																																											
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.49</td> <td>42.59</td> <td>54.00</td> <td>-11.41</td> <td>28.24</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>271</td> <td>162</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.49	42.59	54.00	-11.41	28.24	32.71	11.20	33.67	4.11	271	162	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>97.99</td> <td>-----</td> <td>-----</td> <td>83.35</td> <td>33.06</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>271</td> <td>162</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	97.99	-----	-----	83.35	33.06	11.22	33.79	4.15	271	162	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5456.49	42.59	54.00	-11.41	28.24	32.71	11.20	33.67	4.11	271	162	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5580.00	97.99	-----	-----	83.35	33.06	11.22	33.79	4.15	271	162	AVERAGE																																																																																											



Mode	20																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																							
ANT	1																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5739.66</td> <td>52.48</td> <td>68.20</td> <td>-15.72</td> <td>37.31</td> <td>33.86</td> <td>11.00</td> <td>33.88</td> <td>4.19</td> <td>271 162 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5739.66	52.48	68.20	-15.72	37.31	33.86	11.00	33.88	4.19	271 162 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5739.66	52.48	68.20	-15.72	37.31	33.86	11.00	33.88	4.19	271 162 PEAK																															



Mode	20																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5426.59</td> <td>52.45</td> <td>74.00</td> <td>-21.55</td> <td>38.18</td> <td>32.61</td> <td>11.19</td> <td>33.63</td> <td>4.10</td> <td>116</td> <td>154</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.40</td> <td>52.05</td> <td>68.20</td> <td>-16.15</td> <td>37.70</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>116</td> <td>154</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.59	52.45	74.00	-21.55	38.18	32.61	11.19	33.63	4.10	116	154	PEAK	2	5460.40	52.05	68.20	-16.15	37.70	32.72	11.20	33.68	4.11	116	154	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>106.57</td> <td>-----</td> <td>-----</td> <td>91.92</td> <td>33.07</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>116</td> <td>154</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	106.57	-----	-----	91.92	33.07	11.22	33.79	4.15	116	154	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5426.59	52.45	74.00	-21.55	38.18	32.61	11.19	33.63	4.10	116	154	PEAK																																																																																											
2	5460.40	52.05	68.20	-16.15	37.70	32.72	11.20	33.68	4.11	116	154	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5580.00	106.57	-----	-----	91.92	33.07	11.22	33.79	4.15	116	154	PEAK																																																																																											
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.72</td> <td>42.97</td> <td>54.00</td> <td>-11.03</td> <td>28.62</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>116</td> <td>154</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.72	42.97	54.00	-11.03	28.62	32.71	11.20	33.67	4.11	116	154	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>99.88</td> <td>-----</td> <td>-----</td> <td>85.23</td> <td>33.07</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>116</td> <td>154</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	99.88	-----	-----	85.23	33.07	11.22	33.79	4.15	116	154	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5456.72	42.97	54.00	-11.03	28.62	32.71	11.20	33.67	4.11	116	154	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5580.00	99.88	-----	-----	85.23	33.07	11.22	33.79	4.15	116	154	AVERAGE																																																																																											





Mode	20																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5743.17</td> <td>53.52</td> <td>68.20</td> <td>-14.68</td> <td>38.35</td> <td>33.87</td> <td>11.00</td> <td>33.89</td> <td>4.19</td> <td>116</td> <td>154 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5743.17	53.52	68.20	-14.68	38.35	33.87	11.00	33.89	4.19	116	154 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5743.17	53.52	68.20	-14.68	38.35	33.87	11.00	33.89	4.19	116	154 PEAK																															



Mode	20																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>11160.00</th> <th>50.90</th> <th>74.00</th> <th>-23.10</th> <th>34.85</th> <th>38.03</th> <th>15.31</th> <th>39.47</th> <th>2.18</th> <th>--</th> <th>--</th> <th>Peak</th> </tr> <tr> <th>2</th> <th>11160.00</th> <th>40.65</th> <th>54.00</th> <th>-13.35</th> <th>24.59</th> <th>38.04</th> <th>15.31</th> <th>39.47</th> <th>2.18</th> <th>--</th> <th>--</th> <th>Average</th> </tr> <tr> <th>3</th> <th>16740.00</th> <th>54.06</th> <th>68.20</th> <th>-14.14</th> <th>37.65</th> <th>40.37</th> <th>18.69</th> <th>45.79</th> <th>3.14</th> <th>--</th> <th>--</th> <th>Peak</th> </tr> </thead> <tbody> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	11160.00	50.90	74.00	-23.10	34.85	38.03	15.31	39.47	2.18	--	--	Peak	2	11160.00	40.65	54.00	-13.35	24.59	38.04	15.31	39.47	2.18	--	--	Average	3	16740.00	54.06	68.20	-14.14	37.65	40.37	18.69	45.79	3.14	--	--	Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>11160.00</th> <th>52.27</th> <th>74.00</th> <th>-21.73</th> <th>36.22</th> <th>38.03</th> <th>15.31</th> <th>39.47</th> <th>2.18</th> <th>--</th> <th>--</th> <th>Peak</th> </tr> <tr> <th>2</th> <th>11160.00</th> <th>41.91</th> <th>54.00</th> <th>-12.09</th> <th>25.85</th> <th>38.04</th> <th>15.31</th> <th>39.47</th> <th>2.18</th> <th>--</th> <th>--</th> <th>Average</th> </tr> <tr> <th>3</th> <th>16740.00</th> <th>54.53</th> <th>68.20</th> <th>-13.67</th> <th>38.12</th> <th>40.37</th> <th>18.69</th> <th>45.79</th> <th>3.14</th> <th>--</th> <th>--</th> <th>Peak</th> </tr> </thead> <tbody> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	11160.00	52.27	74.00	-21.73	36.22	38.03	15.31	39.47	2.18	--	--	Peak	2	11160.00	41.91	54.00	-12.09	25.85	38.04	15.31	39.47	2.18	--	--	Average	3	16740.00	54.53	68.20	-13.67	38.12	40.37	18.69	45.79	3.14	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
1	11160.00	50.90	74.00	-23.10	34.85	38.03	15.31	39.47	2.18	--	--	Peak																																																																																								
2	11160.00	40.65	54.00	-13.35	24.59	38.04	15.31	39.47	2.18	--	--	Average																																																																																								
3	16740.00	54.06	68.20	-14.14	37.65	40.37	18.69	45.79	3.14	--	--	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
1	11160.00	52.27	74.00	-21.73	36.22	38.03	15.31	39.47	2.18	--	--	Peak																																																																																								
2	11160.00	41.91	54.00	-12.09	25.85	38.04	15.31	39.47	2.18	--	--	Average																																																																																								
3	16740.00	54.53	68.20	-13.67	38.12	40.37	18.69	45.79	3.14	--	--	Peak																																																																																								



Mode	21																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5725.09 58.79 68.20 -9.41</td> <td>43.65</td> <td>33.80</td> <td>11.03</td> <td>33.88</td> <td>4.19</td> <td>300</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg		1 5725.09 58.79 68.20 -9.41	43.65	33.80	11.03	33.88	4.19	300	155	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 102.26</td> <td>-----</td> <td>87.16</td> <td>33.72</td> <td>11.06</td> <td>33.86</td> <td>4.18</td> <td>300</td> <td>155 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg		1 5700.00 102.26	-----	87.16	33.72	11.06	33.86	4.18	300	155 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5725.09 58.79 68.20 -9.41	43.65	33.80	11.03	33.88	4.19	300	155	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5700.00 102.26	-----	87.16	33.72	11.06	33.86	4.18	300	155 PEAK																																																																		
Avg	Blank	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 95.85</td> <td>-----</td> <td>80.77</td> <td>33.69</td> <td>11.07</td> <td>33.86</td> <td>4.18</td> <td>300</td> <td>155 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg		1 5700.00 95.85	-----	80.77	33.69	11.07	33.86	4.18	300	155 AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																		
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5700.00 95.85	-----	80.77	33.69	11.07	33.86	4.18	300	155 AVERAGE																																																																		







Mode	21																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5726.33 68.84 68.20 -7.36 45.70 33.81 11.02 33.88 4.19 100 157 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5726.33 68.84 68.20 -7.36 45.70 33.81 11.02 33.88 4.19 100 157 PEAK									<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 106.39 ----- 91.29 33.72 11.06 33.86 4.18 100 157 PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5700.00 106.39 ----- 91.29 33.72 11.06 33.86 4.18 100 157 PEAK								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5726.33 68.84 68.20 -7.36 45.70 33.81 11.02 33.88 4.19 100 157 PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5700.00 106.39 ----- 91.29 33.72 11.06 33.86 4.18 100 157 PEAK																																																																										
Avg	Blank	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 99.66 ----- 84.58 33.69 11.07 33.86 4.18 100 157 AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5700.00 99.66 ----- 84.58 33.69 11.07 33.86 4.18 100 157 AVERAGE																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																										
1 5700.00 99.66 ----- 84.58 33.69 11.07 33.86 4.18 100 157 AVERAGE																																																																										



Mode	21																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>53.00</td> <td>74.00</td> <td>-21.00</td> <td>36.25</td> <td>38.60</td> <td>15.54</td> <td>39.58</td> <td>2.19</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>42.76</td> <td>54.00</td> <td>-11.24</td> <td>26.01</td> <td>38.60</td> <td>15.54</td> <td>39.58</td> <td>2.19</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>54.41</td> <td>68.20</td> <td>-13.79</td> <td>38.10</td> <td>40.10</td> <td>18.89</td> <td>45.96</td> <td>3.28</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	53.00	74.00	-21.00	36.25	38.60	15.54	39.58	2.19	--	Peak	2	11400.00	42.76	54.00	-11.24	26.01	38.60	15.54	39.58	2.19	--	Average	3	17100.00	54.41	68.20	-13.79	38.10	40.10	18.89	45.96	3.28	--	Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>52.59</td> <td>74.00</td> <td>-21.41</td> <td>35.84</td> <td>38.60</td> <td>15.54</td> <td>39.58</td> <td>2.19</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>42.45</td> <td>54.00</td> <td>-11.55</td> <td>25.70</td> <td>38.60</td> <td>15.54</td> <td>39.58</td> <td>2.19</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>54.24</td> <td>68.20</td> <td>-13.96</td> <td>37.93</td> <td>40.10</td> <td>18.89</td> <td>45.96</td> <td>3.28</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	52.59	74.00	-21.41	35.84	38.60	15.54	39.58	2.19	--	Peak	2	11400.00	42.45	54.00	-11.55	25.70	38.60	15.54	39.58	2.19	--	Average	3	17100.00	54.24	68.20	-13.96	37.93	40.10	18.89	45.96	3.28	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11400.00	53.00	74.00	-21.00	36.25	38.60	15.54	39.58	2.19	--	Peak																																																																																																																													
2	11400.00	42.76	54.00	-11.24	26.01	38.60	15.54	39.58	2.19	--	Average																																																																																																																													
3	17100.00	54.41	68.20	-13.79	38.10	40.10	18.89	45.96	3.28	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11400.00	52.59	74.00	-21.41	35.84	38.60	15.54	39.58	2.19	--	Peak																																																																																																																													
2	11400.00	42.45	54.00	-11.55	25.70	38.60	15.54	39.58	2.19	--	Average																																																																																																																													
3	17100.00	54.24	68.20	-13.96	37.93	40.10	18.89	45.96	3.28	--	Peak																																																																																																																													



Mode	22																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5431.90</td> <td>52.26</td> <td>74.00</td> <td>-21.74</td> <td>37.98</td> <td>32.63</td> <td>11.19</td> <td>33.64</td> <td>4.10</td> <td>304</td> <td>160</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.65</td> <td>52.77</td> <td>68.20</td> <td>-15.43</td> <td>38.41</td> <td>32.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>304</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.90	52.26	74.00	-21.74	37.98	32.63	11.19	33.64	4.10	304	160	PEAK	2	5468.65	52.77	68.20	-15.43	38.41	32.74	11.20	33.69	4.11	304	160	PEAK	 <p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.03</td> <td>-----</td> <td>-----</td> <td>91.65</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>304</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.03	-----	-----	91.65	32.80	11.20	33.74	4.12	304	160	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5431.90	52.26	74.00	-21.74	37.98	32.63	11.19	33.64	4.10	304	160	PEAK																																																																																											
2	5468.65	52.77	68.20	-15.43	38.41	32.74	11.20	33.69	4.11	304	160	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	106.03	-----	-----	91.65	32.80	11.20	33.74	4.12	304	160	PEAK																																																																																											
Avg	 <p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.20</td> <td>43.69</td> <td>54.00</td> <td>-10.31</td> <td>29.34</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>304</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.20	43.69	54.00	-10.31	29.34	32.72	11.20	33.68	4.11	304	160	AVERAGE	 <p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>98.75</td> <td>-----</td> <td>-----</td> <td>84.37</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>304</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.75	-----	-----	84.37	32.80	11.20	33.74	4.12	304	160	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.20	43.69	54.00	-10.31	29.34	32.72	11.20	33.68	4.11	304	160	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	98.75	-----	-----	84.37	32.80	11.20	33.74	4.12	304	160	AVERAGE																																																																																											



Mode	22																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.20</td> <td>52.69</td> <td>74.00</td> <td>-21.31</td> <td>38.34</td> <td>32.70</td> <td>11.20</td> <td>33.66</td> <td>4.11</td> <td>400</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.65</td> <td>52.69</td> <td>68.20</td> <td>-15.51</td> <td>38.34</td> <td>32.73</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>400</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.20	52.69	74.00	-21.31	38.34	32.70	11.20	33.66	4.11	400	156	PEAK	2	5465.65	52.69	68.20	-15.51	38.34	32.73	11.20	33.69	4.11	400	156	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.29</td> <td>-----</td> <td>-----</td> <td>89.91</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>400</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.29	-----	-----	89.91	32.80	11.20	33.74	4.12	400	156	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.20	52.69	74.00	-21.31	38.34	32.70	11.20	33.66	4.11	400	156	PEAK																																																																																					
2	5465.65	52.69	68.20	-15.51	38.34	32.73	11.20	33.69	4.11	400	156	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	104.29	-----	-----	89.91	32.80	11.20	33.74	4.12	400	156	PEAK																																																																																					
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.75</td> <td>43.30</td> <td>54.00</td> <td>-10.70</td> <td>28.95</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>400</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.75	43.30	54.00	-10.70	28.95	32.72	11.20	33.68	4.11	400	156	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.11</td> <td>-----</td> <td>-----</td> <td>82.73</td> <td>32.80</td> <td>11.20</td> <td>33.74</td> <td>4.12</td> <td>400</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.11	-----	-----	82.73	32.80	11.20	33.74	4.12	400	156	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.75	43.30	54.00	-10.70	28.95	32.72	11.20	33.68	4.11	400	156	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	97.11	-----	-----	82.73	32.80	11.20	33.74	4.12	400	156	AVERAGE																																																																																					



Mode	22																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>51.78</td> <td>74.00</td> <td>-22.22</td> <td>36.13</td> <td>37.71</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>-- Peak</td> </tr> <tr> <td>2 11000.00</td> <td>41.61</td> <td>54.00</td> <td>-12.39</td> <td>25.97</td> <td>37.70</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>-- Average</td> </tr> <tr> <td>3 16500.00</td> <td>54.46</td> <td>68.20</td> <td>-13.74</td> <td>38.01</td> <td>40.59</td> <td>18.56</td> <td>45.75</td> <td>3.05</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	51.78	74.00	-22.22	36.13	37.71	15.16	39.39	2.17	-- Peak	2 11000.00	41.61	54.00	-12.39	25.97	37.70	15.16	39.39	2.17	-- Average	3 16500.00	54.46	68.20	-13.74	38.01	40.59	18.56	45.75	3.05	-- Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>50.92</td> <td>74.00</td> <td>-23.08</td> <td>35.27</td> <td>37.71</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>-- Peak</td> </tr> <tr> <td>2 11000.00</td> <td>40.68</td> <td>54.00</td> <td>-13.32</td> <td>25.04</td> <td>37.70</td> <td>15.16</td> <td>39.39</td> <td>2.17</td> <td>-- Average</td> </tr> <tr> <td>3 16500.00</td> <td>55.58</td> <td>68.20</td> <td>-12.62</td> <td>39.13</td> <td>40.59</td> <td>18.56</td> <td>45.75</td> <td>3.05</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	50.92	74.00	-23.08	35.27	37.71	15.16	39.39	2.17	-- Peak	2 11000.00	40.68	54.00	-13.32	25.04	37.70	15.16	39.39	2.17	-- Average	3 16500.00	55.58	68.20	-12.62	39.13	40.59	18.56	45.75	3.05	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 11000.00	51.78	74.00	-22.22	36.13	37.71	15.16	39.39	2.17	-- Peak																																																																																																																	
2 11000.00	41.61	54.00	-12.39	25.97	37.70	15.16	39.39	2.17	-- Average																																																																																																																	
3 16500.00	54.46	68.20	-13.74	38.01	40.59	18.56	45.75	3.05	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 11000.00	50.92	74.00	-23.08	35.27	37.71	15.16	39.39	2.17	-- Peak																																																																																																																	
2 11000.00	40.68	54.00	-13.32	25.04	37.70	15.16	39.39	2.17	-- Average																																																																																																																	
3 16500.00	55.58	68.20	-12.62	39.13	40.59	18.56	45.75	3.05	-- Peak																																																																																																																	





Mode	23																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
	<div data-bbox="207 616 798 1064"> </div> <div data-bbox="255 1075 766 1142"> <p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> </div> <table border="1" data-bbox="271 1153 758 1288"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5417.39</td> <td>51.88</td> <td>74.00</td> <td>-22.12</td> <td>37.63</td> <td>32.57</td> <td>11.19</td> <td>33.61</td> <td>4.10</td> <td>264</td> <td>158</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.01</td> <td>52.39</td> <td>68.20</td> <td>-15.81</td> <td>38.04</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>264</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5417.39	51.88	74.00	-22.12	37.63	32.57	11.19	33.61	4.10	264	158	PEAK	2	5462.01	52.39	68.20	-15.81	38.04	32.72	11.20	33.68	4.11	264	158	PEAK	<div data-bbox="845 616 1436 1064"> </div> <div data-bbox="893 1075 1404 1142"> <p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> </div> <table border="1" data-bbox="909 1153 1396 1288"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>104.94</td> <td>-----</td> <td>-----</td> <td>90.29</td> <td>33.07</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>264</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	104.94	-----	-----	90.29	33.07	11.22	33.79	4.15	264	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5417.39	51.88	74.00	-22.12	37.63	32.57	11.19	33.61	4.10	264	158	PEAK																																																																																										
2	5462.01	52.39	68.20	-15.81	38.04	32.72	11.20	33.68	4.11	264	158	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5580.00	104.94	-----	-----	90.29	33.07	11.22	33.79	4.15	264	158	PEAK																																																																																										
Avg	<div data-bbox="207 1299 798 1747"> </div> <div data-bbox="255 1758 766 1825"> <p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto</p> </div> <table border="1" data-bbox="271 1836 758 1971"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.41</td> <td>42.77</td> <td>54.00</td> <td>-11.23</td> <td>28.43</td> <td>32.71</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>264</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.41	42.77	54.00	-11.23	28.43	32.71	11.20	33.68	4.11	264	158	AVERAGE	<div data-bbox="845 1299 1436 1747"> </div> <div data-bbox="893 1758 1404 1825"> <p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto</p> </div> <table border="1" data-bbox="909 1836 1396 1971"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>90.17</td> <td>-----</td> <td>-----</td> <td>83.53</td> <td>33.06</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>264</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	90.17	-----	-----	83.53	33.06	11.22	33.79	4.15	264	158	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5457.41	42.77	54.00	-11.23	28.43	32.71	11.20	33.68	4.11	264	158	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5580.00	90.17	-----	-----	83.53	33.06	11.22	33.79	4.15	264	158	AVERAGE																																																																																										



Mode	23																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(U-NII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5744.47</td> <td>52.85</td> <td>68.20</td> <td>-15.35</td> <td>37.67</td> <td>33.88</td> <td>11.00</td> <td>33.89</td> <td>4.19</td> <td>264</td> <td>158 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5744.47	52.85	68.20	-15.35	37.67	33.88	11.00	33.89	4.19	264	158 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5744.47	52.85	68.20	-15.35	37.67	33.88	11.00	33.89	4.19	264	158 PEAK																															



Mode	23																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5411.87</td> <td>51.68</td> <td>74.00</td> <td>-22.32</td> <td>37.46</td> <td>32.55</td> <td>11.19</td> <td>33.61</td> <td>4.09</td> <td>257</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.14</td> <td>51.01</td> <td>68.20</td> <td>-17.19</td> <td>36.65</td> <td>32.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>257</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5411.87	51.68	74.00	-22.32	37.46	32.55	11.19	33.61	4.09	257	155	PEAK	2	5469.14	51.01	68.20	-17.19	36.65	32.74	11.20	33.69	4.11	257	155	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>107.37</td> <td>-----</td> <td>-----</td> <td>92.73</td> <td>33.06</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>257</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5580.00	107.37	-----	-----	92.73	33.06	11.22	33.79	4.15	257	155	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5411.87	51.68	74.00	-22.32	37.46	32.55	11.19	33.61	4.09	257	155	PEAK																																																																																			
2	5469.14	51.01	68.20	-17.19	36.65	32.74	11.20	33.69	4.11	257	155	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5580.00	107.37	-----	-----	92.73	33.06	11.22	33.79	4.15	257	155	PEAK																																																																																			
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.25</td> <td>42.81</td> <td>54.00</td> <td>-11.19</td> <td>28.46</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>257</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5459.25	42.81	54.00	-11.19	28.46	32.72	11.20	33.68	4.11	257	155	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>100.27</td> <td>-----</td> <td>-----</td> <td>85.63</td> <td>33.06</td> <td>11.22</td> <td>33.79</td> <td>4.15</td> <td>257</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5580.00	100.27	-----	-----	85.63	33.06	11.22	33.79	4.15	257	155	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5459.25	42.81	54.00	-11.19	28.46	32.72	11.20	33.68	4.11	257	155	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5580.00	100.27	-----	-----	85.63	33.06	11.22	33.79	4.15	257	155	AVERAGE																																																																																			



Mode	23																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(U-NII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5752.24</td> <td>52.45</td> <td>68.20</td> <td>-15.75</td> <td>37.27</td> <td>33.90</td> <td>10.98</td> <td>33.89</td> <td>4.19</td> <td>257</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5752.24	52.45	68.20	-15.75	37.27	33.90	10.98	33.89	4.19	257	155	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5752.24	52.45	68.20	-15.75	37.27	33.90	10.98	33.89	4.19	257	155	PEAK																															



Mode	23																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>51.54</td> <td>74.00</td> <td>-22.46</td> <td>35.49</td> <td>38.03</td> <td>15.31</td> <td>39.47</td> <td>2.18</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>41.26</td> <td>54.00</td> <td>-12.74</td> <td>25.20</td> <td>38.04</td> <td>15.31</td> <td>39.47</td> <td>2.18</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>54.85</td> <td>68.20</td> <td>-13.35</td> <td>38.44</td> <td>40.37</td> <td>18.69</td> <td>45.79</td> <td>3.14</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	51.54	74.00	-22.46	35.49	38.03	15.31	39.47	2.18	--	Peak	2	11160.00	41.26	54.00	-12.74	25.20	38.04	15.31	39.47	2.18	--	Average	3	16740.00	54.85	68.20	-13.35	38.44	40.37	18.69	45.79	3.14	--	Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>52.63</td> <td>74.00</td> <td>-21.37</td> <td>36.58</td> <td>38.03</td> <td>15.31</td> <td>39.47</td> <td>2.18</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>42.34</td> <td>54.00</td> <td>-11.66</td> <td>26.28</td> <td>38.04</td> <td>15.31</td> <td>39.47</td> <td>2.18</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>54.57</td> <td>68.20</td> <td>-13.63</td> <td>38.16</td> <td>40.37</td> <td>18.69</td> <td>45.79</td> <td>3.14</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	52.63	74.00	-21.37	36.58	38.03	15.31	39.47	2.18	--	Peak	2	11160.00	42.34	54.00	-11.66	26.28	38.04	15.31	39.47	2.18	--	Average	3	16740.00	54.57	68.20	-13.63	38.16	40.37	18.69	45.79	3.14	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	11160.00	51.54	74.00	-22.46	35.49	38.03	15.31	39.47	2.18	--	Peak																																																																																																																											
2	11160.00	41.26	54.00	-12.74	25.20	38.04	15.31	39.47	2.18	--	Average																																																																																																																											
3	16740.00	54.85	68.20	-13.35	38.44	40.37	18.69	45.79	3.14	--	Peak																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	11160.00	52.63	74.00	-21.37	36.58	38.03	15.31	39.47	2.18	--	Peak																																																																																																																											
2	11160.00	42.34	54.00	-11.66	26.28	38.04	15.31	39.47	2.18	--	Average																																																																																																																											
3	16740.00	54.57	68.20	-13.63	38.16	40.37	18.69	45.79	3.14	--	Peak																																																																																																																											



Mode	24																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5725.94 56.66 68.20 -11.54</td> <td>41.53 33.80</td> <td>11.02 33.88</td> <td>4.19</td> <td>335</td> <td>149</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg		1 5725.94 56.66 68.20 -11.54	41.53 33.80	11.02 33.88	4.19	335	149	PEAK			<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 104.08</td> <td>-----</td> <td>89.00 33.69</td> <td>11.07 33.86</td> <td>4.18</td> <td>335</td> <td>149</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg		1 5700.00 104.08	-----	89.00 33.69	11.07 33.86	4.18	335	149	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5725.94 56.66 68.20 -11.54	41.53 33.80	11.02 33.88	4.19	335	149	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5700.00 104.08	-----	89.00 33.69	11.07 33.86	4.18	335	149	PEAK																																																																			
Avg	Blank	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 97.13</td> <td>-----</td> <td>82.05 33.69</td> <td>11.07 33.86</td> <td>4.18</td> <td>335</td> <td>149</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg		1 5700.00 97.13	-----	82.05 33.69	11.07 33.86	4.18	335	149	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5700.00 97.13	-----	82.05 33.69	11.07 33.86	4.18	335	149	AVERAGE																																																																			







Mode	24																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5732.44 55.38 68.20 -12.82</td> <td>40.23 33.83</td> <td>11.01 33.88</td> <td>4.19</td> <td>265</td> <td>157</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg		1 5732.44 55.38 68.20 -12.82	40.23 33.83	11.01 33.88	4.19	265	157	PEAK			<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 106.18</td> <td>-----</td> <td>91.10 33.69</td> <td>11.07 33.86</td> <td>4.18</td> <td>265</td> <td>157</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg		1 5700.00 106.18	-----	91.10 33.69	11.07 33.86	4.18	265	157	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5732.44 55.38 68.20 -12.82	40.23 33.83	11.01 33.88	4.19	265	157	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5700.00 106.18	-----	91.10 33.69	11.07 33.86	4.18	265	157	PEAK																																																																			
Avg	Blank	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 99.42</td> <td>-----</td> <td>84.32 33.72</td> <td>11.06 33.86</td> <td>4.18</td> <td>265</td> <td>157</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg		1 5700.00 99.42	-----	84.32 33.72	11.06 33.86	4.18	265	157	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	dB	cm deg																																																																			
1 5700.00 99.42	-----	84.32 33.72	11.06 33.86	4.18	265	157	AVERAGE																																																																			



Mode	24																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>51.57</td> <td>74.00</td> <td>-22.43</td> <td>34.82</td> <td>38.60</td> <td>15.54</td> <td>39.58</td> <td>2.19</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>41.12</td> <td>54.00</td> <td>-12.88</td> <td>24.37</td> <td>38.60</td> <td>15.54</td> <td>39.58</td> <td>2.19</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>53.75</td> <td>68.20</td> <td>-14.45</td> <td>37.44</td> <td>40.10</td> <td>18.89</td> <td>45.96</td> <td>3.28</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	51.57	74.00	-22.43	34.82	38.60	15.54	39.58	2.19	--	Peak	2	11400.00	41.12	54.00	-12.88	24.37	38.60	15.54	39.58	2.19	--	Average	3	17100.00	53.75	68.20	-14.45	37.44	40.10	18.89	45.96	3.28	--	Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>51.29</td> <td>74.00</td> <td>-22.71</td> <td>34.54</td> <td>38.60</td> <td>15.54</td> <td>39.58</td> <td>2.19</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>40.97</td> <td>54.00</td> <td>-13.03</td> <td>24.22</td> <td>38.60</td> <td>15.54</td> <td>39.58</td> <td>2.19</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>54.63</td> <td>68.20</td> <td>-13.57</td> <td>38.32</td> <td>40.10</td> <td>18.89</td> <td>45.96</td> <td>3.28</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	51.29	74.00	-22.71	34.54	38.60	15.54	39.58	2.19	--	Peak	2	11400.00	40.97	54.00	-13.03	24.22	38.60	15.54	39.58	2.19	--	Average	3	17100.00	54.63	68.20	-13.57	38.32	40.10	18.89	45.96	3.28	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11400.00	51.57	74.00	-22.43	34.82	38.60	15.54	39.58	2.19	--	Peak																																																																																																																													
2	11400.00	41.12	54.00	-12.88	24.37	38.60	15.54	39.58	2.19	--	Average																																																																																																																													
3	17100.00	53.75	68.20	-14.45	37.44	40.10	18.89	45.96	3.28	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11400.00	51.29	74.00	-22.71	34.54	38.60	15.54	39.58	2.19	--	Peak																																																																																																																													
2	11400.00	40.97	54.00	-13.03	24.22	38.60	15.54	39.58	2.19	--	Average																																																																																																																													
3	17100.00	54.63	68.20	-13.57	38.32	40.10	18.89	45.96	3.28	--	Peak																																																																																																																													





Mode	25																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.25-5.35_802.11n HT40_CH102_5510MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.48</td> <td>55.16</td> <td>74.00</td> <td>-18.84</td> <td>40.81</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>312</td> <td>160</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.56</td> <td>57.84</td> <td>68.20</td> <td>-10.36</td> <td>43.49</td> <td>32.73</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>312</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.48	55.16	74.00	-18.84	40.81	32.71	11.20	33.67	4.11	312	160	PEAK	2	5464.56	57.84	68.20	-10.36	43.49	32.73	11.20	33.69	4.11	312	160	PEAK	 <p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>102.69</td> <td>-----</td> <td>-----</td> <td>88.25</td> <td>32.85</td> <td>11.21</td> <td>33.75</td> <td>4.13</td> <td>312</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.69	-----	-----	88.25	32.85	11.21	33.75	4.13	312	160	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5454.48	55.16	74.00	-18.84	40.81	32.71	11.20	33.67	4.11	312	160	PEAK																																																																																											
2	5464.56	57.84	68.20	-10.36	43.49	32.73	11.20	33.69	4.11	312	160	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5510.00	102.69	-----	-----	88.25	32.85	11.21	33.75	4.13	312	160	PEAK																																																																																											
Avg	 <p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.52</td> <td>44.87</td> <td>54.00</td> <td>-9.13</td> <td>30.52</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>312</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	44.87	54.00	-9.13	30.52	32.72	11.20	33.68	4.11	312	160	AVERAGE	 <p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>96.18</td> <td>-----</td> <td>-----</td> <td>81.76</td> <td>32.82</td> <td>11.21</td> <td>33.74</td> <td>4.13</td> <td>312</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.18	-----	-----	81.76	32.82	11.21	33.74	4.13	312	160	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5457.52	44.87	54.00	-9.13	30.52	32.72	11.20	33.68	4.11	312	160	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5510.00	96.18	-----	-----	81.76	32.82	11.21	33.74	4.13	312	160	AVERAGE																																																																																											



Mode	25																																									
	Band Edge - R																																									
	U-NII-2C_5.25-5.35_802.11n HT40_CH102_5510MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5768.67</td> <td>52.59</td> <td>68.20</td> <td>-15.61</td> <td>37.41</td> <td>33.92</td> <td>10.97</td> <td>33.90</td> <td>4.19</td> <td>312</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5768.67	52.59	68.20	-15.61	37.41	33.92	10.97	33.90	4.19	312	160	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5768.67	52.59	68.20	-15.61	37.41	33.92	10.97	33.90	4.19	312	160	PEAK																															



Mode	25																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.25-5.35_802.11n HT40_CH102_5510MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>56.13</td> <td>74.00</td> <td>-17.87</td> <td>41.78</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>100</td> <td>160</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.84</td> <td>60.97</td> <td>68.20</td> <td>-7.23</td> <td>46.61</td> <td>32.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>100</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5459.12	56.13	74.00	-17.87	41.78	32.72	11.20	33.68	4.11	100	160	PEAK	2	5469.84	60.97	68.20	-7.23	46.61	32.74	11.20	33.69	4.11	100	160	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>105.10</td> <td>-----</td> <td>-----</td> <td>90.66</td> <td>32.85</td> <td>11.21</td> <td>33.75</td> <td>4.13</td> <td>100</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5510.00	105.10	-----	-----	90.66	32.85	11.21	33.75	4.13	100	160	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5459.12	56.13	74.00	-17.87	41.78	32.72	11.20	33.68	4.11	100	160	PEAK																																																																																			
2	5469.84	60.97	68.20	-7.23	46.61	32.74	11.20	33.69	4.11	100	160	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5510.00	105.10	-----	-----	90.66	32.85	11.21	33.75	4.13	100	160	PEAK																																																																																			
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.96</td> <td>45.10</td> <td>54.00</td> <td>-8.90</td> <td>30.75</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>100</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5450.96	45.10	54.00	-8.90	30.75	32.72	11.20	33.68	4.11	100	160	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>97.44</td> <td>-----</td> <td>-----</td> <td>83.00</td> <td>32.85</td> <td>11.21</td> <td>33.75</td> <td>4.13</td> <td>100</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5510.00	97.44	-----	-----	83.00	32.85	11.21	33.75	4.13	100	160	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5450.96	45.10	54.00	-8.90	30.75	32.72	11.20	33.68	4.11	100	160	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5510.00	97.44	-----	-----	83.00	32.85	11.21	33.75	4.13	100	160	AVERAGE																																																																																			



Mode	25																																									
	Band Edge - R																																									
	U-NII-2C_5.25-5.35_802.11n HT40_CH102_5510MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5763.47</td> <td>53.02</td> <td>68.20</td> <td>-15.18</td> <td>37.83</td> <td>33.93</td> <td>10.97</td> <td>33.90</td> <td>4.19</td> <td>100</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5763.47	53.02	68.20	-15.18	37.83	33.93	10.97	33.90	4.19	100	160	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5763.47	53.02	68.20	-15.18	37.83	33.93	10.97	33.90	4.19	100	160	PEAK																															



Mode	25																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.25-5.35_802.11n HT40_CH102_5510MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>51.97</td> <td>74.00</td> <td>-22.03</td> <td>36.30</td> <td>37.73</td> <td>15.17</td> <td>39.40</td> <td>2.17</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11020.00</td> <td>41.70</td> <td>54.00</td> <td>-12.30</td> <td>26.01</td> <td>37.74</td> <td>15.18</td> <td>39.40</td> <td>2.17</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16530.00</td> <td>55.01</td> <td>68.20</td> <td>-13.19</td> <td>38.58</td> <td>40.55</td> <td>18.57</td> <td>45.75</td> <td>3.06</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	51.97	74.00	-22.03	36.30	37.73	15.17	39.40	2.17	--	Peak	2	11020.00	41.70	54.00	-12.30	26.01	37.74	15.18	39.40	2.17	--	Average	3	16530.00	55.01	68.20	-13.19	38.58	40.55	18.57	45.75	3.06	--	Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>51.46</td> <td>74.00</td> <td>-22.54</td> <td>35.79</td> <td>37.73</td> <td>15.17</td> <td>39.40</td> <td>2.17</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11020.00</td> <td>41.13</td> <td>54.00</td> <td>-12.87</td> <td>25.44</td> <td>37.74</td> <td>15.18</td> <td>39.40</td> <td>2.17</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16530.00</td> <td>55.18</td> <td>68.20</td> <td>-13.02</td> <td>38.75</td> <td>40.55</td> <td>18.57</td> <td>45.75</td> <td>3.06</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	51.46	74.00	-22.54	35.79	37.73	15.17	39.40	2.17	--	Peak	2	11020.00	41.13	54.00	-12.87	25.44	37.74	15.18	39.40	2.17	--	Average	3	16530.00	55.18	68.20	-13.02	38.75	40.55	18.57	45.75	3.06	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11020.00	51.97	74.00	-22.03	36.30	37.73	15.17	39.40	2.17	--	Peak																																																																																																																													
2	11020.00	41.70	54.00	-12.30	26.01	37.74	15.18	39.40	2.17	--	Average																																																																																																																													
3	16530.00	55.01	68.20	-13.19	38.58	40.55	18.57	45.75	3.06	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11020.00	51.46	74.00	-22.54	35.79	37.73	15.17	39.40	2.17	--	Peak																																																																																																																													
2	11020.00	41.13	54.00	-12.87	25.44	37.74	15.18	39.40	2.17	--	Average																																																																																																																													
3	16530.00	55.18	68.20	-13.02	38.75	40.55	18.57	45.75	3.06	--	Peak																																																																																																																													



Mode	26																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.25-5.35_802.11n HT40_CH110_5550MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.40</td> <td>52.00</td> <td>74.00</td> <td>-22.00</td> <td>37.68</td> <td>32.67</td> <td>11.20</td> <td>33.65</td> <td>4.10</td> <td>289</td> <td>161</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.80</td> <td>51.64</td> <td>68.20</td> <td>-16.56</td> <td>37.28</td> <td>32.73</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>289</td> <td>161</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.40	52.00	74.00	-22.00	37.68	32.67	11.20	33.65	4.10	289	161	PEAK	2	5463.80	51.64	68.20	-16.56	37.28	32.73	11.20	33.68	4.11	289	161	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>102.93</td> <td>-----</td> <td>-----</td> <td>88.34</td> <td>33.01</td> <td>11.21</td> <td>33.77</td> <td>4.14</td> <td>289</td> <td>161</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.93	-----	-----	88.34	33.01	11.21	33.77	4.14	289	161	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5442.40	52.00	74.00	-22.00	37.68	32.67	11.20	33.65	4.10	289	161	PEAK																																																																																											
2	5463.80	51.64	68.20	-16.56	37.28	32.73	11.20	33.68	4.11	289	161	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5550.00	102.93	-----	-----	88.34	33.01	11.21	33.77	4.14	289	161	PEAK																																																																																											
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.00</td> <td>43.18</td> <td>54.00</td> <td>-10.82</td> <td>28.03</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>289</td> <td>161</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	43.18	54.00	-10.82	28.03	32.72	11.20	33.68	4.11	289	161	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>95.88</td> <td>-----</td> <td>-----</td> <td>81.29</td> <td>33.01</td> <td>11.21</td> <td>33.77</td> <td>4.14</td> <td>289</td> <td>161</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	95.88	-----	-----	81.29	33.01	11.21	33.77	4.14	289	161	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5450.00	43.18	54.00	-10.82	28.03	32.72	11.20	33.68	4.11	289	161	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5550.00	95.88	-----	-----	81.29	33.01	11.21	33.77	4.14	289	161	AVERAGE																																																																																											



Mode	26																																							
	Band Edge - R																																							
	U-NII-2C_5.25-5.35_802.11n HT40_CH110_5550MHz																																							
ANT	1																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Site : 03CH23-HY  Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL  : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5732.97</td> <td>53.75</td> <td>68.20</td> <td>-14.45</td> <td>38.60</td> <td>33.83</td> <td>11.01</td> <td>33.88</td> <td>4.19</td> <td>289 161 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5732.97	53.75	68.20	-14.45	38.60	33.83	11.01	33.88	4.19	289 161 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5732.97	53.75	68.20	-14.45	38.60	33.83	11.01	33.88	4.19	289 161 PEAK																															



Mode	26																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.25-5.35_802.11n HT40_CH110_5550MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5429.40</td> <td>51.86</td> <td>74.00</td> <td>-22.14</td> <td>37.58</td> <td>32.62</td> <td>11.19</td> <td>33.63</td> <td>4.10</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.60</td> <td>51.67</td> <td>68.20</td> <td>-16.53</td> <td>37.32</td> <td>32.73</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.40	51.86	74.00	-22.14	37.58	32.62	11.19	33.63	4.10	100	155	PEAK	2	5464.60	51.67	68.20	-16.53	37.32	32.73	11.20	33.69	4.11	100	155	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>104.21</td> <td>-----</td> <td>-----</td> <td>89.62</td> <td>33.01</td> <td>11.21</td> <td>33.77</td> <td>4.14</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	104.21	-----	-----	89.62	33.01	11.21	33.77	4.14	100	155	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5429.40	51.86	74.00	-22.14	37.58	32.62	11.19	33.63	4.10	100	155	PEAK																																																																																					
2	5464.60	51.67	68.20	-16.53	37.32	32.73	11.20	33.69	4.11	100	155	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	104.21	-----	-----	89.62	33.01	11.21	33.77	4.14	100	155	PEAK																																																																																					
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.00</td> <td>43.57</td> <td>54.00</td> <td>-10.43</td> <td>29.22</td> <td>32.70</td> <td>11.20</td> <td>33.66</td> <td>4.11</td> <td>100</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	43.57	54.00	-10.43	29.22	32.70	11.20	33.66	4.11	100	155	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>97.15</td> <td>-----</td> <td>-----</td> <td>82.56</td> <td>33.01</td> <td>11.21</td> <td>33.77</td> <td>4.14</td> <td>100</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.15	-----	-----	82.56	33.01	11.21	33.77	4.14	100	155	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.00	43.57	54.00	-10.43	29.22	32.70	11.20	33.66	4.11	100	155	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	97.15	-----	-----	82.56	33.01	11.21	33.77	4.14	100	155	AVERAGE																																																																																					









Mode	26																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11n HT40_CH110_5550MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5747.37</td> <td>54.00</td> <td>68.20</td> <td>-14.20</td> <td>38.82</td> <td>33.89</td> <td>10.99</td> <td>33.89</td> <td>4.19</td> <td>100</td> <td>155 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5747.37	54.00	68.20	-14.20	38.82	33.89	10.99	33.89	4.19	100	155 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5747.37	54.00	68.20	-14.20	38.82	33.89	10.99	33.89	4.19	100	155 PEAK																															



Mode	26																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.25-5.35_802.11n HT40_CH110_5550MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>52.13</td> <td>74.00</td> <td>-21.87</td> <td>36.22</td> <td>37.91</td> <td>15.26</td> <td>39.44</td> <td>2.18</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>41.85</td> <td>54.00</td> <td>-12.15</td> <td>25.95</td> <td>37.90</td> <td>15.26</td> <td>39.44</td> <td>2.18</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>54.00</td> <td>68.20</td> <td>-14.20</td> <td>37.72</td> <td>40.31</td> <td>18.64</td> <td>45.78</td> <td>3.11</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	52.13	74.00	-21.87	36.22	37.91	15.26	39.44	2.18	--	Peak	2	11100.00	41.85	54.00	-12.15	25.95	37.90	15.26	39.44	2.18	--	Average	3	16650.00	54.00	68.20	-14.20	37.72	40.31	18.64	45.78	3.11	--	Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>51.85</td> <td>74.00</td> <td>-22.15</td> <td>35.94</td> <td>37.91</td> <td>15.26</td> <td>39.44</td> <td>2.18</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>41.38</td> <td>54.00</td> <td>-12.62</td> <td>25.48</td> <td>37.90</td> <td>15.26</td> <td>39.44</td> <td>2.18</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>54.94</td> <td>68.20</td> <td>-13.26</td> <td>38.66</td> <td>40.31</td> <td>18.64</td> <td>45.78</td> <td>3.11</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	51.85	74.00	-22.15	35.94	37.91	15.26	39.44	2.18	--	Peak	2	11100.00	41.38	54.00	-12.62	25.48	37.90	15.26	39.44	2.18	--	Average	3	16650.00	54.94	68.20	-13.26	38.66	40.31	18.64	45.78	3.11	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11100.00	52.13	74.00	-21.87	36.22	37.91	15.26	39.44	2.18	--	Peak																																																																																																																													
2	11100.00	41.85	54.00	-12.15	25.95	37.90	15.26	39.44	2.18	--	Average																																																																																																																													
3	16650.00	54.00	68.20	-14.20	37.72	40.31	18.64	45.78	3.11	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11100.00	51.85	74.00	-22.15	35.94	37.91	15.26	39.44	2.18	--	Peak																																																																																																																													
2	11100.00	41.38	54.00	-12.62	25.48	37.90	15.26	39.44	2.18	--	Average																																																																																																																													
3	16650.00	54.94	68.20	-13.26	38.66	40.31	18.64	45.78	3.11	--	Peak																																																																																																																													



Mode	27																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.25-5.35_802.11n HT40_CH134_5670MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5437.04</td> <td>51.11</td> <td>74.00</td> <td>-22.89</td> <td>36.00</td> <td>32.65</td> <td>11.20</td> <td>33.64</td> <td>4.10</td> <td>326</td> <td>150</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.72</td> <td>51.75</td> <td>68.20</td> <td>-16.45</td> <td>37.39</td> <td>32.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>326</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.04	51.11	74.00	-22.89	36.00	32.65	11.20	33.64	4.10	326	150	PEAK	2	5468.72	51.75	68.20	-16.45	37.39	32.74	11.20	33.69	4.11	326	150	PEAK	 <p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>102.11</td> <td>-----</td> <td>-----</td> <td>87.13</td> <td>33.54</td> <td>11.11</td> <td>33.84</td> <td>4.17</td> <td>326</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.11	-----	-----	87.13	33.54	11.11	33.84	4.17	326	150	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5437.04	51.11	74.00	-22.89	36.00	32.65	11.20	33.64	4.10	326	150	PEAK																																																																																											
2	5468.72	51.75	68.20	-16.45	37.39	32.74	11.20	33.69	4.11	326	150	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5670.00	102.11	-----	-----	87.13	33.54	11.11	33.84	4.17	326	150	PEAK																																																																																											
Avg	 <p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.56</td> <td>42.82</td> <td>54.00</td> <td>-11.18</td> <td>28.47</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>326</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	42.82	54.00	-11.18	28.47	32.71	11.20	33.67	4.11	326	150	AVERAGE	 <p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>94.95</td> <td>-----</td> <td>-----</td> <td>80.00</td> <td>33.51</td> <td>11.11</td> <td>33.84</td> <td>4.17</td> <td>326</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.95	-----	-----	80.00	33.51	11.11	33.84	4.17	326	150	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5456.56	42.82	54.00	-11.18	28.47	32.71	11.20	33.67	4.11	326	150	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5670.00	94.95	-----	-----	80.00	33.51	11.11	33.84	4.17	326	150	AVERAGE																																																																																											



Mode	27																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11n HT40_CH134_5670MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.58</td> <td>56.58</td> <td>68.20</td> <td>-11.62</td> <td>41.44</td> <td>33.80</td> <td>11.03</td> <td>33.88</td> <td>4.19</td> <td>326</td> <td>150 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.58	56.58	68.20	-11.62	41.44	33.80	11.03	33.88	4.19	326	150 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5725.58	56.58	68.20	-11.62	41.44	33.80	11.03	33.88	4.19	326	150 PEAK																															



Mode	27																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.25-5.35_802.11n HT40_CH134_5670MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.68</td> <td>51.49</td> <td>74.00</td> <td>-22.51</td> <td>37.16</td> <td>32.68</td> <td>11.20</td> <td>33.66</td> <td>4.11</td> <td>110</td> <td>159</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.04</td> <td>51.17</td> <td>68.20</td> <td>-17.03</td> <td>36.81</td> <td>32.74</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>110</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.68	51.49	74.00	-22.51	37.16	32.68	11.20	33.66	4.11	110	159	PEAK	2	5469.04	51.17	68.20	-17.03	36.81	32.74	11.20	33.69	4.11	110	159	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>104.77</td> <td>-----</td> <td>-----</td> <td>89.82</td> <td>33.51</td> <td>11.11</td> <td>33.84</td> <td>4.17</td> <td>110</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.77	-----	-----	89.82	33.51	11.11	33.84	4.17	110	159	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5445.68	51.49	74.00	-22.51	37.16	32.68	11.20	33.66	4.11	110	159	PEAK																																																																																					
2	5469.04	51.17	68.20	-17.03	36.81	32.74	11.20	33.69	4.11	110	159	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	104.77	-----	-----	89.82	33.51	11.11	33.84	4.17	110	159	PEAK																																																																																					
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.36</td> <td>43.20</td> <td>54.00</td> <td>-10.80</td> <td>28.05</td> <td>32.71</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>110</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.36	43.20	54.00	-10.80	28.05	32.71	11.20	33.67	4.11	110	159	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>97.63</td> <td>-----</td> <td>-----</td> <td>82.68</td> <td>33.51</td> <td>11.11</td> <td>33.84</td> <td>4.17</td> <td>110</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.63	-----	-----	82.68	33.51	11.11	33.84	4.17	110	159	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5453.36	43.20	54.00	-10.80	28.05	32.71	11.20	33.67	4.11	110	159	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	97.63	-----	-----	82.68	33.51	11.11	33.84	4.17	110	159	AVERAGE																																																																																					



Mode	27																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11n HT40_CH134_5670MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(U-NII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.20</td> <td>59.38</td> <td>68.20</td> <td>-8.82</td> <td>44.24</td> <td>33.80</td> <td>11.03</td> <td>33.88</td> <td>4.19</td> <td>110</td> <td>159 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.20	59.38	68.20	-8.82	44.24	33.80	11.03	33.88	4.19	110	159 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5725.20	59.38	68.20	-8.82	44.24	33.80	11.03	33.88	4.19	110	159 PEAK																															



Mode	27																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.25-5.35_802.11n HT40_CH134_5670MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>51.99</td> <td>74.00</td> <td>-22.01</td> <td>35.38</td> <td>38.49</td> <td>15.49</td> <td>39.56</td> <td>2.19 -- -- Peak</td> </tr> <tr> <td>2 11340.00</td> <td>40.63</td> <td>54.00</td> <td>-13.37</td> <td>24.03</td> <td>38.48</td> <td>15.48</td> <td>39.55</td> <td>2.19 -- -- Average</td> </tr> <tr> <td>3 17010.00</td> <td>54.46</td> <td>68.20</td> <td>-13.74</td> <td>38.04</td> <td>40.18</td> <td>18.85</td> <td>45.85</td> <td>3.24 -- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11340.00	51.99	74.00	-22.01	35.38	38.49	15.49	39.56	2.19 -- -- Peak	2 11340.00	40.63	54.00	-13.37	24.03	38.48	15.48	39.55	2.19 -- -- Average	3 17010.00	54.46	68.20	-13.74	38.04	40.18	18.85	45.85	3.24 -- -- Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>52.07</td> <td>74.00</td> <td>-21.93</td> <td>35.46</td> <td>38.49</td> <td>15.49</td> <td>39.56</td> <td>2.19 -- -- Peak</td> </tr> <tr> <td>2 11340.00</td> <td>41.82</td> <td>54.00</td> <td>-12.18</td> <td>25.22</td> <td>38.48</td> <td>15.48</td> <td>39.55</td> <td>2.19 -- -- Average</td> </tr> <tr> <td>3 17010.00</td> <td>53.92</td> <td>68.20</td> <td>-14.28</td> <td>37.50</td> <td>40.18</td> <td>18.85</td> <td>45.85</td> <td>3.24 -- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11340.00	52.07	74.00	-21.93	35.46	38.49	15.49	39.56	2.19 -- -- Peak	2 11340.00	41.82	54.00	-12.18	25.22	38.48	15.48	39.55	2.19 -- -- Average	3 17010.00	53.92	68.20	-14.28	37.50	40.18	18.85	45.85	3.24 -- -- Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11340.00	51.99	74.00	-22.01	35.38	38.49	15.49	39.56	2.19 -- -- Peak																																																																																																						
2 11340.00	40.63	54.00	-13.37	24.03	38.48	15.48	39.55	2.19 -- -- Average																																																																																																						
3 17010.00	54.46	68.20	-13.74	38.04	40.18	18.85	45.85	3.24 -- -- Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11340.00	52.07	74.00	-21.93	35.46	38.49	15.49	39.56	2.19 -- -- Peak																																																																																																						
2 11340.00	41.82	54.00	-12.18	25.22	38.48	15.48	39.55	2.19 -- -- Average																																																																																																						
3 17010.00	53.92	68.20	-14.28	37.50	40.18	18.85	45.85	3.24 -- -- Peak																																																																																																						



Mode	28																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.42</td> <td>54.85</td> <td>74.00</td> <td>-19.15</td> <td>40.51</td> <td>32.70</td> <td>11.20</td> <td>33.67</td> <td>4.11</td> <td>300</td> <td>158</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.66</td> <td>55.35</td> <td>68.20</td> <td>-12.85</td> <td>41.00</td> <td>32.73</td> <td>11.20</td> <td>33.69</td> <td>4.11</td> <td>300</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5452.42	54.85	74.00	-19.15	40.51	32.70	11.20	33.67	4.11	300	158	PEAK	2	5464.66	55.35	68.20	-12.85	41.00	32.73	11.20	33.69	4.11	300	158	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>99.52</td> <td>-----</td> <td>-----</td> <td>84.99</td> <td>32.94</td> <td>11.21</td> <td>33.76</td> <td>4.14</td> <td>300</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5530.00	99.52	-----	-----	84.99	32.94	11.21	33.76	4.14	300	158	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5452.42	54.85	74.00	-19.15	40.51	32.70	11.20	33.67	4.11	300	158	PEAK																																																																																			
2	5464.66	55.35	68.20	-12.85	41.00	32.73	11.20	33.69	4.11	300	158	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5530.00	99.52	-----	-----	84.99	32.94	11.21	33.76	4.14	300	158	PEAK																																																																																			
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.36</td> <td>46.74</td> <td>54.00</td> <td>-7.26</td> <td>32.39</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>300</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5450.36	46.74	54.00	-7.26	32.39	32.72	11.20	33.68	4.11	300	158	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.90</td> <td>-----</td> <td>-----</td> <td>77.39</td> <td>32.92</td> <td>11.21</td> <td>33.76</td> <td>4.14</td> <td>300</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5530.00	91.90	-----	-----	77.39	32.92	11.21	33.76	4.14	300	158	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5450.36	46.74	54.00	-7.26	32.39	32.72	11.20	33.68	4.11	300	158	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5530.00	91.90	-----	-----	77.39	32.92	11.21	33.76	4.14	300	158	AVERAGE																																																																																			





Mode	28																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5748.32</td> <td>53.36</td> <td>68.20</td> <td>-14.84</td> <td>38.18</td> <td>33.89</td> <td>10.99</td> <td>33.89</td> <td>4.19</td> <td>300</td> <td>158 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5748.32	53.36	68.20	-14.84	38.18	33.89	10.99	33.89	4.19	300	158 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5748.32	53.36	68.20	-14.84	38.18	33.89	10.99	33.89	4.19	300	158 PEAK																															



Mode	28																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical	Fundamental																																																																																																	
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.26</td> <td>54.74</td> <td>74.00</td> <td>-19.26</td> <td>40.39</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>129</td> <td>163</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.04</td> <td>55.98</td> <td>68.20</td> <td>-12.22</td> <td>41.62</td> <td>32.73</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>129</td> <td>163</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.26	54.74	74.00	-19.26	40.39	32.72	11.20	33.68	4.11	129	163	PEAK	2	5463.04	55.98	68.20	-12.22	41.62	32.73	11.20	33.68	4.11	129	163	PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>101.28</td> <td>-----</td> <td>-----</td> <td>86.75</td> <td>32.94</td> <td>11.21</td> <td>33.76</td> <td>4.14</td> <td>129</td> <td>163</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	101.28	-----	-----	86.75	32.94	11.21	33.76	4.14	129	163	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5459.26	54.74	74.00	-19.26	40.39	32.72	11.20	33.68	4.11	129	163	PEAK																																																																																							
2	5463.04	55.98	68.20	-12.22	41.62	32.73	11.20	33.68	4.11	129	163	PEAK																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5530.00	101.28	-----	-----	86.75	32.94	11.21	33.76	4.14	129	163	PEAK																																																																																							
Avg	<p>Site : 03CH23-HY Condition: AVG_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.18</td> <td>47.19</td> <td>54.00</td> <td>-6.81</td> <td>32.84</td> <td>32.72</td> <td>11.20</td> <td>33.68</td> <td>4.11</td> <td>129</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5450.18	47.19	54.00	-6.81	32.84	32.72	11.20	33.68	4.11	129	163	AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.66</td> <td>-----</td> <td>-----</td> <td>79.13</td> <td>32.94</td> <td>11.21</td> <td>33.76</td> <td>4.14</td> <td>129</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	93.66	-----	-----	79.13	32.94	11.21	33.76	4.14	129	163	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5450.18	47.19	54.00	-6.81	32.84	32.72	11.20	33.68	4.11	129	163	AVERAGE																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5530.00	93.66	-----	-----	79.13	32.94	11.21	33.76	4.14	129	163	AVERAGE																																																																																							



Mode	28																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Site : 03CH23-HY          Condition: PEAK_BE(UNII)_B3 3m DRH18-E_LE2C05A18EN_230712 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.50</td> <td>53.66</td> <td>68.20</td> <td>-14.54</td> <td>38.49</td> <td>33.88</td> <td>10.99</td> <td>33.89</td> <td>4.19</td> <td>129</td> <td>163</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.50	53.66	68.20	-14.54	38.49	33.88	10.99	33.89	4.19	129	163	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5745.50	53.66	68.20	-14.54	38.49	33.88	10.99	33.89	4.19	129	163	PEAK																															



Mode	28																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHZ																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>50.15</td> <td>74.00</td> <td>-23.85</td> <td>34.36</td> <td>37.82</td> <td>15.22</td> <td>39.42</td> <td>2.17</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11060.00</td> <td>42.06</td> <td>54.00</td> <td>-11.94</td> <td>26.27</td> <td>37.82</td> <td>15.22</td> <td>39.42</td> <td>2.17</td> <td>--</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16590.00</td> <td>53.94</td> <td>68.20</td> <td>-14.26</td> <td>37.60</td> <td>40.42</td> <td>18.61</td> <td>45.77</td> <td>3.08</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11060.00	50.15	74.00	-23.85	34.36	37.82	15.22	39.42	2.17	--	--	Peak	2	11060.00	42.06	54.00	-11.94	26.27	37.82	15.22	39.42	2.17	--	--	Average	3	16590.00	53.94	68.20	-14.26	37.60	40.42	18.61	45.77	3.08	--	--	Peak	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>51.00</td> <td>74.00</td> <td>-22.92</td> <td>35.29</td> <td>37.82</td> <td>15.22</td> <td>39.42</td> <td>2.17</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11060.00</td> <td>41.95</td> <td>54.00</td> <td>-12.05</td> <td>26.16</td> <td>37.82</td> <td>15.22</td> <td>39.42</td> <td>2.17</td> <td>--</td> <td>--</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16590.00</td> <td>54.15</td> <td>68.20</td> <td>-14.05</td> <td>37.81</td> <td>40.42</td> <td>18.61</td> <td>45.77</td> <td>3.08</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11060.00	51.00	74.00	-22.92	35.29	37.82	15.22	39.42	2.17	--	--	Peak	2	11060.00	41.95	54.00	-12.05	26.16	37.82	15.22	39.42	2.17	--	--	Average	3	16590.00	54.15	68.20	-14.05	37.81	40.42	18.61	45.77	3.08	--	--	Peak
Line	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11060.00	50.15	74.00	-23.85	34.36	37.82	15.22	39.42	2.17	--	--	Peak																																																																																																																								
2	11060.00	42.06	54.00	-11.94	26.27	37.82	15.22	39.42	2.17	--	--	Average																																																																																																																								
3	16590.00	53.94	68.20	-14.26	37.60	40.42	18.61	45.77	3.08	--	--	Peak																																																																																																																								
Line	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11060.00	51.00	74.00	-22.92	35.29	37.82	15.22	39.42	2.17	--	--	Peak																																																																																																																								
2	11060.00	41.95	54.00	-12.05	26.16	37.82	15.22	39.42	2.17	--	--	Average																																																																																																																								
3	16590.00	54.15	68.20	-14.05	37.81	40.42	18.61	45.77	3.08	--	--	Peak																																																																																																																								



Mode	29																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																																																																																																	
ANT	1																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																
QP/ Peak	<p>Site : 03CH23-HY Condition: QP 3m LF_633038001_231015 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>72.68</td><td>25.95</td><td>40.00</td><td>-14.05</td><td>44.23</td><td>12.88</td><td>1.48</td><td>32.72</td><td>0.08</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>95.96</td><td>33.47</td><td>43.50</td><td>-10.03</td><td>48.00</td><td>15.70</td><td>1.57</td><td>32.69</td><td>0.09</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>259.89</td><td>29.89</td><td>46.00</td><td>-16.11</td><td>40.15</td><td>19.92</td><td>2.42</td><td>32.75</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>347.19</td><td>38.53</td><td>46.00</td><td>-7.47</td><td>48.19</td><td>20.29</td><td>2.76</td><td>32.81</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>742.95</td><td>35.33</td><td>46.00</td><td>-10.67</td><td>35.88</td><td>28.29</td><td>3.88</td><td>32.86</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>953.44</td><td>33.12</td><td>46.00</td><td>-12.88</td><td>29.03</td><td>31.13</td><td>4.30</td><td>31.60</td><td>0.26</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	72.68	25.95	40.00	-14.05	44.23	12.88	1.48	32.72	0.08	--	--	Peak	2	95.96	33.47	43.50	-10.03	48.00	15.70	1.57	32.69	0.09	--	--	Peak	3	259.89	29.89	46.00	-16.11	40.15	19.92	2.42	32.75	0.15	--	--	Peak	4	347.19	38.53	46.00	-7.47	48.19	20.29	2.76	32.81	0.10	--	--	Peak	5	742.95	35.33	46.00	-10.67	35.88	28.29	3.88	32.86	0.14	--	--	Peak	6	953.44	33.12	46.00	-12.88	29.03	31.13	4.30	31.60	0.26	--	--	Peak	<p>Site : 03CH23-HY Condition: QP 3m LF_633038001_231015 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>33.95</td><td>40.00</td><td>-6.05</td><td>41.60</td><td>24.03</td><td>1.07</td><td>32.75</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>138.64</td><td>36.09</td><td>43.50</td><td>-7.41</td><td>49.27</td><td>17.55</td><td>1.82</td><td>32.70</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>262.80</td><td>28.67</td><td>46.00</td><td>-17.33</td><td>38.76</td><td>20.08</td><td>2.43</td><td>32.75</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>347.19</td><td>34.34</td><td>46.00</td><td>-11.66</td><td>44.00</td><td>20.29</td><td>2.76</td><td>32.81</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>752.65</td><td>31.00</td><td>46.00</td><td>-15.00</td><td>31.35</td><td>28.44</td><td>3.91</td><td>32.84</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>955.38</td><td>33.52</td><td>46.00</td><td>-12.48</td><td>29.37</td><td>31.16</td><td>4.31</td><td>31.58</td><td>0.26</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.97	33.95	40.00	-6.05	41.60	24.03	1.07	32.75	0.00	--	--	Peak	2	138.64	36.09	43.50	-7.41	49.27	17.55	1.82	32.70	0.15	--	--	Peak	3	262.80	28.67	46.00	-17.33	38.76	20.08	2.43	32.75	0.15	--	--	Peak	4	347.19	34.34	46.00	-11.66	44.00	20.29	2.76	32.81	0.10	--	--	Peak	5	752.65	31.00	46.00	-15.00	31.35	28.44	3.91	32.84	0.14	--	--	Peak	6	955.38	33.52	46.00	-12.48	29.37	31.16	4.31	31.58	0.26	--	--	Peak
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	72.68	25.95	40.00	-14.05	44.23	12.88	1.48	32.72	0.08	--	--	Peak																																																																																																																																																																																																						
2	95.96	33.47	43.50	-10.03	48.00	15.70	1.57	32.69	0.09	--	--	Peak																																																																																																																																																																																																						
3	259.89	29.89	46.00	-16.11	40.15	19.92	2.42	32.75	0.15	--	--	Peak																																																																																																																																																																																																						
4	347.19	38.53	46.00	-7.47	48.19	20.29	2.76	32.81	0.10	--	--	Peak																																																																																																																																																																																																						
5	742.95	35.33	46.00	-10.67	35.88	28.29	3.88	32.86	0.14	--	--	Peak																																																																																																																																																																																																						
6	953.44	33.12	46.00	-12.88	29.03	31.13	4.30	31.60	0.26	--	--	Peak																																																																																																																																																																																																						
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	30.97	33.95	40.00	-6.05	41.60	24.03	1.07	32.75	0.00	--	--	Peak																																																																																																																																																																																																						
2	138.64	36.09	43.50	-7.41	49.27	17.55	1.82	32.70	0.15	--	--	Peak																																																																																																																																																																																																						
3	262.80	28.67	46.00	-17.33	38.76	20.08	2.43	32.75	0.15	--	--	Peak																																																																																																																																																																																																						
4	347.19	34.34	46.00	-11.66	44.00	20.29	2.76	32.81	0.10	--	--	Peak																																																																																																																																																																																																						
5	752.65	31.00	46.00	-15.00	31.35	28.44	3.91	32.84	0.14	--	--	Peak																																																																																																																																																																																																						
6	955.38	33.52	46.00	-12.48	29.37	31.16	4.31	31.58	0.26	--	--	Peak																																																																																																																																																																																																						



<SKU 6>

Mode	30																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5064.67 52.54 74.00</td> <td>-21.46</td> <td>38.55</td> <td>32.70</td> <td>10.45</td> <td>33.08</td> <td>3.92</td> <td>279</td> <td>157 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg		1 5064.67 52.54 74.00	-21.46	38.55	32.70	10.45	33.08	3.92	279	157 PEAK	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5290.00 97.27</td> <td>-----</td> <td>83.34</td> <td>32.52</td> <td>10.77</td> <td>33.42</td> <td>4.06</td> <td>279</td> <td>157 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg		1 5290.00 97.27	-----	83.34	32.52	10.77	33.42	4.06	279	157 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																																			
1 5064.67 52.54 74.00	-21.46	38.55	32.70	10.45	33.08	3.92	279	157 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																																			
1 5290.00 97.27	-----	83.34	32.52	10.77	33.42	4.06	279	157 PEAK																																																																		
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5052.78 44.77 54.00</td> <td>-9.23</td> <td>30.77</td> <td>32.70</td> <td>10.45</td> <td>33.06</td> <td>3.91</td> <td>279</td> <td>157 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg		1 5052.78 44.77 54.00	-9.23	30.77	32.70	10.45	33.06	3.91	279	157 AVERAGE	<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5290.00 90.70</td> <td>-----</td> <td>76.77</td> <td>32.52</td> <td>10.77</td> <td>33.42</td> <td>4.06</td> <td>279</td> <td>157 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg		1 5290.00 90.70	-----	76.77	32.52	10.77	33.42	4.06	279	157 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																																			
1 5052.78 44.77 54.00	-9.23	30.77	32.70	10.45	33.06	3.91	279	157 AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																			
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																																			
1 5290.00 90.70	-----	76.77	32.52	10.77	33.42	4.06	279	157 AVERAGE																																																																		



Mode	30																																			
	Band Edge - R																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																			
ANT	1																																			
Pol.	Horizontal	Fundamental																																		
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.37</td> <td>56.07</td> <td>74.00</td> <td>-17.93</td> <td>41.99</td> <td>32.50</td> <td>11.01</td> <td>33.51</td> <td>4.00</td> <td>279</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	1	5351.37	56.07	74.00	-17.93	41.99	32.50	11.01	33.51	4.00	279	157	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg																									
1	5351.37	56.07	74.00	-17.93	41.99	32.50	11.01	33.51	4.00	279	157	PEAK																								
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.35</td> <td>49.76</td> <td>54.00</td> <td>-4.24</td> <td>35.69</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> <td>279</td> <td>157</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg	1	5350.35	49.76	54.00	-4.24	35.69	32.50	11.00	33.51	4.00	279	157	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	dB	cm	deg																									
1	5350.35	49.76	54.00	-4.24	35.69	32.50	11.00	33.51	4.00	279	157	AVERAGE																								



Mode	30																																																									
	Band Edge - L																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																									
ANT	1																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>MHz dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5074.82 53.31 74.00 -20.69 39.32 32.70 10.45 33.09 3.93 184 145</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5074.82 53.31 74.00 -20.69 39.32 32.70 10.45 33.09 3.93 184 145	PEAK								<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>MHz dBuV/m dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00 98.45 ----- 84.52 32.51 10.79 33.43 4.06 184 145</td> <td>PEAK(UNII)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5290.00 98.45 ----- 84.52 32.51 10.79 33.43 4.06 184 145	PEAK(UNII)								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 5074.82 53.31 74.00 -20.69 39.32 32.70 10.45 33.09 3.93 184 145	PEAK																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 5290.00 98.45 ----- 84.52 32.51 10.79 33.43 4.06 184 145	PEAK(UNII)																																																									
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>MHz dBuV/m dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5074.82 44.73 54.00 -9.27 30.72 32.70 10.45 33.04 3.90 184 145</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5074.82 44.73 54.00 -9.27 30.72 32.70 10.45 33.04 3.90 184 145	AVERAGE								<p>Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th>MHz dBuV/m dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00 91.97 ----- 76.04 32.51 10.79 33.43 4.06 184 145</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5290.00 91.97 ----- 76.04 32.51 10.79 33.43 4.06 184 145	AVERAGE							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 5074.82 44.73 54.00 -9.27 30.72 32.70 10.45 33.04 3.90 184 145	AVERAGE																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 5290.00 91.97 ----- 76.04 32.51 10.79 33.43 4.06 184 145	AVERAGE																																																									





Mode	30																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																														
ANT	1																																														
Pol.	Vertical	Fundamental																																													
Peak	<p>Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5358.51</td> <td>58.54</td> <td>74.00</td> <td>-15.46</td> <td>44.45</td> <td>32.50</td> <td>11.03</td> <td>33.52</td> <td>4.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>184 145 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5358.51	58.54	74.00	-15.46	44.45	32.50	11.03	33.52	4.00									184 145 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5358.51	58.54	74.00	-15.46	44.45	32.50	11.03	33.52	4.00																																							
								184 145 PEAK																																							
Avg	<p>Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.18</td> <td>51.76</td> <td>54.00</td> <td>-2.24</td> <td>37.69</td> <td>32.50</td> <td>11.00</td> <td>33.51</td> <td>4.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>184 145 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.18	51.76	54.00	-2.24	37.69	32.50	11.00	33.51	4.00									184 145 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5350.18	51.76	54.00	-2.24	37.69	32.50	11.00	33.51	4.00																																							
								184 145 AVERAGE																																							



Mode	30																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>49.58</td> <td>68.20</td> <td>-18.62</td> <td>34.12</td> <td>37.36</td> <td>14.90</td> <td>38.94</td> <td>2.14</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>53.25</td> <td>74.00</td> <td>-20.75</td> <td>36.55</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15870.00</td> <td>42.90</td> <td>54.00</td> <td>-11.10</td> <td>26.20</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10580.00	49.58	68.20	-18.62	34.12	37.36	14.90	38.94	2.14	--	--	Peak	2	15870.00	53.25	74.00	-20.75	36.55	40.60	18.22	44.96	2.84	--	--	Peak	3	15870.00	42.90	54.00	-11.10	26.20	40.60	18.22	44.96	2.84	--	--	Average	<p>Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>48.92</td> <td>68.20</td> <td>-19.28</td> <td>33.46</td> <td>37.36</td> <td>14.90</td> <td>38.94</td> <td>2.14</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>51.71</td> <td>74.00</td> <td>-22.29</td> <td>35.01</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15870.00</td> <td>41.39</td> <td>54.00</td> <td>-12.61</td> <td>24.69</td> <td>40.60</td> <td>18.22</td> <td>44.96</td> <td>2.84</td> <td>--</td> <td>--</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10580.00	48.92	68.20	-19.28	33.46	37.36	14.90	38.94	2.14	--	--	Peak	2	15870.00	51.71	74.00	-22.29	35.01	40.60	18.22	44.96	2.84	--	--	Peak	3	15870.00	41.39	54.00	-12.61	24.69	40.60	18.22	44.96	2.84	--	--	Average
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10580.00	49.58	68.20	-18.62	34.12	37.36	14.90	38.94	2.14	--	--	Peak																																																																																																																								
2	15870.00	53.25	74.00	-20.75	36.55	40.60	18.22	44.96	2.84	--	--	Peak																																																																																																																								
3	15870.00	42.90	54.00	-11.10	26.20	40.60	18.22	44.96	2.84	--	--	Average																																																																																																																								
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10580.00	48.92	68.20	-19.28	33.46	37.36	14.90	38.94	2.14	--	--	Peak																																																																																																																								
2	15870.00	51.71	74.00	-22.29	35.01	40.60	18.22	44.96	2.84	--	--	Peak																																																																																																																								
3	15870.00	41.39	54.00	-12.61	24.69	40.60	18.22	44.96	2.84	--	--	Average																																																																																																																								



Mode	31																																																																																																																																																																																							
	LF																																																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																																																																							
ANT	1																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																						
QP/ Peak	<p>Site : 03CH23-HY Condition: QP 3m LF_633038001_231015 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>72.68</td><td>27.70</td><td>40.00</td><td>-12.30</td><td>45.98</td><td>12.88</td><td>1.48</td><td>32.72</td><td>0.08</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>96.93</td><td>35.63</td><td>43.50</td><td>-7.87</td><td>50.00</td><td>15.86</td><td>1.57</td><td>32.69</td><td>0.09</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>136.70</td><td>33.10</td><td>43.50</td><td>-10.40</td><td>46.15</td><td>17.69</td><td>1.82</td><td>32.70</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>215.27</td><td>34.63</td><td>43.50</td><td>-8.87</td><td>50.04</td><td>14.94</td><td>2.20</td><td>32.72</td><td>0.17</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>269.59</td><td>37.01</td><td>46.00</td><td>-8.99</td><td>48.01</td><td>19.16</td><td>2.46</td><td>32.76</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>347.19</td><td>30.49</td><td>46.00</td><td>-15.51</td><td>40.15</td><td>20.29</td><td>2.76</td><td>32.81</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	72.68	27.70	40.00	-12.30	45.98	12.88	1.48	32.72	0.08	--	--	Peak	2	96.93	35.63	43.50	-7.87	50.00	15.86	1.57	32.69	0.09	--	--	Peak	3	136.70	33.10	43.50	-10.40	46.15	17.69	1.82	32.70	0.14	--	--	Peak	4	215.27	34.63	43.50	-8.87	50.04	14.94	2.20	32.72	0.17	--	--	Peak	5	269.59	37.01	46.00	-8.99	48.01	19.16	2.46	32.76	0.14	--	--	Peak	6	347.19	30.49	46.00	-15.51	40.15	20.29	2.76	32.81	0.10	--	--	Peak	<p>Site : 03CH23-HY Condition: QP 3m LF_633038001_231015 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>33.01</td><td>40.00</td><td>-6.99</td><td>40.66</td><td>24.03</td><td>1.07</td><td>32.75</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>72.68</td><td>33.53</td><td>40.00</td><td>-6.47</td><td>51.81</td><td>12.88</td><td>1.48</td><td>32.72</td><td>0.08</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>137.67</td><td>37.62</td><td>43.50</td><td>-5.88</td><td>50.74</td><td>17.61</td><td>1.82</td><td>32.70</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>176.47</td><td>34.44</td><td>43.50</td><td>-9.06</td><td>49.61</td><td>15.32</td><td>2.03</td><td>32.71</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>258.92</td><td>35.43</td><td>46.00</td><td>-10.57</td><td>45.86</td><td>19.75</td><td>2.41</td><td>32.75</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>943.74</td><td>33.35</td><td>46.00</td><td>-12.65</td><td>29.81</td><td>30.71</td><td>4.28</td><td>31.70</td><td>0.25</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	30.97	33.01	40.00	-6.99	40.66	24.03	1.07	32.75	0.00	--	--	Peak	2	72.68	33.53	40.00	-6.47	51.81	12.88	1.48	32.72	0.08	--	--	Peak	3	137.67	37.62	43.50	-5.88	50.74	17.61	1.82	32.70	0.15	--	--	Peak	4	176.47	34.44	43.50	-9.06	49.61	15.32	2.03	32.71	0.19	--	--	Peak	5	258.92	35.43	46.00	-10.57	45.86	19.75	2.41	32.75	0.16	--	--	Peak	6	943.74	33.35	46.00	-12.65	29.81	30.71	4.28	31.70	0.25	--	--	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																																												
1	72.68	27.70	40.00	-12.30	45.98	12.88	1.48	32.72	0.08	--	--	Peak																																																																																																																																																																												
2	96.93	35.63	43.50	-7.87	50.00	15.86	1.57	32.69	0.09	--	--	Peak																																																																																																																																																																												
3	136.70	33.10	43.50	-10.40	46.15	17.69	1.82	32.70	0.14	--	--	Peak																																																																																																																																																																												
4	215.27	34.63	43.50	-8.87	50.04	14.94	2.20	32.72	0.17	--	--	Peak																																																																																																																																																																												
5	269.59	37.01	46.00	-8.99	48.01	19.16	2.46	32.76	0.14	--	--	Peak																																																																																																																																																																												
6	347.19	30.49	46.00	-15.51	40.15	20.29	2.76	32.81	0.10	--	--	Peak																																																																																																																																																																												
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																																												
1	30.97	33.01	40.00	-6.99	40.66	24.03	1.07	32.75	0.00	--	--	Peak																																																																																																																																																																												
2	72.68	33.53	40.00	-6.47	51.81	12.88	1.48	32.72	0.08	--	--	Peak																																																																																																																																																																												
3	137.67	37.62	43.50	-5.88	50.74	17.61	1.82	32.70	0.15	--	--	Peak																																																																																																																																																																												
4	176.47	34.44	43.50	-9.06	49.61	15.32	2.03	32.71	0.19	--	--	Peak																																																																																																																																																																												
5	258.92	35.43	46.00	-10.57	45.86	19.75	2.41	32.75	0.16	--	--	Peak																																																																																																																																																																												
6	943.74	33.35	46.00	-12.65	29.81	30.71	4.28	31.70	0.25	--	--	Peak																																																																																																																																																																												





# Appendix D. Duty Cycle Plots

<SKU 5>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1	802.11a	97.54	1390	0.72	750Hz
1	5GHz 802.11n HT20	97.38	1300	0.77	820Hz
1	5GHz 802.11n HT40	94.74	648	1.54	1.6kHz
1	5GHz 802.11ac VHT80	90.25	324	3.09	3.3KHz

<Ant. 1>





<SKU 6>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1	5GHz 802.11ac VHT80	90.50	324	3.09	3.3KHz

<Ant. 1>

