



A1. GSM

Peak-to-Average Ratio







Mode	GSM850		Limit: 13dB
Mod.	GPRS class 8	EDGE class 8	Result
Lowest CH	0.24	3.40	PASS
Middle CH	0.20	3.28	
Highest CH	0.20	3.28	

Mode	GSM1900		Limit: 13dB
Mod.	GPRS class 8	EDGE class 8	Result
Lowest CH	0.20	3.44	PASS
Middle CH	0.24	3.36	
Highest CH	0.24	3.32	



GSM850 (GPRS class 8)	GSM850 (EDGE class 8)																												
<p style="text-align: center;">Lowest Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 824.2 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <table border="1"> <tr><td>Mean</td><td>31.44 dBm</td></tr> <tr><td>Peak</td><td>31.65 dBm</td></tr> <tr><td>Crest</td><td>0.21 dB</td></tr> </table> <table border="1"> <tr><td>10 %</td><td>0.16 dB</td></tr> <tr><td>1 %</td><td>0.24 dB</td></tr> <tr><td>.1 %</td><td>0.24 dB</td></tr> <tr><td>.01 %</td><td>0.24 dB</td></tr> </table> <p>Date: 6.NOV.2015 09:49:56</p>	Mean	31.44 dBm	Peak	31.65 dBm	Crest	0.21 dB	10 %	0.16 dB	1 %	0.24 dB	.1 %	0.24 dB	.01 %	0.24 dB	<p style="text-align: center;">Lowest Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 824.2 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <table border="1"> <tr><td>Mean</td><td>27.37 dBm</td></tr> <tr><td>Peak</td><td>30.88 dBm</td></tr> <tr><td>Crest</td><td>3.51 dB</td></tr> </table> <table border="1"> <tr><td>10 %</td><td>2.52 dB</td></tr> <tr><td>1 %</td><td>3.24 dB</td></tr> <tr><td>.1 %</td><td>3.40 dB</td></tr> <tr><td>.01 %</td><td>3.48 dB</td></tr> </table> <p>Date: 11.NOV.2015 15:13:07</p>	Mean	27.37 dBm	Peak	30.88 dBm	Crest	3.51 dB	10 %	2.52 dB	1 %	3.24 dB	.1 %	3.40 dB	.01 %	3.48 dB
Mean	31.44 dBm																												
Peak	31.65 dBm																												
Crest	0.21 dB																												
10 %	0.16 dB																												
1 %	0.24 dB																												
.1 %	0.24 dB																												
.01 %	0.24 dB																												
Mean	27.37 dBm																												
Peak	30.88 dBm																												
Crest	3.51 dB																												
10 %	2.52 dB																												
1 %	3.24 dB																												
.1 %	3.40 dB																												
.01 %	3.48 dB																												
<p style="text-align: center;">Middle Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 836.4 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <table border="1"> <tr><td>Mean</td><td>31.39 dBm</td></tr> <tr><td>Peak</td><td>31.58 dBm</td></tr> <tr><td>Crest</td><td>0.19 dB</td></tr> </table> <table border="1"> <tr><td>10 %</td><td>0.20 dB</td></tr> <tr><td>1 %</td><td>0.20 dB</td></tr> <tr><td>.1 %</td><td>0.20 dB</td></tr> <tr><td>.01 %</td><td>0.20 dB</td></tr> </table> <p>Date: 6.NOV.2015 09:50:13</p>	Mean	31.39 dBm	Peak	31.58 dBm	Crest	0.19 dB	10 %	0.20 dB	1 %	0.20 dB	.1 %	0.20 dB	.01 %	0.20 dB	<p style="text-align: center;">Middle Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 836.4 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <table border="1"> <tr><td>Mean</td><td>27.88 dBm</td></tr> <tr><td>Peak</td><td>31.23 dBm</td></tr> <tr><td>Crest</td><td>3.36 dB</td></tr> </table> <table border="1"> <tr><td>10 %</td><td>2.52 dB</td></tr> <tr><td>1 %</td><td>3.16 dB</td></tr> <tr><td>.1 %</td><td>3.28 dB</td></tr> <tr><td>.01 %</td><td>3.36 dB</td></tr> </table> <p>Date: 11.NOV.2015 15:14:05</p>	Mean	27.88 dBm	Peak	31.23 dBm	Crest	3.36 dB	10 %	2.52 dB	1 %	3.16 dB	.1 %	3.28 dB	.01 %	3.36 dB
Mean	31.39 dBm																												
Peak	31.58 dBm																												
Crest	0.19 dB																												
10 %	0.20 dB																												
1 %	0.20 dB																												
.1 %	0.20 dB																												
.01 %	0.20 dB																												
Mean	27.88 dBm																												
Peak	31.23 dBm																												
Crest	3.36 dB																												
10 %	2.52 dB																												
1 %	3.16 dB																												
.1 %	3.28 dB																												
.01 %	3.36 dB																												
<p style="text-align: center;">Highest Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 848.8 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <table border="1"> <tr><td>Mean</td><td>31.27 dBm</td></tr> <tr><td>Peak</td><td>31.44 dBm</td></tr> <tr><td>Crest</td><td>0.17 dB</td></tr> </table> <table border="1"> <tr><td>10 %</td><td>0.16 dB</td></tr> <tr><td>1 %</td><td>0.20 dB</td></tr> <tr><td>.1 %</td><td>0.20 dB</td></tr> <tr><td>.01 %</td><td>0.20 dB</td></tr> </table> <p>Date: 6.NOV.2015 09:50:29</p>	Mean	31.27 dBm	Peak	31.44 dBm	Crest	0.17 dB	10 %	0.16 dB	1 %	0.20 dB	.1 %	0.20 dB	.01 %	0.20 dB	<p style="text-align: center;">Highest Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 848.8 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <table border="1"> <tr><td>Mean</td><td>27.60 dBm</td></tr> <tr><td>Peak</td><td>30.88 dBm</td></tr> <tr><td>Crest</td><td>3.28 dB</td></tr> </table> <table border="1"> <tr><td>10 %</td><td>2.60 dB</td></tr> <tr><td>1 %</td><td>3.16 dB</td></tr> <tr><td>.1 %</td><td>3.28 dB</td></tr> <tr><td>.01 %</td><td>3.32 dB</td></tr> </table> <p>Date: 11.NOV.2015 15:15:08</p>	Mean	27.60 dBm	Peak	30.88 dBm	Crest	3.28 dB	10 %	2.60 dB	1 %	3.16 dB	.1 %	3.28 dB	.01 %	3.32 dB
Mean	31.27 dBm																												
Peak	31.44 dBm																												
Crest	0.17 dB																												
10 %	0.16 dB																												
1 %	0.20 dB																												
.1 %	0.20 dB																												
.01 %	0.20 dB																												
Mean	27.60 dBm																												
Peak	30.88 dBm																												
Crest	3.28 dB																												
10 %	2.60 dB																												
1 %	3.16 dB																												
.1 %	3.28 dB																												
.01 %	3.32 dB																												




GSM1900 (GPRS class 8)	GSM1900 (EDGE class 8)																
<p align="center">Lowest Channel</p>  <p>Ref: 35 dBm Att: 30 dB AQT: 3.125 ms</p> <p>Center: 1.8502 GHz 2 dB/ Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 28.79 dBm Peak: 29.04 dBm Crest: 0.25 dB</p> <table border="1"> <tr><td>10 %</td><td>0.16 dB</td></tr> <tr><td>1 %</td><td>0.20 dB</td></tr> <tr><td>.1 %</td><td>0.20 dB</td></tr> <tr><td>.01 %</td><td>0.20 dB</td></tr> </table> <p>Date: 6.NOV.2015 10:34:11</p>	10 %	0.16 dB	1 %	0.20 dB	.1 %	0.20 dB	.01 %	0.20 dB	<p align="center">Lowest Channel</p>  <p>Ref: 35 dBm Att: 30 dB AQT: 3.125 ms</p> <p>Center: 1.8502 GHz 2 dB/ Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 25.23 dBm Peak: 28.83 dBm Crest: 3.61 dB</p> <table border="1"> <tr><td>10 %</td><td>2.48 dB</td></tr> <tr><td>1 %</td><td>3.20 dB</td></tr> <tr><td>.1 %</td><td>3.44 dB</td></tr> <tr><td>.01 %</td><td>3.56 dB</td></tr> </table> <p>Date: 11.NOV.2015 14:59:54</p>	10 %	2.48 dB	1 %	3.20 dB	.1 %	3.44 dB	.01 %	3.56 dB
10 %	0.16 dB																
1 %	0.20 dB																
.1 %	0.20 dB																
.01 %	0.20 dB																
10 %	2.48 dB																
1 %	3.20 dB																
.1 %	3.44 dB																
.01 %	3.56 dB																
<p align="center">Middle Channel</p>  <p>Ref: 35 dBm Att: 30 dB AQT: 3.125 ms</p> <p>Center: 1.88 GHz 2 dB/ Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 29.09 dBm Peak: 29.32 dBm Crest: 0.23 dB</p> <table border="1"> <tr><td>10 %</td><td>0.16 dB</td></tr> <tr><td>1 %</td><td>0.20 dB</td></tr> <tr><td>.1 %</td><td>0.24 dB</td></tr> <tr><td>.01 %</td><td>0.24 dB</td></tr> </table> <p>Date: 6.NOV.2015 10:34:26</p>	10 %	0.16 dB	1 %	0.20 dB	.1 %	0.24 dB	.01 %	0.24 dB	<p align="center">Middle Channel</p>  <p>Ref: 35 dBm Att: 30 dB AQT: 3.125 ms</p> <p>Center: 1.88 GHz 2 dB/ Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 25.42 dBm Peak: 28.90 dBm Crest: 3.49 dB</p> <table border="1"> <tr><td>10 %</td><td>2.44 dB</td></tr> <tr><td>1 %</td><td>3.20 dB</td></tr> <tr><td>.1 %</td><td>3.36 dB</td></tr> <tr><td>.01 %</td><td>3.44 dB</td></tr> </table> <p>Date: 11.NOV.2015 15:00:42</p>	10 %	2.44 dB	1 %	3.20 dB	.1 %	3.36 dB	.01 %	3.44 dB
10 %	0.16 dB																
1 %	0.20 dB																
.1 %	0.24 dB																
.01 %	0.24 dB																
10 %	2.44 dB																
1 %	3.20 dB																
.1 %	3.36 dB																
.01 %	3.44 dB																
<p align="center">Highest Channel</p>  <p>Ref: 35 dBm Att: 30 dB AQT: 3.125 ms</p> <p>Center: 1.9098 GHz 2 dB/ Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 28.70 dBm Peak: 28.90 dBm Crest: 0.21 dB</p> <table border="1"> <tr><td>10 %</td><td>0.20 dB</td></tr> <tr><td>1 %</td><td>0.24 dB</td></tr> <tr><td>.1 %</td><td>0.24 dB</td></tr> <tr><td>.01 %</td><td>0.24 dB</td></tr> </table> <p>Date: 6.NOV.2015 10:34:46</p>	10 %	0.20 dB	1 %	0.24 dB	.1 %	0.24 dB	.01 %	0.24 dB	<p align="center">Highest Channel</p>  <p>Ref: 35 dBm Att: 30 dB AQT: 3.125 ms</p> <p>Center: 1.9098 GHz 2 dB/ Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 24.99 dBm Peak: 28.41 dBm Crest: 3.43 dB</p> <table border="1"> <tr><td>10 %</td><td>2.40 dB</td></tr> <tr><td>1 %</td><td>3.16 dB</td></tr> <tr><td>.1 %</td><td>3.32 dB</td></tr> <tr><td>.01 %</td><td>3.40 dB</td></tr> </table> <p>Date: 11.NOV.2015 15:01:11</p>	10 %	2.40 dB	1 %	3.16 dB	.1 %	3.32 dB	.01 %	3.40 dB
10 %	0.20 dB																
1 %	0.24 dB																
.1 %	0.24 dB																
.01 %	0.24 dB																
10 %	2.40 dB																
1 %	3.16 dB																
.1 %	3.32 dB																
.01 %	3.40 dB																




26dB Bandwidth

Mode	GSM850	
Mod.	GPRS class 8	EDGE class 8
Lowest CH	0.311	0.316
Middle CH	0.317	0.300
Highest CH	0.311	0.307

Mode	GSM1900	
Mod.	GPRS class 8	EDGE class 8
Lowest CH	0.313	0.310
Middle CH	0.307	0.303
Highest CH	0.317	0.305









Occupied Bandwidth

Mode	GSM850	
Mod.	GPRS class 8	EDGE class 8
Lowest CH	0.243	0.250
Middle CH	0.246	0.251
Highest CH	0.247	0.251

Mode	GSM1900	
Mod.	GPRS class 8	EDGE class 8
Lowest CH	0.244	0.255
Middle CH	0.242	0.248
Highest CH	0.243	0.247








Conducted Band Edge




GSM850 (GPRS class 8)

Lowest Band Edge



Date: 6.NOV.2015 09:45:22


Highest Band Edge



Date: 6.NOV.2015 09:46:50


GSM850 (EDGE class 8)

Lowest Band Edge



Date: 11.NOV.2015 15:20:10

Highest Band Edge





Date: 11.NOV.2015 15:22:55



GSM1900 (GPRS class 8)

Lowest Band Edge

Highest Band Edge





Date: 6.NOV.2015 15:56:19

Date: 6.NOV.2015 10:29:28

GSM1900 (EDGE class 8)

Lowest Band Edge

Highest Band Edge









Date: 11.NOV.2015 15:05:16

Date: 11.NOV.2015 15:06:51









Conducted Spurious Emission



GSM850 (GPRS class 8)	GSM850 (EDGE class 8)																																																																								
Lowest Channel	Lowest Channel																																																																								
 <table border="1" data-bbox="239 571 638 660"> <thead> <tr> <th>Start [MHz]</th> <th>Stop [MHz]</th> <th>RBW [Hz]</th> <th>Freq [MHz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr> <td>35.0000 M</td> <td>820.0000 M</td> <td>1.00 M</td> <td>787.897500 M</td> <td>-43.11</td> <td>-20.13</td> </tr> <tr> <td>855.0000 M</td> <td>1.000 G</td> <td>1.00 M</td> <td>995.722510 M</td> <td>-42.20</td> <td>-20.20</td> </tr> <tr> <td>1.000 G</td> <td>3.000 G</td> <td>1.00 M</td> <td>1.648500 G</td> <td>-28.90</td> <td>-21.90</td> </tr> <tr> <td>3.000 G</td> <td>7.000 G</td> <td>1.00 M</td> <td>3.003000 G</td> <td>-37.57</td> <td>-24.57</td> </tr> <tr> <td>7.000 G</td> <td>9.000 G</td> <td>1.00 M</td> <td>8.358500 G</td> <td>-34.88</td> <td>-21.88</td> </tr> </tbody> </table> <p>Date: 6.NOV.2015 09:47:46</p>	Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]	35.0000 M	820.0000 M	1.00 M	787.897500 M	-43.11	-20.13	855.0000 M	1.000 G	1.00 M	995.722510 M	-42.20	-20.20	1.000 G	3.000 G	1.00 M	1.648500 G	-28.90	-21.90	3.000 G	7.000 G	1.00 M	3.003000 G	-37.57	-24.57	7.000 G	9.000 G	1.00 M	8.358500 G	-34.88	-21.88	 <table border="1" data-bbox="885 571 1284 660"> <thead> <tr> <th>Start [MHz]</th> <th>Stop [MHz]</th> <th>RBW [Hz]</th> <th>Freq [MHz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr> <td>35.0000 M</td> <td>820.0000 M</td> <td>1.00 M</td> <td>819.605000 M</td> <td>-34.75</td> <td>-21.75</td> </tr> <tr> <td>855.0000 M</td> <td>1.000 G</td> <td>1.00 M</td> <td>880.665002 M</td> <td>-41.95</td> <td>-28.95</td> </tr> <tr> <td>1.000 G</td> <td>3.000 G</td> <td>1.00 M</td> <td>1.648500 G</td> <td>-28.99</td> <td>-21.99</td> </tr> <tr> <td>3.000 G</td> <td>7.000 G</td> <td>1.00 M</td> <td>3.003000 G</td> <td>-37.58</td> <td>-24.58</td> </tr> <tr> <td>7.000 G</td> <td>9.000 G</td> <td>1.00 M</td> <td>7.536000 G</td> <td>-35.26</td> <td>-22.26</td> </tr> </tbody> </table> <p>Date: 11.NOV.2015 15:10:55</p>	Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]	35.0000 M	820.0000 M	1.00 M	819.605000 M	-34.75	-21.75	855.0000 M	1.000 G	1.00 M	880.665002 M	-41.95	-28.95	1.000 G	3.000 G	1.00 M	1.648500 G	-28.99	-21.99	3.000 G	7.000 G	1.00 M	3.003000 G	-37.58	-24.58	7.000 G	9.000 G	1.00 M	7.536000 G	-35.26	-22.26
Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]																																																																				
35.0000 M	820.0000 M	1.00 M	787.897500 M	-43.11	-20.13																																																																				
855.0000 M	1.000 G	1.00 M	995.722510 M	-42.20	-20.20																																																																				
1.000 G	3.000 G	1.00 M	1.648500 G	-28.90	-21.90																																																																				
3.000 G	7.000 G	1.00 M	3.003000 G	-37.57	-24.57																																																																				
7.000 G	9.000 G	1.00 M	8.358500 G	-34.88	-21.88																																																																				
Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]																																																																				
35.0000 M	820.0000 M	1.00 M	819.605000 M	-34.75	-21.75																																																																				
855.0000 M	1.000 G	1.00 M	880.665002 M	-41.95	-28.95																																																																				
1.000 G	3.000 G	1.00 M	1.648500 G	-28.99	-21.99																																																																				
3.000 G	7.000 G	1.00 M	3.003000 G	-37.58	-24.58																																																																				
7.000 G	9.000 G	1.00 M	7.536000 G	-35.26	-22.26																																																																				
Middle Channel	Middle Channel																																																																								
 <table border="1" data-bbox="239 1086 638 1176"> <thead> <tr> <th>Start [MHz]</th> <th>Stop [MHz]</th> <th>RBW [Hz]</th> <th>Freq [MHz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr> <td>35.0000 M</td> <td>820.0000 M</td> <td>1.00 M</td> <td>804.792500 M</td> <td>-42.59</td> <td>-29.59</td> </tr> <tr> <td>855.0000 M</td> <td>1.000 G</td> <td>1.00 M</td> <td>826.616200 M</td> <td>-39.86</td> <td>-26.86</td> </tr> <tr> <td>1.000 G</td> <td>3.000 G</td> <td>1.00 M</td> <td>1.673500 G</td> <td>-29.39</td> <td>-16.39</td> </tr> <tr> <td>3.000 G</td> <td>7.000 G</td> <td>1.00 M</td> <td>3.017000 G</td> <td>-37.89</td> <td>-24.89</td> </tr> <tr> <td>7.000 G</td> <td>9.000 G</td> <td>1.00 M</td> <td>7.893500 G</td> <td>-35.99</td> <td>-22.99</td> </tr> </tbody> </table> <p>Date: 6.NOV.2015 09:48:16</p>	Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]	35.0000 M	820.0000 M	1.00 M	804.792500 M	-42.59	-29.59	855.0000 M	1.000 G	1.00 M	826.616200 M	-39.86	-26.86	1.000 G	3.000 G	1.00 M	1.673500 G	-29.39	-16.39	3.000 G	7.000 G	1.00 M	3.017000 G	-37.89	-24.89	7.000 G	9.000 G	1.00 M	7.893500 G	-35.99	-22.99	 <table border="1" data-bbox="885 1086 1284 1176"> <thead> <tr> <th>Start [MHz]</th> <th>Stop [MHz]</th> <th>RBW [Hz]</th> <th>Freq [MHz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr> <td>35.0000 M</td> <td>820.0000 M</td> <td>1.00 M</td> <td>800.052500 M</td> <td>-42.64</td> <td>-29.64</td> </tr> <tr> <td>855.0000 M</td> <td>1.000 G</td> <td>1.00 M</td> <td>827.392500 M</td> <td>-41.31</td> <td>-28.31</td> </tr> <tr> <td>1.000 G</td> <td>3.000 G</td> <td>1.00 M</td> <td>1.673500 G</td> <td>-34.03</td> <td>-21.03</td> </tr> <tr> <td>3.000 G</td> <td>7.000 G</td> <td>1.00 M</td> <td>3.037000 G</td> <td>-37.58</td> <td>-24.58</td> </tr> <tr> <td>7.000 G</td> <td>9.000 G</td> <td>1.00 M</td> <td>7.537000 G</td> <td>-34.34</td> <td>-21.34</td> </tr> </tbody> </table> <p>Date: 11.NOV.2015 15:11:52</p>	Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]	35.0000 M	820.0000 M	1.00 M	800.052500 M	-42.64	-29.64	855.0000 M	1.000 G	1.00 M	827.392500 M	-41.31	-28.31	1.000 G	3.000 G	1.00 M	1.673500 G	-34.03	-21.03	3.000 G	7.000 G	1.00 M	3.037000 G	-37.58	-24.58	7.000 G	9.000 G	1.00 M	7.537000 G	-34.34	-21.34
Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]																																																																				
35.0000 M	820.0000 M	1.00 M	804.792500 M	-42.59	-29.59																																																																				
855.0000 M	1.000 G	1.00 M	826.616200 M	-39.86	-26.86																																																																				
1.000 G	3.000 G	1.00 M	1.673500 G	-29.39	-16.39																																																																				
3.000 G	7.000 G	1.00 M	3.017000 G	-37.89	-24.89																																																																				
7.000 G	9.000 G	1.00 M	7.893500 G	-35.99	-22.99																																																																				
Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]																																																																				
35.0000 M	820.0000 M	1.00 M	800.052500 M	-42.64	-29.64																																																																				
855.0000 M	1.000 G	1.00 M	827.392500 M	-41.31	-28.31																																																																				
1.000 G	3.000 G	1.00 M	1.673500 G	-34.03	-21.03																																																																				
3.000 G	7.000 G	1.00 M	3.037000 G	-37.58	-24.58																																																																				
7.000 G	9.000 G	1.00 M	7.537000 G	-34.34	-21.34																																																																				
Highest Channel	Highest Channel																																																																								
 <table border="1" data-bbox="239 1601 638 1691"> <thead> <tr> <th>Start [MHz]</th> <th>Stop [MHz]</th> <th>RBW [Hz]</th> <th>Freq [MHz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr> <td>35.0000 M</td> <td>820.0000 M</td> <td>1.00 M</td> <td>812.810500 M</td> <td>-42.73</td> <td>-29.73</td> </tr> <tr> <td>855.0000 M</td> <td>1.000 G</td> <td>1.00 M</td> <td>855.036250 M</td> <td>-36.50</td> <td>-23.50</td> </tr> <tr> <td>1.000 G</td> <td>3.000 G</td> <td>1.00 M</td> <td>1.697500 G</td> <td>-32.09</td> <td>-18.09</td> </tr> <tr> <td>3.000 G</td> <td>7.000 G</td> <td>1.00 M</td> <td>3.054000 G</td> <td>-37.77</td> <td>-24.77</td> </tr> <tr> <td>7.000 G</td> <td>9.000 G</td> <td>1.00 M</td> <td>8.160500 G</td> <td>-35.64</td> <td>-22.64</td> </tr> </tbody> </table> <p>Date: 6.NOV.2015 09:48:46</p>	Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]	35.0000 M	820.0000 M	1.00 M	812.810500 M	-42.73	-29.73	855.0000 M	1.000 G	1.00 M	855.036250 M	-36.50	-23.50	1.000 G	3.000 G	1.00 M	1.697500 G	-32.09	-18.09	3.000 G	7.000 G	1.00 M	3.054000 G	-37.77	-24.77	7.000 G	9.000 G	1.00 M	8.160500 G	-35.64	-22.64	 <table border="1" data-bbox="885 1601 1284 1691"> <thead> <tr> <th>Start [MHz]</th> <th>Stop [MHz]</th> <th>RBW [Hz]</th> <th>Freq [MHz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr> <td>35.0000 M</td> <td>820.0000 M</td> <td>1.00 M</td> <td>839.155000 M</td> <td>-42.40</td> <td>-29.40</td> </tr> <tr> <td>855.0000 M</td> <td>1.000 G</td> <td>1.00 M</td> <td>855.036250 M</td> <td>-37.19</td> <td>-24.19</td> </tr> <tr> <td>1.000 G</td> <td>3.000 G</td> <td>1.00 M</td> <td>1.698000 G</td> <td>-39.07</td> <td>-26.07</td> </tr> <tr> <td>3.000 G</td> <td>7.000 G</td> <td>1.00 M</td> <td>3.003000 G</td> <td>-37.55</td> <td>-24.55</td> </tr> <tr> <td>7.000 G</td> <td>9.000 G</td> <td>1.00 M</td> <td>7.527500 G</td> <td>-35.01</td> <td>-22.01</td> </tr> </tbody> </table> <p>Date: 11.NOV.2015 15:12:25</p>	Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]	35.0000 M	820.0000 M	1.00 M	839.155000 M	-42.40	-29.40	855.0000 M	1.000 G	1.00 M	855.036250 M	-37.19	-24.19	1.000 G	3.000 G	1.00 M	1.698000 G	-39.07	-26.07	3.000 G	7.000 G	1.00 M	3.003000 G	-37.55	-24.55	7.000 G	9.000 G	1.00 M	7.527500 G	-35.01	-22.01
Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]																																																																				
35.0000 M	820.0000 M	1.00 M	812.810500 M	-42.73	-29.73																																																																				
855.0000 M	1.000 G	1.00 M	855.036250 M	-36.50	-23.50																																																																				
1.000 G	3.000 G	1.00 M	1.697500 G	-32.09	-18.09																																																																				
3.000 G	7.000 G	1.00 M	3.054000 G	-37.77	-24.77																																																																				
7.000 G	9.000 G	1.00 M	8.160500 G	-35.64	-22.64																																																																				
Start [MHz]	Stop [MHz]	RBW [Hz]	Freq [MHz]	PwrAve [dBm]	ΔLimit [dB]																																																																				
35.0000 M	820.0000 M	1.00 M	839.155000 M	-42.40	-29.40																																																																				
855.0000 M	1.000 G	1.00 M	855.036250 M	-37.19	-24.19																																																																				
1.000 G	3.000 G	1.00 M	1.698000 G	-39.07	-26.07																																																																				
3.000 G	7.000 G	1.00 M	3.003000 G	-37.55	-24.55																																																																				
7.000 G	9.000 G	1.00 M	7.527500 G	-35.01	-22.01																																																																				



GSM1900 (GPRS class 8)	GSM1900 (EDGE class 8)																																																																																				
Lowest Channel	Lowest Channel																																																																																				
 <table border="1" data-bbox="239 571 638 672"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30.0000 M</td><td>1.0000 G</td><td>1.000 M</td><td>111.965000 M</td><td>-36.22</td><td>-23.22</td></tr> <tr><td>1.0000 G</td><td>1.845 G</td><td>1.000 M</td><td>1.245995 G</td><td>-39.85</td><td>-26.85</td></tr> <tr><td>1.845 G</td><td>3.0000 G</td><td>1.000 M</td><td>2.199229 G</td><td>-39.19</td><td>-26.19</td></tr> <tr><td>3.0000 G</td><td>7.0000 G</td><td>1.000 M</td><td>3.700000 G</td><td>-34.46</td><td>-21.46</td></tr> <tr><td>7.0000 G</td><td>13.6000 G</td><td>1.000 M</td><td>10.239775 G</td><td>-33.18</td><td>-20.18</td></tr> <tr><td>13.6000 G</td><td>19.1000 G</td><td>1.000 M</td><td>15.145000 G</td><td>-24.22</td><td>-11.22</td></tr> </tbody> </table> <p>Date: 6.NOV.2015 10:32:26</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30.0000 M	1.0000 G	1.000 M	111.965000 M	-36.22	-23.22	1.0000 G	1.845 G	1.000 M	1.245995 G	-39.85	-26.85	1.845 G	3.0000 G	1.000 M	2.199229 G	-39.19	-26.19	3.0000 G	7.0000 G	1.000 M	3.700000 G	-34.46	-21.46	7.0000 G	13.6000 G	1.000 M	10.239775 G	-33.18	-20.18	13.6000 G	19.1000 G	1.000 M	15.145000 G	-24.22	-11.22	 <table border="1" data-bbox="893 571 1292 672"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30.0000 M</td><td>1.0000 G</td><td>1.000 M</td><td>864.441500 M</td><td>-39.88</td><td>-26.88</td></tr> <tr><td>1.0000 G</td><td>1.845 G</td><td>1.000 M</td><td>1.694891 G</td><td>-38.95</td><td>-25.95</td></tr> <tr><td>1.845 G</td><td>3.0000 G</td><td>1.000 M</td><td>2.993259 G</td><td>-39.35</td><td>-26.35</td></tr> <tr><td>3.0000 G</td><td>7.0000 G</td><td>1.000 M</td><td>3.700000 G</td><td>-31.27</td><td>-18.27</td></tr> <tr><td>7.0000 G</td><td>13.6000 G</td><td>1.000 M</td><td>10.231625 G</td><td>-32.79</td><td>-19.79</td></tr> <tr><td>13.6000 G</td><td>19.1000 G</td><td>1.000 M</td><td>15.457625 G</td><td>-24.09</td><td>-11.09</td></tr> </tbody> </table> <p>Date: 11.NOV.2015 14:55:28</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30.0000 M	1.0000 G	1.000 M	864.441500 M	-39.88	-26.88	1.0000 G	1.845 G	1.000 M	1.694891 G	-38.95	-25.95	1.845 G	3.0000 G	1.000 M	2.993259 G	-39.35	-26.35	3.0000 G	7.0000 G	1.000 M	3.700000 G	-31.27	-18.27	7.0000 G	13.6000 G	1.000 M	10.231625 G	-32.79	-19.79	13.6000 G	19.1000 G	1.000 M	15.457625 G	-24.09	-11.09
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30.0000 M	1.0000 G	1.000 M	111.965000 M	-36.22	-23.22																																																																																
1.0000 G	1.845 G	1.000 M	1.245995 G	-39.85	-26.85																																																																																
1.845 G	3.0000 G	1.000 M	2.199229 G	-39.19	-26.19																																																																																
3.0000 G	7.0000 G	1.000 M	3.700000 G	-34.46	-21.46																																																																																
7.0000 G	13.6000 G	1.000 M	10.239775 G	-33.18	-20.18																																																																																
13.6000 G	19.1000 G	1.000 M	15.145000 G	-24.22	-11.22																																																																																
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30.0000 M	1.0000 G	1.000 M	864.441500 M	-39.88	-26.88																																																																																
1.0000 G	1.845 G	1.000 M	1.694891 G	-38.95	-25.95																																																																																
1.845 G	3.0000 G	1.000 M	2.993259 G	-39.35	-26.35																																																																																
3.0000 G	7.0000 G	1.000 M	3.700000 G	-31.27	-18.27																																																																																
7.0000 G	13.6000 G	1.000 M	10.231625 G	-32.79	-19.79																																																																																
13.6000 G	19.1000 G	1.000 M	15.457625 G	-24.09	-11.09																																																																																
Middle Channel	Middle Channel																																																																																				
 <table border="1" data-bbox="239 1086 638 1187"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30.0000 M</td><td>1.0000 G</td><td>1.000 M</td><td>141.792500 M</td><td>-31.28</td><td>-18.28</td></tr> <tr><td>1.0000 G</td><td>1.845 G</td><td>1.000 M</td><td>1.403859 G</td><td>-39.69</td><td>-26.69</td></tr> <tr><td>1.845 G</td><td>3.0000 G</td><td>1.000 M</td><td>2.978300 G</td><td>-38.62</td><td>-25.62</td></tr> <tr><td>3.0000 G</td><td>7.0000 G</td><td>1.000 M</td><td>3.760000 G</td><td>-34.15</td><td>-21.15</td></tr> <tr><td>7.0000 G</td><td>13.6000 G</td><td>1.000 M</td><td>10.219350 G</td><td>-32.84</td><td>-19.84</td></tr> <tr><td>13.6000 G</td><td>19.1000 G</td><td>1.000 M</td><td>15.098062 G</td><td>-24.33</td><td>-11.33</td></tr> </tbody> </table> <p>Date: 6.NOV.2015 10:32:56</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30.0000 M	1.0000 G	1.000 M	141.792500 M	-31.28	-18.28	1.0000 G	1.845 G	1.000 M	1.403859 G	-39.69	-26.69	1.845 G	3.0000 G	1.000 M	2.978300 G	-38.62	-25.62	3.0000 G	7.0000 G	1.000 M	3.760000 G	-34.15	-21.15	7.0000 G	13.6000 G	1.000 M	10.219350 G	-32.84	-19.84	13.6000 G	19.1000 G	1.000 M	15.098062 G	-24.33	-11.33	 <table border="1" data-bbox="893 1086 1292 1187"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30.0000 M</td><td>1.0000 G</td><td>1.000 M</td><td>141.792500 M</td><td>-35.98</td><td>-22.98</td></tr> <tr><td>1.0000 G</td><td>1.845 G</td><td>1.000 M</td><td>1.403856 G</td><td>-38.86</td><td>-25.86</td></tr> <tr><td>1.845 G</td><td>3.0000 G</td><td>1.000 M</td><td>2.971519 G</td><td>-38.52</td><td>-25.52</td></tr> <tr><td>3.0000 G</td><td>7.0000 G</td><td>1.000 M</td><td>3.142000 G</td><td>-35.85</td><td>-22.85</td></tr> <tr><td>7.0000 G</td><td>13.6000 G</td><td>1.000 M</td><td>10.234825 G</td><td>-33.00</td><td>-20.00</td></tr> <tr><td>13.6000 G</td><td>19.1000 G</td><td>1.000 M</td><td>15.287812 G</td><td>-23.97</td><td>-10.97</td></tr> </tbody> </table> <p>Date: 11.NOV.2015 14:56:04</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30.0000 M	1.0000 G	1.000 M	141.792500 M	-35.98	-22.98	1.0000 G	1.845 G	1.000 M	1.403856 G	-38.86	-25.86	1.845 G	3.0000 G	1.000 M	2.971519 G	-38.52	-25.52	3.0000 G	7.0000 G	1.000 M	3.142000 G	-35.85	-22.85	7.0000 G	13.6000 G	1.000 M	10.234825 G	-33.00	-20.00	13.6000 G	19.1000 G	1.000 M	15.287812 G	-23.97	-10.97
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30.0000 M	1.0000 G	1.000 M	141.792500 M	-31.28	-18.28																																																																																
1.0000 G	1.845 G	1.000 M	1.403859 G	-39.69	-26.69																																																																																
1.845 G	3.0000 G	1.000 M	2.978300 G	-38.62	-25.62																																																																																
3.0000 G	7.0000 G	1.000 M	3.760000 G	-34.15	-21.15																																																																																
7.0000 G	13.6000 G	1.000 M	10.219350 G	-32.84	-19.84																																																																																
13.6000 G	19.1000 G	1.000 M	15.098062 G	-24.33	-11.33																																																																																
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30.0000 M	1.0000 G	1.000 M	141.792500 M	-35.98	-22.98																																																																																
1.0000 G	1.845 G	1.000 M	1.403856 G	-38.86	-25.86																																																																																
1.845 G	3.0000 G	1.000 M	2.971519 G	-38.52	-25.52																																																																																
3.0000 G	7.0000 G	1.000 M	3.142000 G	-35.85	-22.85																																																																																
7.0000 G	13.6000 G	1.000 M	10.234825 G	-33.00	-20.00																																																																																
13.6000 G	19.1000 G	1.000 M	15.287812 G	-23.97	-10.97																																																																																
Highest Channel	Highest Channel																																																																																				
 <table border="1" data-bbox="239 1601 638 1702"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30.0000 M</td><td>1.0000 G</td><td>1.000 M</td><td>858.053000 M</td><td>-39.74</td><td>-26.74</td></tr> <tr><td>1.0000 G</td><td>1.845 G</td><td>1.000 M</td><td>1.299259 G</td><td>-38.80</td><td>-25.80</td></tr> <tr><td>1.845 G</td><td>3.0000 G</td><td>1.000 M</td><td>1.933271 G</td><td>-38.64</td><td>-25.64</td></tr> <tr><td>3.0000 G</td><td>7.0000 G</td><td>1.000 M</td><td>3.033000 G</td><td>-35.66</td><td>-22.66</td></tr> <tr><td>7.0000 G</td><td>13.6000 G</td><td>1.000 M</td><td>10.238125 G</td><td>-32.87</td><td>-19.87</td></tr> <tr><td>13.6000 G</td><td>19.1000 G</td><td>1.000 M</td><td>15.454438 G</td><td>-24.37</td><td>-11.37</td></tr> </tbody> </table> <p>Date: 6.NOV.2015 10:33:26</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30.0000 M	1.0000 G	1.000 M	858.053000 M	-39.74	-26.74	1.0000 G	1.845 G	1.000 M	1.299259 G	-38.80	-25.80	1.845 G	3.0000 G	1.000 M	1.933271 G	-38.64	-25.64	3.0000 G	7.0000 G	1.000 M	3.033000 G	-35.66	-22.66	7.0000 G	13.6000 G	1.000 M	10.238125 G	-32.87	-19.87	13.6000 G	19.1000 G	1.000 M	15.454438 G	-24.37	-11.37	 <table border="1" data-bbox="893 1601 1292 1702"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30.0000 M</td><td>1.0000 G</td><td>1.000 M</td><td>851.330000 M</td><td>-40.29</td><td>-27.29</td></tr> <tr><td>1.0000 G</td><td>1.845 G</td><td>1.000 M</td><td>1.207236 G</td><td>-39.48</td><td>-26.48</td></tr> <tr><td>1.845 G</td><td>3.0000 G</td><td>1.000 M</td><td>1.933271 G</td><td>-39.38</td><td>-26.38</td></tr> <tr><td>3.0000 G</td><td>7.0000 G</td><td>1.000 M</td><td>4.257000 G</td><td>-35.93</td><td>-22.93</td></tr> <tr><td>7.0000 G</td><td>13.6000 G</td><td>1.000 M</td><td>10.233175 G</td><td>-32.40</td><td>-19.40</td></tr> <tr><td>13.6000 G</td><td>19.1000 G</td><td>1.000 M</td><td>15.449332 G</td><td>-24.30</td><td>-11.30</td></tr> </tbody> </table> <p>Date: 11.NOV.2015 14:56:57</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30.0000 M	1.0000 G	1.000 M	851.330000 M	-40.29	-27.29	1.0000 G	1.845 G	1.000 M	1.207236 G	-39.48	-26.48	1.845 G	3.0000 G	1.000 M	1.933271 G	-39.38	-26.38	3.0000 G	7.0000 G	1.000 M	4.257000 G	-35.93	-22.93	7.0000 G	13.6000 G	1.000 M	10.233175 G	-32.40	-19.40	13.6000 G	19.1000 G	1.000 M	15.449332 G	-24.30	-11.30
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30.0000 M	1.0000 G	1.000 M	858.053000 M	-39.74	-26.74																																																																																
1.0000 G	1.845 G	1.000 M	1.299259 G	-38.80	-25.80																																																																																
1.845 G	3.0000 G	1.000 M	1.933271 G	-38.64	-25.64																																																																																
3.0000 G	7.0000 G	1.000 M	3.033000 G	-35.66	-22.66																																																																																
7.0000 G	13.6000 G	1.000 M	10.238125 G	-32.87	-19.87																																																																																
13.6000 G	19.1000 G	1.000 M	15.454438 G	-24.37	-11.37																																																																																
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30.0000 M	1.0000 G	1.000 M	851.330000 M	-40.29	-27.29																																																																																
1.0000 G	1.845 G	1.000 M	1.207236 G	-39.48	-26.48																																																																																
1.845 G	3.0000 G	1.000 M	1.933271 G	-39.38	-26.38																																																																																
3.0000 G	7.0000 G	1.000 M	4.257000 G	-35.93	-22.93																																																																																
7.0000 G	13.6000 G	1.000 M	10.233175 G	-32.40	-19.40																																																																																
13.6000 G	19.1000 G	1.000 M	15.449332 G	-24.30	-11.30																																																																																



Frequency Stability

Test Conditions	Middle Channel	GSM850 (GPRS class 8)	GSM850 (EDGE class 8)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)		Result
50	Normal Voltage	0.0084	0.0036	PASS
40	Normal Voltage	0.0012	0.0012	
30	Normal Voltage	0.0036	0.0048	
20(Ref.)	Normal Voltage	0.0000	0.0000	
10	Normal Voltage	0.0048	0.0060	
0	Normal Voltage	0.0024	0.0299	
-10	Normal Voltage	0.0072	0.0024	
-20	Normal Voltage	0.0096	0.0227	
-30	Normal Voltage	0.0060	0.0275	
20	Maximum Voltage	0.0287	0.0263	
20	Normal Voltage	0.0335	0.0072	
20	Battery End Point	0.0251	0.0036	



Test Conditions	Middle Channel	GSM1900 (GPRS class 8)	GSM1900 (EDGE class 8)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)		Result
50	Normal Voltage	0.0027	0.0005	PASS
40	Normal Voltage	0.0048	0.0005	
30	Normal Voltage	0.0011	0.0016	
20(Ref.)	Normal Voltage	0.0000	0.0000	
10	Normal Voltage	0.0053	0.0027	
0	Normal Voltage	0.0005	0.0149	
-10	Normal Voltage	0.0032	0.0181	
-20	Normal Voltage	0.0016	0.0186	
-30	Normal Voltage	0.0016	0.0165	
20	Maximum Voltage	0.0021	0.0021	
20	Normal Voltage	0.0043	0.0032	
20	Battery End Point	0.0027	0.0011	

Note:

1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.5 V. ; Maximum Voltage =4.35 V
2. The frequency fundamental emissions stay within the authorized frequency block