

Page: 39 of 272

UNDESIRABLE RADIATED EMISSION MEASUREMENT

7.1 **Standard Applicable**

 $EIRP = ((E*d)^2) / 30$, where E is the field strength in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

7.1.1 5150~5850 MHz

Applicable	Operation	EIRP		Field Strength
to	Freq. (MHz)	Freq. (MHz)	Limits (dBm/MHz)	@ 3m
15.407(b)(1) RSS-247 §6.2.1.2	5150~5250	f ≤ 5150		
15.407(b)(2) RSS-247 §6.2.2.2	5250~5350	f ≥ 5350	PK: -27	PK: 68.2
15.407(b)(3) RSS-247 §6.2.3.2	5475~5725	f ≤ 5470 f ≥ 5725		
		at 75 MHz or more above or be- low the band edge	PK:-27	PK: 68.2
15.407(b)(4)(i) RSS-247 §6.2.4.2	5725~5850	increasing linearly from 75~25MHz above or below the band edge		PK: 68.2~105.2
KSS-247 90.2.4.2		increasing linearly from 25~5MHz above or below the band edge	PK:10~15.6	PK: 105.2~110.8
		increasing linearly from 5~0 MHz above or below the band edge	PK: 15.6~27	PK:110.8~122.2

7.1.2 **Spurious Emission**

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

The lower limit shall apply at the transition frequencies. 1.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 40 of 272

7.2 Measurement Equipment Used:

Radiated Emission Test Site: SAC C							
EQUIPMENT TYPE	MFR	SERIAL NUM- BER	LAST CAL.	CAL DUE.			
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-300	10/19/2021	10/18/2022		
Horn Antenna	SCHWARZBECK	BBHA9170	185	08/06/2021	08/05/2022		
Horn Antenna	SCHWARZBECK	BBHA9120D	1187	01/06/2022	01/05/2023		
Loop Antenna	ETS.LINDGREN	6502	143303	05/07/2021	05/06/2022		
EMI Test Receiver	R&S	ESU 40	100363	04/28/2021	04/27/2022		
Pre-Amplifier	EMC Instruments	EMC330	980096	11/18/2021	11/17/2022		
Pre-Amplifier	EMC Instruments	EMC0011830	980199	11/18/2021	11/17/2022		
Pre-Amplifier	EMC Instruments	EMC184045B	980135	10/27/2021	10/26/2022		
Attenuator	Marvelous	WATT-218FS- 10	RF20	11/18/2021	11/17/2022		
Band Rejection Filter	Micro-Tronics	G015	RF198	11/18/2021	11/17/2022		
Band Rejection Filter	Micro-Tronics	G016	RF199	11/18/2021	11/17/2022		
Band Rejection Filter	Micro-Tronics	G021	RF200	11/18/2021	11/17/2022		
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17388/4	11/18/2021	11/17/2022		
Coaxial Cable	Huber Suhner	RG 214/U	W22.03	11/18/2021	11/17/2022		
Test Software	audix	e3	20923 sgs Ver.9	N.C.R	N.C.R		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 41 of 272

	Radiated Emission Test Site: SAC D								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Horn Antenna	Schwarzbeck	BBHA9170	185	08/06/2021	08/05/2022				
Horn Antenna	Schwarzbeck	BBHA9120D	1341	06/04/2021	06/03/2022				
3m Site NSA	SGS	966 chamber D	N/A	07/12/2021	07/11/2022				
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R				
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	03/22/2021	03/21/2022				
Pre-Amplifier	EMC Instruments	EMC184045B	980135	10/27/2021	10/26/2022				
Pre-Amplifier	EMC Instruments	EMC9135	980234	11/18/2021	11/17/2022				
Pre-Amplifier	EMC Instruments	EMC12630SE	980273	11/18/2021	11/17/2022				
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	11/18/2021	11/17/2022				
Coaxial Cable	Huber Suhner	EMC106-SM-SM- 7200	150703	11/18/2021	11/17/2022				
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17413/4	11/18/2021	11/17/2022				
Attenuator	Marvelous	WATT-218FS-10	RF17	11/18/2021	11/17/2022				
Lowpass Filter	Woken	EWT-56-0019	RF173	11/18/2021	11/17/2022				
Notch Filter	Woken	EWT-14-0251	RF179	11/18/2021	11/17/2022				
Notch Filter	Woken	EWT-14-0275	RF180	11/18/2021	11/17/2022				
Notch Filter	Woken	EWT-14-0251	RF181	11/18/2021	11/17/2022				
Band Reject Filter	Titan Microwave Co. Ltd	T04N5725589550S01	210519-2-2	07/27/2021	07/26/2022				

NOTE: N.C.R refers to Not Calibrated Required.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Page: 42 of 272

7.3 **Test Setup**

(A) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz



(B) Radiated Emission Test Set-Up, Frequency Above 1GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnirections formed accuments, subject to Pernis and Conductors in Electrome December 2012 (Fig. 2012). Attended to the initiation of Indianity, inclining fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 43 of 272

7.4 **Measurement Procedure**

- 1. The testing follows FCC KDB 789033 D02.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz
- Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Maximum Emission Measure-7. ments at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T 8. (Duty cycle < 98%) for Average Emission Measurements at frequency above 1 GHz.
- When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 12. Repeat above procedures until all frequency measured were complete.



Page: 44 of 272

7.5 **Field Strength Calculation**

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Field Strength

CL = Cable Attenuation Factor (Cable Loss)

RA = *Reading Amplitude*

AG = Amplifier Gain

AF = Antenna Factor

The limit of the emission level is expressed in dBuV/m, which converts 20*log(uV/m)

Actual $FS(dB\mu V/m) = SPA$. Reading level(dB μV) + Factor(dB)

 $Factor(dB) = Antenna\ Factor(dB\mu V/m) + Cable\ Loss(dB) - Pre\ Amplifier\ Gain(dB)$

7.6 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

Pre-scan was done at frequency 5.47 GHz and 5.85 GHz for bandedge measurement of straddle channels 138, 142 and 144 which was 20dB lower than the limit per 15.31(o) was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page: 45 of 272

7.7 **Radiated Spurious Emission Measurement Result**


7.7.1 **Spurious Emission**

Test Site :SAC C Report Number :E2/2022/10060

Test Date **Operation Mode** :802.11a :2022-01-25

Test Frequency :5200 MHz Temp./Humi. :20.5/70 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
100.810	Peak	47.00	-18.79	28.21	43.50	-15.29
244.370	Peak	39.68	-14.95	24.74	46.00	-21.26
403.450	Peak	35.99	-10.06	25.94	46.00	-20.06
597.450	Peak	36.42	-4.99	31.42	46.00	-14.58
769.140	Peak	32.08	-0.85	31.23	46.00	-14.77
944.710	Peak	31.54	1.01	32.55	46.00	-13.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 46 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5200 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
42.610	Peak	43.52	-14.73	28.79	40.00	-11.21
276.380	Peak	39.47	-13.70	25.76	46.00	-20.24
397.630	Peak	36.16	-10.26	25.90	46.00	-20.10
600.360	Peak	33.94	-4.90	29.04	46.00	-16.96
900.090	Peak	30.87	0.78	31.65	46.00	-14.35
996.120	Peak	33.43	1.90	35.33	54.00	-18.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

Member of SGS Group



Page: 47 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5300 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID :Vertical Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
100.810	Peak	47.79	-18.79	29.00	43.50	-14.50
233.700	Peak	40.46	-15.94	24.52	46.00	-21.48
419.940	Peak	34.31	-9.32	24.99	46.00	-21.01
597.450	Peak	36.06	-4.99	31.07	46.00	-14.93
777.870	Peak	32.19	-0.68	31.51	46.00	-14.49
955.380	Peak	30.88	1.64	32.52	46.00	-13.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 48 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5300 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
41.640	Peak	46.01	-14.91	31.09	40.00	-8.91
101.780	Peak	41.58	-18.67	22.91	43.50	-20.59
245.340	Peak	41.81	-14.90	26.92	46.00	-19.09
599.390	Peak	33.25	-4.92	28.33	46.00	-17.67
797.270	Peak	32.13	-0.64	31.49	46.00	-14.51
903.000	Peak	32.95	0.83	33.78	46.00	-12.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 49 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5580 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID :Vertical Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
N 41 1—		•	٩D	_	_	٩D
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
32.910	Peak	43.86	-16.49	27.37	40.00	-12.63
100.810	Peak	45.58	-18.79	26.79	43.50	-16.71
239.520	Peak	40.91	-15.29	25.62	46.00	-20.38
600.360	Peak	36.24	-4.90	31.34	46.00	-14.66
894.270	Peak	32.09	0.81	32.90	46.00	-13.10
970.900	Peak	30.39	2.27	32.67	54.00	-21.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 50 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5580 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
97.900	Peak	38.13	-19.34	18.79	43.50	-24.71
161.920	Peak	34.99	-14.24	20.75	43.50	-22.75
284.140	Peak	40.46	-13.52	26.94	46.00	-19.06
445.160	Peak	34.36	-8.20	26.15	46.00	-19.85
776.900	Peak	32.39	-0.68	31.71	46.00	-14.29
996.120	Peak	33.50	1.90	35.40	54.00	-18.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 51 of 272

Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5785 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID :Vertical Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
42.610	Peak	48.40	-14.73	33.67	40.00	-6.33
100.810	Peak	45.97	-18.79	27.17	43.50	-16.33
236.610	Peak	41.41	-15.62	25.79	46.00	-20.21
600.360	Peak	35.71	-4.90	30.80	46.00	-15.20
774.960	Peak	32.24	-0.68	31.56	46.00	-14.44
966.050	Peak	30.43	2.07	32.50	54.00	-21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 52 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5785 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBμV/m	dB
						_
101.780	Peak	43.25	-18.67	24.58	43.50	-18.92
144.460	Peak	49.67	-14.30	35.38	43.50	-8.12
282.200	Peak	39.72	-13.58	26.14	46.00	-19.86
597.450	Peak	33.21	-4.99	28.22	46.00	-17.78
799.210	Peak	32.03	-0.76	31.27	46.00	-14.73
996.120	Peak	32.86	1.90	34.76	54.00	-19.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 53 of 272

Report Number Test Site :SAC C :E2/2022/10060

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5200 MHz Temp./Humi. :20.5/70 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
38.730	Peak	43.39	-18.48	24.90	40.00	-15.10
100.810	Peak	48.04	-21.62	26.42	43.50	-17.08
452.920	Peak	35.00	-11.97	23.04	46.00	-22.96
597.450	Peak	40.11	-9.76	30.35	46.00	-15.65
842.860	Peak	35.96	-6.62	29.34	46.00	-16.66
959.260	Peak	35.59	-4.42	31.17	46.00	-14.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 54 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5200 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
57.160	Peak	35.89	-17.64	18.25	40.00	-21.75
172.590	Peak	36.49	-17.40	19.08	43.50	-24.42
456.800	Peak	35.04	-11.79	23.25	46.00	-22.75
600.360	Peak	36.84	-9.73	27.11	46.00	-18.89
800.180	Peak	39.59	-6.81	32.78	46.00	-13.22
953.440	Peak	35.73	-4.41	31.31	46.00	-14.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 55 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5300 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
47.460	Peak	45.86	-17.46	28.40	40.00	-11.60
100.810	Peak	46.89	-21.62	25.27	43.50	-18.23
452.920	Peak	35.14	-11.97	23.17	46.00	-22.83
600.360	Peak	39.26	-9.73	29.53	46.00	-16.47
871.960	Peak	36.39	-5.86	30.53	46.00	-15.47
995.150	Peak	36.31	-4.68	31.63	54.00	-22.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 56 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5300 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
48.430	Peak	35.76	-17.34	18.43	40.00	-21.57
157.070	Peak	36.10	-16.72	19.38	43.50	-24.12
446.130	Peak	35.63	-12.17	23.46	46.00	-22.54
600.360	Peak	37.06	-9.73	27.33	46.00	-18.67
800.180	Peak	39.55	-6.81	32.74	46.00	-13.26
954.410	Peak	35.37	-4.38	30.99	46.00	-15.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 57 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5580 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
40.670	Peak	45.97	-18.27	27.71	40.00	-12.29
100.810	Peak	45.65	-21.62	24.04	43.50	-19.46
448.070	Peak	35.44	-12.14	23.30	46.00	-22.70
600.360	Peak	39.88	-9.73	30.15	46.00	-15.85
774.960	Peak	36.15	-6.95	29.20	46.00	-16.80
956.350	Peak	35.57	-4.38	31.20	46.00	-14.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 58 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5580 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
52.310	Peak	35.82	-17.33	18.49	40.00	-21.51
161.920	Peak	39.06	-16.75	22.31	43.50	-21.19
296.750	Peak	36.66	-16.34	20.32	46.00	-25.68
598.420	Peak	36.96	-9.75	27.21	46.00	-18.79
800.180	Peak	38.99	-6.81	32.19	46.00	-13.81
961.200	Peak	35.79	-4.50	31.29	54.00	-22.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 59 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5785 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
100.810	Peak	47.41	-21.62	25.80	43.50	-17.70
371.440	Peak	35.38	-14.09	21.29	46.00	-24.71
446.130	Peak	36.86	-12.17	24.69	46.00	-21.31
597.450	Peak	38.53	-9.76	28.77	46.00	-17.23
774.960	Peak	36.42	-6.95	29.47	46.00	-16.53
963.140	Peak	35.58	-4.60	30.98	54.00	-23.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 60 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-25

Test Frequency :5785 MHz Temp./Humi. :20.5/70

Test Mode :TX CH MID Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
55.220	Peak	36.42	-17.61	18.82	40.00	-21.18
161.920	Peak	35.56	-16.75	18.81	43.50	-24.69
600.360	Peak	38.01	-9.73	28.28	46.00	-17.72
800.180	Peak	39.15	-6.81	32.34	46.00	-13.66
937.920	Peak	35.87	-4.49	31.38	46.00	-14.62
996.120	Peak	36.53	-4.61	31.93	54.00	-22.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 61 of 272

7.7.2 **Above 1GHz Worst-Case Data:**


Report Number Test Site :SAC D :E2/2022/10060

Test Date Operation Mode :802.11a :2022-01-22

Test Frequency Temp./Humi. :5200 MHz :20/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10400.000	Peak	43.82	10.11	53.93	68.20	-14.27
15600.000	Average	24.73	9.32	34.05	54.00	-19.95
15600.000	Peak	35.66	9.32	44.99	74.00	-29.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階到別成之株面具は「同時以條面階に留り化・水口市間では、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw




Page: 62 of 272

Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5200 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Horizontal **EUT Pol** :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10400.000	Peak	39.12	10.11	49.23	68.20	-18.97
15600.000	Average	24.24	9.32	33.56	54.00	-20.44
15600.000	Peak	35.15	9.32	44.47	74.00	-29.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 63 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5300 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.000	Average	30.99	9.48	40.48	54.00	-13.52
10600.000	Peak	41.33	9.48	50.81	74.00	-23.19
15900.000	Average	27.79	8.52	36.31	54.00	-17.69
15900.000	Peak	39.83	8.52	48.35	74.00	-25.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw




Page: 64 of 272

Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5300 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Horizontal **EUT Pol** :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.000	Average	27.40	9.48	36.89	54.00	-17.11
10600.000	Peak	35.78	9.48	45.26	74.00	-28.74
15900.000	Average	24.00	8.52	32.52	54.00	-21.48
15900.000	Peak	34.75	8.52	43.27	74.00	-30.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 65 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5580 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.000	Average	34.75	10.80	45.55	54.00	-8.45
11160.000	Peak	44.72	10.80	55.52	74.00	-18.48
16740.000	Peak	36.16	12.01	48.17	68.20	-20.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Page: 66 of 272

Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5580 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Horizontal **EUT Pol** :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.000	Average	30.26	10.80	41.06	54.00	-12.94
11160.000	Peak	40.62	10.80	51.42	74.00	-22.58
16740.000	Peak	33.75	12.01	45.76	68.20	-22.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 67 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5785 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.000	Average	31.56	10.16	41.72	54.00	-12.28
11570.000	Peak	41.09	10.16	51.25	74.00	-22.75
17355.000	Peak	34.67	15.06	49.74	68.20	-18.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Page: 68 of 272

Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5785 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Horizontal **EUT Pol** :NB Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11570.000	Average	29.97	10.16	40.13	54.00	-13.87
11570.000	Peak	40.91	10.16	51.08	74.00	-22.92
17355.000	Peak	34.90	15.06	49.96	68.20	-18.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Page: 69 of 272

Report Number Test Site :SAC D :E2/2022/10060

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5200 MHz Temp./Humi. :20/70 Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10400.000	Peak	40.23	10.11	50.34	68.20	-17.86
15600.000	Average	24.24	9.32	33.56	54.00	-20.44
15600.000	Peak	35.42	9.32	44.75	74.00	-29.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 70 of 272

Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5200 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Horizontal **EUT Pol** :E1 Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
		,		•	•	_
40400 000	Deal	45.40	40.44	FF 00	00.00	40.00
10400.000	Peak	45.49	10.11	55.60	68.20	-12.60
15600.000	Average	24.78	9.32	34.10	54.00	-19.90
15600.000	Peak	35.82	9.32	45.14	74.00	-28.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 71 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5300 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
IVII IZ	I IVQI /AV	αυμν	<u>ub</u>	αυμ ν/ιτι	αΒμν/π	ub_
10600.000	Average	31.69	9.48	41.17	54.00	-12.83
10600.000	Peak	42.71	9.48	52.20	74.00	-21.80
15900.000	Average	24.63	8.52	33.15	54.00	-20.85
15900.000	Peak	36.64	8.52	45.16	74.00	-28.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw




Page: 72 of 272

Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5300 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Horizontal **EUT Pol** :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.000	Average	33.34	9.48	42.82	54.00	-11.18
10600.000	Peak	43.09	9.48	52.57	74.00	-21.43
15900.000	Average	25.25	8.52	33.77	54.00	-20.23
15900.000	Peak	37.01	8.52	45.53	74.00	-28.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 73 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5580 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.000	Average	31.85	10.80	42.65	54.00	-11.35
11160.000	Peak	41.03	10.80	51.83	74.00	-22.17
16740.000	Peak	33.92	12.01	45.93	68.20	-22.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Page: 74 of 272

Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5580 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Horizontal **EUT Pol** :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.000	Average	37.53	10.80	48.33	54.00	-5.67
11160.000	Peak	46.98	10.80	57.77	74.00	-16.23
16740.000	Peak	37.49	12.01	49.50	68.20	-18.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 75 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5785 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.000	Average	29.10	10.16	39.26	54.00	-14.74
11570.000	Peak	39.11	10.16	49.27	74.00	-24.73
17355.000	Peak	35.23	15.06	50.29	68.20	-17.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Page: 76 of 272

Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-22

Test Frequency :5785 MHz Temp./Humi. :20/70

Test Mode :TX CH MID Antenna Pol. :Horizontal **EUT Pol** :E1 Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.000	Average	34.29	10.16	44.45	54.00	-9.55
11570.000	Peak	43.44	10.16	53.60	74.00	-20.40
17355.000	Peak	40.19	15.06	55.26	68.20	-12.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 77 of 272


7.7.3 Band edge falling to restricted band

Report Number Test Site :SAC D :E2/2022/10060

Operation Mode :802.11a Test Date :2022-01-21

Test Frequency :5180 MHz Temp./Humi. :18.9/67 Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane :Jack Tseng Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5148.900	Average	47.53	1.22	48.75	54.00	-5.25
5148.900	Peak	57.10	1.22	58.32	74.00	-15.68
5150.000	Average	47.73	1.24	48.97	54.00	-5.03
5150.000	Peak	55.04	1.24	56.28	74.00	-17.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

MRF分月就好・L軟百倍米階到別成之株面具は「同時以條面階に留り化・水口市間では、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw

Member of SGS Group



Page: 78 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-21

Test Frequency :5180 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5148.200	Average	45.58	1.21	46.80	54.00	-7.20
5148.200	Peak	54.12	1.21	55.33	74.00	-18.67
5150.000	Average	45.85	1.24	47.09	54.00	-6.91
5150.000	Peak	54.79	1.24	56.02	74.00	-17.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 79 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-21

Test Frequency :5320 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.000	Average	46.55	0.38	46.93	54.00	-7.07
5350.000	Peak	56.97	0.38	57.34	74.00	-16.66
5352.120	Average	46.41	0.39	46.81	54.00	-7.19
5352.120	Peak	58.38	0.39	58.77	74.00	-15.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 80 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-21

Test Frequency :5320 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.000	Average	44.66	0.38	45.04	54.00	-8.96
5350.000	Peak	55.43	0.38	55.81	74.00	-18.19
5355.480	Average	44.52	0.42	44.94	54.00	-9.06
5355.480	Peak	57.19	0.42	57.61	74.00	-16.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 81 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

:Vertical Test Mode :BE CH LOW Antenna Pol.

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•		
5453.120	Avorago	37.53	-0.76	36.77	54.00	-17.23
	Average	37.33	-0.76			_
5453.120	Peak	50.19	-0.76	49.42	74.00	-24.58
5460.000	Average	38.17	-0.70	37.47	54.00	-16.53
5460.000	Peak	49.72	-0.70	49.02	74.00	-24.98
5469.800	Peak	50.37	-0.61	49.76	68.20	-18.44
5470.000	Peak	48.95	-0.61	48.34	68.20	-19.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 82 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5455.880	Average	34.89	-0.74	34.15	54.00	-19.85
5455.880	Peak	47.09	-0.74	46.35	74.00	-27.65
5460.000	Average	34.79	-0.70	34.09	54.00	-19.91
5460.000	Peak	44.47	-0.70	43.77	74.00	-30.23
5463.200	Peak	46.52	-0.67	45.85	68.20	-22.35
5470.000	Peak	45.92	-0.61	45.32	68.20	-22.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

Member of SGS Group



Page: 83 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	50.11	-0.42	49.69	68.20	-18.51
5726.000	Peak	53.09	-0.41	52.68	68.20	-15.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 84 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	49.97	-0.42	49.55	68.20	-18.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 85 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
5454.000	Average	39.20	0.90	40.10	54.00	-13.90
5454.000	Peak	53.23	0.90	54.13	74.00	-19.87
5460.000	Average	39.21	0.92	40.13	54.00	-13.87
5460.000	Peak	52.32	0.92	53.24	74.00	-20.76
5470.000	Peak	52.19	0.95	53.14	68.20	-15.06
5480.000	Peak	52.83	0.99	53.81	68.20	-14.39
5850.000	Peak	57.30	1.51	58.81	68.20	-9.39
5851.150	Peak	58.03	1.53	59.55	68.20	-8.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 86 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5437.750	Average	39.08	0.86	39.94	54.00	-14.06
5437.750	Peak	53.15	0.86	54.01	74.00	-19.99
5460.000	Average	39.34	0.92	40.26	54.00	-13.74
5460.000	Peak	52.42	0.92	53.34	74.00	-20.66
5470.000	Peak	52.06	0.95	53.01	68.20	-15.19
5480.000	Peak	52.40	0.99	53.39	68.20	-14.81
5850.000	Peak	57.57	1.51	59.08	68.20	-9.12
5858.300	Peak	57.81	1.62	59.43	68.20	-8.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 87 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-21

Test Frequency :5745 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5647.585	Peak	58.04	0.98	59.03	68.20	-9.17
5650.000	Peak	58.04	0.98	59.01	68.20	-9.19
5700.000	Peak	60.31	1.01	61.32	105.20	-43.88
5720.000	Peak	65.66	1.22	66.88	110.80	-43.92
5725.000	Peak	75.54	1.28	76.82	122.20	-45.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 88 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-21

Test Frequency :5745 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5638.440	Peak	57.18	1.01	58.19	68.20	-10.01
5650.000	Peak	56.51	0.98	57.48	68.20	-10.72
5700.000	Peak	57.96	1.01	58.97	105.20	-46.23
5720.000	Peak	61.91	1.22	63.13	110.80	-47.67
5725.000	Peak	69.16	1.28	70.43	122.20	-51.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 89 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-21

Test Frequency :5825 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5850.050	Peak	70.21	1.51	71.72	122.09	-50.36
5855.000	Peak	69.00	1.58	70.58	110.80	-40.22
5875.000	Peak	59.59	1.83	61.42	105.20	-43.78
5925.000	Peak	54.67	2.29	56.96	68.20	-11.24
5927.910	Peak	57.62	2.31	59.93	68.20	-8.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 90 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-21

Test Frequency :5825 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.050	Peak	64.70	1.51	66.21	122.09	-55.87
5855.000	Peak	62.47	1.58	64.04	110.80	-46.76
5875.000	Peak	56.26	1.83	58.09	105.20	-47.11
5925.000	Peak	53.23	2.29	55.52	68.20	-12.68
5940.320	Peak	55.70	2.38	58.09	68.20	-10.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 91 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-20

Test Frequency :5180 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5145.750	Average	49.76	1.18	50.94	54.00	-3.06
5145.750	Peak	60.53	1.18	61.71	74.00	-12.29
5150.000	Average	50.20	1.24	51.43	54.00	-2.57
5150.000	Peak	58.20	1.24	59.44	74.00	-14.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 92 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-20

Test Frequency :5180 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5138.250	Average	49.25	1.07	50.31	54.00	-3.69
5138.250	Peak	58.41	1.07	59.48	74.00	-14.52
5150.000	Average	49.40	1.24	50.64	54.00	-3.36
5150.000	Peak	57.24	1.24	58.48	74.00	-15.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 93 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-21

Test Frequency :5320 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	50.32	0.38	50.70	54.00	-3.30
5350.000	Peak	60.41	0.38	60.79	74.00	-13.21
5352.570	Average	50.04	0.40	50.44	54.00	-3.56
5352.570	Peak	61.72	0.40	62.11	74.00	-11.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 94 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-21

Test Frequency :5320 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	48.62	0.38	48.99	54.00	-5.01
5350.000	Peak	58.46	0.38	58.84	74.00	-15.16
5373.910	Average	47.65	0.56	48.22	54.00	-5.78
5373.910	Peak	60.00	0.56	60.57	74.00	-13.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 95 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac20 Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5454.920	Average	36.13	-0.75	35.38	54.00	-18.62
5454.920	Peak	49.80	-0.75	49.05	74.00	-24.95
5460.000	Average	36.45	-0.70	35.75	54.00	-18.25
5460.000	Peak	48.03	-0.70	47.33	74.00	-26.67
5463.080	Peak	49.47	-0.67	48.80	68.20	-19.40
5470.000	Peak	48.49	-0.61	47.88	68.20	-20.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 96 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac20 Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum	Factor	Actual	Limit	Margin
		Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5458.880	Average	34.83	-0.71	34.12	54.00	-19.88
5458.880	Peak	51.31	-0.71	50.60	74.00	-23.40
5460.000	Average	37.73	-0.70	37.03	54.00	-16.97
5460.000	Peak	50.39	-0.70	49.69	74.00	-24.31
5468.600	Peak	51.29	-0.62	50.67	68.20	-17.53
5470.000	Peak	49.87	-0.61	49.26	68.20	-18.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 97 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac20 Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	49.26	-0.42	48.84	68.20	-19.36
5726.480	Peak	49.91	-0.41	49.50	68.20	-18.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 98 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac20 Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5725.000	Peak	53.40	-0.42	52.98	68.20	-15.22
5725.520	Peak	55.54	-0.41	55.13	68.20	-13.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 99 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5378.600	Average	39.47	0.60	40.07	54.00	-13.93
5378.600	Peak	53.06	0.60	53.66	74.00	-20.34
5460.000	Average	39.67	0.92	40.59	54.00	-13.41
5460.000	Peak	51.89	0.92	52.81	74.00	-21.19
5470.000	Peak	52.07	0.95	53.02	68.20	-15.18
5480.000	Peak	51.21	0.99	52.20	68.20	-16.00
5850.000	Peak	55.58	1.51	57.10	68.20	-11.10
5861.550	Peak	56.39	1.66	58.05	68.20	-10.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 100 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5452.050	Average	39.49	0.89	40.38	54.00	-13.62
5452.050	Peak	53.72	0.89	54.61	74.00	-19.39
5460.000	Average	39.58	0.92	40.50	54.00	-13.50
5460.000	Peak	52.21	0.92	53.13	74.00	-20.87
5470.000	Peak	52.40	0.95	53.35	68.20	-14.85
5480.000	Peak	52.67	0.99	53.66	68.20	-14.54
5850.000	Peak	55.32	1.51	56.83	68.20	-11.37
5883.000	Peak	55.69	1.93	57.62	68.20	-10.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 101 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-21

Test Frequency :5745 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5648.825	Peak	57.80	0.98	58.78	68.20	-9.42
5650.000	Peak	56.98	0.98	57.96	68.20	-10.24
5700.000	Peak	60.66	1.01	61.66	105.20	-43.54
5720.000	Peak	67.65	1.22	68.88	110.80	-41.92
5725.000	Peak	75.21	1.28	76.49	122.20	-45.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 102 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-21

Test Frequency :5745 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.000	Peak	58.81	0.98	59.78	68.20	-8.42
5700.000	Peak	65.87	1.01	66.88	105.20	-38.32
5720.000	Peak	71.98	1.22	73.20	110.80	-37.60
5725.000	Peak	79.97	1.28	81.24	122.20	-40.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五殿區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 103 of 272


Report Number Test Site :SAC D :E2/2022/10060

Operation Mode :802.11ac20 Test Date :2022-01-21

Test Frequency :5825 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	71.63	1.51	73.15	122.20	-49.05
5855.000	Peak	67.81	1.58	69.39	110.80	-41.41
5875.000	Peak	60.91	1.83	62.74	105.20	-42.46
5925,000	Peak	58.18	2.29	60.47	68.20	-7.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 104 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-21

Test Frequency :5825 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.050	Peak	65.77	1.51	67.29	122.09	-54.80
5855.000	Peak	62.95	1.58	64.52	110.80	-46.28
5875.000	Peak	56.48	1.83	58.31	105.20	-46.89
5925.000	Peak	53.66	2.29	55.95	68.20	-12.25
5936.410	Peak	55.57	2.36	57.93	68.20	-10.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 105 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-21

Test Frequency :5190 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW :Vertical Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5146.100	Average	48.73	1.18	49.92	54.00	-4.08
5146.100	Peak	59.57	1.18	60.75	74.00	-13.25
5150.000	Average	49.73	1.24	50.97	54.00	-3.03
5150.000	Peak	58.83	1.24	60.07	74.00	-13.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 106 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-21

Test Frequency :5190 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5144.700	Average	44.95	1.16	46.11	54.00	-7.89
5144.700	Peak	56.24	1.16	57.40	74.00	-16.60
5150.000	Average	46.00	1.24	47.23	54.00	-6.77
5150.000	Peak	54.45	1.24	55.69	74.00	-18.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 107 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-21

Test Frequency :5310 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	50.15	0.38	50.53	54.00	-3.47
5350.000	Peak	58.20	0.38	58.57	74.00	-15.43
5352.200	Average	50.15	0.39	50.55	54.00	-3.45
5352.200	Peak	61.27	0.39	61.67	74.00	-12.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 108 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-21

Test Frequency :5310 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	47.57	0.38	47.95	54.00	-6.05
5350.000	Peak	56.92	0.38	57.29	74.00	-16.71
5350.400	Average	47.61	0.38	47.99	54.00	-6.01
5350.400	Peak	60.51	0.38	60.89	74.00	-13.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 109 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac40 Test Date :2022-01-14

Test Frequency :5510 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•				
5459.640	Average	37.98	-0.70	37.28	74.00	-36.72
	•					
5459.640	Peak	51.74	-0.70	51.04	74.00	-22.96
5460.000	Average	38.14	-0.70	37.44	74.00	-36.56
5460.000	Peak	49.14	-0.70	48.44	74.00	-25.56
5467.080	Peak	52.13	-0.63	51.50	68.20	-16.70
5470.000	Peak	51.63	-0.61	51.02	68.20	-17.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 110 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac40 Test Date :2022-01-14

Test Frequency :5510 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5458.320	Average	35.70	-0.72	34.98	74.00	-39.02
	Average	33.70	-0.72			
5458.320	Peak	48.01	-0.72	47.30	74.00	-26.70
5460.000	Average	35.88	-0.70	35.18	74.00	-38.82
5460.000	Peak	46.50	-0.70	45.80	74.00	-28.20
5467.800	Peak	48.18	-0.63	47.55	68.20	-20.65
5470.000	Peak	47.40	-0.61	46.79	68.20	-21.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 111 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac40 Test Date :2022-01-14

Test Frequency :5670 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
							_
	5725.000	Peak	47.51	-0.42	47.09	68.20	-21.11
	5727.320	Peak	47.99	-0.40	47.59	68.20	-20.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 112 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac40 Test Date :2022-01-14

Test Frequency :5670 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	49.79	-0.42	49.38	68.20	-18.82
5733.680	Peak	51.17	-0.34	50.82	68.20	-17.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 113 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-02-09

Test Frequency :5710 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5454.000	Average	40.73	0.90	41.63	54.00	-12.37
5454.000	Peak	53.80	0.90	54.70	74.00	-19.30
5460.000	Average	40.85	0.92	41.77	54.00	-12.23
5460.000	Peak	52.53	0.92	53.45	74.00	-20.55
5470.000	Peak	52.46	0.95	53.41	68.20	-14.79
5480.000	Peak	51.91	0.99	52.90	68.20	-15.30
5850.000	Peak	53.31	1.51	54.82	68.20	-13.38
5862.850	Peak	55.90	1.68	57.57	68.20	-10.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 114 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-02-09

Test Frequency :5710 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5451.400	Average	40.12	0.89	41.01	54.00	-12.99
5451.400	Peak	52.91	0.89	53.81	74.00	-20.19
5460.000	Average	40.20	0.92	41.12	54.00	-12.88
5460.000	Peak	51.18	0.92	52.10	74.00	-21.90
5470.000	Peak	52.05	0.95	53.01	68.20	-15.19
5480.000	Peak	51.75	0.99	52.73	68.20	-15.47
5850.000	Peak	55.29	1.51	56.80	68.20	-11.40
5851.800	Peak	55.60	1.54	57.14	68.20	-11.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 115 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-21

Test Frequency :5755 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5636.445	Peak	59.38	1.02	60.40	68.20	-7.80
5650.000	Peak	57.13	0.98	58.10	68.20	-10.10
5700.000	Peak	61.03	1.01	62.04	105.20	-43.16
5720.000	Peak	69.68	1.22	70.90	110.80	-39.90
5725.000	Peak	68.93	1.28	70.21	122.20	-51.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

Member of SGS Group



Page: 116 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-21

Test Frequency :5755 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5649.210	Peak	59.48	0.98	60.46	68.20	-7.74
5650.000	Peak	56.63	0.98	57.61	68.20	-10.59
5700.000	Peak	62.25	1.01	63.25	105.20	-41.95
5720.000	Peak	72.61	1.22	73.83	110.80	-36.97
5725.000	Peak	70.72	1.28	72.00	122.20	-50.20



Page: 117 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-21

Test Frequency :5795 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5849.980	Peak	64.53	1.51	66.04	150.00	-83.96
5855.000	Peak	61.54	1.58	63.11	110.80	-47.69
5875.000	Peak	58.12	1.83	59.95	105.20	-45.25
5925.000	Peak	56.77	2.29	59.06	68.20	-9.14
5927.690	Peak	58.03	2.31	60.33	68.20	-7.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 118 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-21

Test Frequency :5795 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5849.980	Peak	63.85	1.51	65.36	150.00	-84.64
5855.000	Peak	61.82	1.58	63.40	110.80	-47.40
5875.000	Peak	60.27	1.83	62.10	105.20	-43.10
5924.840	Peak	58.33	2.29	60.62	68.32	-7.70
5928.640	Peak	58.30	2.31	60.61	68.20	-7.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 119 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-21

Test Frequency :5210 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5142.240	Average	48.84	1.13	49.96	54.00	-4.04
5142.240	Peak	62.09	1.13	63.22	74.00	-10.78
5150.000	Average	49.52	1.24	50.75	54.00	-3.25
5150.000	Peak	60.65	1.24	61.89	74.00	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 120 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-21

Test Frequency :5210 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.000	Average	49.40	1.24	50.64	54.00	-3.36
5150.000	Peak	59.16	1.24	60.39	74.00	-13.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 121 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-21

Test Frequency :5290 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.000	Average	47.98	0.38	48.36	54.00	-5.64
5350.000	Peak	59.78	0.38	60.15	74.00	-13.85
5355.500	Average	47.62	0.42	48.03	54.00	-5.97
5355.500	Peak	64.12	0.42	64.54	74.00	-9.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 122 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-21

Test Frequency :5290 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	47.73	0.38	48.11	54.00	-5.89
5350.000	Peak	60.21	0.38	60.58	74.00	-13.42
5362.000	Average	47.34	0.47	47.81	54.00	-6.19
5362.000	Peak	61.39	0.47	61.86	74.00	-12.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 123 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac80 Test Date :2022-01-14

Test Frequency :5530 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5455.600	Average	38.44	-0.74	37.70	54.00	-16.30
5455.600	Peak	53.48	-0.74	52.74	74.00	-21.26
5460.000	Average	38.93	-0.70	38.23	54.00	-15.77
5460.000	Peak	51.61	-0.70	50.91	74.00	-23.09
5465.300	Peak	52.97	-0.65	52.32	68.20	-15.88
5470.000	Peak	51.58	-0.61	50.98	68.20	-17.22



Page: 124 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac80 Test Date :2022-01-14

Test Frequency :5530 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.500	Average	39.63	-0.73	38.90	54.00	-15.10
5456.500	Peak	54.09	-0.73	53.35	74.00	-20.65
5460.000	Average	39.22	-0.70	38.52	54.00	-15.48
5460.000	Peak	51.99	-0.70	51.29	74.00	-22.71
5469.300	Peak	55.18	-0.61	54.57	68.20	-13.63
5470.000	Peak	52.34	-0.61	51.73	68.20	-16.47



Page: 125 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac80 Test Date :2022-01-14

Test Frequency :5610 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5725.000	Peak	47.40	-0.42	46.98	68.20	-21.22
5725.460	Peak	50.06	-0.42	49.65	68.20	-18.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 126 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac80 Test Date :2022-01-14

Test Frequency :5610 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5725.000	Peak	49.77	-0.42	49.35	68.20	-18.85
5726.000	Peak	52.22	-0.41	51.81	68.20	-16.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 127 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-02-09

Test Frequency :5690 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5456.600	Average	41.78	0.91	42.69	54.00	-11.31
5456.600	Peak	53.58	0.91	54.49	74.00	-19.51
5460.000	Average	41.53	0.92	42.45	54.00	-11.55
5460.000	Peak	53.08	0.92	54.00	74.00	-20.00
5470.000	Peak	52.69	0.95	53.65	68.20	-14.55
5480.000	Peak	53.18	0.99	54.17	68.20	-14.03
5850.000	Peak	53.25	1.51	54.76	68.20	-13.44
5864.800	Peak	55.08	1.70	56.78	68.20	-11.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 128 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-02-09

Test Frequency :5690 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5454.000	Average	41.14	0.90	42.04	54.00	-11.96
5454.000	Peak	52.41	0.90	53.31	74.00	-20.69
5460.000	Average	41.14	0.92	42.06	54.00	-11.94
5460.000	Peak	51.61	0.92	52.53	74.00	-21.47
5470.000	Peak	52.38	0.95	53.33	68.20	-14.87
5480.000	Peak	52.11	0.99	53.10	68.20	-15.10
5850.000	Peak	55.47	1.51	56.98	68.20	-11.22
5901.850	Peak	54.60	2.16	56.76	68.20	-11.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 129 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-21

Test Frequency :5775 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5648.840	Peak	55.98	0.98	56.96	68.20	-11.24
5650.000	Peak	54.95	0.98	55.92	68.20	-12.28
5700.000	Peak	67.07	1.01	68.08	105.20	-37.12
5720.000	Peak	69.18	1.22	70.40	110.80	-40.40
5725.000	Peak	68.66	1.28	69.94	122.20	-52.26



Page: 130 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-21

Test Frequency :5775 MHz Temp./Humi. :18.9/67

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5649.395	Peak	56.59	0.98	57.57	68.20	-10.63
5650.000	Peak	55.49	0.98	56.46	68.20	-11.74
5700.000	Peak	64.06	1.01	65.07	105.20	-40.13
5720.000	Peak	67.87	1.22	69.09	110.80	-41.71
5725.000	Peak	67.85	1.28	69.12	122.20	-53.08



Page: 131 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-21

Test Frequency :5775 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5850.000	Peak	63.02	1.51	64.53	122.20	-57.67
5855.000	Peak	61.78	1.58	63.35	110.80	-47.45
5875.000	Peak	58.14	1.83	59.97	105.20	-45.23
5925.000	Peak	52.37	2.29	54.66	68.20	-13.54
5928.600	Peak	55.00	2.31	57.31	68.20	-10.89



Page: 132 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-21

Test Frequency :5775 MHz Temp./Humi. :18.9/67

Test Mode :BE CH HIGH :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	66.42	1.51	67.94	122.20	-54.26
5855.000	Peak	67.30	1.58	68.87	110.80	-41.93
5875.000	Peak	60.32	1.83	62.15	105.20	-43.05
5925.000	Peak	54.94	2.29	57.23	68.20	-10.97
5933.000	Peak	56.26	2.34	58.60	68.20	-9.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 133 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-20

Test Frequency :5180 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5145.400	Average	49.81	1.17	50.98	54.00	-3.02
5145.400	Peak	59.36	1.17	60.53	74.00	-13.47
5150.000	Average	50.29	1.24	51.53	54.00	-2.47
5150.000	Peak	57.47	1.24	58.70	74.00	-15.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 134 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-20

Test Frequency :5180 MHz Temp./Humi. :19.8/62

:Horizontal Test Mode :BE CH LOW Full Ru Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5146.800	Average	49.33	1.19	50.52	54.00	-3.48
5146.800	Peak	61.09	1.19	62.28	74.00	-11.72
5150.000	Average	49.70	1.24	50.94	54.00	-3.06
5150.000	Peak	58.29	1.24	59.53	74.00	-14.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 135 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-20

Test Frequency :5320 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	49.01	0.38	49.39	54.00	-4.61
5350.000	Peak	65.18	0.38	65.56	74.00	-8.44
5352.120	Average	48.99	0.39	49.38	54.00	-4.62
5352.120	Peak	65.88	0.39	66.28	74.00	-7.72



Page: 136 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-20

Test Frequency :5320 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	49.12	0.38	49.49	54.00	-4.51
5350.000	Peak	66.18	0.38	66.56	74.00	-7.44
5352.720	Average	48.89	0.40	49.29	54.00	-4.71
5352.720	Peak	65.96	0.40	66.35	74.00	-7.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 137 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax20 Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5458.880	Average	40.82	-0.71	40.11	54.00	-13.89
5458.880	Peak	55.30	-0.71	54.59	74.00	-19.41
5460.000	Average	40.70	-0.70	40.00	54.00	-14.00
5460.000	Peak	52.36	-0.70	51.66	74.00	-22.34
5468.960	Peak	58.65	-0.62	58.03	68.20	-10.17
5470.000	Peak	55.05	-0.61	54.45	68.20	-13.75



Page: 138 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax20 Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5457.560	Average	39.75	-0.72	39.03	54.00	-14.97
5457.560	Peak	53.04	-0.72	52.31	74.00	-21.69
5460.000	Average	40.00	-0.70	39.30	54.00	-14.70
5460.000	Peak	51.29	-0.70	50.59	74.00	-23.41
5470.000	Peak	57.19	-0.61	56.59	68.20	-11.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 139 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax20 Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	60.45	-0.42	60.03	68.20	-8.17
5726.000	Peak	62.36	-0.41	61.95	68.20	-6.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 140 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax20 Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5725.000	Peak	63.52	-0.42	63.10	68.20	-5.10
5726.360	Peak	64.34	-0.41	63.93	68.20	-4.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 141 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID FULL RU Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5451.400	Average	40.29	0.89	41.18	54.00	-12.82
5451.400	Peak	53.21	0.89	54.11	74.00	-19.89
5460.000	Average	40.41	0.92	41.32	54.00	-12.68
5460.000	Peak	52.06	0.92	52.98	74.00	-21.02
5470.000	Peak	52.03	0.95	52.98	68.20	-15.22
5480.000	Peak	52.36	0.99	53.34	68.20	-14.86
5850.000	Peak	57.03	1.51	58.54	68.20	-9.66
5860.900	Peak	57.63	1.65	59.28	68.20	-8.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 142 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID FULL RU Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5457.250	Average	40.34	0.91	41.25	54.00	-12.75
5457.250	Peak	53.07	0.91	53.98	74.00	-20.02
5460.000	Average	40.46	0.92	41.38	54.00	-12.62
5460.000	Peak	52.20	0.92	53.12	74.00	-20.88
5470.000	Peak	52.07	0.95	53.03	68.20	-15.17
5480.000	Peak	51.46	0.99	52.45	68.20	-15.75
5850.000	Peak	56.99	1.51	58.50	68.20	-9.70
5858.300	Peak	57.78	1.62	59.39	68.20	-8.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 143 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-20

Test Frequency :5745 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5634.100	Peak	57.83	1.03	58.86	68.20	-9.34
5650.000	Peak	56.45	0.98	57.42	68.20	-10.78
5700.000	Peak	60.98	1.01	61.98	105.20	-43.22
5720.000	Peak	69.88	1.22	71.11	110.80	-39.69
5725.000	Peak	83.65	1.28	84.92	122.20	-37.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 144 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-20

Test Frequency :5745 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5646.035	Peak	61.02	0.99	62.01	68.20	-6.19
5650.000	Peak	58.69	0.98	59.66	68.20	-8.54
5700.000	Peak	62.25	1.01	63.26	105.20	-41.94
5720.000	Peak	72.24	1.22	73.46	110.80	-37.34
5725.000	Peak	81.11	1.28	82.39	122.20	-39.81



Page: 145 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-20

Test Frequency :5825 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.050	Peak	76.37	1.51	77.89	122.09	-44.20
5855.000	Peak	73.49	1.58	75.07	110.80	-35.73
5875.000	Peak	62.98	1.83	64.81	105.20	-40.39
5925.000	Peak	56.04	2.29	58.33	68.20	-9.87
5950.860	Peak	57.96	2.43	60.39	68.20	-7.81



Page: 146 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-20

Test Frequency :5825 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.050	Peak	75.78	1.51	77.30	122.09	-44.79
5855.000	Peak	71.15	1.58	72.72	110.80	-38.08
5875.000	Peak	61.58	1.83	63.41	105.20	-41.79
5925.000	Peak	55.78	2.29	58.07	68.20	-10.13
5927.400	Peak	55.97	2.31	58.28	68.20	-9.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 147 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-20

Test Frequency :5190 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5142.600	Average	49.59	1.13	50.72	54.00	-3.28
5142.600	Peak	61.26	1.13	62.39	74.00	-11.61
5150.000	Average	50.46	1.24	51.69	54.00	-2.31
5150.000	Peak	59.05	1.24	60.29	74.00	-13.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 148 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-20

Test Frequency :5190 MHz Temp./Humi. :19.8/62

:Horizontal Test Mode :BE CH LOW Full Ru Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5147.500	Average	48.67	1.20	49.87	54.00	-4.13
5147.500	Peak	59.26	1.20	60.46	74.00	-13.54
5150.000	Average	49.26	1.24	50.50	54.00	-3.50
5150.000	Peak	57.80	1.24	59.03	74.00	-14.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 149 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-20

Test Frequency :5310 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	50.68	0.38	51.06	54.00	-2.94
5350.000	Peak	61.63	0.38	62.01	74.00	-11.99
5351.000	Average	49.65	0.38	50.04	54.00	-3.96
5351.000	Peak	62.84	0.38	63.23	74.00	-10.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 150 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-20

Test Frequency :5310 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	50.13	0.38	50.51	54.00	-3.49
5350.000	Peak	58.34	0.38	58.72	74.00	-15.28
5352.080	Average	49.99	0.39	50.38	54.00	-3.62
5352.080	Peak	60.83	0.39	61.22	74.00	-12.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 151 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax40 Test Date :2022-01-14

Test Frequency :5510 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5459.160	Average	39.28	-0.71	38.57	54.00	-15.43
5459.160	Peak	53.10	-0.71	52.40	74.00	-21.60
5460.000	Average	39.18	-0.70	38.48	54.00	-15.52
5460.000	Peak	50.66	-0.70	49.96	74.00	-24.04
5469.240	Peak	56.63	-0.61	56.02	68.20	-12.18
5470.000	Peak	54.45	-0.61	53.84	68.20	-14.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 152 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax40 Test Date :2022-01-14

Test Frequency :5510 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.040	Average	38.86	-0.74	38.12	54.00	-15.88
5456.040	Peak	51.46	-0.74	50.72	74.00	-23.28
5460.000	Average	37.24	-0.70	36.54	54.00	-17.46
5460.000	Peak	50.78	-0.70	50.08	74.00	-23.92
5468.400	Peak	56.23	-0.62	55.61	68.20	-12.59
5470.000	Peak	55.02	-0.61	54.41	68.20	-13.79



Page: 153 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax40 Test Date :2022-01-14

Test Frequency :5670 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	56.60	-0.42	56.18	68.20	-12.02
5725.160	Peak	58.14	-0.42	57.72	68.20	-10.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 154 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax40 Test Date :2022-01-14

Test Frequency :5670 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	58.64	-0.42	58.23	68.20	-9.97
5726.240	Peak	60.05	-0.41	59.64	68.20	-8.56



Page: 155 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-02-09

Test Frequency :5710 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID FULL RU Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5397.450	Average	39.85	0.75	40.60	54.00	-13.40
5397.450	Peak	53.51	0.75	54.26	74.00	-19.74
5460.000	Average	40.13	0.92	41.05	54.00	-12.95
5460.000	Peak	52.15	0.92	53.07	74.00	-20.93
5470.000	Peak	52.87	0.95	53.83	68.20	-14.37
5470.000	Peak	52.87	0.95	53.83	68.20	-14.37
5850.000	Peak	55.40	1.51	56.92	68.20	-11.28
5851.150	Peak	56.83	1.53	58.35	68.20	-9.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 156 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-02-09

Test Frequency :5710 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID FULL RU Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5400.050	Average	40.51	0.77	41.27	54.00	-12.73
5400.050	Peak	53.57	0.77	54.33	74.00	-19.67
5460.000	Average	40.66	0.92	41.57	54.00	-12.43
5460.000	Peak	52.42	0.92	53.34	74.00	-20.66
5470.000	Peak	51.69	0.95	52.64	68.20	-15.56
5480.000	Peak	51.54	0.99	52.53	68.20	-15.67
5850.000	Peak	56.03	1.51	57.55	68.20	-10.65
5875.200	Peak	55.44	1.83	57.27	68.20	-10.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 157 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-20

Test Frequency :5755 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5649.500	Peak	61.15	0.98	62.13	68.20	-6.07
5650.000	Peak	58.89	0.98	59.86	68.20	-8.34
5700.000	Peak	67.36	1.01	68.37	105.20	-36.83
5720.000	Peak	80.67	1.22	81.90	110.80	-28.90
5725.000	Peak	82.26	1.28	83.53	122.20	-38.67



Page: 158 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-20

Test Frequency :5755 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5644.880	Peak	63.99	0.99	64.99	68.20	-3.21
5650.000	Peak	61.47	0.98	62.44	68.20	-5.76
5700.000	Peak	69.50	1.01	70.51	105.20	-34.69
5720.000	Peak	78.06	1.22	79.28	110.80	-31.52
5725.000	Peak	81.14	1.28	82.42	122.20	-39.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 159 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-20

Test Frequency :5795 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5849.980	Peak	68.39	1.51	69.90	150.00	-80.10
5855.000	Peak	66.52	1.58	68.09	110.80	-42.71
5875.000	Peak	63.67	1.83	65.50	105.20	-39.70
5925.000	Peak	57.36	2.29	59.65	68.20	-8.55
5938.900	Peak	59.26	2.37	61.64	68.20	-6.56



Page: 160 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-20

Test Frequency :5795 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5849.980	Peak	67.69	1.51	69.20	150.00	-80.80
5855.000	Peak	64.95	1.58	66.53	110.80	-44.27
5875.000	Peak	62.76	1.83	64.59	105.20	-40.61
5925.000	Peak	57.64	2.29	59.93	68.20	-8.27
5945.930	Peak	59.10	2.41	61.51	68.20	-6.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 161 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5210 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5143.680	Average	48.30	1.15	49.45	54.00	-4.55
5143.680	Peak	59.96	1.15	61.11	74.00	-12.90
5150.000	Average	50.02	1.24	51.26	54.00	-2.74
5150.000	Peak	58.66	1.24	59.90	74.00	-14.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 162 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5210 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5147.280	Average	50.01	1.20	51.21	54.00	-2.79
5147.280	Peak	61.32	1.20	62.52	74.00	-11.48
5150.000	Average	50.23	1.24	51.47	54.00	-2.53
5150.000	Peak	61.37	1.24	62.61	74.00	-11.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 163 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5290 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
						_
5350.000	Average	49.71	0.38	50.08	54.00	-3.92
5350.000	Peak	58.32	0.38	58.69	74.00	-15.31
5353.400	Average	49.25	0.40	49.65	54.00	-4.35
5353.400	Peak	60.47	0.40	60.87	74.00	-13.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 164 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5290 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	47.98	0.38	48.35	54.00	-5.65
5350.000	Peak	59.50	0.38	59.87	74.00	-14.13
5362.800	Average	45.81	0.48	46.28	54.00	-7.72
5362.800	Peak	61.64	0.48	62.11	74.00	-11.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 165 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax80 Test Date :2022-01-14

Test Frequency :5530 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5453.000	Average	40.76	-0.76	40.00	74.00	-34.00
5453.000	Peak	54.30	-0.76	53.54	74.00	-20.46
5460.000	Average	41.29	-0.70	40.59	74.00	-33.41
5460.000	Peak	52.69	-0.70	51.99	74.00	-22.01
5460.500	Peak	54.82	-0.69	54.13	68.20	-14.07
5470.000	Peak	52.41	-0.61	51.80	68.20	-16.40



Page: 166 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax80 Test Date :2022-01-14

Test Frequency :5530 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5447.600	Average	40.81	-0.78	40.03	74.00	-33.97
5447.600	Peak	58.54	-0.78	57.76	74.00	-16.24
5460.000	Average	42.68	-0.70	41.98	74.00	-32.02
5460.000	Peak	56.18	-0.70	55.48	74.00	-18.52
5467.200	Peak	57.94	-0.63	57.31	68.20	-10.89
5470.000	Peak	56.79	-0.61	56.18	68.20	-12.02



Page: 167 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax80 Test Date :2022-01-14

Test Frequency :5610 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



nit Margin	1.5					
	Limit	Actual	m Factor	Spectrun	Detector	Freq.
m	@3m	FS	evel	Reading Le	Mode	•
//m dB	dBµV/m	dBµV/m	dB	dBµV	PK/QP/AV	MHz
	•	•		•		
00 40.07	00.00	<i>EE E</i> 0	0.40	FF 0F	Daale	F70F 000
20 -12.67	68.20	55.53	-0.42	55.95	Peak	5725.000
20 -10.58	68.20	57.62	-0.33	57.95	Peak	5735.000
2 2	@3n dBµV, 68.2	FS dBµV/m 55.53	evel	Reading Le	Mode	•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 168 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax80 Test Date :2022-01-14

Test Frequency :5610 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	57.29	-0.42	56.87	68.20	-11.33
5744.000	Peak	58.39	-0.25	58.14	68.20	-10.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 169 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-02-09

Test Frequency :5690 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID FULL RU Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
5458.550	Average	42.38	0.91	43.29	54.00	-10.71
5458.550	Peak	54.33	0.91	55.25	74.00	-18.75
5460.000	Average	42.10	0.92	43.02	54.00	-10.98
5460.000	Peak	53.36	0.92	54.28	74.00	-19.72
5470.000	Peak	53.77	0.95	54.72	68.20	-13.48
5480.000	Peak	54.70	0.99	55.69	68.20	-12.51
5850.000	Peak	54.38	1.51	55.89	68.20	-12.31
5854.400	Peak	56.52	1.57	58.09	68.20	-10.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 170 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-02-09

Test Frequency :5690 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID FULL RU Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
		•		_	_	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5452.050	Average	41.48	0.89	42.37	54.00	-11.63
5452.050	Peak	53.46	0.89	54.36	74.00	-19.64
5460.000	Average	41.33	0.92	42.25	54.00	-11.75
5460.000	Peak	52.81	0.92	53.73	74.00	-20.27
5470.000	Peak	53.39	0.95	54.34	68.20	-13.86
5480.000	Peak	53.62	0.99	54.61	68.20	-13.59
5850.000	Peak	60.01	1.51	61.52	68.20	-6.68
5857.000	Peak	60.82	1.60	62.42	68.20	-5.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 171 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5775 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5643.845	Peak	59.93	1.00	60.93	68.20	-7.27
5650.000	Peak	58.74	0.98	59.72	68.20	-8.48
5700.000	Peak	68.39	1.01	69.40	105.20	-35.80
5720.000	Peak	70.39	1.22	71.62	110.80	-39.18
5725.000	Peak	74.34	1.28	75.62	122.20	-46.58



Page: 172 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5775 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW Full Ru Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5649.765	Peak	63.30	0.98	64.27	68.20	-3.93
5650.000	Peak	63.22	0.98	64.20	68.20	-4.00
5700.000	Peak	73.02	1.01	74.03	105.20	-31.17
5720.000	Peak	76.20	1.22	77.42	110.80	-33.38
5725.000	Peak	79.44	1.28	80.72	122.20	-41.48



Page: 173 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5775 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	74.53	1.51	76.04	122.20	-46.16
5855.000	Peak	73.34	1.58	74.92	110.80	-35.88
5875.000	Peak	67.47	1.83	69.30	105.20	-35.90
5925.000	Peak	58.83	2.29	61.12	68.20	-7.08
5926.400	Peak	60.12	2.30	62.42	68.20	-5.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 174 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5775 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH Full Ru :Horizontal Antenna Pol.

EUT Pol :NB Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5850.000	Peak	75.46	1.51	76.97	122.20	-45.23
5855.000	Peak	75.13	1.58	76.71	110.80	-34.09
5875.000	Peak	69.81	1.83	71.64	105.20	-33.56
5925.000	Peak	61.36	2.29	63.65	68.20	-4.55
5927.400	Peak	63.19	2.31	65.50	68.20	-2.70



Page: 175 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-19

Test Frequency :5180 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5137.000	Average	47.13	1.05	48.18	54.00	-5.82
5137.000	Peak	57.89	1.05	58.94	74.00	-15.06
5150.000	Average	47.45	1.24	48.69	54.00	-5.31
5150.000	Peak	54.92	1.24	56.16	74.00	-17.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 176 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-19

Test Frequency :5180 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5147.500	Average	46.04	1.20	47.24	54.00	-6.76
5147.500	Peak	57.38	1.20	58.58	74.00	-15.42
5150.000	Average	46.36	1.24	47.60	54.00	-6.40
5150.000	Peak	54.16	1.24	55.39	74.00	-18.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 177 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-19

Test Frequency :5320 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.000	Average	48.56	0.38	48.93	54.00	-5.07
5350.000	Peak	59.44	0.38	59.82	74.00	-14.18
5351.400	Average	48.97	0.39	49.36	54.00	-4.64
5351.400	Peak	61.89	0.39	62.27	74.00	-11.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 178 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-19

Test Frequency :5320 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	47.71	0.38	48.09	54.00	-5.91
5350.000	Peak	58.50	0.38	58.87	74.00	-15.13
5356.320	Average	46.97	0.43	47.39	54.00	-6.61
5356.320	Peak	61.53	0.43	61.96	74.00	-12.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 179 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5436.560	Average	42.40	-0.75	41.65	54.00	-12.35
5436.560	Peak	51.39	-0.75	50.65	74.00	-23.35
5460.000	Average	42.74	-0.70	42.04	54.00	-11.96
5460.000	Peak	49.74	-0.70	49.04	74.00	-24.96
5470.000	Peak	51.64	-0.61	51.04	68.20	-17.16



Page: 180 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5458.640	Average	42.49	-0.71	41.78	54.00	-12.22
5458.640	Peak	51.78	-0.71	51.07	74.00	-22.93
5460.000	Average	42.59	-0.70	41.89	54.00	-12.11
5460.000	Peak	50.82	-0.70	50.12	74.00	-23.88
5469.680	Peak	51.71	-0.61	51.10	68.20	-17.10
5470.000	Peak	50.39	-0.61	49.78	68.20	-18.42



Page: 181 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	51.04	-0.42	50.62	68.20	-17.58
5738.120	Peak	52.48	-0.30	52.17	68.20	-16.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 182 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11a Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Fre	q.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MH	lz I	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725	.000	Peak	51.50	-0.42	51.09	68.20	-17.11
5728	.040	Peak	53.00	-0.39	52.61	68.20	-15.59




Page: 183 of 272

Report Number Test Site :SAC D :E2/2022/10060

Operation Mode :802.11a Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60 Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5423.450	Average	38.46	0.82	39.28	54.00	-14.72
5423.450	Peak	53.38	0.82	54.20	74.00	-19.80
5460.000	Average	38.59	0.92	39.51	54.00	-14.49
5460.000	Peak	51.51	0.92	52.43	74.00	-21.57
5470.000	Peak	51.48	0.95	52.44	68.20	-15.76
5480.000	Peak	50.90	0.99	51.89	68.20	-16.31
5850.000	Peak	52.96	1.51	54.47	68.20	-13.73
5889.500	Peak	54.13	2.01	56.15	68.20	-12.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 184 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5401.350	Average	38.39	0.77	39.16	54.00	-14.84
5401.350	Peak	52.84	0.77	53.61	74.00	-20.39
5460.000	Average	38.59	0.92	39.51	54.00	-14.49
5460.000	Peak	51.17	0.92	52.09	74.00	-21.91
5470.000	Peak	51.19	0.95	52.14	68.20	-16.06
5480.000	Peak	51.09	0.99	52.08	68.20	-16.12
5850.000	Peak	52.50	1.51	54.01	68.20	-14.19
5904.450	Peak	53.97	2.17	56.14	68.20	-12.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 185 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-19

Test Frequency :5745 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5645.375	Peak	60.72	0.99	61.71	68.20	-6.49
5650.000	Peak	59.34	0.98	60.31	68.20	-7.89
5700.000	Peak	64.35	1.01	65.35	105.20	-39.85
5720.000	Peak	69.50	1.22	70.72	110.80	-40.08
5725.000	Peak	77.30	1.28	78.57	122.20	-43.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Member of SGS Group



Page: 186 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-19

Test Frequency :5745 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5647.685	Peak	60.21	0.98	61.19	68.20	-7.01
5650.000	Peak	59.41	0.98	60.39	68.20	-7.81
5700.000	Peak	65.11	1.01	66.12	105.20	-39.08
5720.000	Peak	70.22	1.22	71.44	110.80	-39.36
5725.000	Peak	78.64	1.28	79.92	122.20	-42.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 187 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-19

Test Frequency :5825 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.050	Peak	72.09	1.51	73.61	122.09	-48.48
5855.000	Peak	69.87	1.58	71.44	110.80	-39.36
5875.000	Peak	60.65	1.83	62.48	105.20	-42.72
5925.000	Peak	57.02	2.29	59.31	68.20	-8.89
5933.860	Peak	57.88	2.34	60.22	68.20	-7.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 188 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11a Test Date :2022-01-19

Test Frequency :5825 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.050	Peak	75.15	1.51	76.66	122.09	-45.42
5855.000	Peak	72.03	1.58	73.61	110.80	-37.19
5875.000	Peak	64.09	1.83	65.92	105.20	-39.28
5925.000	Peak	58.87	2.29	61.16	68.20	-7.04
5930.970	Peak	60.44	2.33	62.77	68.20	-5.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 189 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-19

Test Frequency :5180 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW :Vertical Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.600	Average	48.23	1.23	49.46	54.00	-4.54
5149.600	Peak	61.56	1.23	62.80	74.00	-11.20
5150.000	Average	48.09	1.24	49.33	54.00	-4.67
5150.000	Peak	60.73	1.24	61.96	74.00	-12.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 190 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-19

Test Frequency :5180 MHz Temp./Humi. :19.8/64

:Horizontal Test Mode :BE CH LOW Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5141.900	Average	48.12	1.12	49.24	54.00	-4.76
5141.900	Peak	62.78	1.12	63.90	74.00	-10.10
5150.000	Average	48.65	1.24	49.89	54.00	-4.11
5150.000	Peak	61.31	1.24	62.55	74.00	-11.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 191 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-19

Test Frequency :5320 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.000	Average	48.89	0.38	49.27	54.00	-4.73
5350.000	Peak	61.02	0.38	61.40	74.00	-12.60
5351.520	Average	48.83	0.39	49.22	54.00	-4.78
5351.520	Peak	62.20	0.39	62.59	74.00	-11.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 192 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-19

Test Frequency :5320 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	45.41	0.38	45.79	54.00	-8.21
5350.000	Peak	57.89	0.38	58.27	74.00	-15.73
5351.400	Average	45.25	0.39	45.63	54.00	-8.37
5351.400	Peak	60.84	0.39	61.22	74.00	-12.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 193 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac20 Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5458.880	Average	39.07	-0.71	38.36	54.00	-15.64
5458.880	Peak	52.98	-0.71	52.27	74.00	-21.73
5460.000	Average	38.99	-0.70	38.29	54.00	-15.71
5460.000	Peak	51.19	-0.70	50.49	74.00	-23.51
5466.800	Peak	53.58	-0.64	52.95	68.20	-15.25
5470.000	Peak	51.59	-0.61	50.99	68.20	-17.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 194 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac20 Test Date :2022-01-14

Test Frequency :5500 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5452.160	Average	38.38	-0.77	37.61	54.00	-16.39
5452.160	Peak	52.78	-0.77	52.01	74.00	-21.99
5460.000	Average	39.18	-0.70	38.48	54.00	-15.52
5460.000	Peak	51.53	-0.70	50.83	74.00	-23.17
5469.800	Peak	53.46	-0.61	52.86	68.20	-15.34
5470.000	Peak	52.67	-0.61	52.06	68.20	-16.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 195 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac20 Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5725.000	Peak	59.60	-0.42	59.19	68.20	-9.01
5727.560	Peak	60.12	-0.40	59.72	68.20	-8.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 196 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac20 Test Date :2022-01-14

Test Frequency :5700 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	58.25	-0.42	57.83	68.20	-10.37
5726.360	Peak	58.71	-0.41	58.31	68.20	-9.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 197 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5433.850	Average	39.27	0.85	40.12	54.00	-13.88
5433.850	Peak	53.12	0.85	53.97	74.00	-20.03
5460.000	Average	39.45	0.92	40.37	54.00	-13.63
5460.000	Peak	51.36	0.92	52.28	74.00	-21.72
5470.000	Peak	51.22	0.95	52.17	68.20	-16.03
5480.000	Peak	52.32	0.99	53.30	68.20	-14.90
5850.000	Peak	53.45	1.51	54.96	68.20	-13.24
5861.550	Peak	54.77	1.66	56.43	68.20	-11.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 198 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5441.000	Average	39.72	0.86	40.59	54.00	-13.41
5441.000	Peak	52.87	0.86	53.73	74.00	-20.27
5460.000	Average	39.58	0.92	40.50	54.00	-13.50
5460.000	Peak	51.84	0.92	52.76	74.00	-21.24
5470.000	Peak	51.80	0.95	52.75	68.20	-15.45
5480.000	Peak	51.38	0.99	52.36	68.20	-15.84
5850.000	Peak	52.60	1.51	54.12	68.20	-14.08
5890.150	Peak	53.76	2.02	55.78	68.20	-12.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 199 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-19

Test Frequency :5745 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5643.555	Peak	58.11	1.00	59.11	68.20	-9.09
5650.000	Peak	57.63	0.98	58.61	68.20	-9.59
5700.000	Peak	62.83	1.01	63.84	105.20	-41.36
5720.000	Peak	68.53	1.22	69.75	110.80	-41.05
5725.000	Peak	75.43	1.28	76.70	122.20	-45.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 200 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-19

Test Frequency :5745 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5642.625	Peak	59.36	1.00	60.36	68.20	-7.84
5650.000	Peak	57.90	0.98	58.88	68.20	-9.32
5700.000	Peak	65.18	1.01	66.18	105.20	-39.02
5720.000	Peak	69.88	1.22	71.10	110.80	-39.70
5725.000	Peak	77.67	1.28	78.95	122.20	-43.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 201 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-19

Test Frequency :5825 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	73.84	1.51	75.36	122.20	-46.84
5855.000	Peak	72.76	1.58	74.34	110.80	-36.46
5875.000	Peak	60.72	1.83	62.55	105.20	-42.65
5925.000	Peak	56.09	2.29	58.38	68.20	-9.82
5929.610	Peak	58.29	2.32	60.61	68.20	-7.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 202 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac20 Test Date :2022-01-19

Test Frequency :5825 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.050	Peak	76.47	1.51	77.99	122.09	-44.10
5855.000	Peak	75.78	1.58	77.36	110.80	-33.44
5875.000	Peak	64.37	1.83	66.20	105.20	-39.00
5925.000	Peak	59.97	2.29	62.26	68.20	-5.94
5931.310	Peak	60.33	2.33	62.66	68.20	-5.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 203 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-19

Test Frequency :5190 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW :Vertical Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5148.900	Average	48.81	1.22	50.03	54.00	-3.97
5148.900	Peak	61.98	1.22	63.21	74.00	-10.79
5150.000	Average	49.38	1.24	50.62	54.00	-3.38
5150.000	Peak	61.86	1.24	63.10	74.00	-10.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 204 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-19

Test Frequency :5190 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
						_
5149.600	Average	48.30	1.23	49.53	54.00	-4.47
5149.600	Peak	61.48	1.23	62.71	74.00	-11.29
5150.000	Average	48.08	1.24	49.31	54.00	-4.69
5150.000	Peak	61.06	1.24	62.30	74.00	-11.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 205 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-19

Test Frequency :5310 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
						_
5350.000	Average	47.83	0.38	48.21	54.00	-5.79
5350.000	Peak	59.58	0.38	59.96	74.00	-14.04
5351.000	Average	47.47	0.38	47.85	54.00	-6.15
5351.000	Peak	60.60	0.38	60.98	74.00	-13.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 206 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-19

Test Frequency :5310 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.000	Average	47.93	0.38	48.31	54.00	-5.69
5350.000	Peak	58.95	0.38	59.33	74.00	-14.67
5352.920	Average	47.69	0.40	48.09	54.00	-5.91
5352.920	Peak	60.38	0.40	60.78	74.00	-13.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 207 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac40 Test Date :2022-01-14

Test Frequency :5510 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5458.080	Average	37.75	-0.72	37.03	54.00	-16.97
5458.080	Peak	50.81	-0.72	50.09	74.00	-23.91
5460.000	Average	37.86	-0.70	37.16	54.00	-16.84
5460.000	Peak	49.17	-0.70	48.47	74.00	-25.53
5468.040	Peak	52.91	-0.62	52.28	68.20	-15.92
5470.000	Peak	51.56	-0.61	50.96	68.20	-17.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 208 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac40 Test Date :2022-01-14

Test Frequency :5510 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5453.040	Average	36.84	-0.76	36.08	54.00	-17.92
5453.040	Peak	50.69	-0.76	49.92	74.00	-24.08
5460.000	Average	37.31	-0.70	36.61	54.00	-17.39
5460.000	Peak	50.12	-0.70	49.42	74.00	-24.58
5469.720	Peak	52.03	-0.61	51.42	68.20	-16.78
5470.000	Peak	51.27	-0.61	50.66	68.20	-17.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 209 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac40 Test Date :2022-01-14

Test Frequency :5670 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	48.76	-0.42	48.34	68.20	-19.86
5727.440	Peak	49.79	-0.40	49.39	68.20	-18.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 210 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac40 Test Date :2022-01-14

Test Frequency :5670 MHz Temp./Humi. :17.4/47

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	49.54	-0.42	49.12	68.20	-19.08
5726.720	Peak	50.00	-0.40	49.60	68.20	-18.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 211 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-02-09

Test Frequency :5710 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5428.650	Average	39.54	0.84	40.38	54.00	-13.62
5428.650	Peak	52.72	0.84	53.56	74.00	-20.44
5460.000	Average	39.94	0.92	40.86	54.00	-13.14
5460.000	Peak	50.86	0.92	51.78	74.00	-22.22
5470.000	Peak	51.61	0.95	52.56	68.20	-15.64
5480.000	Peak	51.97	0.99	52.96	68.20	-15.24
5850.000	Peak	53.10	1.51	54.62	68.20	-13.58
5860.250	Peak	54.59	1.64	56.23	68.20	-11.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 212 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-02-09

Test Frequency :5710 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5428.650	Average	39.33	0.84	40.16	54.00	-13.84
5428.650	Peak	53.07	0.84	53.91	74.00	-20.09
5460.000	Average	39.55	0.92	40.47	54.00	-13.53
5460.000	Peak	51.73	0.92	52.65	74.00	-21.35
5470.000	Peak	51.96	0.95	52.91	68.20	-15.29
5480.000	Peak	51.64	0.99	52.62	68.20	-15.58
5850.000	Peak	54.19	1.51	55.71	68.20	-12.49
5935.650	Peak	54.77	2.35	57.12	68.20	-11.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 213 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-19

Test Frequency :5755 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5642.075	Peak	58.06	1.00	59.06	68.20	-9.14
5650.000	Peak	56.00	0.98	56.98	68.20	-11.22
5700.000	Peak	60.29	1.01	61.30	105.20	-43.90
5720.000	Peak	72.90	1.22	74.12	110.80	-36.68
5725.000	Peak	72.98	1.28	74.25	122.20	-47.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 214 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-19

Test Frequency :5755 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5647.025	Peak	57.43	0.99	58.42	68.20	-9.78
5650.000	Peak	56.09	0.98	57.07	68.20	-11.13
5700.000	Peak	61.73	1.01	62.74	105.20	-42.46
5720.000	Peak	71.26	1.22	72.48	110.80	-38.32
5725.000	Peak	71.88	1.28	73.15	122.20	-49.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 215 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-19

Test Frequency :5795 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	64.35	1.51	65.86	122.20	-56.34
5855.000	Peak	61.17	1.58	62.75	110.80	-48.05
5875.000	Peak	58.06	1.83	59.89	105.20	-45.31
5925.000	Peak	54.66	2.29	56.95	68.20	-11.25
5925.600	Peak	56.20	2.29	58.49	68.20	-9.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 216 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac40 Test Date :2022-01-19

Test Frequency :5795 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5849.980	Peak	65.31	1.51	66.82	150.00	-83.18
5855.000	Peak	62.24	1.58	63.82	110.80	-46.98
5875.000	Peak	58.93	1.83	60.76	105.20	-44.44
5925.000	Peak	56.03	2.29	58.32	68.20	-9.88
5928.450	Peak	57.18	2.31	59.49	68.20	-8.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 217 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-19

Test Frequency :5210 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW :Vertical Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5136.480	Average	48.80	1.04	49.84	54.00	-4.16
5136.480	Peak	63.49	1.04	64.53	74.00	-9.47
5150.000	Average	50.37	1.24	51.61	54.00	-2.39
5150.000	Peak	61.58	1.24	62.81	74.00	-11.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 218 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-19

Test Frequency :5210 MHz Temp./Humi. :19.8/64

:Horizontal Test Mode :BE CH LOW Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5144.400	Average	50.07	1.16	51.23	54.00	-2.77
5144.400	Peak	63.93	1.16	65.09	74.00	-8.91
5150.000	Average	50.26	1.24	51.50	54.00	-2.50
5150.000	Peak	62.06	1.24	63.29	74.00	-10.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 219 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-19

Test Frequency :5290 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.000	Average	49.30	0.38	49.67	54.00	-4.33
5350.000	Peak	59.84	0.38	60.22	74.00	-13.78
5355.400	Average	47.65	0.42	48.07	54.00	-5.93
5355.400	Peak	60.97	0.42	61.38	74.00	-12.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 220 of 272

Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-19

Test Frequency :5290 MHz Temp./Humi. :19.8/64

:Horizontal Test Mode :BE CH HIGH Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	5350.000	Average	49.11	0.38	49.49	54.00	-4.51
	5350.000	Peak	61.32	0.38	61.69	74.00	-12.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 221 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac80 Test Date :2022-01-14

Test Frequency :5530 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5455.700	Average	38.69	-0.74	37.95	54.00	-16.05
5455.700	Peak	53.90	-0.74	53.16	74.00	-20.84
5460.000	Average	40.14	-0.70	39.44	54.00	-14.56
5460.000	Peak	51.41	-0.70	50.71	74.00	-23.29
5464.800	Peak	54.36	-0.65	53.70	68.20	-14.50
5470.000	Peak	52.25	-0.61	51.64	68.20	-16.56



Page: 222 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac80 Test Date :2022-01-14

Test Frequency :5530 MHz Temp./Humi. :17.4/47

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5455.800	Average	39.72	-0.74	38.98	54.00	-15.02
5455.800	Peak	54.95	-0.74	54.21	74.00	-19.79
5460.000	Average	40.53	-0.70	39.83	54.00	-14.17
5460.000	Peak	52.16	-0.70	51.46	74.00	-22.54
5465.100	Peak	55.05	-0.65	54.40	68.20	-13.80
5470.000	Peak	53.15	-0.61	52.55	68.20	-15.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 223 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac80 Test Date :2022-01-15

Test Frequency :5610 MHz Temp./Humi. :19.2/59

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	48.36	-0.42	47.94	68.20	-20.26
5738.060	Peak	50.00	-0.30	49.70	68.20	-18.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 224 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ac80 Test Date :2022-01-15

Test Frequency :5610 MHz Temp./Humi. :19.2/59

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	5725.000	Peak	49.88	-0.42	49.46	68.20	-18.74
	5725.280	Peak	51.68	-0.42	51.26	68.20	-16.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 225 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-02-09

Test Frequency :5690 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5439.050	Average	40.16	0.86	41.02	54.00	-12.98
5439.050	Peak	52.76	0.86	53.62	74.00	-20.38
5460.000	Average	40.36	0.92	41.28	54.00	-12.72
5460.000	Peak	51.32	0.92	52.24	74.00	-21.76
5470.000	Peak	51.30	0.95	52.25	68.20	-15.95
5480.000	Peak	51.61	0.99	52.60	68.20	-15.60
5850.000	Peak	52.86	1.51	54.37	68.20	-13.83
5903.150	Peak	53.50	2.16	55.66	68.20	-12.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 226 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-02-09

Test Frequency :5690 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5379.250	Average	39.81	0.61	40.42	54.00	-13.58
5379.250	Peak	52.69	0.61	53.29	74.00	-20.71
5460.000	Average	40.05	0.92	40.97	54.00	-13.03
5460.000	Peak	52.00	0.92	52.92	74.00	-21.08
5470.000	Peak	51.22	0.95	52.17	68.20	-16.03
5480.000	Peak	52.15	0.99	53.14	68.20	-15.06
5850.000	Peak	52.31	1.51	53.83	68.20	-14.37
5946.050	Peak	53.88	2.42	56.30	68.20	-11.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 227 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-19

Test Frequency :5775 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5643.845	Peak	57.61	1.00	58.61	68.20	-9.59
5650.000	Peak	55.38	0.98	56.35	68.20	-11.85
5700.000	Peak	63.56	1.01	64.57	105.20	-40.63
5720.000	Peak	67.94	1.22	69.16	110.80	-41.64
5725.000	Peak	70.11	1.28	71.38	122.20	-50.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 228 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-19

Test Frequency :5775 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5647.915	Peak	57.22	0.98	58.20	68.20	-10.00
5650.000	Peak	55.92	0.98	56.90	68.20	-11.30
5700.000	Peak	65.05	1.01	66.05	105.20	-39.15
5720.000	Peak	68.80	1.22	70.02	110.80	-40.78
5725.000	Peak	67.73	1.28	69.01	122.20	-53.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 229 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-19

Test Frequency :5775 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5850.000	Peak	64.84	1.51	66.35	122.20	-55.85
5855.000	Peak	64.64	1.58	66.21	110.80	-44.59
5875.000	Peak	61.84	1.83	63.67	105.20	-41.53
5925.000	Peak	55.02	2.29	57.31	68.20	-10.89
5933.800	Peak	55.68	2.34	58.03	68.20	-10.17



Page: 230 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ac80 Test Date :2022-01-19

Test Frequency :5775 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	62.46	1.51	63.97	122.20	-58.23
5855.000	Peak	62.88	1.58	64.46	110.80	-46.34
5875.000	Peak	58.96	1.83	60.79	105.20	-44.41
5925.000	Peak	53.79	2.29	56.08	68.20	-12.12
5929.000	Peak	55.81	2.31	58.13	68.20	-10.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 231 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-19

Test Frequency :5180 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW FULL RU :Vertical Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5148.900	Average	49.54	1.22	50.76	54.00	-3.24
5148.900	Peak	62.91	1.22	64.13	74.00	-9.87
5150.000	Average	49.71	1.24	50.95	54.00	-3.05
5150.000	Peak	62.55	1.24	63.79	74.00	-10.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 232 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-19

Test Frequency :5180 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW FULL RU :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5148.900	Average	50.08	1.22	51.31	54.00	-2.69
5148.900	Peak	65.55	1.22	66.77	74.00	-7.23
5150.000	Average	50.28	1.24	51.52	54.00	-2.48
5150.000	Peak	62.94	1.24	64.18	74.00	-9.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 233 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-19

Test Frequency :5320 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	50.51	0.38	50.88	54.00	-3.12
5350.000	Peak	66.70	0.38	67.07	74.00	-6.93
5350.560	Average	50.70	0.38	51.08	54.00	-2.92
5350.560	Peak	68.46	0.38	68.84	74.00	-5.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 234 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-19

Test Frequency :5320 MHz Temp./Humi. :19.8/64

:Horizontal Test Mode :BE CH HIGH FULL RU Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	47.05	0.38	47.43	54.00	-6.57
5350.000	Peak	65.85	0.38	66.22	74.00	-7.78
5350.200	Average	47.34	0.38	47.72	54.00	-6.28
5350.200	Peak	66.23	0.38	66.60	74.00	-7.40



Page: 235 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax20 Test Date :2022-01-15

Test Frequency :5500 MHz Temp./Humi. :19.2/59

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5457.200	Average	40.32	-0.73	39.59	54.00	-14.41
5457.200	Peak	56.06	-0.73	55.33	74.00	-18.67
5460.000	Average	40.41	-0.70	39.71	54.00	-14.29
5460.000	Peak	54.81	-0.70	54.11	74.00	-19.89
5469.440	Peak	59.13	-0.61	58.52	68.20	-9.68
5470.000	Peak	57.41	-0.61	56.81	68.20	-11.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 236 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax20 Test Date :2022-01-15

Test Frequency :5500 MHz Temp./Humi. :19.2/59

Test Mode :BE CH LOW Full Ru Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5459.240	Average	40.67	-0.71	39.96	54.00	-14.04
5459.240	Peak	55.71	-0.71	55.01	74.00	-18.99
5460.000	Average	40.39	-0.70	39.69	54.00	-14.31
5460.000	Peak	52.70	-0.70	52.00	74.00	-22.00
5469.200	Peak	59.22	-0.61	58.60	68.20	-9.60
5470.000	Peak	57.71	-0.61	57.10	68.20	-11.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 237 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax20 Test Date :2022-01-15

Test Frequency :5700 MHz Temp./Humi. :19.2/59

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	62.09	-0.42	61.68	68.20	-6.52
5725.400	Peak	63.51	-0.42	63.10	68.20	-5.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 238 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax20 Test Date :2022-01-15

Test Frequency :5700 MHz Temp./Humi. :19.2/59

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	61.63	-0.42	61.21	68.20	-6.99
5725.760	Peak	63.99	-0.41	63.58	68.20	-4.62



Page: 239 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-02-09

Test Frequency :5720 MHz Temp./Humi. :19.2/60

Test Mode :BE CH MID FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5451.400	Average	40.06	0.89	40.95	54.00	-13.05
5451.400	Peak	52.63	0.89	53.52	74.00	-20.48
5460.000	Average	39.87	0.92	40.79	54.00	-13.21
5460.000	Peak	51.19	0.92	52.11	74.00	-21.89
5470.000	Peak	51.62	0.95	52.58	68.20	-15.62
5480.000	Peak	51.80	0.99	52.79	68.20	-15.41
5850.000	Peak	52.96	1.51	54.48	68.20	-13.72



Page: 240 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-02-10

Test Frequency :5720 MHz Temp./Humi. :19.5/62

Test Mode :BE CH MID FULL RU Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5399.400	Average	41.90	0.76	42.67	54.00	-11.33
5399.400	Peak	53.09	0.76	53.85	74.00	-20.15
5460.000	Average	40.04	0.92	40.96	54.00	-13.04
5460.000	Peak	51.85	0.92	52.77	74.00	-21.23
5470.000	Peak	51.22	0.95	52.17	68.20	-16.03
5480.000	Peak	51.43	0.99	52.41	68.20	-15.79
5850.000	Peak	52.25	1.51	53.77	68.20	-14.43
5975.950	Peak	53.61	2.13	55.74	68.20	-12.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 241 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-19

Test Frequency :5745 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5620.770	Peak	58.63	1.08	59.71	68.20	-8.49
5650.000	Peak	57.68	0.98	58.66	68.20	-9.54
5700.000	Peak	60.22	1.01	61.23	105.20	-43.97
5720.000	Peak	68.52	1.22	69.74	110.80	-41.06
5725.000	Peak	77.98	1.28	79.26	122.20	-42.94



Page: 242 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-19

Test Frequency :5745 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW FULL RU :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5647.120	Peak	59.62	0.99	60.61	68.20	-7.59
5650.000	Peak	57.82	0.98	58.80	68.20	-9.40
5700.000	Peak	61.77	1.01	62.78	105.20	-42.42
5720.000	Peak	73.58	1.22	74.80	110.80	-36.00
5725.000	Peak	79.04	1.28	80.32	122.20	-41.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 243 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-19

Test Frequency :5825 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	74.99	1.51	76.51	122.20	-45.69
5855.000	Peak	71.41	1.58	72.99	110.80	-37.81
5875.000	Peak	62.50	1.83	64.33	105.20	-40.87
5925.000	Peak	57.19	2.29	59.49	68.20	-8.71
5928.250	Peak	58.92	2.31	61.23	68.20	-6.97



Page: 244 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax20 Test Date :2022-01-19

Test Frequency :5825 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH FULL RU :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5850.000	Peak	78.29	1.51	79.80	122.20	-42.40
5855.000	Peak	74.15	1.58	75.73	110.80	-35.07
5875.000	Peak	64.16	1.83	65.99	105.20	-39.21
5925.000	Peak	58.53	2.29	60.82	68.20	-7.38
5941.680	Peak	59.58	2.39	61.97	68.20	-6.23



Page: 245 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-19

Test Frequency :5190 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW FULL RU :Vertical Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5148.900	Average	49.12	1.22	50.34	54.00	-3.66
5148.900	Peak	62.95	1.22	64.17	74.00	-9.83
5150.000	Average	48.88	1.24	50.11	54.00	-3.89
5150.000	Peak	61.90	1.24	63.14	74.00	-10.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 246 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-19

Test Frequency :5190 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW FULL RU :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5147.500	Average	49.14	1.20	50.34	54.00	-3.66
5147.500	Peak	63.35	1.20	64.55	74.00	-9.45
5150.000	Average	49.68	1.24	50.92	54.00	-3.08
5150.000	Peak	62.93	1.24	64.17	74.00	-9.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 247 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-19

Test Frequency :5310 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	51.14	0.38	51.51	54.00	-2.49
5350.000	Peak	65.68	0.38	66.06	74.00	-7.94
5358.920	Average	47.63	0.45	48.07	54.00	-5.93
5358.920	Peak	66.00	0.45	66.45	74.00	-7.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 248 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-19

Test Frequency :5310 MHz Temp./Humi. :19.8/64

:Horizontal Test Mode :BE CH HIGH FULL RU Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	51.08	0.38	51.46	54.00	-2.54
5350.000	Peak	65.13	0.38	65.50	74.00	-8.50
5354.000	Average	49.18	0.41	49.58	54.00	-4.42
5354.000	Peak	66.32	0.41	66.73	74.00	-7.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 249 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax40 Test Date :2022-01-15

Test Frequency :5510 MHz Temp./Humi. :19.2/59

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5460.000	Average	39.68	-0.70	38.98	54.00	-15.02
5460.000	Peak	54.32	-0.70	53.62	74.00	-20.38
5467.800	Peak	59.64	-0.63	59.01	68.20	-9.19
5470.000	Peak	58.43	-0.61	57.82	68.20	-10.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 250 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax40 Test Date :2022-01-15

Test Frequency :5510 MHz Temp./Humi. :19.2/59

Test Mode :BE CH LOW Full Ru Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5458.920	Average	39.54	-0.71	38.83	54.00	-15.17
5458.920	Peak	54.65	-0.71	53.94	74.00	-20.06
5460.000	Average	39.09	-0.70	38.39	54.00	-15.61
5460.000	Peak	52.83	-0.70	52.13	74.00	-21.87
5468.880	Peak	58.46	-0.62	57.84	68.20	-10.36
5470.000	Peak	55.42	-0.61	54.82	68.20	-13.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 251 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax40 Test Date :2022-01-15

Test Frequency :5670 MHz Temp./Humi. :19.2/59

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	56.94	-0.42	56.52	68.20	-11.68
5726.360	Peak	59.59	-0.41	59.18	68.20	-9.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 252 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax40 Test Date :2022-01-15

Test Frequency :5670 MHz Temp./Humi. :19.2/59

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	58.17	-0.42	57.75	68.20	-10.45
5726.480	Peak	59.64	-0.41	59.23	68.20	-8.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 253 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-02-10

Test Frequency :5710 MHz Temp./Humi. :19.5/62

Test Mode :BE CH MID FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5418.250	Average	39.75	0.81	40.56	54.00	-13.44
5418.250	Peak	52.92	0.81	53.73	74.00	-20.27
5460.000	Average	40.18	0.92	41.10	54.00	-12.90
5460.000	Peak	51.79	0.92	52.70	74.00	-21.30
5470.000	Peak	51.74	0.95	52.69	68.20	-15.51
5480.000	Peak	51.59	0.99	52.57	68.20	-15.63
5850.000	Peak	53.45	1.51	54.96	68.20	-13.24
5885.600	Peak	53.94	1.96	55.90	68.20	-12.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 254 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-02-10

Test Frequency :5710 MHz Temp./Humi. :19.5/62

Test Mode :BE CH MID FULL RU Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
5392.900	Average	39.64	0.71	40.35	54.00	-13.65
5392.900	Peak	52.76	0.71	53.47	74.00	-20.53
5460.000	Average	39.81	0.92	40.73	54.00	-13.27
5460.000	Peak	51.72	0.92	52.64	74.00	-21.36
5470.000	Peak	51.83	0.95	52.79	68.20	-15.41
5480.000	Peak	51.04	0.99	52.03	68.20	-16.17
5850.000	Peak	53.05	1.51	54.56	68.20	-13.64
5860.250	Peak	54.07	1.64	55.72	68.20	-12.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 255 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-19

Test Frequency :5755 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5646.365	Peak	58.51	0.99	59.49	68.20	-8.71
5650.000	Peak	56.30	0.98	57.28	68.20	-10.92
5700.000	Peak	62.30	1.01	63.31	105.20	-41.89
5720.000	Peak	71.40	1.22	72.62	110.80	-38.18
5725.000	Peak	72.18	1.28	73.45	122.20	-48.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 256 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-19

Test Frequency :5755 MHz Temp./Humi. :19.8/64

Test Mode :BE CH LOW FULL RU :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5635.805	Peak	59.66	1.02	60.68	68.20	-7.52
5650.000	Peak	58.49	0.98	59.46	68.20	-8.74
5700.000	Peak	65.71	1.01	66.72	105.20	-38.48
5720.000	Peak	72.07	1.22	73.29	110.80	-37.51
5725.000	Peak	73.84	1.28	75.12	122.20	-47.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 257 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-19

Test Frequency :5795 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	64.33	1.51	65.84	122.20	-56.36
5855.000	Peak	63.13	1.58	64.70	110.80	-46.10
5875.000	Peak	61.16	1.83	62.98	105.20	-42.22
5925.000	Peak	54.48	2.29	56.78	68.20	-11.42
5926.550	Peak	55.78	2.30	58.08	68.20	-10.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 258 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax40 Test Date :2022-01-19

Test Frequency :5795 MHz Temp./Humi. :19.8/64

Test Mode :BE CH HIGH FULL RU :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	68.47	1.51	69.99	122.20	-52.21
5855.000	Peak	67.21	1.58	68.78	110.80	-42.02
5875.000	Peak	62.84	1.83	64.67	105.20	-40.53
5925.000	Peak	56.47	2.29	58.77	68.20	-9.43
5932.630	Peak	58.24	2.34	60.57	68.20	-7.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 259 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5210 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW FULL RU :Vertical Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5147.280	Average	48.99	1.20	50.19	54.00	-3.81
5147.280	Peak	60.99	1.20	62.19	74.00	-11.81
5150.000	Average	50.57	1.24	51.80	54.00	-2.20
5150.000	Peak	62.27	1.24	63.51	74.00	-10.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 260 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5210 MHz Temp./Humi. :19.8/62

:Horizontal Test Mode :BE CH LOW FULL RU Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5148.720	Average	46.97	1.22	48.19	54.00	-5.81
5148.720	Peak	60.94	1.22	62.16	74.00	-11.84
5150.000	Average	47.43	1.24	48.66	54.00	-5.34
5150.000	Peak	59.15	1.24	60.39	74.00	-13.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 261 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5290 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/m	Margin dB
5350.000	Average	51.19	0.38	51.57	54.00	-2.43
5350.000	Peak	66.86	0.38	67.23	74.00	-6.77
5358.900	Average	50.75	0.45	51.20	54.00	-2.80
5358.900	Peak	68.89	0.45	69.33	74.00	-4.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 262 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5290 MHz Temp./Humi. :19.8/62

:Horizontal Test Mode :BE CH HIGH FULL RU Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	50.55	0.38	50.92	54.00	-3.08
5350.000	Peak	64.07	0.38	64.45	74.00	-9.55
5351.100	Average	51.37	0.38	51.75	54.00	-2.25
5351.100	Peak	68.91	0.38	69.29	74.00	-4.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 263 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax80 Test Date :2022-01-15

Test Frequency :5530 MHz Temp./Humi. :19.2/59

Test Mode :BE CH LOW Full Ru Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5447.900	Average	39.20	-0.79	38.41	54.00	-15.59
5447.900	Peak	56.80	-0.79	56.01	74.00	-17.99
5460.000	Average	40.74	-0.70	40.04	54.00	-13.96
5460.000	Peak	52.91	-0.70	52.21	74.00	-21.79
5469.200	Peak	56.59	-0.61	55.98	68.20	-12.22
5470.000	Peak	53.30	-0.61	52.70	68.20	-15.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 264 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax80 Test Date :2022-01-15

Test Frequency :5530 MHz Temp./Humi. :19.2/59

Test Mode :BE CH LOW Full Ru Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5447.800	Average	39.49	-0.79	38.70	54.00	-15.30
5447.800	Peak	57.78	-0.79	57.00	74.00	-17.00
5460.000	Average	41.56	-0.70	40.86	54.00	-13.14
5460.000	Peak	54.14	-0.70	53.44	74.00	-20.56
5469.200	Peak	57.78	-0.61	57.17	68.20	-11.03
5470.000	Peak	54.53	-0.61	53.92	68.20	-14.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 265 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax80 Test Date :2022-01-15

Test Frequency :5610 MHz Temp./Humi. :19.2/59

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	54.36	-0.42	53.94	68.20	-14.26
5725.460	Peak	54.79	-0.42	54.37	68.20	-13.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 266 of 272


Report Number :E2/2022/10060 Test Site :SAC C

Operation Mode :802.11ax80 Test Date :2022-01-15

Test Frequency :5610 MHz Temp./Humi. :19.2/59

Test Mode :BE CH HIGH Full Ru Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5725.000	Peak	54.98	-0.42	54.56	68.20	-13.64
5734.820	Peak	58.29	-0.33	57.96	68.20	-10.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 267 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-02-10

Test Frequency :5690 MHz Temp./Humi. : 19.5/62

Test Mode :BE CH MID FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level	ID	FS ID V/	@3m	ID
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5442.950	Average	40.58	0.87	41.45	54.00	-12.55
5442.950	Peak	52.46	0.87	53.33	74.00	-20.67
5460.000	Average	40.74	0.92	41.66	54.00	-12.34
5460.000	Peak	51.98	0.92	52.90	74.00	-21.10
5470.000	Peak	51.85	0.95	52.81	68.20	-15.39
5480.000	Peak	51.87	0.99	52.86	68.20	-15.34
5850.000	Peak	54.87	1.51	56.39	68.20	-11.81
5853.100	Peak	58.36	1.55	59.92	68.20	-8.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 268 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-02-10

Test Frequency :5690 MHz Temp./Humi. : 19.5/62

Test Mode :BE CH MID FULL RU Antenna Pol. :Horizontal

EUT Pol :E1 Plane Engineer :Andy Wang



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5454.650	Average	40.83	0.90	41.73	54.00	-12.27
5454.650	Peak	53.16	0.90	54.06	74.00	-19.94
5460.000	Average	40.59	0.92	41.51	54.00	-12.49
5460.000	Peak	51.52	0.92	52.44	74.00	-21.56
5470.000	Peak	52.76	0.95	53.72	68.20	-14.48
5480.000	Peak	52.20	0.99	53.19	68.20	-15.01
5850.000	Peak	58.83	1.51	60.34	68.20	-7.86
5864.800	Peak	60.24	1.70	61.94	68.20	-6.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以降の理味情物人」を存在不能中之口音風音句・不可能的技術。
This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 269 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5775 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5646.620	Peak	61.93	0.99	62.91	68.20	-5.29
5650.000	Peak	61.65	0.98	62.62	68.20	-5.58
5700.000	Peak	69.94	1.01	70.95	105.20	-34.25
5720.000	Peak	73.79	1.22	75.01	110.80	-35.79
5725.000	Peak	74.76	1.28	76.04	122.20	-46.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 270 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5775 MHz Temp./Humi. :19.8/62

Test Mode :BE CH LOW FULL RU :Horizontal Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5648.285	Peak	62.60	0.98	63.58	68.20	-4.62
5650.000	Peak	62.49	0.98	63.47	68.20	-4.73
5700.000	Peak	70.89	1.01	71.90	105.20	-33.30
5720.000	Peak	73.31	1.22	74.53	110.80	-36.27
5725.000	Peak	74.71	1.28	75.99	122.20	-46.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 271 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5775 MHz Temp./Humi. :19.8/62

Test Mode :BE CH HIGH FULL RU Antenna Pol. :Vertical

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	74.28	1.51	75.79	122.20	-46.41
5855.000	Peak	73.30	1.58	74.87	110.80	-35.93
5875.000	Peak	68.59	1.83	70.42	105.20	-34.78
5925.000	Peak	61.73	2.29	64.02	68.20	-4.18
5929.400	Peak	62.48	2.32	64.80	68.20	-3.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 272 of 272


Report Number :E2/2022/10060 Test Site :SAC D

Operation Mode :802.11ax80 Test Date :2022-01-20

Test Frequency :5775 MHz Temp./Humi. :19.8/62

:Horizontal Test Mode :BE CH HIGH FULL RU Antenna Pol.

EUT Pol :E1 Plane Engineer :Jack Tseng



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.000	Peak	70.02	1.51	71.53	122.20	-50.67
5855.000	Peak	69.62	1.58	71.19	110.80	-39.61
5875.000	Peak	67.74	1.83	69.57	105.20	-35.63
5925.000	Peak	59.60	2.29	61.89	68.20	-6.31
5931.600	Peak	62.42	2.33	64.75	68.20	-3.45

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。