

ELECTROMAGNETIC EMISSIONS **CLASS II & IV PERMISSIVE CHANGE** REPORT



Applicant:	Acer Incorporated 8F., No. 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City 22181, Taiwan (R.O.C)
Manufacturer:	Compal Electronics, Inc. No. 581 & 581-1, Ruiguang Road Neihu District Taipei, 11492 Taiwan
Product Name:	WiFi 6E BT 5.2 M.2 2230 Module
Brand Name:	acer
Model No.:	QCNFA765
Report Number:	E2/2022/30007
FCC ID	HLZQCNFA765
IC:	1754F-QCNFA765
Issue Date:	Apr. 15, 2022
Date of Test:	Mar. 10, 2022~Mar. 28, 2022
Date of EUT Received:	Dec. 17, 2021

Approved By

Jay Lin

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.247, ISED RSS-247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Revision History					
Report Number	Revision	Description	Issue Date	Revised By	Remark
E2/2022/30007	00	Original.	Apr. 15, 2022	Yi-Shan Tsai	

Note:

1 . The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除計另有說明・比聚告結果僅對測試之樣品負責,同時比樣品僅保留例大。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	8
4	DESCRIPTION OF TEST MODES	9
5	MEASUREMENT UNCERTAINTY	11
6	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



GENERAL INFORMATION 1

1.1 **Product description**

Product Name:	WiFi 6E BT 5.2 M.2 2230 Module
Brand Name:	acer
Model No.:	QCNFA765
EUT Series No.:	N8QGYWW003206067443400
Power Supply:	15.4Vdc from Rechargeable Lithium Ion Battery Pack 19.5Vdc from AC/DC Adapter

1.2 **RF Specification**

Radio Technology:	BT BR+EDR
Channel number:	79 channels
Modulation type:	GFSK + π/4DQPSK + 8DPSK
Frequency Range:	2.402GHz – 2.480GHz

1.3 **Antenna Designation**

Antenna Type	Supplier	Main / Aux	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)
PIFA	WNC	Aux	81EABS15.G08 (DC33002NJ10)	2402~2480	0.1
Nata	•				•

Note:

- Pre-scanned was done on the above antennas, measurements were demonstrated by using the an-1. tenna with the highest gain as the worst case scenarios.
- Antenna information is provided by the applicant. 2.

(新き方方前成) 「山椒古雪米電列調心之後加度員「同時山後加度休留初人》 本報音大陸半公司音面計「「小山前防復殺」 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



1.4 **Test Methodology of Applied Standards**

FCC Part 15, Subpart C §15.247 KDB 558074 D01 v05r02 DSS Meas. Guidance RSS-247 issue 2 Feb. 2017 RSS-Gen Issue 5, Amendment 2, February 2021 ANSI C63.10:2013

1.5 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 3		
		Conduction 1		
	No.134, Wu Kung Road, New Taipei	Conducted 1		
	Industrial Park, Wuku District, New	Conducted 2	TW0027	
	Taipei City, Taiwan.	Conducted 3	_	TW3702
		Conducted 4	_	
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conduction C	TW0028	
(TAF code 3702)		SAC C		
		SAC D		
		SAC G		
		Conducted A		
		Conducted B		
	rabydan oliy, raiwan ooo	Conducted C		
		Conducted D	-	
		Conducted E	_	
		Conducted F	-	
		Conducted G		
Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.				

1.6 **Special Accessories**

There is no special accessory used while test was conducted.

1.7 **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新き方方前成) 「山椒古雪米電列調心之後加度員「同時山後加度休留初人》 本報音大陸半公司音面計「「小山前防復殺」 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents is unlawful and offenders may be prosecuted to the fullest extent of the law.



2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.


There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Test Configuration 2.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



SUMMARY OF TEST RESULTS 3

FCC Rules	IC Rules	Description Of Test	Result
§15.247(d)	RSS-247 §5.5	Redicted Sourious Emission	Compliant
§15.209	RSS-Gen §8.9	Radiated Spurious Emission	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除計另有說明・比聚告結果僅對測試之樣品負責,同時比樣品僅保留例大。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	



DESCRIPTION OF TEST MODES 4

4.1 Operated in 2400 ~ 2483.5MHz Band

79 channels are provided for Bluetooth

ITEM	FREQUENCY	ITEM	FREQUENCY	ITEM	FREQUENCY	ITEM	FREQUENCY
1	2402 MHz	21	2422 MHz	41	2442 MHz	71	2462 MHz
2	2403 MHz	22	2423 MHz	42	2443 MHz	72	2463 MHz
3	2404 MHz	23	2424 MHz	43	2444 MHz	73	2464 MHz
4	2405 MHz	24	2425 MHz	44	2445 MHz	74	2465 MHz
5	2406 MHz	25	2426 MHz	45	2446 MHz	75	2466 MHz
6	2407 MHz	26	2427 MHz	46	2447 MHz	76	2467 MHz
7	2408 MHz	27	2428 MHz	47	2448 MHz	77	2468 MHz
8	2409 MHz	28	2429 MHz	48	2449 MHz	78	2469 MHz
9	2410 MHz	29	2430 MHz	49	2450 MHz	79	2470 MHz
10	2411 MHz	30	2431 MHz	50	2451 MHz	70	2471 MHz
11	2412 MHz	31	2432 MHz	51	2452 MHz	71	2472 MHz
12	2413 MHz	32	2433 MHz	52	2453 MHz	72	2473 MHz
13	2414 MHz	33	2434 MHz	53	2454 MHz	73	2474 MHz
14	2415 MHz	34	2435 MHz	54	2455 MHz	74	2475 MHz
15	2416 MHz	35	2436 MHz	55	2456 MHz	75	2476 MHz
16	2417 MHz	36	2437 MHz	56	2457 MHz	76	2477 MHz
17	2418 MHz	37	2438 MHz	57	2458 MHz	77	2478 MHz
18	2419 MHz	38	2439 MHz	58	2459 MHz	78	2479 MHz
19	2420 MHz	39	2440 MHz	59	2460 MHz	79	2480 MHz
20	2421 MHz	40	2441 MHz	60	2461 MHz		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



4.2 The Worst Test Modes and Channel Details

- 1 The EUT has been tested under operating condition.
- 2 Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3 The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.
- 4 Investigation has been done on all the possible configurations for searching the worst case.

MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	PACKET TYPE		
RADIATED EMISSION TEST (BELOW 1 GHz)						
Bluetooth	0 to 78	39	GFSK	DH5		
RADIATED EMISSION TEST (ABOVE 1 GHz)						
Bluetooth	0 to 78	0,39,78	GFSK/8-DPSK	DH5/3DH5		
Note: The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for channel Low, Mid and High, the worst case po-						

sition was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



MEASUREMENT UNCERTAINTY 5

Radiated Spurious Emission Measurement Uncertainty				
	+/-	2.57	dB	9kHz~30MHz
Polarization: Vertical	+/-	4.85	dB	30MHz - 1000MHz
Polarization. Vertical	+/-	4.45	dB	1GHz - 18GHz
	+/-	4.24	dB	18GHz - 40GHz
	+/-	2.57	dB	9kHz~30MHz
Polarization: Horizontal	+/-	4.37	dB	30MHz - 1000MHz
	+/-	4.45	dB	1GHz - 18GHz
	+/-	4.24	dB	18GHz - 40GHz

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新き方方前成) 「山椒古雪米電列調心之後加度員「同時山後加度休留初人》 本報音大陸半公司音面計「「小山前防復殺」 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents is unlawful and offenders may be prosecuted to the fullest extent of the law.



6 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

6.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below. And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

1. The lower limit shall apply at the transition frequencies.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



6.2 **Measurement Equipment Used**

Radiated Emission Test Site: SAC G					
EQUIPMENT TYPE	MFR	MODEL NUM- BER	SERIAL NUM- BER	LAST CAL.	CAL DUE.
Broadband Antenna	SCHWARZ- BECK	VULB 9168	1206	02/15/2022	02/14/2023
Horn Antenna	Schwarzbeck	BBHA9170	184	12/16/2021	12/15/2022
Horn Antenna	RF SPIN	DRH18-E	210105A18E	04/09/2021	04/08/2022
Loop Antenna	ETS.LIND- GREN	6502	143303	05/07/2021	05/06/2022
3m Site NSA	SGS	966 chamber G	N/A	03/30/2021	03/29/2022
3m Site NSA	SGS	966 chamber G	N/A	03/30/2022	03/29/2023
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	07/13/2021	07/12/2022
Test Software	audix	e3	E3 20923 SGS Ver.9(C)	N.C.R	N.C.R
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	10/27/2021	10/26/2022
Pre-Amplifier	EMC Instru- ments	EMC330N	980781	03/15/2021	03/14/2022
Pre-Amplifier	EMC Instru- ments	EMC330N	980781	03/15/2022	03/14/2023
Pre-Amplifier	EMC Instru- ments	EMC118A45SE	980815	03/15/2021	03/14/2022
Pre-Amplifier	EMC Instru- ments	EMC118A45SE	980815	03/15/2022	03/14/2023
Attenuator	Marvelous	MVE2213-10	RF05	11/18/2021	11/17/2022
Highpass Filter	WI	WHKX10-2624- 3200-1800- 80SS	1	05/10/2021	05/09/2022
Highpass Filter	WI	WHKX10-6090- 7000-17000- 80SS	1	05/10/2021	05/09/2022
Coaxial Cable	EMC Instru- ments	EMCCFD400- NM-NM-8000- 5000-2000	210216、 210217、 210218	03/15/2021	03/14/2022

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Coaxial Cable	EMC Instru- ments	EMCCFD400- NM-NM-8000- 5000-2000	210216 \ 210217 \ 210218	03/15/2022	03/14/2023
Coaxial Cable	EMC Instru- ments	EMC104-SM- SM-8000-5000- 5000	210219 \ 210220 \ 210221	03/15/2021	03/14/2022
Coaxial Cable	EMC Instru- ments	EMC104-SM- SM-8000-5000- 5000	210219 \ 210220 \ 210221	03/15/2022	03/14/2023
Coaxial Cable	EMC Instru- ments	EMC105-NM- NM-5000- 15000	210224 \ 210306	03/15/2021	03/14/2022
Coaxial Cable	EMC Instru- ments	EMC105-NM- NM-5000- 15000	210224 \ 210306	03/15/2022	03/14/2023


NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



6.3 **Test SET-UP**

(A) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



6.4 Measurement Procedure

6.4.1 Radiated Emission

- 1. The testing follows the Measurement Procedure of ANSI C63.10:2013.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz.
- 6. Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



6.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Field Strength RA = Reading Amplitude AF = Antenna Factor CL = Cable Attenuation Factor (Cable Loss) AG = Amplifier Gain

The limit of the emission level is expressed in dBuV/m, which converts 20*log(uV/m)

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB) Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) – Pre_Amplifier Gain(dB)

6.6 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) & RSS-GEN §6.13.2 was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



6.7 **Measurement Result:**

6.7.1 **Duty Cycle Correction Factor**

BR

Time ON of 100ms:	22.800	ms	
Duty Cycle=22.8ms / 10	0m:0.228	%	
Duty Cycle correction fa	actor=20 LOG 0.228=	-12.84	dB
EDR			
Time ON of 100ms:	64.000	ms	
Duty Cycle=64ms / 100	ms=0.64	%	
Duty Cycle correction fa	actor=20 LOG 0.64=	-3.88	dB
-			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除計另有說明・比聚告結果僅對測試之樣品負責,同時比樣品僅保留例大。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


			M 1 (000.0	-	
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw		
SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號				




6.7.2 **Duty Cycle test plot**

BR

ctrum Analyzer - 15.209 PK (0dB) 966G ANT 1G-18G F



EDR



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號				
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw		
			Member of SGS Group		

Report No.: E2/2022/30007 Page: 20 of 33

:SAC G

:20.5/70 :Vertical


:2022-03-23

:Quentin Liu



6.7.3 **Radiated Spurious Emission**

:E2/2022/30007	Test Site
:BT BR	Test Date
:2441 MHz	Temp./Humi.
:TX CH MID	Antenna Pol.
:NB Plane	Engineer
	:BT BR :2441 MHz :TX CH MID




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report Number	:E2/2022/30007
Operation Mode	:BT BR
Test Frequency	:2441 MHz
Test Mode	:TX CH MID
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Horizontal
Engineer	:Quentin Liu




58.130	Peak	35.30	-13.44	21.86	40.00	-18.14
202.660	Peak	53.16	-16.26	36.90	43.50	-6.60
293.840	Peak	51.10	-12.61	38.49	46.00	-7.51
517.910	Peak	42.57	-7.50	35.07	46.00	-10.93
787.570	Peak	38.72	-2.40	36.32	46.00	-9.68
833.160	Peak	37.79	-2.10	35.68	46.00	-10.32



Report Number	:E2/2022/30007
Operation Mode	:BT BR
Test Frequency	:2402 MHz
Test Mode	:TX CH LOW
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Vertical
Engineer	:Quentin Liu




	Freq.	Detector	Spectrum	Factor	Actual	Limit	iviargin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP	dBµV	dB	dBµV/m	dBµV/m	dB
_			•		•	•	
	4804.000	Peak	41.89	3.14	45.02	74.00	-28.98
	7206.000	Peak	39.87	7.22	47.08	74.00	-26.92
		_			•	1	
	Frea.	Detector	Peak Actual	Duty Cycle	Averade	Limit	Margin
	Freq.	Detector Mode	Peak Actual FS	Duty Cycle Factor	Average Value	Limit @3m	Margin
	·	Mode	FS	Factor	Value	@3m	U
	Freq. MHz				0		dB
_	·	Mode	FS	Factor	Value	@3m	U
_	MHz	Mode AV	FS (dBµV/m)	Factor (dB)	Value (dBuV/m)	@3m (dBuV/m)	dB
	MHz 4804.000	Mode AV Average	FS (dBµV/m) 45.02	Factor (dB) -12.84	Value (dBuV/m) 32.18	@3m (dBuV/m) 54.00	dB -21.82
	MHz	Mode AV	FS (dBµV/m)	Factor (dB)	Value (dBuV/m)	@3m (dBuV/m)	dB



Report Number	:E2/2022/30007
Operation Mode	:BT BR
Test Frequency	:2402 MHz
Test Mode	:TX CH LOW
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Horizontal
Engineer	:Quentin Liu




Report No.: E2/2022/30007 Page: 24 of 33



Report Number	:E2/2022/30007
Operation Mode	:BT BR
Test Frequency	:2441 MHz
Test Mode	:TX CH MID
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Vertical
Engineer	:Quentin Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and the time of the subject or terms and conditions for Electronic Documents". obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488



7323.000

Report Number	:E2/2022/30007	Te
Operation Mode	:BT BR	Te
Test Frequency	:2441 MHz	Te
Test Mode	:TX CH MID	A
EUT Pol	:NB Plane	E

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Horizontal
Engineer	:Quentin Liu



-12.84

34.53

54.00

-19.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

47.37


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and the time of the subject or terms and conditions for Electronic Documents". obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Average



Report Number	:E2/2022/30007
Operation Mode	:BT BR
Test Frequency	:2480 MHz
Test Mode	:TX CH HIGH
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Vertical
Engineer	:Quentin Liu



7440.000	Peak	40.76	8.11	48.87	74.00	-25.13	
Freq.	Detector Mode	Peak Actual FS	Duty Cycle Factor	Average Value	Limit @3m	Margin	
MHz	AV	(dBµV/m)	(dB)	(dBuV/m)	(dBuV/m)	dB	
4960.000 7440.000	Average Average	44.08 48.87	-12.84 -12.84	31.24 36.03	54.00 54.00	-22.76 -17.97	
	5 -		-			-	


W 카 方 打 お document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:E2/2022/30007
Operation Mode	:BT BR
Test Frequency	:2480 MHz
Test Mode	:TX CH HIGH
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Horizontal
Engineer	:Quentin Liu



	7440.000	T Car	00.40	0.11	-1.0-	74.00	-20.40	
	Freq.	Detector Mode	Peak Actual FS	Duty Cycle Factor	Average Value	Limit @3m	Margin	
_	MHz	AV	(dBµV/m)	(dB)	(dBuV/m)	(dBuV/m)	dB	_
	4960.000	Average	43.08	-12.84	30.24	54.00	-23.76	
	7440.000	Average	47.54	-12.84	34.70	54.00	-19.30	

W 카 方 打 お document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

Report No.: E2/2022/30007 Page: 28 of 33



Report Number	:E2/2022/30007
Operation Mode	:BT EDR 3M
Test Frequency	:2402 MHz
Test Mode	:TX CH LOW
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Vertical
Engineer	:Quentin Liu




Freq.	Detector Mode	Peak Actual FS	Duty Cycle Factor	Average Value	Limit @3m	Margin
MHz	AV	(dBµV/m)	(dB)	(dBuV/m)	(dBuV/m)	dB
4804.000 7206.000	Average Average	45.06 47.50	-3.88 -3.88	41.18 43.62	54.00 54.00	-12.82 -10.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report Number	:E2/2022/30007
Operation Mode	:BT EDR 3M
Test Frequency	:2402 MHz
Test Mode	:TX CH LOW
EUT Pol	:NB Plane

:SAC G
:2022-03-23
:20.5/70
:Horizontal
:Quentin Liu




	1109.	Masla	Deceller	i dotoi			margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP	dBµV	dB	dBµV/m	dBµV/m	dB
-			•				
	4804.000	Peak	41.75	3.14	44.89	74.00	-29.11
	7206.000	Peak	40.49	7.22	47.71	74.00	-26.29
							_00
	Free	Detector	Deals Actual	Duty Cycle	Average	Lincit	Morgin
	Freq.	Detector	Peak Actual	Duty Cycle	Average	Limit	Margin
	•	Detector Mode	Peak Actual FS	Duty Cycle Factor	Average Value	Limit @3m	Margin
	Freq. MHz				Ŷ		Margin dB
_	•	Mode	FS	Factor	Value	@3m	U
	MHz	Mode AV	FS (dBµV/m)	Factor (dB)	Value (dBuV/m)	@3m (dBuV/m)	dB
_	•	Mode	FS	Factor	Value	@3m	U
_	MHz	Mode AV	FS (dBµV/m)	Factor (dB)	Value (dBuV/m)	@3m (dBuV/m)	dB

Report No.: E2/2022/30007 Page: 30 of 33



Report Number	:E2/2022/30007
Operation Mode	:BT EDR 3M
Test Frequency	:2441 MHz
Test Mode	:TX CH MID
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Vertical
Engineer	:Quentin Liu




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report Number	:E2/2022/30007
Operation Mode	:BT EDR 3M
Test Frequency	:2441 MHz
Test Mode	:TX CH MID
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Horizontal
Engineer	:Quentin Liu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and the time of the subject or terms and conditions for Electronic Documents". obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

Report No.: E2/2022/30007 Page: 32 of 33



Report Number	:E2/2022/30007		
Operation Mode	:BT EDR 3M		
Test Frequency	:2480 MHz		
Test Mode	:TX CH HIGH		
EUT Pol	:NB Plane		

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Vertical
Engineer	:Quentin Liu




74	440.000	Peak	40.81	8.11	48.92	74.00	-25.08
	Freq.	Detector Mode	Peak Actual FS	Duty Cycle Factor	Average Value	Limit @3m	Margin
	MHz	AV	(dBµV/m)	(dB)	(dBuV/m)	(dBuV/m)	dB
	960.000 440.000	Average Average	43.51 48.92	-3.88 -3.88	39.63 45.04	54.00 54.00	-14.37 -8.96
	110.000	/ worugo	40.02	0.00	-0.0-	04.00	0.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report Number	:E2/2022/30007
Operation Mode	:BT EDR 3M
Test Frequency	:2480 MHz
Test Mode	:TX CH HIGH
EUT Pol	:NB Plane

Test Site	:SAC G
Test Date	:2022-03-23
Temp./Humi.	:20.5/70
Antenna Pol.	:Horizontal
Engineer	:Quentin Liu



Freq.	Detector Mode	Peak Actual FS	Duty Cycle Factor	Average Value	Limit @3m	Margin
MHz	AV	(dBµV/m)	(dB)	(dBuV/m)	(dBuV/m)	dB
4960.000 7440.000	Average Average	42.84 48.08	-3.88 -3.88	38.96 44.20	54.00 54.00	-15.04 -9.80

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。