

Page: 103 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac80 **Test Date** :2022-03-17

Test Frequency :5690 MHz Temp./Humi. :21.7/69

Test Mode :BE CH MID Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5403.950	Average	39.14	2.56	41.70	54.00	-12.30
5403.950	Peak	52.50	2.56	55.06	74.00	-18.94
5460.000	Average	39.08	2.64	41.72	54.00	-12.28
5460.000	Peak	51.42	2.64	54.06	74.00	-19.94
5470.000	Peak	51.33	2.77	54.10	68.20	-14.10
5480.000	Peak	52.37	2.76	55.13	68.20	-13.07
5850.000	Peak	51.72	4.31	56.03	68.20	-12.17
5946.050	Peak	53.30	4.08	57.38	68.20	-10.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 104 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac80 **Test Date** :2022-03-17

Test Frequency :5690 MHz Temp./Humi. :21.7/69

Test Mode :BE CH MID Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5453.350	Average	40.12	2.61	42.73	54.00	-11.27
5453.350	Peak	53.45	2.61	56.07	74.00	-17.93
5460.000	Average	40.00	2.64	42.64	54.00	-11.36
5460.000	Peak	51.85	2.64	54.49	74.00	-19.51
5470.000	Peak	52.14	2.77	54.91	68.20	-13.29
5480.000	Peak	52.21	2.76	54.97	68.20	-13.23
5850.000	Peak	55.94	4.31	60.25	68.20	-7.95
5855.050	Peak	57.31	4.21	61.52	68.20	-6.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 105 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac80 **Test Date** :2022-03-17

Test Frequency :5775 MHz Temp./Humi. :21.7/69

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.000	Peak	53.43	3.60	57.03	68.20	-11.17
5700.000	Peak	53.35	3.31	56.66	105.20	-48.54
5720.000	Peak	54.47	4.17	58.64	110.80	-52.16
5725.000	Peak	55.14	4.21	59.35	122.20	-62.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 106 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac80 **Test Date** :2022-03-17

Test Frequency :5775 MHz Temp./Humi. :21.7/69

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBμV/m	dB
5646.620	Peak	60.21	3.54	63.75	68.20	-4.45
5650.000	Peak	56.82	3.60	60.42	68.20	-7.78
5700.000	Peak	63.18	3.31	66.49	105.20	-38.71
5720.000	Peak	62.59	4.17	66.76	110.80	-44.04
5725.000	Peak	64.57	4.21	68.78	122.20	-53.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 107 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac80 **Test Date** :2022-03-17

Test Frequency :5775 MHz Temp./Humi. :21.7/69

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	55.10	4.31	59.41	122.20	-62.79
5855.000	Peak	52.65	4.21	56.86	110.80	-53.94
5875.000	Peak	51.18	3.90	55.08	105.20	-50.12
5925.000	Peak	51.21	4.36	55.57	68.20	-12.63
5926.000	Peak	52.90	4.35	57.25	68.20	-10.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 108 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac80 **Test Date** :2022-03-17

Test Frequency :5775 MHz Temp./Humi. :21.7/69

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	64.40	4.31	68.71	122.20	-53.49
5855.000	Peak	58.67	4.21	62.88	110.80	-47.92
5875.000	Peak	57.38	3.90	61.28	105.20	-43.92
5925.000	Peak	54.09	4.36	58.45	68.20	- 9.75
5926.600	Peak	54.89	4.35	59.24	68.20	-8.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 109 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac160 **Test Date** :2022-03-17

Test Frequency :5250 MHz Temp./Humi. :21.7/69

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4777.400	Average	39.69	2.94	42.63	54.00	-11.37
4777.400	Peak	54.21	2.94	57.16	74.00	-16.84
5150.000	Average	39.31	3.03	42.34	54.00	-11.66
5150.000	Peak	51.03	3.03	54.06	74.00	-19.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 110 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac160 **Test Date** :2022-03-17

Test Frequency :5250 MHz Temp./Humi. :21.7/69

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5129.280	Average	48.30	2.68	50.98	54.00	-3.02
5129.280	Peak	61.55	2.68	64.23	74.00	-9.77
5150.000	Average	46.09	3.03	49.12	54.00	-4.88
5150.000	Peak	57.90	3.03	60.93	74.00	-13.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 111 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac160 **Test Date** :2022-03-17

Test Frequency :5250 MHz Temp./Humi. :21.7/69

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	40.29	2.21	42.50	54.00	-11.50
5350.000	Peak	51.76	2.21	53.97	74.00	-20.03
5376.620	Average	42.00	2.33	44.33	54.00	-9.67
5376.620	Peak	55.29	2.33	57.62	74.00	-16.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 112 of 320

Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac160 **Test Date** :2022-03-17

Test Frequency :5250 MHz Temp./Humi. :21.7/69

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	48.46	2.21	50.67	54.00	-3.33
5350.000	Peak	62.28	2.21	64.49	74.00	-9.51
5377.010	Average	49.19	2.33	51.52	54.00	-2.48
5377.010	Peak	63.94	2.33	66.27	74.00	-7.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 113 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac160 **Test Date** :2022-03-13

Test Frequency :5570 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5429.010	Average	40.80	2.40	43.20	54.00	-10.80
5429.010	Peak	53.73	2.40	56.13	74.00	-17.87
5460.000	Average	40.01	2.64	42.65	54.00	-11.35
5460.000	Peak	50.71	2.64	53.35	74.00	-20.65
5468.280	Peak	52.80	2.75	55.55	68.20	-12.65
5470.000	Peak	50.05	2.77	52.82	68.20	-15.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 114 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac160 **Test Date** :2022-03-13

Test Frequency :5570 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5426.070	Average	46.39	2.40	48.79	54.00	-5.21
5426.070	Peak	59.67	2.40	62.07	74.00	-11.93
5460.000	Average	40.03	2.64	42.67	54.00	-11.33
5460.000	Peak	51.30	2.64	53.94	74.00	-20.06
5462.610	Peak	56.42	2.67	59.09	68.20	-9.11
5470.000	Peak	50.91	2.77	53.68	68.20	-14.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 115 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac160 **Test Date** :2022-03-13

Test Frequency :5570 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5725.000	Peak	52.14	4.21	56.35	68.20	-11.85
5727.080	Peak	52.97	4.23	57.20	68.20	-11.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 116 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ac160 **Test Date** :2022-03-13

Test Frequency :5570 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



From	Dotootor	Cnaatrum	Cootor	A otual	Limit	Morgin
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
		•		•	•	
5705 000	Б	50.00	4.04	04.44	00.00	7.00
5725.000	Peak	56.93	4.21	61.14	68.20	-7.06
5726.660	Peak	61.21	4.22	65.44	68.20	-2.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 117 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4763.200	Average	39.53	2.95	42.48	54.00	-11.52
4763.200	Peak	53.35	2.95	56.30	74.00	-17.70
5150.000	Average	39.61	3.03	42.64	54.00	-11.36
5150.000	Peak	52.01	3.03	55.04	74.00	-18.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 118 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5147.500	Average	46.20	2.97	49.17	54.00	-4.83
5147.500	Peak	60.42	2.97	63.39	74.00	-10.61
5150.000	Average	44.95	3.03	47.98	54.00	-6.03
5150.000	Peak	57.51	3.03	60.54	74.00	-13.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 119 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 26/0 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4816.400	Average	38.60	3.02	41.62	54.00	-12.38
4816.400	Peak	54.17	3.02	57.20	74.00	-16.80
5150.000	Average	38.31	3.03	41.34	54.00	-12.66
5150.000	Peak	51.61	3.03	54.64	74.00	-19.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 120 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-29

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 26/0 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5150.000	Average	39.96	3.03	42.99	54.00	-11.01
5150.000	Peak	58.86	3.03	61.89	74.00	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 121 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 52/37 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4787.000	Average	38.75	3.07	41.82	54.00	-12.18
4787.000	Peak	54.72	3.07	57.79	74.00	-16.21
5150.000	Average	38.28	3.03	41.31	54.00	-12.69
5150.000	Peak	52.68	3.03	55.71	74.00	-18.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 122 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 52/37 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5144.000	Average	41.04	2.89	43.92	54.00	-10.08
5144.000	Peak	62.55	2.89	65.44	74.00	-8.56
5150.000	Average	41.03	3.03	44.06	54.00	-9.94
5150.000	Peak	57.71	3.03	60.74	74.00	-13.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 123 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 106/53 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
_	MHz	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	dB
	5150.000	Average	38.59	3.03	41.62	54.00	-12.38
	5150.000	Peak	55.60	3.03	58.63	74.00	-15.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 124 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 106/53 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.000	Average	41.29	3.03	44.32	54.00	-9.68
5150.000	Peak	64.40	3.03	67.43	74.00	-6.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 125 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.000	Average	38.95	3.03	41.98	54.00	-12.02
5150.000	Peak	58.68	3.03	61.71	74.00	-12.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 126 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5180 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
				•	•	
5146.800	Average	44.78	2.95	47.73	54.00	-6.27
5146.800	Peak	66.94	2.95	69.89	74.00	-4.11
5150.000	Average	43.60	3.03	46.63	54.00	-7.37
5150 000	Peak	62 43	3.03	65 46	74 00	-8 54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 127 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	39.63	2.21	41.84	54.00	-12.16
5350.000	Peak	51.80	2.21	54.01	74.00	-19.99
5409.720	Average	39.97	2.59	42.56	54.00	-11.44
5409.720	Peak	53.55	2.59	56.14	74.00	-17.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 128 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	42.49	2.21	44.70	54.00	-9.30
5350.000	Peak	54.57	2.21	56.78	74.00	-17.22
5354.160	Average	45.24	2.21	47.46	54.00	-6.54
5354.160	Peak	58.96	2.21	61.17	74.00	-12.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 129 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 26/8 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	38.43	2.21	40.64	54.00	-13.36
5350.000	Peak	51.28	2.21	53.49	74.00	-20.51
5388.360	Average	38.60	2.57	41.18	54.00	-12.82
5388.360	Peak	53.19	2.57	55.77	74.00	-18.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 130 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 26/8 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	41.04	2.21	43.25	54.00	-10.75
5350.000	Peak	56.67	2.21	58.88	74.00	-15.12
5365.800	Average	41.39	2.27	43.66	54.00	-10.34
5365.800	Peak	57.29	2.27	59.56	74.00	-14.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 131 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 Test Date :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 52/40 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	38.60	2.21	40.81	54.00	-13.19
5350.000	Peak	54.28	2.21	56.49	74.00	-17.51
5358.000	Average	38.35	2.22	40.56	54.00	-13.44
5358.000	Peak	56.23	2.22	58.45	74.00	-15.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 132 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 52/40 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	42.77	2.21	44.98	54.00	-9.02
5350.000	Peak	67.17	2.21	69.38	74.00	-4.62
5353.200	Average	43.32	2.21	45.54	54.00	-8.46
5353.200	Peak	68.82	2.21	71.03	74.00	-2.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 133 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 106/54 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	38.55	2.21	40.76	54.00	-13.24
5350.000	Peak	54.02	2.21	56.23	74.00	-17.77
5389.440	Average	38.52	2.60	41.12	54.00	-12.88
5389.440	Peak	54.54	2.60	57.15	74.00	-16.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 134 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 106/54 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	42.84	2.21	45.05	54.00	-8.95
5350.000	Peak	63.17	2.21	65.38	74.00	-8.62
5352.480	Average	42.60	2.21	44.82	54.00	-9.18
5352.480	Peak	66.75	2.21	68.96	74.00	-5.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 135 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5350.000	Average	38.74	2.21	40.95	54.00	-13.05
5350.000	Peak	55.10	2.21	57.31	74.00	-16.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 136 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5320 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.000	Average	42.55	2.21	44.76	54.00	-9.24
5350.000	Peak	68.38	2.21	70.59	74.00	-3.41
5353.320	Average	44.88	2.21	47.09	54.00	-6.91
5353.320	Peak	68.99	2.21	71.20	74.00	-2.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 137 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5453.240	Average	38.98	2.61	41.59	54.00	-12.41
5453.240	Peak	53.51	2.61	56.12	74.00	-17.88
5460.000	Average	39.02	2.64	41.66	54.00	-12.34
5460.000	Peak	51.05	2.64	53.69	74.00	-20.31
5469.200	Peak	52.93	2.76	55.69	68.20	-12.51
5470.000	Peak	51.34	2.77	54.11	68.20	-14.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 138 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5459.360	Average	40.65	2.64	43.29	54.00	-10.71
5459.360	Peak	54.12	2.64	56.75	74.00	-17.25
5460.000	Average	40.75	2.64	43.39	54.00	-10.61
5460.000	Peak	52.71	2.64	55.35	74.00	-18.65
5469.200	Peak	56.69	2.76	59.45	68.20	-8.75
5470.000	Peak	55.70	2.77	58.47	68.20	-9.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 139 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 26/0 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
	5453.000	Average	38.50	2.61	41.11	54.00	-12.89
	5453.000	Peak	53.58	2.61	56.19	74.00	-17.81
	5460.000	Average	38.40	2.64	41.04	54.00	-12.96
	5460.000	Peak	52.40	2.64	55.04	74.00	-18.96
	5462.000	Peak	52.80	2.67	55.46	68.20	-12.74
	5470.000	Peak	51.25	2.77	54.02	68.20	-14.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 140 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 26/0 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5456.840	Average	39.48	2.63	42.10	54.00	-11.90
5456.840	Peak	54.02	2.63	56.64	74.00	-17.36
5460.000	Average	39.47	2.64	42.11	54.00	-11.89
5460.000	Peak	53.08	2.64	55.72	74.00	-18.28
5469.320	Peak	54.95	2.76	57.71	68.20	-10.49
5470.000	Peak	53.34	2.77	56.11	68.20	-12.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 141 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 52/37 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5414.480	Average	38.47	2.50	40.98	54.00	-13.02
5414.480	Peak	53.42	2.50	55.92	74.00	-18.08
5460.000	Average	38.73	2.64	41.37	54.00	-12.63
5460.000	Peak	53.28	2.64	55.92	74.00	-18.08
5468.480	Peak	53.82	2.75	56.57	68.20	-11.63
5470.000	Peak	51.93	2.77	54.70	68.20	-13.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 142 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 52/37 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5459.360	Average	40.34	2.64	42.98	54.00	-11.02
5459.360	Peak	55.18	2.64	57.82	74.00	-16.18
5460.000	Average	40.38	2.64	43.02	54.00	-10.98
5460.000	Peak	53.45	2.64	56.09	74.00	-17.91
5466.920	Peak	55.64	2.73	58.37	68.20	-9.83
5470.000	Peak	53.55	2.77	56.32	68.20	-11.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 143 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 106/53 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
	5399.000	Average	38.42	2.55	40.97	54.00	-13.03
	5399.000	Peak	53.93	2.55	56.48	74.00	-17.52
	5460.000	Average	38.49	2.64	41.13	54.00	-12.87
	5460.000	Peak	51.44	2.64	54.08	74.00	-19.92
	5469.080	Peak	52.84	2.76	55.60	68.20	-12.60
	5470.000	Peak	52.12	2.77	54.89	68.20	-13.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 144 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 106/53 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5451.440	Average	39.07	2.61	41.67	54.00	-12.33
5451.440	Peak	54.05	2.61	56.66	74.00	-17.34
5460.000	Average	39.16	2.64	41.80	54.00	-12.20
5460.000	Peak	52.17	2.64	54.81	74.00	-19.19
5468.240	Peak	53.69	2.75	56.44	68.20	-11.76
5470.000	Peak	52.46	2.77	55.23	68.20	-12.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 145 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq	. Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz		dΒμV	dB	dBµV/m	dBµV/m	dB
5400.2	00 Average	38.34	2.54	40.88	54.00	-13.12
5400.2	00 Peak	53.63	2.54	56.17	74.00	-17.83
5460.0	00 Average	38.55	2.64	41.19	54.00	-12.81
5460.0	00 Peak	51.88	2.64	54.52	74.00	-19.48
5468.7	20 Peak	53.52	2.75	56.27	68.20	-11.93
5470.0	00 Peak	52.97	2.77	55.74	68.20	-12.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 146 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5500 MHz Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5455.280	Average	39.11	2.62	41.73	54.00	-12.27
5455.280	Peak	57.89	2.62	60.51	74.00	-13.49
5460.000	Average	38.91	2.64	41.55	54.00	-12.45
5460.000	Peak	52.65	2.64	55.29	74.00	-18.71
5463.800	Peak	59.95	2.69	62.64	68.20	-5.56
5470.000	Peak	53.53	2.77	56.30	68.20	-11.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 147 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5725.000	Peak	51.13	4.21	55.35	68.20	-12.85
5733.440	Peak	52.71	4.28	56.99	68.20	-11.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 148 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	61.53	4.21	65.74	68.20	-2.46
5731.040	Peak	60.60	4.26	64.86	68.20	-3.34



Page: 149 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 26/8 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Eroa	Dotoctor	Spootrum	Factor	Actual	Limit	Margin
Freq.	Detector	Spectrum	racioi			Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
				•		
5725.000	Peak	58.41	4.21	62.62	68.20	-5.58
5758.040	Peak	60.13	4.19	64.32	68.20	-3.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 150 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 26/8 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB	
Ī								
	5725.000	Peak	59.79	4.21	64.00	68.20	-4.20	
	5727.080	Peak	61.94	4.23	66.17	68.20	-2.03	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 151 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 52/40 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	57.81	4.21	62.02	68.20	-6.18
5742.560	Peak	59.79	4.35	64.14	68.20	-4.06



Page: 152 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 52/40 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	60.41	4.21	64.62	68.20	-3.58
5727.200	Peak	60.89	4.23	65.11	68.20	-3.09



Page: 153 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 106/54 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	57.94	4.21	62.15	68.20	-6.05
5737.160	Peak	59.17	4.31	63.49	68.20	-4.71



Page: 154 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 106/54 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	58.55	4.21	62.76	68.20	-5.44
5729.120	Peak	61.07	4.24	65.31	68.20	-2.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 155 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
- 1	Mode	Reading Level		FS	@3m	3
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	56.61	4.21	60.82	68.20	-7.38
5737.400	Peak	59.41	4.32	63.73	68.20	-4.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 156 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-13

Test Frequency :5700 MHz Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.000	Peak	61.61	4.21	65.82	68.20	-2.38
5726.360	Peak	61.91	4.22	66.13	68.20	-2.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 157 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.600	Average	38.36	2.63	40.99	54.00	-13.01
5456.600	Peak	53.13	2.63	55.76	74.00	-18.24
5460.000	Average	38.37	2.64	41.01	54.00	-12.99
5460.000	Peak	51.62	2.64	54.26	74.00	-19.74
5467.000	Peak	53.51	2.73	56.25	68.20	-11.95
5470.000	Peak	51.47	2.77	54.24	68.20	-13.96
5480.000	Peak	51.78	2.76	54.54	68.20	-13.66
5850.000	Peak	51.68	4.31	55.99	68.20	-12.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 158 of 320

Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5445.55	0 Average	38.50	2.47	40.97	54.00	-13.03
5445.55	0 Peak	53.17	2.47	55.64	74.00	-18.36
5460.00	0 Average	38.44	2.64	41.08	54.00	-12.92
5460.00	0 Peak	51.12	2.64	53.76	74.00	-20.24
5465.05	0 Peak	53.40	2.71	56.11	68.20	-12.09
5470.00	0 Peak	51.74	2.77	54.51	68.20	-13.69
5480.00	0 Peak	52.56	2.76	55.32	68.20	-12.88
5850.00	0 Peak	52.73	4.31	57.04	68.20	-11.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 159 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 26/0 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5437.750	Average	38.36	2.33	40.69	54.00	-13.31
5437.750	Peak	53.05	2.33	55.38	74.00	-18.62
5460.000	Average	38.30	2.64	40.94	54.00	-13.06
5460.000	Peak	52.21	2.64	54.85	74.00	-19.15
5463.100	Peak	52.71	2.68	55.39	68.20	-12.81
5470.000	Peak	52.58	2.77	55.35	68.20	-12.85
5480.000	Peak	51.17	2.76	53.93	68.20	-14.27
5850.000	Peak	51.90	4.31	56.21	68.20	-11.99
5928.500	Peak	53.23	4.34	57.58	68.20	-10.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 160 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 26/0 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
_	MHz	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	dB
	5387.700	Average	38.38	2.56	40.94	54.00	-13.06
	5387.700	Peak	52.77	2.56	55.32	74.00	-18.68
	5460.000	Average	38.13	2.64	40.77	54.00	-13.23
	5460.000	Peak	51.37	2.64	54.01	74.00	-19.99
	5461.800	Peak	52.93	2.66	55.59	68.20	-12.61
	5470.000	Peak	51.10	2.77	53.87	68.20	-14.33
	5480.000	Peak	51.31	2.76	54.07	68.20	-14.13
	5850.000	Peak	51.47	4.31	55.78	68.20	-12.42
	5856.350	Peak	53.53	4.18	57.72	68.20	-10.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 161 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 26/8 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5425.400	Average	38.20	2.40	40.60	54.00	-13.40
5425.400	Peak	53.67	2.40	56.07	74.00	-17.93
5460.000	Average	38.14	2.64	40.78	54.00	-13.22
5460.000	Peak	51.55	2.64	54.19	74.00	-19.81
5465.050	Peak	52.77	2.71	55.47	68.20	-12.73
5470.000	Peak	51.40	2.77	54.17	68.20	-14.03
5480.000	Peak	51.52	2.76	54.28	68.20	-13.92
5850.000	Peak	52.02	4.31	56.33	68.20	-11.87
5992.850	Peak	53.48	4.19	57.67	68.20	-10.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 162 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 26/8 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5394.850	Average	38.38	2.58	40.96	54.00	-13.04
5394.850	Peak	53.32	2.58	55.90	74.00	-18.10
5460.000	Average	38.23	2.64	40.87	54.00	-13.13
5460.000	Peak	51.86	2.64	54.50	74.00	-19.50
5463.750	Peak	52.60	2.69	55.29	68.20	-12.91
5470.000	Peak	51.49	2.77	54.26	68.20	-13.94
5480.000	Peak	51.94	2.76	54.70	68.20	-13.50
5850.000	Peak	52.39	4.31	56.70	68.20	-11.50
5881.700	Peak	53.32	3.87	57.18	68.20	-11.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 163 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 52/37 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5385.100	Average	38.35	2.48	40.84	54.00	-13.16
5385.100	Peak	52.89	2.48	55.38	74.00	-18.62
5460.000	Average	38.18	2.64	40.82	54.00	-13.18
5460.000	Peak	51.70	2.64	54.34	74.00	-19.66
5464.400	Peak	52.47	2.70	55.17	68.20	-13.03
5470.000	Peak	51.24	2.77	54.01	68.20	-14.19
5480.000	Peak	51.52	2.76	54.28	68.20	-13.92
5850.000	Peak	51.63	4.31	55.94	68.20	-12.26
5902.500	Peak	53.07	4.14	57.21	68.20	-10.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 164 of 320

Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 52/37 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
	5417.600	Average	38.35	2.45	40.80	54.00	-13.20
	5417.600	Peak	53.32	2.45	55.76	74.00	-18.24
	5460.000	Average	38.25	2.64	40.89	54.00	-13.11
	5460.000	Peak	52.16	2.64	54.80	74.00	-19.20
	5468.950	Peak	52.33	2.76	55.09	68.20	-13.11
	5470.000	Peak	51.74	2.77	54.51	68.20	-13.69
	5480.000	Peak	51.88	2.76	54.64	68.20	-13.56
	5850.000	Peak	56.85	4.31	61.16	68.20	-7.04
	5851.800	Peak	57.72	4.27	61.99	68.20	-6.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 165 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 52/40 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5390.300	Average	38.49	2.62	41.11	54.00	-12.89
5390.300	Peak	54.06	2.62	56.68	74.00	-17.32
5460.000	Average	38.17	2.64	40.81	54.00	-13.19
5460.000	Peak	52.07	2.64	54.71	74.00	-19.29
5467.000	Peak	52.29	2.73	55.02	68.20	-13.18
5470.000	Peak	51.50	2.77	54.27	68.20	-13.93
5480.000	Peak	51.95	2.76	54.71	68.20	-13.49
5850.000	Peak	51.30	4.31	55.61	68.20	-12.59
5981.800	Peak	53.83	3.94	57.78	68.20	-10.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 166 of 320

Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 52/40 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5442.300	Average	38.43	2.38	40.81	54.00	-13.19
5442.300	Peak	53.06	2.38	55.43	74.00	-18.57
5460.000	Average	38.18	2.64	40.82	54.00	-13.18
5460.000	Peak	52.62	2.64	55.26	74.00	-18.74
5467.650	Peak	52.50	2.74	55.24	68.20	-12.96
5470.000	Peak	51.68	2.77	54.45	68.20	-13.75
5480.000	Peak	51.95	2.76	54.71	68.20	-13.49
5850.000	Peak	54.26	4.31	58.57	68.20	-9.63
5859.600	Peak	56.79	4.12	60.91	68.20	-7.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 167 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 106/53 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5426.700	Average	38.24	2.40	40.64	54.00	-13.36
5426.700	Peak	52.78	2.40	55.19	74.00	-18.81
5460.000	Average	38.20	2.64	40.84	54.00	-13.16
5460.000	Peak	51.59	2.64	54.23	74.00	-19.77
5461.800	Peak	52.61	2.66	55.27	68.20	-12.93
5470.000	Peak	51.67	2.77	54.44	68.20	-13.76
5480.000	Peak	50.88	2.76	53.64	68.20	-14.56
5850.000	Peak	51.16	4.31	55.47	68.20	-12.73
5851.800	Peak	53.21	4.27	57.48	68.20	-10.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 168 of 320

Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 106/53 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5397.450	Average	38.44	2.56	41.00	54.00	-13.00
5397.450	Peak	53.28	2.56	55.84	74.00	-18.16
5460.000	Average	38.16	2.64	40.80	54.00	-13.20
5460.000	Peak	52.06	2.64	54.70	74.00	-19.30
5467.650	Peak	53.45	2.74	56.19	68.20	-12.01
5470.000	Peak	51.85	2.77	54.62	68.20	-13.58
5480.000	Peak	51.93	2.76	54.69	68.20	-13.51
5850.000	Peak	56.41	4.31	60.72	68.20	-7.48
5853.750	Peak	57.87	4.23	62.10	68.20	-6.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 169 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 106/54 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5377.950	Average	38.21	2.33	40.55	54.00	-13.45
5377.950	Peak	53.16	2.33	55.50	74.00	-18.50
5460.000	Average	38.19	2.64	40.83	54.00	-13.17
5460.000	Peak	51.51	2.64	54.15	74.00	-19.85
5465.050	Peak	52.16	2.71	54.86	68.20	-13.34
5470.000	Peak	52.58	2.77	55.35	68.20	-12.85
5480.000	Peak	51.56	2.76	54.32	68.20	-13.88
5850.000	Peak	51.85	4.31	56.16	68.20	-12.04
5985.700	Peak	53.68	4.04	57.73	68.20	-10.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 170 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 106/54 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5442.300	Average	38.32	2.38	40.69	54.00	-13.31
5442.300	Peak	53.62	2.38	56.00	74.00	-18.00
5460.000	Average	38.23	2.64	40.87	54.00	-13.13
5460.000	Peak	51.95	2.64	54.59	74.00	-19.41
5461.150	Peak	52.85	2.66	55.50	68.20	-12.70
5470.000	Peak	51.82	2.77	54.59	68.20	-13.61
5480.000	Peak	51.96	2.76	54.72	68.20	-13.48
5850.000	Peak	58.86	4.31	63.17	68.20	-5.03
5858.300	Peak	59.69	4.14	63.84	68.20	-4.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 171 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5442.950	Average	38.30	2.40	40.70	54.00	-13.30
5442.950	Peak	53.09	2.40	55.48	74.00	-18.52
5460.000	Average	38.20	2.64	40.84	54.00	-13.16
5460.000	Peak	52.06	2.64	54.70	74.00	-19.30
5461.800	Peak	53.25	2.66	55.91	68.20	-12.29
5470.000	Peak	52.54	2.77	55.31	68.20	-12.89
5480.000	Peak	51.40	2.76	54.16	68.20	-14.04
5850.000	Peak	51.19	4.31	55.50	68.20	-12.70
5927.200	Peak	52.92	4.35	57.27	68.20	-10.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 172 of 320

Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5720 MHz Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5358.450	Average	38.29	2.22	40.51	54.00	-13.49
5358.450	Peak	53.33	2.22	55.55	74.00	-18.45
5460.000	Average	38.19	2.64	40.83	54.00	-13.17
5460.000	Peak	51.72	2.64	54.36	74.00	-19.64
5463.100	Peak	52.62	2.68	55.30	68.20	-12.90
5470.000	Peak	51.79	2.77	54.56	68.20	-13.64
5480.000	Peak	52.00	2.76	54.76	68.20	-13.44
5850.000	Peak	53.48	4.31	57.79	68.20	-10.41
5856.350	Peak	54.66	4.18	58.84	68.20	-9.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上報音の名性は列風之体の耳具・「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service Printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 173 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5616.430	Peak	52.42	3.41	55.83	68.20	-12.37
5650.000	Peak	50.35	3.60	53.95	68.20	-14.25
5700.000	Peak	50.29	3.31	53.60	105.20	-51.60
5720.000	Peak	53.44	4.17	57.61	110.80	-53.19
5725.000	Peak	56.32	4.21	60.53	122.20	-61.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 174 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5615.655	Peak	52.78	3.40	56.18	68.20	-12.02
5650.000	Peak	51.03	3.60	54.63	68.20	-13.57
5700.000	Peak	55.74	3.31	59.05	105.20	-46.15
5720.000	Peak	64.56	4.17	68.73	110.80	-42.07
5725.000	Peak	67.36	4.21	71.57	122.20	-50.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 175 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 26/0 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5631.775	Peak	54.80	3.48	58.28	68.20	-9.92
5650.000	Peak	52.24	3.60	55.84	68.20	-12.36
5700.000	Peak	74.30	3.31	77.61	105.20	-27.59
5720.000	Peak	64.83	4.17	69.00	110.80	-41.80
5725.000	Peak	67.19	4.21	71.40	122.20	-50.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 176 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 26/0 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5646.655	Peak	62.01	3.54	65.54	68.20	-2.66
5650.000	Peak	61.29	3.60	64.89	68.20	-3.31
5700.000	Peak	87.33	3.31	90.64	105.20	-14.56
5720.000	Peak	74.19	4.17	78.36	110.80	-32.44
5725.000	Peak	79.29	4.21	83.50	122.20	-38.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 177 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 52/37 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5624.955	Peak	52.89	3.47	56.35	68.20	-11.85
5650.000	Peak	51.16	3.60	54.76	68.20	-13.44
5700.000	Peak	56.91	3.31	60.22	105.20	-44.98
5720.000	Peak	59.33	4.17	63.50	110.80	-47.30
5725.000	Peak	64.43	4.21	68.64	122.20	-53.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 178 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 52/37 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5647.275	Peak	62.23	3.55	65.78	68.20	-2.42
5650.000	Peak	61.61	3.60	65.21	68.20	-2.99
5700.000	Peak	70.18	3.31	73.49	105.20	-31.71
5720.000	Peak	73.88	4.17	78.05	110.80	-32.75
5725.000	Peak	79.30	4.21	83.51	122.20	-38.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 179 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 106/53 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5635.805	Peak	53.46	3.44	56.90	68.20	-11.30
5650.000	Peak	52.38	3.60	55.98	68.20	-12.22
5700.000	Peak	56.09	3.31	59.40	105.20	-45.80
5720.000	Peak	66.37	4.17	70.54	110.80	-40.26
5725.000	Peak	65.73	4.21	69.94	122.20	-52.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 180 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 106/53 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
5649.290	Peak	62.52	3.59	66.11	68.20	-2.09
5650.000	Peak	61.36	3.60	64.96	68.20	-3.24
5700.000	Peak	70.06	3.31	73.37	105.20	-31.83
5720.000	Peak	79.93	4.17	84.10	110.80	-26.70
5725.000	Peak	78.69	4.21	82.90	122.20	-39.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 181 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5639.990	Peak	52.82	3.41	56.23	68.20	-11.97
5650.000	Peak	51.32	3.60	54.92	68.20	-13.28
5700.000	Peak	57.56	3.31	60.87	105.20	-44.33
5720.000	Peak	68.52	4.17	72.69	110.80	-38.11
5725.000	Peak	76.67	4.21	80.88	122.20	-41.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 182 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5745 MHz Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5647.895	Peak	61.64	3.56	65.20	68.20	-3.00
5650.000	Peak	60.22	3.60	63.82	68.20	-4.38
5700.000	Peak	69.25	3.31	72.56	105.20	-32.64
5720.000	Peak	78.29	4.17	82.46	110.80	-28.34
5725.000	Peak	89.67	4.21	93.88	122.20	-28.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 183 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	53.53	4.31	57.84	122.20	-64.36
5855.000	Peak	51.86	4.21	56.07	110.80	-54.73
5875.000	Peak	51.23	3.90	55.13	105.20	-50.07
5925.000	Peak	50.76	4.36	55.12	68.20	-13.08
5949.330	Peak	53.91	4.05	57.96	68.20	-10.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 184 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU FULL Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	64.67	4.31	68.98	122.20	-53.22
5855.000	Peak	60.45	4.21	64.66	110.80	-46.14
5875.000	Peak	51.51	3.90	55.41	105.20	-49.79
5925.000	Peak	51.20	4.36	55.55	68.20	-12.65
5930.460	Peak	53.43	4.33	57.76	68.20	-10.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 185 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 26/8 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμ̈V	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	57.60	4.31	61.91	122.20	-60.29
5855.000	Peak	59.80	4.21	64.01	110.80	-46.79
5875.000	Peak	54.50	3.90	58.40	105.20	-46.80
5925.000	Peak	52.02	4.36	56.38	68.20	-11.82
5928.250	Peak	53.47	4.35	57.82	68.20	-10.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 186 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 26/8 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	72.47	4.31	76.78	122.20	-45.42
5855.000	Peak	71.91	4.21	76.12	110.80	-34.68
5875.000	Peak	70.42	3.90	74.32	105.20	-30.88
5925.000	Peak	53.31	4.36	57.67	68.20	-10.53
5935.560	Peak	58.22	4.22	62.44	68.20	-5.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 187 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 52/40 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	57.34	4.31	61.65	122.20	-60.55
5855.000	Peak	57.14	4.21	61.35	110.80	-49.45
5875.000	Peak	51.77	3.90	55.67	105.20	-49.53
5925.000	Peak	51.23	4.36	55.58	68.20	-12.62
5949.500	Peak	53.13	4.04	57.17	68.20	-11.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 188 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 52/40 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	71.76	4.31	76.07	122.20	-46.13
5855.000	Peak	71.00	4.21	75.21	110.80	-35.59
5875.000	Peak	64.15	3.90	68.05	105.20	-37.15
5925.000	Peak	52.62	4.36	56.97	68.20	-11.23
5931.990	Peak	55.40	4.30	59.70	68.20	-8.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 189 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 106/54 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	58.92	4.31	63.23	122.20	-58.97
5855.000	Peak	56.56	4.21	60.77	110.80	-50.03
5875.000	Peak	52.36	3.90	56.26	105.20	-48.94
5925.000	Peak	51.02	4.36	55.38	68.20	-12.82
5928.930	Peak	53.04	4.34	57.38	68.20	-10.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 190 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 106/54 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	73.95	4.31	78.26	122.20	-43.94
5855.000	Peak	70.94	4.21	75.15	110.80	-35.65
5875.000	Peak	62.88	3.90	66.78	105.20	-38.42
5925.000	Peak	53.21	4.36	57.57	68.20	-10.63
5929.100	Peak	54.59	4.34	58.93	68.20	-9.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 191 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 242/61 Antenna Pol. :Vertical

EUT Pol :NB Plane Engineer :Quentin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.000	Peak	66.14	4.31	70.45	122.20	-51.75
5855.000	Peak	64.53	4.21	68.74	110.80	-42.06
5875.000	Peak	59.94	3.90	63.84	105.20	-41.36
5925.000	Peak	51.80	4.36	56.16	68.20	-12.04
5926.890	Peak	53.20	4.35	57.55	68.20	-10.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 192 of 320


Report Number :E2/2022/30010 Test Site :SAC G

Operation Mode :802.11ax20 **Test Date** :2022-03-18

Test Frequency :5825 MHz Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 242/61 Antenna Pol. :Horizontal

EUT Pol :NB Plane Engineer :Quentin



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
			•				
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dBuV	dB	dBµV/m	dBµV/m	dB
-						- I	_
	5850.000	Peak	77.06	4.31	81.37	122.20	-40.83
				_			
	5855.000	Peak	68.93	4.21	73.14	110.80	-37.66
	5875.000	Peak	61.79	3.90	65.69	105.20	-39.51
	5925.000	Peak	56.20	4.36	60.55	68.20	-7.65
	5929.610	Peak	57.87	4.34	62.22	68.20	-5.98
	0020.010	i Juli	01.01	1.01	UL.LL	00.20	0.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。